atabase changed ysql> show tables;	
Tables_in_practical6	
newrolicall oldrollcall	
rows in set (3.00 sec)	
ysql> show create procedure proc_merge;	
Procedure   sql mode	Create Procedure
Procedure   add_more	Create Procession
character_set_client   collation_connection   Database Collation	
proc_merge   ONLY_FULL_GROUP_BV,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO_ZERO_DATE,EBROR_FOR_DIVISION_BY_ZERO,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION   CREATE DEFINER='root'@'localhost' PROCEDURE 'proc_merge')	
eclare roll int; eclare exit loop boolean;	
eclare of cursor for select rolln from oldrollcall; eclare continue handler for not found set exit loop = TRUE;	
pen cl;	
oop: loop etch c1 into roll;	
f ( not exists (select * from newrollcall where rolln = roll ) ) then nsert into newrollcall select * from oldrollcall where rolln = roll;	
nd if; f exit_loop then	
lose c1; eave loop1;	
nd tF; nd lacp lacp1;	
nd   utf8mb4	
row in set (0.01 sec)	
ysql> select * from olerollcall;	
rolln   name   addr	