

Install MEWC Core Node on HiveOS (or Debian¹ variants) as a System Service

```
adduser meowcoin --system -group

mkdir -p /usr/bin/meowcoind.d

cd /tmp

wget https://github.com/JustAResearcher/Meowcoin/releases/download/V1.0.2/MEOW-1.0.2-CLI-18.04-x86\_64-linux-gnu.tar.gz

tar -xf MEOW-1.0.2-CLI-18.04-x86_64-linux-gnu.tar.gz
cp ./meowcoind /usr/bin/meowcoind.d
cp ./meowcoin-cli /usr/bin/meowcoin.d
ln -s /usr/bin/meowcoin.d/meowcoin-cli /usr/bin/meowcoin-cli
ln -s /usr/bin/meowcoin.d/meowcoind /usr/bin/meowcoind

echo -n 'rpcpassword=' > meowcoin.conf
openssl rand -base64 41 >> meowcoin.conf
mkdir -p /root/.meowcoin
cp meowcoin.conf /root/.meowcoin
mkdir -p /home/user/.meowcoin
cp meowcoin.conf /home/user/.meowcoin
chown -R user:root /home/user/.meowcoin

mkdir /etc/meowcoin
echo 'maxconnections=75' >> meowcoin.conf
cp meowcoin.conf /etc/meowcoin/meowcoin.conf
chown meowcoin:meowcoin /etc/meowcoin/meowcoin.conf

mkdir -p /var/lib/meowcoin
touch /var/lib/meowcoin/meowcoin.pid
chown -R meowcoin:meowcoin /var/lib/meowcoin

cd /etc/systemd/system

wget
https://raw.githubusercontent.com/JustAResearcher/Meowcoin/master/contrib/init/meowcoind.service

systemctl daemon-reload
systemctl enable meowcoind.service
systemctl start meowcoind.service
systemctl status meowcoind.service

netstat -tulpa | grep "8788"
meowcoin-cli getblockchaininfo | grep "headers"
meowcoin-cli getblockchaininfo | grep "blocks"
meowcoin-cli getpeerinfo | grep "inbound"

Open firewall for tcp port 8788

meowcoin-cli getpeerinfo | grep "\"inbound\": true" && meowcoin-cli getpeerinfo | grep -c
 "\"inbound\": true"

meowcoin-cli getpeerinfo | grep "\"inbound\": true" && meowcoin-cli getpeerinfo | grep -c
 "\"inbound\": true"
```