


Ming

Every done comes with proof.



AI development, verified.

Automatic acceptance for AI-built features

Concept cover

The work left after "done"

AI says the feature
is finished.
I still have to check it.

Open the page. Click every case.
Capture the failure. Explain it to the AI.
Repeat after each edit.

Ming turns those checks into a repeatable
acceptance run with evidence the coding
agent can use.

- 01 **Confirm the acceptance plan**
Review the requirement, expected result and boundaries.
- 02 **Run a real browser**
Execute the confirmed steps against the target.
- 03 **Capture the failure**
Keep expected vs. observed results and screenshots.
- 04 **Hand evidence to the agent**
The coding agent claims a repair task through MCP.
- 05 **Rerun the same plan**
Compare both runs without weakening the checks.

A repair with the same acceptance plan

Before: the report disappears on refresh

日报系统

预览缺陷版 / 刷新后数据丢失

日报内容

请输入今日工作内容...

提交日报

已提交日报

暂无日报记录

AC-02 failed

After: the same check passes

日报系统

AI 修复工作区 / 本地验收样例

日报内容

请输入今日工作内容...

提交日报

已提交日报

Ming测试-repair-demo-1790415649056


2026/9/26 17:40:49

AC-02 passed; all 3 criteria passed

Same target, plan and runner. The agent changed the source, and the original failure passed on rerun.

Recorded local repair by Codex via MCP | Runs 65aece9c / 2cf3cc33

Built with IBM Bob



Bob implemented

Browser execution and evidence history.

Model adapter and confirmed plans.

Repair-task / MCP foundation.

Codex completed

Final interface, integrity checks and second sample. Codex performed the recorded MCP repair after Bob's trial quota ended.

Original Bob task summary. Full-resolution evidence: [bob_sessions/](#).

Prototype scope

Daily reports + a task manager


Each sample has its own markup and acceptance plan. Both use the same browser runner.

Full workflow runs locally

Review evidence and rerun after the agent repairs the source.

Public demo shares real history

The online view is read-only. It shows saved runs and repair evidence; it does not execute new checks.



Second sample: task creation, completion and persistence after refresh.

Model adapter available. This demonstration uses hand-authored plans; live model generation awaits API configuration.