Final Project

MTH 9899 Baruch College DATA SCIENCE II: Machine Learning

March 7, 2022

- For the project, work within groups
- All of your work should be in Python 3.xx
- Do not use any data other than the files provided.
- Your code must work as-is, more details provided below

Goals The goal of this project is to go through the process of applying ML to a raw dataset (stock returns) and to apply ML algorithms that you have learned in class to a real-world dataset. The hope is that you will apply the techniques you have been taught in new/interesting ways to predict future market returns. In pursuit of this goal you are encouraged to:

- Come up with useful features from the raw data
- Use cross-validation to fit and choose models
- Tune hyperparameters the best you can
- Use best practices with regards to data cleaning
- Avoid using features that are common across stocks that your model may over-fit to but you are unlikely to find useful out-of-sample (e.g. date)
- Time permitting, implement and test multiple ideas from the semester, and combine them to produce superior results to what any single algorithm can do

Your model will be tested on a hold-out sample to find out how well it performs.

Data The dataset you have been giving consists of 4 years (2014, 2015, 2016, 2017) of stock market data, for a large universe of stocks. You are given 5 folders of data, each of which contains a file per date. The 5 folders and the fields included are listed below:

i return:

- Date, Date of the data (same as file date)
- *Time*, snapshots at 3 times are provided: 10:00, 16:00 and 17:30 (aka, the market "close")
- Id, a unique identifier for each stock
- ResidualNoWinsorCumReturn, residual return (i.e. after removing factor returns) for that stock from the prior day's close to "now"
- RawNoWinsorCumReturn, the raw return for that stock for the same period.

Note: Both raw and residual returns to 10:00 are included in returns to 16:00 i.e. they are cumulative (and similarly, returns at 17:30 subsume all prior returns). Also, both are adjusted for corporate actions.

ii price_volume:

- Date, Id
- CleanMid: Mid price (unadjusted for corp actions, do not use across dates)
- CumVolume, cumulative volume for the stock, in shares so far "today"
- IsOpen, 1 if the stock is open at this date/time, 0 otherwise

iii mdv

- Date, Id
- MDV_63, median dollar volume over the prior 63 days (not including "today")

iv shout

- Date, Id
- SharesOutstanding, number of shares outstanding (in millions of shares), as of the end of the previous day

v risk

- Date, Id
- est Vol, estimate annualized volatility of the stock

Some notes about the data:

- The set of stocks will vary slightly from day to day as names fall in and out of the eligible universe. Be mindful of surviorship bias.
- Be mindful of weekends/holidays when creating your features.
- Not all stocks will be open on all dates and at all times (the data provided is across several markets).

Performance metric We will be using out-of-sample weighted R^2 of your predicted forward residual return vs. the actual forward residual return as the final benchmark.

We are preserving a hold-out test dataset (1 year of data). This dataset will have the same raw input fields as the training dataset. You will be provided this data 1-2 days prior to the submission deadline. Make sure you write your code in the prescribed manner such that you can quickly compute features and apply your previously trained learner to make predictions - DO NOT REFIT YOUR MODEL AT ALL AFTER THE NEW DATA IS PROVIDED.

Since there may be different ways to calculate weighted r-squared, please use scikit-learn's r2_score implementation. Compute weighted R^2 , across dates and IDs, using $\frac{1}{estVol}$ as weights.

Clip actual returns at 5 MAD cross-sectionally before measuring OOS performance.

- Target variable Make predictions at 17:30 for the return over the next 24 hrs i.e. use the next day's cumulative residual return at 17:30 as your target variable. Consider clipping your target variable prior to fitting.
- Sample Weights Use something sensible as weights for your fits, e.g. Market cap (which you can estimate from SharesOutstanding and price on a given date), or MDV. Consider using sqrt() or log() to mute the effect of a few IDs dominating your fit.
- Validation data Do all of your feature engineering and testing using only the first 3 years of data. Keep the last year of data i.e. 2017 out of sample from yourself. After you have completed your research (i.e. you have made choices for your features, model type, hyper-parameters, etc.), apply your model to the 2017 data and report (in your white paper) the out of sample R^2 , weighted by $\frac{1}{estVol}$.

After having measured and reported your R^2 on this validation dataset, you may choose to re-train your model on data including 2017, for use by us on the test dataset.

Code and model You must submit:

- 1. Python code, including a "main.py" which can be invoked from the command line and takes the following cmd line options (we recommend using *argparse*):
 - -i: input directory (used differently in Mode 1 and Mode 2)
 - -o: output directory (used differently in Mode 1 and Mode 2)
 - -p: directory containing the learned model/s you provided (only for Mode 2)
 - -s: start date in YYYYMMDD format
 - -e: end date in YYYYMMDD format
 - -m: Mode you will run in. You should support two modes, defined below
- 2. Your fitted model object/s, in pickle form. The pickle file/s will be stored in a directory which we will point to in Mode 2 above.

Modes As mentioned above, your code should run in 2 modes:

Mode 1: In this mode, you only create features between startdate and enddate (i.e. features used for prediction by your model at 17:30 on the date specified) and save to the output directory specified, a CSV file per date with features for each ID. In this mode "-i" specifies the location of the raw input data (i.e. within this location will be the directories: return, price_volume, etc.) and "-o" specifies where to save your feature files.

We will test for leakage by applying this mode with and without input directories containing future raw data and expect the features to be identical. If your feature creation is found to suffer from leakage, your out-of-sample \mathbb{R}^2 will be invalidated.

Mode 2: In this mode, you are to <u>make predictions between startdate and enddate</u> by applying the learned model you provided to features produced from a run in Mode 1. In this mode "-i" specifies the location of the features previously created and "-o" specifies where to save your predictions. Your predictions should be saved as CSV files, one file per date, with the columns: Date, Time, Id and Pred.

White Paper Each group will submit a detailed white paper detailing your process, models and methodology, including but not limited to:

- How you split the data to create/test features, chose hyperparameters, etc.
- Categories of features created (e.g. time series based, cross-sectional) and full list
- How you tested your features and any cleaning/normalization
- $\bullet\,$ Feature importance, using a feature-permutation method like MDA/MDI
- \bullet Include bin plots of your most significant features vs. the target variable
- Choice you made for weights during fitting and why
- \bullet Techniques attempted, how you evaluted them and how each performed
- Hyperparameter choices attempted, how you evaluated them and how you made choices (if you plot error curves, please include error bars).
- Performance on the validation dataset (i.e. 2017)
 - $-R^2$, weighted by $\frac{1}{estVol}$
 - Include a "bin plot" as described in the ${\it Visualization}$ section below
 - Include a "drift plot" as described in the $\it Visualization$ section below
 - Include a plot showing a 30-day moving avg of correlation (of your predictions vs. the target variable, cross sectionally)
 - Feature importance, using MDA (Mean decrease in accuracy)

Visualization Create the following, on the validation data set (2017):

- A bin plot, similar to ones we looked at in class, with your predictions binned into 10 bins on the X-axis and the actual 1-day return on the Y-axis.
- A drift plot: take the predictions binned in the same way as in the previous method; Within each bin, measure the mean actual return from previous close to the time of prediction (i.e. at 17:30), return from "today's" close to the next morning at 10:00, return from 10:00 16:00 on the next day, and return from 16:00 to 17:30 on the next day, along with 1 std. error bar around each of your means. Use these to plot the "average" path of returns before and after your prediction, for each bin.

Produce these with equal-weighted means and also means weighted by $\frac{1}{estVol}$ (for the target variable on the Y-axis).

Grading Some attributes that will contribute to your grade:

- i The process you followed to avoid overfitting.
- ii Creativity of your features
- iii Thoughtfulness of your features and process followed to vet individual features (e.g. just trying random combinations and powers will not be considered as well thought-out features).
- iv Steps taken to normalize your features and/or ensure their stationarity
- v Steps you may have taken to avoid learning spurious signals or that may make you take inadvertent risks (e.g. a strategy that goes long higher volatility stocks and short lower volatility stocks, or one that is size-biased).
- vi Thoughtfulness of your model selection and tuning process.
- vii How your model's performance holds up out-of-sample (both in absolute terms and how close it is to your performance on the validation data).
- viii Visualizations particularly, in their ability to convey information (the information itself doesnt have to be a positive outcome).