


AERIAL VIEW — DOOR PLACEMENT PLAN

Top-down view • All door locations with distances from drip edge to drip edge



LEGEND: Walk Door (3070)

Overhead / Roll-Up Door

SCALE:  (1:173)

13|7 FrameWorks

CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-1


AERIAL / SITE PLAN

Sheet 1 of 6


FRONT & REAR ELEVATIONS

Side profiles showing door placement, eave height, roof pitch, and concrete slab detail

Front Elevation



Back Elevation



13|7 FrameWorks

CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-2


FRONT & REAR ELEVATIONS

Sheet 2 of 6


LEFT & RIGHT ELEVATIONS

Side profiles showing door placement, eave height, and concrete slab detail

Left Elevation



Right Elevation



13|7 FrameWorks


CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-3

LEFT & RIGHT ELEVATIONS
Sheet 3 of 6

ROOF PLAN

Top-down view of roof showing ridge line, slope direction, gutters, and ventilation



ROOF NOTES:

- Roof Pitch: 3:12 (standard metal building)
- Ridge Height: 18'-3" from finish floor
- Gutters: Not included
- Ventilation: Not included
- Roof Color: Burgundy

SCALE:  (1:166)

13|7 FrameWorks


CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-4

ROOF PLAN
Sheet 4 of 6

FOUNDATION / CONCRETE PLAN

Plan view showing slab layout, thickness, or pier locations as applicable



FOUNDATION NOTES:

- Concrete Type: Piers
- Building Footprint: 50' x 50' (2,500 sq ft)
- All concrete work per local building codes. Obtain permits before pouring.
- Verify soil conditions and compaction prior to pour.

13|7 FrameWorks

CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-5

FOUNDATION PLAN

Sheet 5 of 6

DOOR & WINDOW SCHEDULE + CONSTRUCTION NOTES

Complete listing of all openings and general construction specifications

DOOR SCHEDULE

MARK	TYPE	SIZE (WxH)	WALL	POS. FROM LEFT	QTY
OH1	Overhead / Roll-Up	10' x 8'	Front	20'-0"	1

WINDOW SCHEDULE

MARK	SIZE	WALL	QTY
------	------	------	-----

No windows selected

MATERIAL SPECIFICATIONS

- Building Type: Carport
- Frame Type: Standard
- Roof Color: Burgundy
- Wall Color: Light Gray
- Trim Color: Black
- Door Color: Light Gray
- Insulation: None
- Gutters & Downspouts: Not included
- Ventilation: Not included
- Concrete: Piers

GENERAL CONSTRUCTION NOTES

1. All work shall conform to applicable local, state, and national building codes.
2. Contractor shall obtain all required permits prior to commencement of work.
3. All dimensions shown are nominal. Verify all measurements on site before fabrication.
4. Foundation must be level within $\pm 1/4"$ across full building footprint.
5. Roof pitch: 3:12 standard. Ridge height: 18'-3" from finish floor.
6. All structural connections per manufacturer specifications.
7. Anchor bolts: 1/2" x 12" J-bolts at 48" O.C. maximum, set per template.
8. Erection shall be performed by qualified metal building installer.
9. Sealant at all panel laps, trim, and flashing per manufacturer requirements.
10. Owner responsible for site grading, access, and utility connections unless noted.
11. Door clearance: Minimum 2'-6" from building corners to any door opening.
12. Maximum door height: Eave height minus 2'-0" (12'-0" eave = 10'-0" max door).
13. All framing members to be primed or galvanized per specification.

13|7 FrameWorks

CLIENT: Mike Williams
PROJECT: 50' x 50' Metal Building
TYPE: Carport
EAVE HT: 12'-0"
DATE: 02/14/2026

S-6

SCHEDULES & NOTES

Sheet 6 of 6