## NOTE ON DUCROS' BOOK — CHAPTER 4

## MINGCHEN XIA

## Contents

1

1. Introduction

2. Notes References	3
1. Introduction  These are a series of notes on the book [Duc24].	
2. Notes	
Let $k$ be a non-Archimedean analytic field. Consider a $k$ -analytic curve $X$ . Unlike Ducros' book, we assume that $X$ is good.	
<b>4.1.1.</b> Line 17, $\mathbb{P}_k^{1,\mathrm{an}}$ should be $\mathbb{P}_k^1$ .	
<b>4.2.1.</b> Line 4, $\varphi^{-1}(\varphi((x)))$ should be $\varphi^{-1}(\varphi(x))$ .	
<b>1.2.3.</b> Line 5, $\varphi$ should be $f$ .	
<b>4.2.4.1.</b> Line $6$ , $= 0$ should be removed. Line $8$ , $X'$ should be $X_0$ .	
<b>4.2.9.</b> Line 3, $\mathbb{P}_{\mathcal{H}(x)}$ should be $\mathbb{P}_{\mathcal{H}(x)/k}$ .	
<b>4.2.16.1.</b> Line 5, the second $y$ should be $x$ .	
<b>4.2.16.2.</b> Line 26, $\varphi^{-1}U$ should be $\varphi^{-1}(U)$ .	
<b>4.3.4.1.</b> Line 4, $x_i$ should be $x_i'$ .	
<b>4.3.5.2.</b> Line 1, 3) should be 1).	
<b>4.3.6.4.</b> Line 8, $ \mathcal{O}_X(Z)^{\times} $ should be $ \mathcal{O}_X(Z)^{\times} _b$ .	
<b>4.3.9.1.</b> Line 18, $Y^{\text{an}}$ should be $S^{\text{an}}(Y)$ . Line 19, $X^{\text{an}}$ should be $S^{\text{an}}(X)$ .	
4.3.11.1. Line 7, $b$ should be $y$ .  Line 8, $a$ should be $x$ .  Line 8, le lemma should be la proposition.	
<b>4.4.3.1.</b> Line 8, $\overline{U}$ should be $X \setminus \{x\}$ . Line 9, $\overline{U}$ should be $Z$ .	
<b>4.4.5.</b> Line 4, $H^{1}(\kappa(x), \mu_{\ell})$ ) should be $H^{1}(\kappa(x), \mu_{\ell})$ .	
<b>4.4.5.3.</b> Line 2, $H^1(X, x)_{\text{\'et}}, \mu_{\ell}$ ) should be $H^1((X, x)_{\text{\'et}}, \mu_{\ell})$ .	
	_

<sup>&</sup>lt;sup>1</sup>This is proved in Ducros' book based on Temkin's goodness criterion. I cannot understand he proof of the latter as explained in my note on graded reductions.

- **4.4.8.3.** Line 10,  $H^1$  should be  $H^1$ . In the displayed formula,  $T^{\ell} f(x)$  should be  $(T^{\ell} f(x))$ .
- **4.4.10.4.** Line 5, remove the first sentence.
- **4.4.14.** Line 3, Y should be X. Line 9, the formula should be  $\mathrm{H}^1((X,x)_{\mathrm{\acute{e}t}},\mu_\ell)\sim\mathrm{H}^1(\mathscr{H}(x),\mu_\ell)$ .
- **4.4.23.** Line 6, t should be T.
- **4.5.4.** Line 6, coronaire should be une couronne virtuelle.
- **4.5.12.** Line 1,  $p: X \to X_{\widehat{k}^a}$  should be  $p: X_{\widehat{k}^a} \to X$ . The finiteness of the fiber over  $x \in X_{[0,2,3]}$  is due to the fact that x is Abhyankar. See 3.2.15.4.

REFERENCES 3

## References

DucCurve

[Duc24] A. Ducros. La structure des courbes analytiques. 2024. arXiv: 2405.10619 [math.AG]. Mingchen Xia, Chalmers Tekniska Högskola and Institute of Geometry and Physics, USTC

 $Email\ address, \verb|xiamingchen2008@gmail.com|\\$ 

Homepage, https://mingchenxia.github.io/home/.