


31263 / 32004

Intro to GamesDevelopment

Week 10



Dr. William Raffe
william.raffe@uts.edu.au
Senior Lecturer
School of Software, FEIT



Overview

- **Unity UI Overview**
- **Canvas**
 - **Overlay vs Camera vs World Space**
 - **Element Ordering**
- **Rect Transform**
 - **Anchors and Pivots**
 - **Stretching**
- **Multiple Screen Resolution**
- **Text**
- **Images**
- **Buttons**




■ Unity UI Overview

- Dedicated UI Designer and Developer job roles exist in game companies.
 - Menu screens are the first thing a player sees
 - In-game UI's convey most non-environment information
 - A bad UI is as deadly to a game as bad in-game controls!
- The UI capabilities of Unity are vast and flexible
 - They have come a long way since early Unity days
- Like **animation** and **audio**, we will only be scraping the surface

Canvas

- **Everything in a UI is placed under a GameObject with a Canvas component**
 - I.e. all UI elements are a child of a Canvas
 - Will be auto created if any other UI element is created and one doesn't exist.
- **One scene can have multiple canvases**
 - Best to minimize quantity where possible
- **Creating a canvas will also create an EventSystem.**
 - Handles UI Input
 - Mostly can be ignored for basic UI's



Canvas – Screen Space - Overlay

- The canvas covers the **entire screen**.
 - I.e. has the same dimensions as the screen it is viewed on.
- Has no depth
 - Everything is flat (no perspective)
 - Z coordinate is meaningless
 - Rotation around y axis is meaningless




Canvas – Screen Space - Camera

- The canvas covers **one camera**.
 - Has same dimensions as camera view.
- If the camera is in Perspective mode
 - Then the canvas will have perspective.
- Otherwise quite similar to Screen space - Overlay



Canvas – Screen Space - Camera

- Occupies a specific spot in **world space**.
 - Just like every other game object in the scene
- Allows for embedding text and icons in the game environment.
- Warning: Because it is not an overlay, the canvas won't be aware of different screen dimensions.
 - Can lead to text that is either too small or that is blurry
 - Not recommended to use as replacement to Screen Space - Overlay





■ Element Ordering

- Which UI element appears in front, which is behind?
- Canvas:
 - Sort Order – Order of rendering for all Canvas gameobjects
 - Lower values **rendered first** (i.e. rendered behind)
- Within a Canvas:
 - Objects higher in the Hierarchy Window are **rendered first** (i.e. behind lower objects)
 - Parent objects are **rendered first** (i.e. behind child objects)




Interaction Ordering

- E.g. If a UI gameobject has a Button component then it can be clicked
- If another UI gameobject is lower in the hierarchy, it will receive the click and block the button.
- EXCEPTION – Child images/text will not stop a parent from being clicked, even though they appear in front of the parent.
 - If both parent and children have interaction (e.g. both are Buttons), the child lowest in the hierarchy will always block the others

Rect Transform

- UI gameobjects do not have a Transform component.
 - They have a **RectTransform** component (which is a sub class of Transform)
- More controls for relative positioning
 - Think HTML/CSS layouts





■ Anchors and Pivots

- Determines relative positioning
- **Anchor** – what part of the screen / parent object to attach to.
 - If that part of the screen / parent moves, the object will moves
- **Pivot** – Where the “centre” of the UI element is
 - Pos X, Y, Z, Width, Height, Rotation values all start at the pivot.

| Anchor Presets | | | | |
|---|------|--------|-------|---------|
| Shift: Also set pivot Alt: Also set position | | | | |
| | left | center | right | stretch |
| | | | | |
| top | | | | |
| middle | | | | |
| bottom | | | | |
| stretch | | | | |

Stretching

- Splits the pivot into 2 or 4 and assigns it to the anchors
 - No more Pos X, Y, Z -> Now [distance from] Left, Right, Top, Down
- If any anchor moves, the RectTransform will **move and scale**






Screen Resolutions

- Designing a UI for one screen doesn't mean it will look good on another screen.
- Wide variety of Aspect Ratios
 - Aspect Ratio = Width / Height = base width : base height
- Monitors
 - 1680x1050 = 16:10, 1920x1200 = 16:9, 1920x1080 = 4:3, 2160x1440 = 3.2, 3840x2160 = 12:5
- Phones (in landscape mode)
 - iPads = 4:3, iPhone 4 = 3:2, Android tablets = 16:10, Galaxy Tab 7 = 17:10, iPhone 5/6 and Galaxy 6/7 = 16:9... and smaller brands with a lot more.

Screen Resolutions - UI



- Use anchors intelligently
- Use Canvas Scaler (added to canvas gameobjects automatically)
- Scale with Screen Size
 - Match the width of the screen
 - Match the height of the screen
 - Match both as best as possible
- Not a silver bullet!
 - **Test test test and then test some more on all the aspect ratios** that your customers are likely to use! (and then some hypothetical ones too)

Screen Resolutions – 2D Games

- **This affects 2D phone games a lot!**
- Great article:
- <https://v-play.net/doc/vplay-different-screen-sizes/>
- “Cut the Rope” does this well with a cardboard box boarder that can be cut off in any way due to resolution differences.





■ Text, Images, Buttons, etc.

- After the previous slides, most actual UI gameobjects are pretty straight forward.
- Most visual elements have a Text component or Image component.
- Most common interaction has its own component (e.g. Button)
 - These pass through the EventSystem component
 - Usually through Event Listeners (similar to Java)
 - On[Event]()
 - E.g. Button has OnClick(), Slider has OnValueChanged()



■ Accessing UI via Code

- Most standard UI elements under `UnityEngine.UI`
`using UnityEngine.UI;`
- Anything that can be seen in the inspector, is likely editable through code.
 - Including `RectTransforms`
 - And `EventListeners` (using C# delegates woot!)

```
void Start() {  
    myButton.onClick.AddListener(ButtonClickedMethod);  
}  
void ButtonClickedMethod() {... do stuff when button is clicked...}
```


Button example

- A standard button has:
- An Image component (for the button shape)
- A Button component (for interaction)
- A child with a Text component (for the button text)

