Homework 4 Report

1.



2.



3.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From:
0ps
To:
4,000ps
Get Signals
Radix
100%
0
500
1,000
1,500
2,000
2,500
3,000
3,500
a_in
b_in
q_out
a
b
q
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

4.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From:
0ps
To:
4,000ps
Get Signals
Radix
100%
0
500
1,000
1,500
2,000
2,500
3,000
3,500
a_in
b_in
q_out
a
b
q
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

5.


VHDL - Basic OR Gate(1) - EDA
edaplayground.com/x/jWkr
EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 8,000ps
Get Signals
Radix
100%
a[1:0]
b[1:0]
cout
ctrl
sum[1:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

6.


EDA playground
New
Run
Copy*
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 7,000ps
Get Signals
Radix
100%
a[3:0]
a_eq_b
a_gr_b
a_le_b
b[3:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

7.


EPWave
From:
0ps
To:
160,000ps
Get Signals
Radix
100%
a[3:0]
parity
a[3:0]
parity
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

8.


EDA playground
New
Run
Copy*
Resources
Community
Help
Playgrounds
Profile
EPWave
From:
0ps
To:
40,000ps
Get Signals
Radix
100%
a[1:0]
y[3:0]
a[1:0]
y[3:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

9.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 70,000ps
Get Signals
Radix
100%
d[3:0]
valid
y[1:0]
d[3:0]
valid
y[1:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

10.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 80,000ps
Get Signals
Radix
100%
bin[2:0]
gray[2:0]
bin[2:0]
gray[2:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

11.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 80,000ps
Get Signals
Radix
100%
bin[2:0]
gray[2:0]
bin[2:0]
gray[2:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

12.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 120,000ps
Get Signals
Radix
100%
A[3:0]
B[3:0]
Cout
Sel
Sum[3:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

13.


EDA playground
New
Run
Save
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 2,560,000ps
Get Signals
Radix
100%
A[3:0]
a_eq_b
a_gr_b
a_le_b
B[3:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

14.


EDA playground
New
Run
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 640,000ps
Get Signals
Radix
100%
A[1:0]
B[1:0]
Cout
Result[1:0]
Sel[1:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

15.


EDA playground
New
Run
Copy*
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 160,000ps
Get Signals
Radix
100%
A[2:0]
Enable
Y[7:0]
temp[2:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

16.


EDA playground
New
Run
Copy*
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 320,000ps
Get Signals
Radix
100%
A[1:0]
B[1:0]
Sel_n
Y[1:0]
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

17.


EDA playground
New
Run
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 80,000ps
Get Signals
Radix
100%
0
10,000
20,000
30,000
40,000
50,000
60,000
70,000
A
B
Bin
Bout
Diff
A
B
Bin
Bout
Diff
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

18.


EDA playground
New
Run
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 340,000ps
Get Signals
Radix
100%
0
50,000
100,000
150,000
200,000
250,000
300,000
clk
q_behav[3:0]
q_data[3:0]
q_struct[3:0]
reset
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

19.


EDA playground
New
Run
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 340,000ps
Get Signals
Radix
100%
clk
q_behav[3:0]
q_data[3:0]
q_struct[3:0]
reset
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.

20.

EDA playground
New
Run
Copy
Resources
Community
Help
Playgrounds
Profile
EPWave
From: 0ps
To: 300,000ps
Get Signals
Radix
100%
clk
detected
din
reset
clk
detected
din
reset
Note: To revert to EPWave opening in a new browser window, set that option on your profile page.