

```
public class Animal {  
    String name;
```

```
    public Animal(String name) {  
        this.name = name;  
    }
```

```
    public void makeSound() {  
        System.out.println(name + "  
    }  
}
```

```
public class Pig extends Animal {  
    public Pig(String name) {  
        super(name);
```

```
    }
```

```
    @Override
```

```
    public void makeSound() {  
        System.out.println(name + "  
    }  
}
```

```
}
```

```
public class  
    public  
        Sup
```

```
}
```

```
@Override
```

```
public
```

```
}
```

```
}
```

```
@
```

```
public  
    pub
```

```
}
```



```

public class extends Animal {
    public Cat (String name) {
        super (name);
    }
}

```

@Override

```

public void makeSound () {
    System.out.println (name + "cat");
}

```

```

}

```

0

```

public class Dog extends Animal {
    public Dog (String name) {
        super (name);
    }
}

```

@Override

```

public void makeSound () {
    System.out.println (name + "dog");
}

```

```

}

```

```

}

```



```

public class Bird extends Animal {
    public Bird(String name) {
        super(name);
    }
}

```

```

@Override
public void makeSound() {
    System.out.println("meow");
}
}

```

```

public class Main {
    public static void main(String[] args) {
        Animal pig = new Pig("Meo");
        Animal dog = new Dog("cho");
        Animal cat = new Cat("Meo");
        Animal bird = new Bird("chim");

        pig.makeSound();
        dog.makeSound();
    }
}

```



```
ends Animal {  
}
```

```
1 (1) {
```

```
has 41/105 ;
```

```
1 (String[] args) {
```

```
1 ("H10");
```

```
1 Dg ("do");
```

```
1 ("M10");
```

```
1 id ("ch10");
```

```
(ay . makeSound(),  
bird . makeSound(),  
}
```

Bài tập 1 Xe đạp và Xe đạp điện

```
public class XeDay {
```

```
· public void run () {
```

```
System.out.println ("Xe day dang chay...")
```

```
· }
```

```
}
```

•

```
public class XeDayDien extends XeDay {
```

```
@ Override
```

```
public void run () {
```

```
System.out.println ("Xe day dien dang chay...")
```

```
}
```

```
}
```

```
public class main {
```



```

public static void main (String [] args) {
    Xeday x1 = new Xeday ();
    x1.run ();
    Xeday dieu x2 = new Xeday dieu ();
    x2.run ();
}
}

```

Kiểm tra:

Bài tập 1:

```

import java.util.date;
public class Person {
    protected String name;
    protected date birthday;

    public void setName (String name) {
        this.name = name;
    }

    public void set birthday (date birthday) {
        this.birthday = birthday;
    }
}

```



```
main (String [] args) {  
    new Xeday ();  
}
```

```
new Xeday ();
```

```
by ;
```

```
(String name) {
```

```
(date birth day ) {
```

```
}
```

```
public String get details () {
```

```
return "Name: " + name + ", birth day: " + birth day;
```

```
}
```

```
}
```

```
public class Employee extends Person {
```

```
    private double salary;
```

```
    public void set salary (double salary) {
```

```
        this .salary = salary;
```

```
}
```

```
@Override
```

```
public String getDetails () {
```

```
    return super .getDetails () + "Salary: " + salary;
```

```
}
```

```
}
```

```
public class Manager extends Employee {
```

```
    private Employee assistant;
```

```
    public void setAssistant (Employee assistant) {
```

```
        this .assistant = assistant;
```

```
}
```


@Override

```
public String getDetails () {  
    return Supb. getDetails () + "Assistant:" +  
    assistant.getDetails ();  
}
```

Bar?

```
public class NhanVien {
```

```
    protected String ten;
```

```
    protected long lucng;
```

```
    public NhanVien (String ten) {  
        this.ten = ten;
```

```
    }
```

```
    public NhanVien () {
```

```
        this.ten = ten;
```

```
        this.lucng = lucng;
```

```
    }
```

```
    protected String loiNhanVien () {
```

```
        System.out.println ("Nhan vien");
```

```
    }
```

```
    public void tinh lucng () {
```

```
        return lucng;
```

```
    }
```

```
public void  
    return "ten";
```

```
}
```

```
public class nhan
```

```
    private int
```

```
    private int
```

```
    public nhan
```

```
    loanhucng ();
```

```
    this.ten
```

```
    this.lucng
```

```
    this
```

```
}
```

```
public
```

```
    System
```

```
}
```

```
@Override
```

```
    public
```

```
    lucng
```


ids () {
Details () = "Assistant" +

ten) {

() {
"Nhân viên"

```
public void XuatThongTin () {  
    Ketqua ("Tên = ", ten + " Tuổi = ", tuoi);  
}
```

```
public class NhanVienFullTime extends NhanVien {  
    private int loai du vu;  
    private int ng lam dien;  
    public NhanVienFullTime (String ten, int ng lam dien, int  
        loai du vu) {  
        this.ten = ten;  
        this.ngay lam dien = ng lam dien;  
        this.loai du vu = loai du vu;  
    }  
}
```

```
public String loaiNhanVien () {  
    System.out.println ("Nhân viên Full-time")  
}
```

@ Override

```
public void tinhLy () {  
    loai Tong tuoi = tuoi * nhn ngay lam dien
```