



-Instruction-  
HTML Gold of Egypt Slot Game

# Description

2

It is complete pack for making Egypt Slot and Casino Game with premade game screens, pop ups, symbols, animations and backgrounds in casual, colorful, Egypt, pyramid, Pharaon style for your web game. The Asset also included Win animation for each symbols and used free sounds and fonts. The package is provided with complete source code, graphics files, properly commented code and detailed documentation for easy getting started. We use Phaser 3 – desktop and mobile HTML5 framework (<https://phaser.io/>). To install the game just upload folder 'game' to your server.

## What Included

### High Quality Graphics

- Game screen in PSD 1920 X 1080. 100% GUI editable. All elements are also in PNG, ready for code.
- PNG Background - 1920 X 1080.
- 15 slot game Icons.
- Win animations for each symbol in PNG sequence.
- 9 Pop Up (Settings, About, Message, Big Win, Mega Win, Huge Win, Free Spin, Pay Table (Help, Minor, Major and Special Symbols)) in 100% editable PSD. All elements also in PNG, ready for code.

### Professional Code

- Game screen with Slot machine 5x3
- Win animations
- Wild symbol functionality
- Free Spin functionality
- Scatter functionality
- Custom payable
- Custom config for each slot




### Free Fonts and Sounds

- We use free fonts and sounds. You can find them and the licenses in the project

# Getting started

3

To install the game just upload folder 'game' to your server. Open your url in browser. Press spin button to play. The main parameters of the game, downloadable graphics and fonts are in the file slotConfig3x5.js. You can make changes to an existing config file or make a copy of it and add your config to the game. For local development you can use Visual Studio Code and "Live Server" plugin (<https://www.codecademy.com/article/dev-phaser-locally>).





# Customization

4

You can easily customize your slot machine use config files (text color, spin time, offsets..., see below)

You can also change fonts and sprites.

```
slotConfig3x5.js X JS slotGame.js
> JS slotConfig3x5.js > slotConfig3x5
1 // 3x5 243 lines
2 var slotConfig3x5 = {
3   slotTextColor : 0xFFEA31, // text color
4
5   symbolSizeY: 213,
6   spinTime: 2000, // time, milliseconds
7   winShowTime: 3000, // time, milliseconds
8   showWinCoinsMessage : false, // displaying a message with the amount of money won
9   winMessageTime: 2000, // win message show time
10  minWin : 200, // to show big, mega, huge popup
11  useBigWinCongratulation : true, // to show big, mega, huge popup
12
13  symbAnimFrameRate: 24, // symbols animation frame rate
14  frameWidth : 239, // frame width
15  frameHeight : 239, // frame height
16
17  lineColor : 0xFFEA31, // line color
18
19  lineBetMaxValue: 20, // slot line bet maxvalue
20  useWild: true, // use wild flag, wild can be substitute for any symbol to create winning combinations (exclude first reel)
21  wild: 'Wild', // wild symbol name
22  useScatter: true, // use scatter flag
23  scatter: 'Scatter', // scatter symbol name
24  selectedLines: 'all', // 'all' / 'first' - selectad lines at start
25
26  useWildInFirstPosition: false, // substitute of the first symbol not allowed
27  useLineBetMultiplier: true, // win multiplied by bet
28  useLineBetFreeSpinMultiplier: false, // free spins win multiplied by bet
29  defaultCoins: 100000, // default player credit 100 000
30
31  localOffsetX: 0, // x offset from center for all scene objects
32  localOffsetY: 70, // y offset from center for all scene objects
33
34
```

```
fonts: [
  /*
  {
    fontName: 'gameFont_0',
    filePNG: 'fonts/*.png',
    fileXML: 'fonts/*.xml'
  },
  */
  {
    fontName: 'gameFont_1',
    filePNG: 'fonts/MontserratL_35_0.png',
    fileXML: 'fonts/MontserratL_35_0.xml'
  },
  {
    fontName: 'gameFont_2',
    filePNG: 'fonts/MontserratEB_98_1.png',
    fileXML: 'fonts/MontserratEB_98_1.xml'
  },
  {
    fontName: 'gameFont_3',
    filePNG: 'fonts/ElMessiriB_120_0.png',
    fileXML: 'fonts/ElMessiriB_120_0.xml'
  },
],
```

```
sprites: [
  // debug reference
  {
    fileName: null,
    name: 'debugreference'
  },
  // common sprites
  {
    fileName: 'SlotMachine_3x5.png',
    name: 'slot'
  },
  {
    fileName: 'Vase.png',
    name: 'vase'
  },
  {
    fileName: 'PanelJackpot.png',
    name: 'paneljackpot'
  },
],
```

Slot symbols data: file name, symbol name (unique), blurry symbol file name, animation sheet file name, use wild substitute for the symbol.

```
symbols:
[
  {
    fileName: 'Wick.png',           // filename or null
    name: 'Wick',                  // sprite name
    fileNameBlurred: 'WickBlurred.png', // blurry symbol file name, folder png/SymbolsBlurred
    animation: 'WickSheet.png',    // animation sheet file name, folder png/SymbolsSheet
    useWildSubstitute: true        // use wild substitute for the symbol
  },
  {
    fileName: 'Shen.png',
    name: 'Shen',
    fileNameBlurred: 'ShenBlurred.png',
    animation: 'ShenSheet.png',
    useWildSubstitute: true
  },
  {
    fileName: 'Eye.png',
    name: 'Eye',
    fileNameBlurred: 'EyeBlurred.png',
    animation: 'EyeSheet.png',
    useWildSubstitute: true
  },
],
```

## ▼ Symbols

- 10.png
- A.png
- Ankh.png
- Bonus.png
- Eye.png
- FreeSpin.png
- J.png
- Jackpot.png
- K.png
- Lotus.png
- Q.png
- Scatter.png
- Shen.png
- Wick.png
- Wild.png
- WildFull.png

## ▼ SymbolsBlurred

- 10Blurred.png
- ABlurred.png
- AnkhBlurred.png
- BonusBlurred.png
- EyeBlurred.png
- FreeSpinBlurred.png
- JackpotBlurred.png
- JBlurred.png
- KBlurred.png
- LotusBlurred.png
- QBlurred.png
- ScatterBlurred.png
- ShenBlurred.png
- WickBlurred.png
- WildBlurred.png
- WildFullBlurred.png

## ▼ SymbolsSheet

- 10Sheet.png
- AnkhSheet.png
- ASheet.png
- BonusSheet.png
- EyeSheet.png
- FreeSpinSheet.png
- JackpotSheet.png
- JSheet.png
- KSheet.png
- LotusSheet.png
- QSheet.png
- ScatterSheet.png
- ShenSheet.png
- WickSheet.png
- WildFullSheet.png
- WildSheet.png

# Customization

6

Slot reels configuration.

symbolImages - this is the field that stores the order of the symbols on the reel of the slot machine. As the reel spins, the set of symbols repeats periodically (like an endless tape).

offsetX, offsetY – offset values of the reel from center

windowImage – sprite name of the reel (not used)

windowsCount - number of windows per slot reel. In the picture below we have three windows. 0, 1, 2 - we count from the bottom up (0 – base window).

Window positions are calculated automatically based on the position of the reel, the size of the symbol in height and the number of windows (symmetrically relative to the center of the reel)

```
reels:[
  { // 0
    symbolImages: ['Eye', 'Eye', 'J', 'Eye', 'Q', 'Wick', 'Lotus', 'K', 'A', 'Wick'], // Lotus
    offsetX: -424,
    offsetY: -95,
    windowImage: 'reel', // not used
    windowsCount: 3,
    addSpinTime: 0, // additional spin time for reel milliseconds
  },
  { // 1
    symbolImages: ['Eye', 'Wick', 'Wild', 'Eye', 'Q', 'Eye', 'J', 'Wick', 'K', 'A', 'Lotus', 'Wick'], // 12 J 'Wild', -> J Wick
    offsetX: -212,
    offsetY: -95,
    windowImage: 'reel', // not used
    windowsCount: 3,
    addSpinTime: 100, // additional spin time for reel milliseconds
  },
  { // 2
    symbolImages: ['Eye', 'Wild', 'K', 'Eye', 'Q', 'Wick', 'Eye', 'J', 'Wild', 'Scatter', 'A', 'Wild', 'Jackpot', 'Lotus', 'Jackpot'], // 13
    offsetX: 0,
    offsetY: -95,
    windowImage: 'reel', // not used
    windowsCount: 3,
    addSpinTime: 200, // additional spin time for reel milliseconds
  },
  { // 3
    symbolImages: ['Eye', 'Eye', 'Wild', 'J', 'Q', 'Eye', 'Wild', 'K', 'A', 'Wild', 'Scatter', 'Wick', 'Scatter', 'Jackpot', 'Lotus', 'Jackpot'], // 14
    offsetX: 212,
    offsetY: -95,
    windowImage: 'reel', // not used
    windowsCount: 3,
    addSpinTime: 300, // additional spin time for reel milliseconds
  },
  { // 4
    symbolImages: ['Wick', 'Wild', 'Eye', 'Eye', 'Eye', 'J', 'Wild', 'Q', 'A', 'Wild', 'Scatter', 'K', 'Scatter', 'Jackpot', 'Lotus', 'Jackpot'], // 14
    offsetX: 424,
    offsetY: -95,
    windowImage: 'reel', // not used
    windowsCount: 3,
    addSpinTime: 400, // additional spin time for reel milliseconds
  }
],
```



Slot reels configuration.

You can simulate the combination you want after the spin for tests. Just remove the comment. Set the desired positions for each reel.

Here we have 5 reels, respectively 5 positions (0, 0, -1, -1, -1). “- 1” – avoid simulation for the reel. As a result, after the spin on in window 0, the following symbols will appear: Fan, Sycee, any symbol, any symbol, any symbol. Don't forget to comment out the simulations before publish.

```
reels:[...  
],  
  
// reels_simulate: [0, 0, -1, -1, -1], // -1 - avoid reel simulate  
  
reels_simulate: [0, 0, -1, -1, -1], // -1 - avoid reel simulate  
  
payLines:[ ...  
],
```

reel 0

```
symbolImages: ['Eye', 'Ankh', 'J', 'Eye', 'Q', 'Wick', 'Lotus', 'K', 'A', 'Wick'],
```

reel 1

```
symbolImages: ['Ankh', 'Wick', 'Wild', 'Eye', 'Q', 'Ankh', 'J', 'Wick', 'K', 'A', 'Lotus', 'Wick'],
```





# Customization

8

Slot pay table. You can adjust the payout table as you wish to get the payout probability you want.

When you increase the pay value of symbols, you increase the payouts of the slot. When you increase the number of expensive symbols on the reel, you increase the payouts of the slot.

```
payLines:[
  {
    line: ['Wick', 'Wick', 'Wick', 'Wick', 'Wick'],
    pay: 3,
    freeSpins: 0
  },
  {
    line: ['Wick', 'Wick', 'Wick', 'Wick', 'any'],
    pay: 2,
    freeSpins: 0
  },
  {
    line: ['Wick', 'Wick', 'Wick', 'any', 'any'],
    pay: 1,
    freeSpins: 0
  },
  {
    line: ['Shen', 'Shen', 'Shen', 'Shen', 'Shen'],
    pay: 5,
    freeSpins: 0
  },
  {
    line: ['Shen', 'Shen', 'Shen', 'Shen', 'any'],
    pay: 3,
    freeSpins: 0
  },
  {
    line: ['Shen', 'Shen', 'Shen', 'any', 'any'],
    pay: 1,
    freeSpins: 0
  },
  {
    line: ['Eye', 'Eye', 'Eye', 'Eye', 'Eye'],
    pay: 6,
    freeSpins: 0
  },
  {
    line: ['Eye', 'Eye', 'Eye', 'Eye', 'any'],
    pay: 3,
    freeSpins: 0
  },
]
```

|                                                                                      |                               |                                                                                       |                               |                                                                                     |                            |
|--------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|----------------------------|
|    | 5X - 3<br>4X - 2<br>3X - 1    |    | 5X - 5<br>4X - 3<br>3X - 1    |  | 5X - 6<br>4X - 3<br>3X - 2 |
|  | 5X - 7<br>4X - 3<br>3X - 2    |   | 5X - 8<br>4X - 3<br>3X - 2    |                                                                                     |                            |
|  | 5X - 17<br>4X - 13<br>3X - 11 |  | 5X - 19<br>4X - 13<br>3X - 11 |                                                                                     |                            |
|  | 5X - 20<br>4X - 14<br>3X - 11 |  | 5X - 25<br>4X - 15<br>3X - 11 |                                                                                     |                            |



Jackpot configuration. You can set default jackpot amount, jackpot increment, jackpot symbols count scattered on the screen for win.

```
// jackpot settings
jackpot:
{
  symbolName: 'Jackpot',
  symbolsCount: 6,
  defaultAmount: 1000,      // coins amout at start
  increaseValue: 1,        // jackpot increment after spin
},
```



Wild can be used with any symbols on the reels to create winning combinations (exclude first reel).



Any 5 scatter on the screen give the player 5 free spins.



Any 6 jackot symbols scattered on the screen = Jackpot Win.

You can save slot data locally in the browser (player balance and jackpot) - just uncomment the above lines of code.

```
JS slotConfig3x5.js JS slot_classes.js JS slotGame.js
js > JS slot_classes.js > SlotControls > loadJackpot
1695  /*Jackpot */
1696  setJackpotAmount(amount)
1697  {
1698    amount = Math.max(0, amount);
1699    var changed = (this.jackpotAmount != amount);
1700    this.jackpotAmount = amount;
1701    if (changed)
1702    {
1703      this.changeJackpotEvent.events.forEach((eW)=>{ if (eW != null && eW
1704      // localStorage.setItem('mk_egypt_jp_amount', this.jackpotAmount); /
1705    }
1706  }
1707
1708 > addJackpotAmount(amount) ...
1711 }
1712
1713 loadJackpot()
1714 {
1715   var amount = this.jackpotDefaultAmount;
1716   // amount = parseInt(localStorage.getItem('mk_egypt_jp_amount')) || this
1717   this.setJackpotAmount(amount);
1718 }
1719
```

```
JS slotConfig3x5.js JS slot_classes.js JS slotGame.js
js > JS slot_classes.js > SlotPlayer > loadCoins
1177 class SlotPlayer{
1178
1179 > constructor(defaultCoins) ...
1193 }
1194
1195 > addCoins(count) ...
1198 }
1199
1200 setCoinsCount(count)
1201 {
1202   count = Math.max(0, count);
1203   var changed = (this.coins != count);
1204   this.coins = count;
1205   if (changed)
1206   {
1207     this.changeCoinsEvents.forEach((eW)=>{ if (eW!=null && eW.action!=null) eW.action.cal
1208     // localStorage.setItem('mk_egypt_bl_amount', this.coins); // save coins
1209   }
1210 }
1211
1212 loadCoins()
1213 {
1214   var amount = this.defaultCoins;
1215   // amount = parseInt(localStorage.getItem('mk_egypt_bl_amount')) || this.defaultCoins; //
1216   this.setCoinsCount(amount);
1217 }
```

Config methods.

In each configuration file you will find methods for building a slot machine. You can make small changes for each machine.

For example, make changes to the cost of symbols in the info popup

```
createSlotGraphic: function(scene){ ...
},

createReels: function(scene) { ...
},

createControls: function(scene, slotControls) [{ ...
}],

createInfoPUHandler: function(popup) ...
},

createAboutPUHandler: function(popup) ...
},

createSettingsPUHandler: function(popup) ...
},

createFreeGamesPUHandler(popup) ...
}
```

```
createInfoPUHandler: function(popup)
{
    function createSymbolPlate5x (popup, parentContainer, symbSpriteName, posX, posY, price3x,price4x, price5x) ...
    };

    function createSpecSymbolPlate(popup, parentContainer, symbSpriteName, posX, posY, info) ...
    };

    function refreshInfoPu (containers, selectors, index) ...
    };
}
```

```
// minor row 1
createSymbolPlate5x(popup, minorContainer, 'Wick', col1X , row1Y, 1, 2, 3);
createSymbolPlate5x(popup, minorContainer, 'Shen', col2X , row1Y, 1, 3, 5);
createSymbolPlate5x(popup, minorContainer, 'Eye', col3X , row1Y, 2, 3, 6);

// minor row 2
createSymbolPlate5x(popup, minorContainer, 'Ankh', col1X + 0.5 * colDist, row2Y, 2, 3, 7);
createSymbolPlate5x(popup, minorContainer, 'Lotus', col2X + 0.5 * colDist, row2Y, 2, 3, 8);
minorContainer.visible = false;
```



# Customization

11

Slot controls (spin button, auto spin button, line bet loop button, output win, bet amount text ...).

You can find the main features in the configuration file (createControls method). You can customize the slot machine controls a bit.

You can also find additional settings in the SlotControls class (slot\_classes.js, slotConfig3x5.js). They will work for all slot machines.

```
createControls: function(scene, slotControls) {
    let depth = 11;

    // totalbet minus button
    slotControls.totalBetMinusButton = new SceneButton(scene, 'button_minus', 'button_minus_hover', false);
    slotControls.buttons.push(slotControls.totalBetMinusButton);
    slotControls.totalBetMinusButton.create(-442-95, 196 + 220, 0.5, 0.5);
    slotControls.totalBetMinusButton.addClickEvent(slotControls.lineBetMinus_Click, slotControls);
    slotControls.totalBetMinusButton.setDepth(depth);

    // totalbet plus button
    slotControls.totalBetPlusButton = new SceneButton(scene, 'button_plus', 'button_plus_hover', false);
    slotControls.buttons.push(slotControls.totalBetPlusButton);
    slotControls.totalBetPlusButton.create(-442 + 92, 196 + 220, 0.5, 0.5);
    slotControls.totalBetPlusButton.addClickEvent(slotControls.lineBetPlus_Click, slotControls);
    slotControls.totalBetPlusButton.setDepth(depth);

    // panels
    slotControls.linesPanel = scene.addSpriteLocPos('panel_lines', -738, 196 + 220);
    slotControls.linesPanel.setDepth(depth);
    slotControls.totalbetPanel = scene.addSpriteLocPos('panel_totalbet', -442, 196 + 220);
    slotControls.totalbetPanel.setDepth(depth);
    slotControls.balancePanel = scene.addSpriteLocPos('panel_balance', 708, 196 + 220);
    slotControls.balancePanel.setDepth(depth);
    slotControls.winPanel = scene.addSpriteLocPos('panel_win', 418, 196 + 220);
    slotControls.winPanel.setDepth(depth);
    slotControls.menuPanel = scene.addSpriteLocPos('panel_menu', -730, -230);
    slotControls.menuPanel.setDepth(depth);
    slotControls.menuPanel.setVisible(false);

    // maxbet button
    slotControls.slotMaxBetButton = new SceneButton(scene, 'button_maxbet', 'button_maxbet_hover', false);
    slotControls.buttons.push(slotControls.slotMaxBetButton);
    slotControls.slotMaxBetButton.create(-170, 210 + 200, 0.5, 0.5);
    slotControls.slotMaxBetButton.addClickEvent(slotControls.maxBet_Click, slotControls);
    slotControls.slotMaxBetButton.setDepth(depth);
}
```

```
class SlotControls
{
    constructor(scene, slotPlayer, linesData, lineColor, lineBetMaxValue, jackpotDefaultAmount)
    {
        this.slotPlayer = slotPlayer;
        this.scene = scene;
        this.linesController = new LinesController(this.scene, this, linesData, lineColor, this.scene.reels, this.scene.lineButtons);
        this.lines = this.linesController.lines;


        // default settings
        this.manualStop = false; // not allowed in current version
        this.holdToAutoSpin = false; // hold spin button pressed 2 sec to start auto spin mode
        this.maxLineBet = lineBetMaxValue;
        this.defaultLineBet = 1;
        this.autoPlayFreeSpins = true;
        this.jackpotDefaultAmount = jackpotDefaultAmount;

        // slot input parameters
        this.lineBet = 1;
        this.holdMultiplier = 1;
        this.selectedLinesCount = 0;
        this.freeSpins = 0;
        this.auto = false;
        this.autoSpinsCounter = 0;
        this.jackpotAmount = 0;

        // slot input controls
        this.hold = null;
        this.buttons = []; // all control buttons array

        // slot output controls
        this.freeSpinText = null; // freeSpinText;
        this.spinText = null; // spinText;
        this.autoSpinsCountText = null; // autoSpinsCountText;
    }
}
```






1. Main menu button
2. Info button
3. Rules button
4. About button
5. Spin button
6. Max bet button
7. Total bet buttons
8. Line info
9. Credit text
10. Total bet text
11. Auto spin button
12. Win text



1. phaser.js – desktop and mobile HTML5 framework (<https://phaser.io/>).
2. slotGame.js – game play and logic
3. mkutils.js - set of utilities for the games
4. popups.js - common for all message popups
5. slot\_classes.js - necessary classes for slot machines
6. slotConfig5x3.js – file with configuration settings
7. state\_machine.js - finite state machine





## CHINA SLOT FULL ASSET



## GOLD RUSH SLOT



## ST. VALENTINE'S SLOT

# Thanks!

We try to make the best products, so we are always happy to help you understand the project. If you have any issue or suggestion, please email us.



## MASTER KEY

RATE US ★★★★★  
FOR NEW COOL ASSETS

Homepage : [www.mkeystudio.com](http://www.mkeystudio.com)

Tech Support: [putchkov1975@gmail.com](mailto:putchkov1975@gmail.com)

Business Support: [melanitta83@gmail.com](mailto:melanitta83@gmail.com)