

# **American International University- Bangladesh**

**CSC 3215: Web Technologies** 

CO2 and CO4 Evaluation Finished Project Report Spring 2021-22

**Project Title:** eBook buying & selling

**Section: E** 

Student Name	Student Id
MAHADI,M.MINHAZ	18-36897-1
ALIF AL IMRAN	19-40079-1
FATEMATUZ JOHORA RUMI	18-38241-2

**Project Description:** 

Four Types of Users: 1. Admin 3. Seller 4. Customer

#### Common features for all users:

- 1. All users can register in the system.
- 2. Can Login to the system
- 3. Can manipulate profile Information (update-view)
- 4. Can change their password
- 5. Reset password if they forget their password

### **Admin User Functionality:**

- 1. Can add / remove all other users.
- 2. Can Activate / deactivate / Verify all other users.
- 3. Can view the activity of other users
- 4. Can check transactions and payments
- 5. Can Pay invoices/ payments to

### Seller (Authorized Representative) User Functionality:

- 1. Can add book
- 2. Can edit information and update price
- 3. Can contact Admin/ Manager
- 4. Can send an invoice to the manager.
- 5. Can update tracking information.

### **Customer User Functionality:**

- 1. Can add book to their cart
- 2. Can buy book
- 3. Request book that are not currently available to system
- 4. Pay for book.



### **Project Folder Structure:**

c:/xampp/htdocs/admin
c:/xampp/htdocs/shop
c:/xampp/htdocs/database

### **Core Modules of the Project:**

### Login.php

/\* Your Source code for this module \*/

```
<?php
    require_once 'controllers/login_controller.php';
<html>
<style>
    #btn{
        color:white;
        background-color:blue;
        border-radius:5px;
        font-family:calibri;
        padding-left:10px;
        padding-right:10px;
        padding-top:5px;
        padding-bottom:5px;
   .s{
        border-radius:5px;
   .gap{
    padding-top:110px;
    padding-bottom:110px;
</style>
</head>
    <body>
```



```
<h4><?php echo $err_db; ?></h4>
       <form action="" onsubmit="return validate()" method="post">
          <fieldset style="background-color:rgb(102, 153, 153);">
              <font color="blue" size="5">Login</font>
          User Type<br>>
                 <select class="s" id="usertype" name="usertype">
                     <option disabled selected>--Select--</option>
                     <?php
                        foreach($arrayUser as $u){
                            if($u == $usertype)
                               echo "<option selected>$u</option>";
                            else
                               echo "<option>$u</option>";
                        }
                     </select>
                 <span id="err_usertype"> <?php echo $err_usertype;?> </span>
                 <input type="text" class="s" id="username" name="username"</pre>
value="<?php echo $username; ?>" placeholder="Username">
                     <span id="err_username"><?php echo $err_username; ?></span>
                 <input type="password" class="s" id="password" name="password"</pre>
value="<?php echo $password; ?>" placeholder="Password">
                 <span id="err_password"><?php echo $err_password; ?></span>
                 <input type="checkbox" name="rememberme"> Remember Me
              <input id="btn" type="submit" name="login" value="Login">
```

### Admin.php

```
/* Your Source code for this module */
<?php
$token = "";
$token2 ="";
session_start();
if(isset($_SESSION["uname"])){
    $token ="\eBook\Session\Signout.php";
    $token2 = "Sign Out";
<!DOCTYPE html>
<html lang="en">
<title>ebook | Admin Dashboard</title>
</head>
<body>
  <label>Admin Dashboard</label>
</body>
<?php
    require_once 'controllers/login_controller.php';
    if(!isset($_SESSION["loggedAdmin"])){
        header("Location: login.php");
    $username=$_SESSION["loggedAdmin"];
```



```
<html>
<link rel="stylesheet" href="CSS/mystyle.css">
<style>
table, td, th {
 border: 1px solid black;
table {
 border-collapse: collapse;
 width: 30%;
th {
 height: 40px;
td {
 height: 40px;
</style>
</head>
   <body style="background-color:cyan;">
   <a class="head" href="sellerRequest.php" >Seller Request</a>
   <a class="head" href="allSellerList.php" >Sellers<a/>
   <a class="head" href="allCustomerList.php" >Customers<a/><a/>
   <a class="head" href="login.php" >Logout<a/>>
   <h2 class="head2" align="middle">Admin Information</h2>
   <?php
       $rs=getAdminByUsername($username);
                 foreach ($rs as $row){
                 echo "Username<td
align='center'>$row[username]";
                 echo "Password<td
align='center'>$row[password]";
       </body>
```

### Login controller.php

```
/* Your Source code for this module */
```



```
<?php
session_start();
    include 'models/db_config.php';
    $name="";
    $err_name="";
    $username="";
    $err_username="";
    $password="";
    $err_password="";
    $dob="";
    $err_dob="";
    $bGroup="";
    $err_bGroup="";
    $email="";
    $err_email="";
    $phone="";
    $err_phone="";
    $department="";
    $err_department="";
    $hospital="";
    $err_hospital="";
    $usertype="";
    $err_usertype="";
    $date="";
    $err_date="";
    $time="";
    $err_time="";
    $pname="";
    $err_pname="";
    $nopatient="";
    $err_nopatient="";
    $err_db="";
```

```
$hasError=false;
$array= array("A+","A-","B+","B-","AB+","AB-","O+","O-");
$arrayUser= array("Admin", "Seller", "Customer");
if (isset($ POST["login"])){
   if(empty($_POST["usertype"])){
       $hasError=true;
       $err_usertype="Type Required";
   else{
       $usertype=$_POST["usertype"];
   if(empty($_POST["username"])){
       $hasError=true;
       $err username="User Name Required";
   else{
       $username=$_POST["username"];
   if(empty($_POST["password"])){
       $hasError=true;
       $err_password="Password Required";
   else{
       $password=$_POST["password"];
    }
   if(!$hasError){
        if($usertype=="Admin"){
            if(authenticateUserAdmin($username,$password)){
                $_SESSION["loggedAdmin"] = $_POST["username"];
       header("Location: adminProfile.php");
       $err_db="Username password invalid";
       else if($usertype=="Seller"){
            if(authenticateUserSeller($username,$password)){
                $_SESSION["loggedseller"] = $_POST["username"];
       header("Location: sellerProfile.php");
        $err_db="Username password invalid";
```

```
else if($usertype=="Customer"){
               if(authenticateUserCustomer($username,$password)){
                   $_SESSION["Customer"] = $_POST["username"];
           header("Location: customerProfile.php");
           $err db="Username password invalid";
else if(isset($_POST["accept"])){
       $id=$_POST["id"];
       sellerAccept($id);
       header("Location: sellerRequest.php");
else if(isset($_POST["reject"])){
       $id=$_POST["id"];
       sellerReject($id);
       header("Location: sellerRequest.php");
}
else if(isset($_POST["deleteseller"])){
       $id=$_POST["id"];
       sellerDelete($id);
       header("Location: allSellerList.php");
   //All Functions
   function authenticateUserAdmin($username,$password){
       $query="select * from admin where username='$username' and password='$password'";
       $rs=get($query);
       if(count($rs)>0){
           return true;
       return false;
   function authenticateUserSeller($username,$password){
```

```
$query="select * from finalseller where username='$username' and
password='$password'";
        $rs=get($query);
        if(count($rs)>0){
            return true;
        return false;
    function authenticateUserCustomer($username,$password){
        $query="select * from customer where username='$username' and
password='$password'";
        $rs=get($query);
        if(count($rs)>0){
            return true;
        return false;
    function getAllSeller(){
        $query= "select * from seller";
        $rs= get($query);
        return $rs;
    function getSellerById($id){
     $query="select * from seller where id=$id";
     $rs=get($query);
     return $rs;
    function getAdminByUsername($username){
        $query= "select * from admin where username='$username'";
        $rs= get($query);
        return $rs;
    function sellerAccept($id){
        $query1="select * from seller where id='$id'";
        $result=get($query1);
        foreach ($result as $row){
            //$id =$row['id'];
            $name =$row['name'];
            $username =$row['username'];
            $password =$row['password'];
            $dob =$row['dob'];
            $bGroup =$row['bGroup'];
            $email =$row['email'];
            $phone =$row['phone'];
```

```
$query2="INSERT INTO `finalseller` (`id`, `name`, `username`, `password`, `dob`,
bGroup`, `email`, `phone`) VALUES (NULL, '$name', '$username', '$password', '$dob',
$bGroup', '$email', '$phone')";
        execute($query2);
        $query3="delete from seller where id=$id";
        execute($query3);
   function sellerReject($id){
       $query="delete from seller where id=$id";
       $rs= get($query);
       return $rs[0];
  function getSellerList(){
       $query= "select id,name,dob,bGroup,email,phone from finalseller";
       $rs= get($query);
       return $rs;
   function getCustomerList(){
       $query= "select id,name,dob,bGroup,email,phone from customer";
       $rs= get($query);
       return $rs;
   function getFinalSellerById($id){
   $query="select * from finalseller where id=$id";
   $rs=get($query);
   return $rs;
   function sellerDelete($id){
       $query="delete from finalseller where id=$id";
       $rs= get($query);
       return $rs[0];
```

