

টেবিল তৈরি অনুশীলন (অতিরিক্ত)

উদাহরণ-৪২

Bio-data	
Name	Ebad
Roll	1886
Class	V

[Next](#)

HTML কোড :

```
<html>
<body>
<title> Page1 </title>
<center>
<h2> Bio-data </h2>
<table border="1">
<tr>
<th>Name</th>
<td>Ebad</td></tr>
<tr>
<td> Roll </td>
<td>1886</td></tr>
<tr>
<td> Class </td>
<td>V</td></tr>
</table>
<br></br>
<a href="page_2.htm"> Next </a>
</center></body></html>
```

Title ট্যাগের অভ্যন্তরে থাকা Page1 টাইটেলটি ওয়েব ব্রাউজারে টাইটেল হিসেবে প্রদর্শিত হবে।
NEXT লেখার উপর মাউস পয়েন্টার নিয়ে ক্লিক করলে page_2.htm পেজটি ওপেন হবে অর্থাৎ উক্ত পেজের সাথে হাইপারলিংক করার জন্য <a> ট্যাগের সাথে href এট্রিবিউটটি ব্যবহার করা হয়েছে।

```
<td> GP </td></tr>
<tr><td> Robi </td></tr>
<tr>
<td> CDMA</td><td>Citycell</td>
</tr>
</table>
</body>
</html>
```

উদাহরণ-৪৪

1				
2			3	
4	5			
	8	9	6	7

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr><td colspan="5">1</td></tr>
<tr><td colspan="3">2</td><td colspan="2" rowspan="2">3</td></tr>
<tr><td rowspan="2">4</td><td colspan="2">5</td></tr>
<tr><td rowspan="2">8</td>
<td rowspan="2">9</td></tr>
<tr><td>6</td><td>7</td></tr>
</table>
</body>
</html>
```

উদাহরণ-৪৩

Mobile Company	
GSM	GP
	Robi
CDMA	Citycell

HTML কোড :

```
<html>
<body>
<caption> Mobile Company </caption>
<table border="1" cellspacing="0">
<tr>
<td rowspan="2"> GSM</td>
```

Mymensingh Gov.College

Group and Seats		
MGC	Science	210
	Humanities	220
	Business Studies	200


HTML কোড :

```
<html>
<body>
<p align="center"><h2> Mymensingh Govt College
</h2></p>
<table border="1" cellspacing="0" cellpadding="10">
<tr><th colspan="3">Group and Seats</th></tr>
<tr><td rowspan="3">MGC</td>
```

```
<td> Science</td><td> 210</td></tr>
<tr><td>Humanities</td><td> 220 </td></tr>
<tr><td>Business Studies</td><td>200</td></tr>
</table>
</body>
</html>
```

```
<td>16</td>
<td></br></td></tr>
</table>
</body>
</html>
```

উদাহরণ-৪৬

Id no	Product name	Type	
1001	Computer	Accessories	
	Printer		
1002	Mouse		

উদাহরণ-৪৮

Group	Section	No.student
Science	A	150
	B	150
Business studies	A	150
	B	150
Total Student		600

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr><th bgcolor="Silver">Id no</th><th
bgcolor="Silver">Product name</th><th
bgcolor="Silver">Type</th> <th rowspan="4"></th></tr>
<tr><td rowspan="2">1001</td>
<td>Computer</td>
<td rowspan="3">Accessories </td></tr>
<tr><td>Printer</td></tr>
<tr><td>1002</td><td>Mouse </td></tr>
</table>
</body>
</html>
```

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr>
<th>Group</th>
<th>Section</th>
<th>No.of student</th></tr>
<tr><td rowspan="2">Science</td>
<td>A</td>
<td>150</td></tr>
<tr><td>B</td><td>150</td></tr>
<tr><td rowspan="2">Business studies</td>
<td>A</td>
<td>150</td></tr>
<tr><td>B</td>
<td>150</td></tr>
<tr><td colspan="2">Total student</td>
<td>600</td></tr>
</table>
</body>
</html>
```

উদাহরণ-৪৭

Bangladesh			420
H ₂ O	10	11	
12		14	
15	16		

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr><th colspan="3">Bangladesh</th>
<td rowspan="4" align="center">420</td></tr>
<tr><td>H<sub>2</sub>o</td>
<td>10</td>
<td>11</td>
<td>12</td>
<td></br></td>
<td>14</td></tr>
<tr><td>15</td>
```

উদাহরণ-৪৯

ID	Name	Contact No	
1	AA	017	028
2	BB	018	049
3	i. CC1 ii. CC2		

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr bgcolor="yellow"><th>ID</th>
<th>Name</th>
<th colspan="2">Contact No</th></tr>
```

```
<tr><td>1</td>
<td>AA</td>
<td>017</td>
<td>028</td></tr>
<tr><td>2</td>
<td>BB</td>
<td>018</td>
<td>049</td></tr>
<tr><td>3</td>
<td><ol>
<li type="i">CC1</li>
<li>CC2</li>
</ol>
</td>
<td colspan="2"><br>
</td></tr>
</table></body>
</html>
```

টেবিলে রঙের ব্যবহার :

এখানে টেবিলের প্রথম সারির ব্যাকগ্রাউন্ডকে হলুদ রঙ করার জন্য প্রথম সারির শুরুতে <tr> ট্যাগের সাথে bgcolor="yellow" এট্রিবিউটটি ব্যবহার করা হয়েছে। এভাবে এ এট্রিবিউটটি ব্যবহার করে পুরো টেবিলের ব্যাকগ্রাউন্ড, কোন রো, কোন সেল এর ব্যাকগ্রাউন্ড কালার করা যায়। সম্পূর্ণ টেবিলের ব্যাকগ্রাউন্ড দিতে চাইলে bgcolor এট্রিবিউটটি <table> ট্যাগের সাথে এবং কোন সেল এর ব্যাকগ্রাউন্ড কালার ব্যবহার করার জন্য bgcolor এট্রিবিউটটি <td> ট্যাগের সাথে ব্যবহার করতে হবে।

[1.Ministry of Education](http://www.moedu.gov.bd)

[2.Dhaka University](http://www.www.du.ac.bd)

[3.Dhaka Education Board](http://www.dhakaeducationboard.gov.bd)

উদাহরণ-৫১

Department	Section	Male	Female
	A	40	50
	B	35	45
	C	50	20
Business	A	60	
	B		70
Total	370		

উদাহরণ-৫০

Govt. Rajendra College



At a glance		Center of Excellence
Established	1918	
Student	30.000	
Pass Rate	98%	

Quick Link:

1. Ministry of Education
2. Dhaka University
3. Dhaka Education Board

HTML কোড :

```
<html>
<body>
<p align="center">
<h2 align="center">Govt. Rajendra College</h2>
<p align="center"></p>
<table border="1" cellspacing="0" align="center">
<tr><th colspan="2"> At a glance</th>
<td rowspan="4"> Center of Excellence </td></tr>
<tr><th> Established </th> <td>1918</td></tr>
<tr><th>Student</th><td>30.000</td></tr>
<tr><th>Pass Rate</th><td>98%</td></tr>
</table>
</body>
</html>
<p align="center">Quick Link :</p>
```

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0" >
<tr><th>Department</th>
<th>Section</th>
<th>Male</th>
<th>Female</th>
<th rowspan="7"><img src = "photo.jpg"
width = "60" height="50" align ="center" ></th></tr>
<tr>
<td rowspan="3"></br></td><td>A</td><td>40</td>
<td>50</td>
</tr>
<tr>
<tr>
<td>B</td><td>35</td><td>45</td></tr>
<tr><td>C</td><td>50</td><td>20</td></tr>
<tr>
<td rowspan="2"> Business </td> <td>A</td> <td>60
</td> <td> </br> </td>
</tr>
<tr>
<td>B</td><td> </br> </td>
<td bgcolor="green">70</td>
</tr>
<tr>
<td>Total</td><td colspan="3" align="center"> 370
</td>
</tr>
</table>
</body>
</html>
```

উদাহরণ-৫২

Science	Commerce	Humanities
1. Physics	• Accounting	a. History
2. Chemistry	• Management	b. Bangla
3. Math	• Finance	c. Economics

HTML কোড :

```
<html><body>
<table border="1" cellspacing="0">
<tr><th>Science</th>
<th>Commerce</th>
<th>Humanities</th></tr>
<tr><td><ol><li>Physics</li>
<li>Chemistry</li>
<li>Math</li></ol></td>
<td><ul><li>Accounting</li>
<li>Management</li>
<li>Finance</li></ul></td>
<td><ol type="a"><li>History</li>
<li>Bangla</li>
<li>Economics</li></ol></td></tr>
</table></body></html>
```


উদাহরণ-৫৩

Science	Commerce	Humanities
1. Physics	* Accounting	a. History
2. Chemistry	* Management	b. Bangla
3. Math	* Finance	c. Economics

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr><th>Science</th>
<th>Commerce</th>
<th>Humanities</th></tr>
<tr><td>1.Physics</td>
<td>* Accounting</td>
<td>a.History</td></tr>
<tr><td>2.Chemistry</td>
<td>* Management</td>
<td>b.Bangla</td></tr>
<tr><td>3.Math</td>
<td>* Finance</td>
<td>c.Economics</td></tr>
</table>
</body>
</html>
```

উদাহরণ-৫৪

Student's Information		
Name	Roll No.	Picture
Rafi	1001	

HTML কোড :

```
<html>
<body>
<table border="1" align="center" cellspacing="0">
<tr><th colspan="3">Student's Information</th>
</tr>
<tr><td>Name</td><td>Roll No.</td>
<td>Picture</td></tr>
<tr><td>Rafi</td><td>1001</td>
<td></td></tr>
</table></body></html>
```

উদাহরণ-৫৫

Bangladesh	
	1. Dhaka 2. Dinajpur 3. Rangpur
Welcome	

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr><th colspan="2">Bangladesh</th></tr>
<tr>
<td>Photo</td>
<td><ol>
<li>Dhaka</li>
<li>Dinajpur</li>
<li>Rangpur</li></ol></td></tr>
<tr><th colspan="2">Welcome</th></tr>
</table></body></html>
```

উদাহরণ-৫৬

Choose Your Site		
<u>Video</u>	Watching movie	Audio
<u>Nature</u>	Picture	

HTML কোড :

```
<html>
<body>
<table border="1" cellspacing="0">
<tr>
<th colspan="3">Choose Your Site</th>
</tr>
<tr>
<td><p align="center"><u>Video</u></p></td>
<td>Watching</td>
<td>Audio</td></tr>
<tr>
<td><p align="center"><u>Nature</u></p></td>
<td colspan="2"><br><p align="center">Picture</p></td></tr>
</table>
</body>
</html>
```