











Examples of all supported symbologies

Hello World! as Code 128	
Interleaved 2 of 5	
Code 39	
Code 128	
Codabar	
UPC-A	
UPC-E	
EAN-13 (with supplemental)	
EAN-8	
Postnet	

Real-life examples

The serial number of my USB 2.0 hub. (Code 128)



O5-2C0272AD0126

A book: Code Complete by Steve McConnell,
ISBN 1-55615-484-4 (EAN-13)



9 781556 154843

The german "Java Magazin" issue 4.03 (EAN-13
with supplemental)



4 194586 705506

Nutella chocolate spread (EAN-8)






















8 013 5463

Swiss Post: PostPac Priority marker (Code 128)













Feature demonstrations

EAN-13 (default)	
EAN-13 (human-readable message on top)	
EAN-13 (no human-readable message)	
EAN-13 (height to 5mm)	
EAN-13 (without quiet zone)	
EAN-13 (with a bigger quiet zone)	
Code 39 (default)	
Code 39 (with a wide factor of 4)	
Code 39 (with a module-width of 0.4mm)	
Code 39 (with an interchar-gap-width of 8mw [8 times a module width])	
Interleaved 2 of 5 (default)	
Interleaved 2 of 5 (checksum mode: add)	

UPC-E (default)	
UPC-E (the same as above but using a UPC-A message: 04210000526)	
UPC-E (with 2-character supplemental. Message: 04210000526+34)	
UPC-E (with 5-character supplemental. Message: 04210000526+56789)	
Postnet (default)	
Postnet (baseline-alignment set to "top")	
Postnet (playing with module-width, interchar-gap-width, tall-bar-height, short-bar-height and human-readable)	

Character set demonstration

Interleaved 2 of 5: 0-9	 0123456789
Code 39: 0-9, [space] and "-.\$/+%"	 0123456789 -.\$/+%
Code 39: A-Z	 ABCDEFGHIJKLMNOPQRSTUVWXYZ
Code 128: 0-9	 0123456789
Code 128: A-Z	 ABCDEFGHIJKLMNOPQRSTUVWXYZ
Code 128: a-z	 abcdefghijklmnopqrstuvwxyz
Codabar: 0-9 and "+-/\$.:"	 0123456789+-\$.::
UPC-A: 0-9 (11 characters, checksum will be calculated)	 0 0 1 2 3 4 5 6 7 8 9 5
EAN-13: 0-9 (12 characters, checksum will be calculated)	 2 0 0 1 2 3 4 5 6 7 8 9 3
Postnet (dash is a valid character but won't be painted)	 01234-56789

Playing with SVG

A normal barcode:



The same barcode, but rotated this time:

