How to check the 50 guidelines against Framework v2

Oct 12, 2026 · @Minidu

For each of the 50 XAI-relevant guidelines, decide where Framework v2 handles it, or record that it does not. Finish by Oct 14, 2026 so the counts go into the meeting pack. The first pass is already filled in below, so this is about 2 hours of checking, not writing.

The result is one line in the paper ("Of 50 guidelines, N are handled by the framework, N partly, N by the interface, N not covered") plus a short list of gaps to fix or report. Coverage says where a guideline is handled, not that it works for people with cognitive impairments.

What the four statuses mean

Give every guideline exactly one status. Ask: "Which part of Framework v2 makes this happen, and can I point to it in the data model?"

Status	Meaning	Example
Covered	A framework part handles it, and you can name the field, function or invariant	G26 (alternatives for numbers): profile `likelihoodForm` chooses word, picture or number, and the likelihood invariant keeps it
Partly	The framework handles some of it; a field, capability or rule is missing	G124 (one decision under stress): Layer 3 exists, but what it shows is Question 2 for Madam
UI only	Correctly handled by the screen design, not by the framework	G111 (calm colours): colour tokens in `theme/colors.ts`; no framework part needed
Not covered	Nothing in the framework or the screens handles it yet	G48 (human help): there is no saved helper contact anywhere in the model

The framework parts you can point to:

- **Invariants:** hazard, place, time window, likelihood, action
- **Profile fields:** `likelihoodForm`, `firstView`, `actionDetail`, `reminders`, `changeAlerts`, `timeWording`, `modality`, `explanationGoal`, `answeredBy`, `carerConsent`

- **Capabilities:** what changed, why, how sure, landmark, next update, what to do, carer
- **Layers:** L1 baseline, L2 profile rules, L3 alert mode, L4 AI wording check

"UI only" is not a failure. It shows the framework's boundary: it handles what is explained, and the screens handle how it looks.

Step by step

About 2 minutes per row, so 1–2 hours in total. Do the 38 Direct rows first; they are what the paper leans on.

1. **Open three things side by side:** this table, the evidence catalogue (`xai-guideline-evidence-catalogue.pdf`) and `Framework_v2.pdf` .
2. **For each row, read the guideline in the catalogue,** only the "Implication for the explanation" and "How to adapt it" columns. Skip the evidence.
3. **Read Claude's first pass** in the Framework part and In the model columns. Ask: is that the right part, and does the field or function really do what the guideline asks?
4. **Check the code name if one is given.** Open `ews-mobile/model/profile.ts` , `forecast.ts` or `explanation.ts` and find it. Each field's comment already names its guidelines; if the guideline is missing from that comment, note it.
5. **Keep or change the Status chip.** Click it to change it.
6. **Write in Your check:** "OK" if you agree, or one short line saying what you changed and why.
7. **Then do the 9 Indirect and 3 None-found rows** the same way.
8. **Count each status** and write the totals into the Results line at the end.
9. **Go through the Gaps list** at the end: for each one, choose fix now, ask Madam, or report as a limitation.
10. **Tell Claude when done.** Claude adds the missing guideline numbers to the code comments and updates the progress doc and the meeting pack.

The 50 guidelines, final ratings (13 Oct)

Final, agreed 13 Oct and updated 14 Oct after G16, G17 and G58 were built: 13 covered, 20 partly, 9 UI only (screen rules, not built yet), 8 not covered. Built from Claude's first pass (12 Oct), Minindu's second rating, an LLM re-audit, and a check of each disputed row against `ews-mobile/model/` . All three ratings are in `XAI_Framework_v2_Rating_Final.xlsx` .

ID	Guideline	Evidence	Framework part	In the model	Final status	Basis
G4	One step per screen	Direct	L2 rule: "Why?" opens one part per screen; profile `firstView`	`ExplanationProfile.firstView`; stepper in screen spec	Partly	L2 controls content order/depth, but no one-step-per-screen stepper or Back/Next flow is specified.
G11	Most important stands out	Direct	Invariants (hazard, action); L2 rule: bottom line first	`AdaptedExplanation.hazard`, `.action`	Partly	Hazard/action are retained, but the priority ordering and dominant action button are not specified.
G14	Use clear words	Direct	Capability "Why": plain-word lookup for each observation	`ObservationId` + word table	Partly	supportingObservations is available; a plain-language multilingual input-to-words mapping is not specified.
G16	Avoid double negatives	Direct	L2 template rule; L4 check rejects banned phrases	Not yet in `checkInvariants()`	Covered	Done 14 Oct: `checkInvariants()` rejects double negatives in Layer 4 wording; tested.
G18	Keep text succinct	Direct	Word budget per text slot	Screen spec	Partly	L3 forces a short alert line, but no word budget is set for all explanation steps.
G19	Clear formatting and punctuation	Direct	Style rules for the forecast card	Screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G21	Summary of long documents	Direct	L2 rule: one bottom-line sentence first	`firstView = 'mainMessage'`	Partly	L2 varies order/depth and L3 is concise; bottom-line-first in normal screens is unproven.
G22	Separate each instruction	Direct	Action invariant as steps; profile `actionDetail`	`Action.steps`, `actionDetail`	Covered	profile.ts actionDetail = stepByStep ("numbered list, one step per line") with Action.steps[]; the checkbox is a screen detail.
G25	Explain implied content	Direct	Extras: consequence line per state	`Extras.consequence`; no capability row yet	Partly	explanation.ts already has an Extras.consequence slot; what is missing is the consequence text per state.
G26	Alternatives for numbers	Direct	Profile `likelihoodForm`; likelihood invariant	`likelihoodForm`, `Likelihood`	Covered	F5 demonstrates likelihoodForm=wordPictureNumber: CAP word, ten-house icon array and 29% on tap; likelihood invariant checks meaning.
G41	Avoid too much content	Direct	Profile `firstView` (progressive disclosure)	`firstView`	Covered	The L2 profile chooses content and depth while invariants protect facts; this handles framework-side disclosure, not yet verified screen taps.

ID	Guideline	Evidence	Framework part	In the model	Final status	Basis
G47	Don't rely on calculation	Direct	Profile `timeWording`; capability compare forecasts	`timeWording`, `compareForecasts()`	Covered	profile.ts has timeWording = dayAndPart ("Thursday morning") and compareForecasts() does the comparison; the re-audit did not have the code.
G48	Provide human help	Direct	"Ask someone" button; needs a saved helper contact	Nothing in the model	Not covered	No saved helper or emergency contact/call option is identified.
G50	State results of actions	Direct	Action invariant; stay vs leave lines	`Action` has no stay/leave lines	Partly	Action steps exist but no predicted staying-versus-leaving consequences are presented.
G54	Provide reminders	Direct	Profile `reminders`; capability what changed	`reminders`, `compareForecasts()`	Partly	Comparison capability identifies changes, but no scheduled reminder that re-explains current prediction is defined.
G57	Support simplification	Direct	Preset "Just tell me"; simple mode keeps all invariants	`PRESETS.justTellMe`	Partly	L2 can reduce content while retaining all five facts; named normal-mode one-card simple preset is absent.
G58	Personalised, persistent	Direct	Profile store	`ExplanationProfileContext` (13 Oct)	Covered	Done 14 Oct: `ExplanationProfileContext` saves, loads and edits the profile on the device.
G59	Info and relationships (screen readers)	Direct	Screen-reader labels, icon array text	`LikelihoodView` labels	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G67	Reading level	Direct	Template reading level; "More detail" link	No reading-level field in the profile	Not covered	Changing depth does not establish a reading-level requirement or Easy Read template language.
G73	Persistent visual context	Direct	Invariants (place, time window); fixed header	`place`, `timeWindow`; `ForecastHeader`	Covered	Both PLACE and TIME WINDOW are compulsory checked slots in every adapted explanation, across all layers. Fixed header remains an unverified UI detail.
G76	Realistic imagery	Direct	Capability landmark (photo + level)	`Forecast.landmark` (placeholder)	Partly	Landmark comparison has a placeholder data field, but neither a real photo nor local reference levels are provided.
G77	Avoid metaphorical icons	Direct	Literal icon set	Screen spec	Partly	The illustrated array uses familiar house pictograms, but no rule excludes dice/gauges or requires literal labels elsewhere.

ID	Guideline	Evidence	Framework part	In the model	Final status	Basis
G79	Co-design with people with dementia	Direct	Method, not a system rule: future work	—	Not covered	Co-design with users/carers is explicitly future work, not an accomplished method.
G80	Caregiver companion view	Direct	Capability carer explanation: second profile	`carerConsent` only; no second profile	Partly	Carer consent and answerer fields exist; the separate caregiver profile/view does not.
G81	Familiar real-world metaphors	Direct	L2 rule: icon array only for likelihood	`likelihoodForm = 'wordPicture'`	Covered	The F5 worked trace explicitly uses a ten-house icon array for likelihood, with profile selection; the essential familiar representation is demonstrated. Universal ban on abstract charts is not evidenced.
G88	Literal language with visual support	Direct	Profile `modality = 'pictures'`; pictogram per line	`modality`; pictogram set in screen spec	Partly	F5 pairs a likelihood word with a house array, but every explanation element does not have a literal pictogram/photo.
G89	Warning before any change	Direct	Profile `changeAlerts`; capability what changed	`changeAlerts`, `Extras.change`	Partly	compareForecasts() detects changes; alert-before-new-value order/notification is not specified.
G107	Caregiver-mediated configuration	Direct	Profile `answeredBy` + consent	`carerConsent`, `hasRequiredConsent()`	Partly	carerConsent and answeredBy exist; there is no documented consent-gated onboarding configuration path.
G111	Calm colours for non-urgent states	Direct	Colour tokens by state	`theme/colors.ts`	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G114	Time-boxed tasks with countdowns	Direct	Profile `timeWording = 'both'`	`timeWording`	Partly	Time window/next-update data are present; time chip, task estimates and countdown behaviour are not.
G117	Definition tooltips	Direct	Tap-to-define terms	Nothing; evidence favours removing jargon	Not covered	No tappable definitions for technical language specified.
G118	Multi-modal alert	Direct	Change notification in text, voice and vibration	`modality`; notification not in model	Not covered	Generic form adaptation does not document voice plus vibration channels for notifications.
G119	CAP message structure	Direct	Likelihood invariant uses the CAP word	`capCertainty`, `capCertaintyFor()`, `Forecast.cap`	Covered	forecast.ts carries CAP certainty (likelihood.capCertainty), severity and urgency (Forecast.cap), and the instruction as Forecast.action.

ID	Guideline	Evidence	Framework part	In the model	Final status	Basis
G120	Universal hazard symbols	Direct	Hazard invariant + fixed flood symbol	`hazard`; symbol in screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G121	Local-language Easy Read	Direct	Language: app setting or profile field?	Undecided (see note)	Not covered	No three-language Easy Read templates or language-selection field in v2.
G124	One decision at a time under stress	Direct	L3 alert mode	Question 2 for 15 Oct	Partly	L3 offers a short alert, but it deliberately keeps all five invariants. The catalogue asks for hazard/action/call-only; v2 itself flags this conflict for the supervisor.
G125	Pre-rehearsed action plan	Direct	Practice mode in calm time	Nothing in the model	Not covered	No calm-time practice mode teaching possible/likely warnings.
G128	Multiple means of representation	Direct	Profile `modality`	`modality`	Covered	profile.ts has modality = text / audio / pictures; producing the audio is screen work.
G15	Simple tense and voice	Indirect	Template writing rule	Screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G17	Use literal language	Indirect	L2 literal templates; L4 check rejects idioms	Not yet in `checkInvariants()`	Covered	Done 14 Oct: `checkInvariants()` rejects idioms in Layer 4 wording; tested.
G23	Use white spacing	Indirect	Layout rule	Screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G24	Foreground not obscured	Indirect	Layout rule	Screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G27	Content does not move unexpectedly	Indirect	Fixed slots; change banner first	`changeAlerts`; layout in screen spec	Not covered	compareForecasts() does not guarantee fixed card slots or advance change banner.
G38	Familiar metrics and units	Indirect	Capability landmark; weekday wording	`landmark` (placeholder), `timeWording`	Partly	Forecast.landmark exists as a placeholder; real levels and localized weekday/unit rules are not supplied.

ID	Guideline	Evidence	Framework part	In the model	Final status	Basis
G49	Alternative content for complex info	Indirect	All variants built from one `Forecast`; check runs on each	`checkInvariants()`	Partly	All L2 variants must pass fidelity checks; a dedicated Easy Read text/picture toggle is not defined.
G84	Stigma-free language	Indirect	Presets named by need	`PRESET_NAMES`	Covered	The framework diagram expressly describes profile selection by need, not diagnosis.
G109	Repeat important information	Indirect	Reminders read the latest forecast	`reminders`	Partly	profile.ts has a reminders field; no scheduled restatement yet.
G20	Symbols and letters (Sinhala, Tamil)	None found	Font test for all strings	Nothing in the model	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.
G42	Info to prepare for a task	None found	Capability next update	`Forecast.nextUpdateAt`	Covered	Time-window invariant, Forecast.nextUpdateAt and forecast.action provide traceable timing/update/preparation data. Visible placement is a separate screen check.
G65	Focus not obscured	None found	Layout test	Screen spec	UI only	A screen rule, not a framework rule; not built yet because screens wait for wireframes. Not the same as missing from the framework.

Gaps the first pass found

Six gaps are worth fixing before the freeze; the rest can be reported as limitations. Write your decision over the suggested action.

Gap	Guidelines	Suggested action	Effort
L4 check does not yet reject banned phrases ("not unlikely") or idioms	G16, G17	Fix now: add a banned-phrase list to `checkInvariants()` for L4 text, on 13 Oct	30 min
No reading-level setting in the profile	G67	Ask Madam, or report: templates are written to one Easy Read level	—
Language: catalogue says "the language comes from the profile"; 9 Oct decision said app setting	G121	Decide: keep the app setting and change the catalogue line (recommended)	5 min

Gap	Guidelines	Suggested action	Effort
No consequence line per forecast state ("Water may come into houses near the river")	G25	Fix now: add a capability row and a `consequence` field per severity class	30 min
No saved helper contact for "Ask someone to explain"	G48	Report as future work, or add `helperContact` to the profile	20 min
Alert mode content	G124	Question 2 on 15 Oct	—

Limitations to report as they are: G79 (co-design is a method, future work), G117 (evidence favours removing jargon over tooltips), G125 (practice mode not built), G20 (Sinhala and Tamil font test after the English is frozen), G80 (no second carer profile), G76 and G38 (landmark levels are placeholders).

Results

Final (14 Oct): Covered 13 · Partly 20 · UI only 9 · Not covered 8 (total 50).

Sentence for the paper, once the numbers are in: "Of the 50 explanation-relevant guidelines, N are handled by a framework element (profile field, invariant, capability or layer), N partly, N by the interface alone, and N are not yet covered." Coverage shows where a guideline is handled; it is not evidence that it helps people with cognitive impairments.