

| Method           | Benchmark (%)          |                        |                        |                        |                        |
|------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
|                  | MMLU                   | HumanEval              | GSM8K                  | MATH                   | GPQA                   |
| <i>Baselines</i> |                        |                        |                        |                        |                        |
| Baseline         | 65.4 $\pm$ 1.41        | 48.2 $\pm$ 1.61        | 72.1 $\pm$ 2.26        | 31.5 $\pm$ 1.44        | 36.4 $\pm$ 1.51        |
| Method-A         | 71.0 $\pm$ 1.66        | 55.6 $\pm$ 0.93        | 78.3 $\pm$ 1.52        | 37.2 $\pm$ 1.73        | 41.8 $\pm$ 2.03        |
| Method-B         | 73.5 $\pm$ 0.77        | 59.4 $\pm$ 1.15        | 80.7 $\pm$ 0.76        | 39.8 $\pm$ 2.06        | 44.1 $\pm$ 1.85        |
| <i>Ours</i>      |                        |                        |                        |                        |                        |
| <b>OursModel</b> | <b>76.8</b> $\pm$ 0.68 | <b>64.7</b> $\pm$ 2.37 | <b>84.2</b> $\pm$ 2.34 | <b>44.6</b> $\pm$ 1.78 | <b>49.3</b> $\pm$ 1.71 |

Table 1: Comparison of methods on five benchmarks (mean  $\pm$  std over 5 seeds). **Bold** entries are the best or within one standard deviation of the best per column. OursModel consistently outperforms all baselines.