

UNIVERSITY OF COLOMBO, SRI LANKA



UNIVERSITY OF COLOMBO SCHOOL OF COMPUTING

DEGREE OF BACHELOR OF INFORMATION TECHNOLOGY (EXTERNAL)

Academic Year 2008/2009 – 2nd Year Examination – Semester 4

IT4103: Programming II
PART 2 - Structured Question Paper

15th August, 2009 (ONE HOUR)

To be completed by the candidate	
BIT Examination Index No:	

Important Instructions:

- The duration of the paper is 1 (one) hour.
- The medium of instruction and questions is English.
- This paper has 2 questions and 6 pages.
- Answer all 2 questions. Questions do not carry equal marks.
- Write your answers in English using the space provided in this question paper.
- Do not tear off any part of this answer book.
- Under no circumstances may this book, used or unused, be removed from the Examination Hall by a candidate.
- Note that questions appear on both sides of the paper. If a page is not printed, please inform the supervisor immediately.

Questions Answered

Indicate by a cross (\times), (e.g. \times) the numbers of the questions answered.

	Question Numbers		mbers
To be completed by the candidate by marking a cross (x).	1	2	
To be completed by the examiners:			

Index No

1)	Write descriptions on	the following a	nd introduce	required segments	of code when necessary.
----	-----------------------	-----------------	--------------	-------------------	-------------------------

a) Assume that there is a database, having the name **Sales**, which is created by using Microsoft Access, having one table in it, with the name **Customer**. The Customer table has three fields namely, Customer Id, Customer Name and Address. Write a Java program to show the database connectivity using the Sales database. It is not required to consider the creation of an Interface to show the data.

(30 Marks)

	(SO Mains)
ANSWER IN THIS BOX	

segment of codes in Java to show the implementation of Quick Sort. ANSWER IN THIS BOX (30 mark) Write an i	ntroductory parag	graph on the sort	ing method calle	ex Nod Quick Sort. U	Jse the necessa
ANSWER IN THIS BOX	segment of	codes in Java to s	show the impleme	ntation of Quick S	Sort.	(30 mark
	ANGWED	IN THIS BO	v			
	ANSWER	IN I HIS BU	<u> </u>			

Continued:

-	
L	
Consi	der the following scenario:
The w	ord 'queue' is used in Britain to denote a line. A line of persons at the Cinema is an example to
show	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket.
show the lin	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join
show the lin	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line.
show the lin	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line.
show the lin One c	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line.
show the lin	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line.
show the lim One c	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join e is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to
show the lim One c After imples Do the	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join is the last to buy a ticket. an see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to ment the above mentioned behaviour as functions in a computer environment. e following: te the name of the data structure which can be used in a computer environment to manipulate data
show the line. One compared to the line. After implement the line at the line.	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join is the last to buy a ticket. An see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to ment the above mentioned behaviour as functions in a computer environment.
show the line. One compared to the line. After implement the line at the line.	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join is is the last to buy a ticket. An see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to ment the above mentioned behaviour as functions in a computer environment. e following: te the name of the data structure which can be used in a computer environment to manipulate data as similar behaviour as the above scenario. (02 Marks)
show the line. One compared to the line. After implement the line at the line.	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join is is the last to buy a ticket. An see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to ment the above mentioned behaviour as functions in a computer environment. e following: te the name of the data structure which can be used in a computer environment to manipulate data as similar behaviour as the above scenario. (02 Marks)
show the line. One compared to the line. After implement the line of the line. After implement the line of the line.	a queue in real life. The first person to join the line is the first to buy a ticket. The last person to join is is the last to buy a ticket. An see the following behaviour in a line at a Cinema. Spectators joining the rear end of the line. After taking a ticket leaving the line. Whenever required, the ticket issuer calling the spectator who is at the front end of the line. A situation where there are no spectators in the line. A situation where there are spectators in the line. considering the above scenario, one has to identify a suitable data structure which can be used to ment the above mentioned behaviour as functions in a computer environment. e following: te the name of the data structure which can be used in a computer environment to manipulate data as similar behaviour as the above scenario. (02 Marks)

2)

Index No

Index No	1		
HIUCA INO		 	

concepts.	(38 Mark
ANSWER IN THIS BOX	
	Continued

	In	dex No	• • • • • • • • • • • • • • • • • • • •
