



CUSTOMER SUPPORT & FIELD SERVICE MANAGEMENT SYSTEM

Final Project

FINAL POWER PLATFORM CAPSTONE PROJECT

Customer Support & Field Service Management System

Project Scenario

A company sells equipment and provides after-sales support to customers.

Currently, customers report problems through:

-  Email
-  Phone calls
-  WhatsApp or Teams messages
-  Excel spreadsheets
-  Paper service reports

The support team manually assigns technicians, technicians call customers for directions, service updates are difficult to track, and management has little visibility into support performance.

Common problems include:

- ✗ Service requests get lost
- ✗ Customers call repeatedly asking for status
- ✗ Tickets are assigned manually
- ✗ Technicians do not have one mobile work queue
- ✗ Service history is difficult to find
- ✗ Equipment history is scattered
- ✗ SLA breaches are discovered too late
- ✗ Management lacks reliable reports

Your task is to design and build:

Customer Support & Field Service Management Platform

using Microsoft Power Platform.

Business Objective

The organization wants one system where:

Customer Reports Problem



Service Request Created



Support Team Reviews



Technician Assigned



Technician Visits Customer



Work Performed



Customer Confirms Resolution



Ticket Closed



Management Analyzes Performance

The final solution should be usable by:



Customers



Support Agents



Field Technicians



Service Managers



System Administrators



Mandatory Power Platform Technologies

Students must use:

Technology	Purpose
 Dataverse	Central business data
 Canvas App	Technician mobile application
 Power Automate	Assignment, notification, escalation, automation
 Model-Driven App	Support & service administration
 Power BI	Service analytics
 Dataverse Security	Role-based access
 Solutions	Component packaging
 ALM	DEV → TEST → PROD

Advanced optional features:

-  Power Pages
-  Copilot Studio
-  Custom Connector

BUSINESS PERSONAS

1. Support Agent

Support Agents receive and manage customer requests.

They should be able to:

Create Service Request

View Open Requests

Classify Issue

Set Priority

Assign Technician

View Customer History

Add Internal Notes

Escalate Request

They primarily use:

 **Model-Driven App**

2. Field Technician

Technicians work primarily from phones or tablets.

They should be able to:

View My Assigned Jobs

Open Job Details

View Customer Information

View Equipment Information

Start Work

Add Diagnosis

Record Work Performed

Add Parts Used

Upload Photos

Complete Job

They primarily use:

 **Canvas App**

3. Customer

The customer should be able to:

Submit Support Request

View Ticket Number

Track Status

View Service History

Provide Feedback

This can be implemented as a:

 **Power Pages bonus feature.**

4. Service Manager

The manager should be able to:

Monitor Open Requests

Review Escalations

Review Technician Workload

Monitor SLA Performance

Analyze Customer Satisfaction

Review Reports

5. Administrator

Administrators manage:

Customers

Assets

Technicians

Categories

Priority Configuration

Security

Failed Processes

System Configuration

 CUSTOMER

|

v

Service Request

|

v

 DATAVERSE

/

|

\

v

v

v

Customer

Asset

Service Request

|

v

 POWER AUTOMATE

/

|

\

v

v

v

Assignment Alerts Escalation

|

v

 TECHNICIAN

|

v


 CANVAS APP

|

v

Service Visit

|



PART 1 — DATAVERSE DATA MODEL

Students must create an ERD before building apps.

Recommended tables:

Customer

Contact

Customer Asset

Service Request

Service Visit

Technician

Service Category

Service Task

Service Status History

Customer Feedback

Optional:

Parts

Parts Used

Process Log

SLA Configuration

TABLE 1 — Customer

Represents the organization receiving service.

Recommended columns:

Column	Type
Customer Name	Text
Customer Number	Autonumber
Customer Type	Choice
Phone	Phone
Email	Email
Address	Text
City	Text
Active	Yes/No

Example:

CUS-00041

Atlas Manufacturing PLC

Corporate Customer

Addis Ababa

Active

TABLE 2 — Contact

Represents a person working for the customer.

Recommended columns:

Full Name

Email

Phone

Job Title

Customer

Active

Relationship:

Customer

|

| 1

|

| *

Contact

One customer organization can have several contacts.

TABLE 3 — Customer Asset

An Asset represents equipment owned by the customer.

Examples:

Printer

Generator

Laptop

Industrial Machine

Network Router

Air Conditioner

Medical Equipment

Recommended columns:

Column	Type
Asset Number	Autonumber
Asset Name	Text
Asset Type	Choice

Column	Type
Serial Number	Text
Customer	Lookup
Installation Date	Date
Warranty Expiry	Date
Status	Choice
Location	Text
Relationship:	
Customer	
1	
*	
Customer Asset	

📊 TABLE 4 — Service Request

This is the main business transaction.

One record represents:

One Customer Support Ticket.

Recommended columns:

Column	Type
Ticket Number	Autonumber
Title	Text
Customer	Lookup

Column	Type
Contact	Lookup
Asset	Lookup
Description	Multiline Text
Category	Lookup
Priority	Choice
Status	Choice
Assigned Technician	Lookup
Submitted On	Date/Time
Assigned On	Date/Time
Resolved On	Date/Time
Closed On	Date/Time
SLA Due Date	Date/Time
Escalated	Yes/No

Example:

SR-000542

Printer Not Printing

Customer:

Atlas Manufacturing PLC

Priority:

High

Status:

Assigned

SERVICE REQUEST STATUS

Create a Choice:

New

Under Review

Assigned

Technician En Route

In Progress

Waiting for Customer

Waiting for Parts

Resolved

Closed

Cancelled

Escalated

Students should understand that these values describe:

Business state.

PRIORITY

Create another Choice:

Low

Normal

High

Critical

Example SLA logic:

Low

→ 72 hours

Normal

→ 48 hours

High

→ 24 hours

Critical

→ 4 hours

The exact values can be modified by students.

TABLE 5 — Service Category

Examples:

Hardware

Software

Network

Electrical

Installation

Maintenance

Warranty

Recommended columns:

Category Name

Description

Default Priority

Active

Use a Lookup from Service Request.

Do not store category as uncontrolled text.

TABLE 6 — Technician

Recommended columns:

Technician Number

Full Name

Email

Phone

Specialization

Region

Active

Availability

Possible specializations:

Hardware

Networking

Electrical

Mechanical

Software

TABLE 7 — Service Visit

A ticket may require one or more technician visits.

Relationship:

Service Request

|

| 1

|

| *

Service Visit

Recommended columns:

Visit Number

Service Request

Technician

Scheduled Date

Arrival Time

Start Time

Completion Time

Diagnosis

Work Performed

Visit Status

Customer Signature / Confirmation

One ticket may require several visits.

This keeps the service history properly normalized.

 TABLE 8 — Service Task

A Service Visit may contain several tasks.

Example:

Service Visit

|

|—— Inspect Printer

|—— Replace Cartridge

- Clean Rollers
- Test Printing

Recommended columns:

- Service Visit
- Task Description
- Status
- Completed On
- Technician Notes

Relationship:

Service Visit

- |
- | 1
- |
- | *

Service Task

 TABLE 9 — Status History

Every important status change should be recorded.

Recommended columns:

- Service Request
- Old Status
- New Status
- Changed By
- Changed On
- Comments

Example:

SR-000542

Assigned

→

In Progress

Changed by:

Technician Hana

18 Sep 2026

This is extremely useful for:



Analytics



Troubleshooting



Auditing



SLA analysis

★ **TABLE 10 — Customer Feedback**

After service completion, collect feedback.

Recommended columns:

Service Request

Customer

Rating

Comments

Submitted On

Rating:

★ 1

★ ★ 2

★ ★ ★ 3

★ ★ ★ ★ 4

★ ★ ★ ★ ★ 5

This enables customer satisfaction analytics.

OPTIONAL — PARTS TABLE

Advanced students can implement spare-parts management.

Parts

Part Number

Part Name

Unit Cost

Current Stock

Reorder Level

Active

OPTIONAL — PARTS USED

Junction table:

Service Visit

|

| 1

|

| *

Parts Used

*

|

| 1

Part

Fields:

Service Visit

Part

Quantity

Unit Cost

Total Cost


This creates a realistic many-to-many transactional pattern.

COMPLETE RELATIONSHIP MODEL

Customer



Contact Customer Asset



Service Request



Technician Visit Status History

|

| 1

|

| *

Service Task

Optional:

Service Visit

|

v

Parts Used

|

v

Parts

PART 2 — CREATE THE SOLUTION

Create:

Solution:

Field Service Management

Publisher:

Organization / Student Publisher

Version:

1.0.0.0

Everything should be built inside the solution where possible.

Include:

Tables

Choices

Relationships

Canvas App

Model-Driven App

Cloud Flows

Security Roles

Environment Variables

Connection References

ENVIRONMENT VARIABLES

Create values such as:

Support Email

Service Manager Email

Escalation Hours

Customer Portal URL

Technician App URL

Example:

SupportEmail

=

support@company.com

Do not hardcode the same value in multiple flows.

PART 3 — MODEL-DRIVEN SERVICE DESK APP

Create:

Service Management Center

Used by:

Support Agents

Service Managers

Administrators

APP NAVIGATION

Suggested structure:

Service Management

|

| —  Requests

|

| — New

|

| — Unassigned

|

| — Assigned

|

| — Critical

|

| — Escalated

|

| — Closed

|

| —  Customers

|

| — Customers

|

| — Contacts

|

| — Assets

|

| —  Service Operations

|

| — Technicians

- | |—— Service Visits
- | |—— Service Tasks
- |
- |——  Administration
 - |—— Categories
 - |—— Status History
 - |—— Feedback

IMPORTANT VIEWS

Create views such as:

New Requests

Critical Requests

Unassigned Requests

Requests Due Today

Overdue Requests

My Assigned Requests

Escalated Requests

Waiting for Customer

Waiting for Parts

Resolved Today

SERVICE REQUEST FORM

Suggested layout:

SUMMARY

Ticket Number

Title

Customer

Priority

Status

ISSUE

Asset

Category

Description

ASSIGNMENT

Technician

Assigned On

SLA Due Date

SERVICE

Service Visit Subgrid

HISTORY

Status History Subgrid

RESOLUTION

Resolution

Resolved On

Customer Feedback

 PART 4 — AUTOMATIC REQUEST PROCESSING

Create:

Service Request Automation Flow

Trigger:

New Service Request

Flow:

Request Created



Validate Data



Calculate SLA



Set Status = Under Review



Notify Support Team

SLA CALCULATION

Example business rule:

Critical

→ Due in 4 hours

High

→ Due in 24 hours

Normal

→ Due in 48 hours

Low

→ Due in 72 hours

Power Automate can calculate the:

SLA Due Date

based on Priority.

AUTOMATIC PRIORITY LOGIC — OPTIONAL

Students may automatically classify certain conditions.

Example:

Asset under warranty

+

Machine completely unavailable

=

High Priority

or:

Critical production equipment

=

Critical Priority

Students should document their rule.

PART 5 — TECHNICIAN ASSIGNMENT

Assignment can be:

Basic Version

Support Agent manually selects technician.

Advanced Version

Power Automate assigns technician based on:

Specialization

Region

Availability

Current Workload

Example:

Network Problem



Find Active Network Technicians



Choose Available Technician



Assign

ASSIGNMENT NOTIFICATION

After assignment:

Technician Assigned



Send Notification

Example:

 New Service Job

Ticket:

SR-000542

Customer:

Atlas Manufacturing

Priority:

High

Scheduled:

18 Sep 2026

PART 6 — TECHNICIAN CANVAS APP

Create:

Field Service Technician App

It should be mobile-first.

Recommended screens:

Home

My Jobs

Job Details

Customer Asset

Start Service

Service Tasks

Complete Service

History

TECHNICIAN HOME

Example:

Good Morning, Hana 🙌

Today's Jobs 5

Critical 1
In Progress 2
Completed 2

[View My Jobs]

MY JOBS SCREEN

Show only jobs assigned to the technician.

Example gallery:

 SR-000542

Atlas Manufacturing

Printer Failure

High

10:00 AM

 SR-000545

Blue Nile Trading

Network Issue

Normal

1:30 PM

TECHNICIAN FILTER CHEAT

Concept:

Filter(

 'Service Requests',

 'Assigned Technician'.Email = User().Email

)

Add filters:

Today

Critical

Assigned

In Progress

Completed

Remember:

Canvas filtering is UX.

Dataverse security must enforce real authorization.

JOB DETAILS

Display:

Ticket Number

Customer

Contact

Phone

Address

Asset

Serial Number

Problem Description

Priority

SLA Due Time

Buttons:

[Call Customer]

[Start Work]

[View Asset]

START SERVICE

When technician starts:

Assigned

↓

In Progress

Record:

Start Time

Example:

```
Patch(  
  'Service Requests',  
  varSelectedRequest,  
  {  
    Status: 'Service Request Status'.In Progress',  
    'Service Started On': Now()  
  }  
)
```

SERVICE VISIT

When work begins, create a Service Visit.

Example:

```
Set(  
  varVisit,  
  Patch(  
    'Service Visits',
```

```
Defaults('Service Visits'),  
{  
    'Service Request': varSelectedRequest,  
    Technician: varCurrentTechnician,  
    'Start Time': Now()  
}  
)  
)
```

Now the technician can add:

Diagnosis

Tasks

Parts

Notes

Photos

SERVICE TASKS

Create temporary tasks or load predefined service tasks.

Example:

- ☐ Inspect equipment
- ☐ Check power
- ☐ Inspect connections
- ☐ Replace damaged part
- ☐ Test equipment

Technician can mark each task completed.

PHOTO EVIDENCE — OPTIONAL

Advanced requirement:

Allow technician to attach:

Before Photo

After Photo

Damage Photo

Serial Number Photo

This creates more realistic field-service documentation.

PARTS USED — OPTIONAL

Technician selects a spare part:

Replacement Roller

Quantity: 1

Add to:

colPartsUsed

Example:

```
Collect(  
  colPartsUsed,  
  {  
    Part: ThisItem,  
    Quantity: 1,  
    UnitCost: ThisItem.'Unit Cost'  
  }  
)
```

Submit to Parts Used table when service is completed.

COMPLETE SERVICE

Before completion require:

Diagnosis

Work Performed

At least one service outcome

Completion Time

Then:

In Progress

↓

Resolved

Example:

Patch(

 'Service Requests',

 varSelectedRequest,

 {

 Status: 'Service Request Status'.Resolved,

 'Resolved On': Now()

 }

)

COMPLETION SUMMARY

Show:

Ticket:

SR-000542

Diagnosis:

Paper feed roller damaged.

Work Performed:

Replaced roller and tested printer.

Started:

10:05 AM

Completed:

11:10 AM

Duration:

1h 5m

[Complete Job]

★ PART 7 — CUSTOMER FEEDBACK AUTOMATION

When request becomes:

Resolved

Power Automate sends a feedback request.

Example:

Your service request SR-000542 has been resolved.

How would you rate our service?



Feedback is stored in:

PART 8 — SLA ESCALATION

Create a scheduled Power Automate flow.

Example:

Every Hour



Find Open Requests



SLA Due Date Passed?

/ \

No Yes

| |

Ignore Escalate

If overdue:

Escalated = Yes

Status = Escalated

Notify Service Manager

SLA WARNING

Advanced version:

Notify before SLA breach.

Example:

SLA Due in less than 2 hours



Notify Assigned Technician



Notify Support Agent

ERROR HANDLING

Important flows should use:

TRY

|

|—— Process

|—— Update

|—— Notify

CATCH

|

|—— Capture Error

|—— Create Process Log

|—— Notify Support

FINALLY

|

|—— Record Process Result

PART 9 — SECURITY

Create at least these security roles:

Support Agent

Technician

Service Manager

Administrator

SUPPORT AGENT

Should approximately have:

Customer

Read

Contact

Read

Assets

Read

Service Request

Create

Read

Write

Technician

Read

TECHNICIAN

Should approximately have:

Service Request

Read assigned / appropriate records

Service Visit

Create

Read

Write

Service Task

Create

Read

Write

Customer

Read required information

Asset

Read

Do not give technicians full administration access.

SERVICE MANAGER

Can receive broader service-management access.

Examples:

All Service Requests

Technicians

Escalations

Customers

Reports

IMPORTANT RULE

This:

Filter(

'Service Requests',

'Assigned Technician'.Email = User().Email

)

is NOT security.

It only controls:

What the Canvas App displays.

Real security comes from:

Dataverse Roles

Ownership

Teams

Business Units

Sharing

PART 10 — POWER BI SERVICE MANAGEMENT DASHBOARD

Create a report with at least:

1. Executive Overview
2. SLA Performance
3. Technician Performance
4. Customer Analysis
5. Asset Reliability

REQUIRED KPIs

Students should calculate:

Total Service Requests

Open Requests

Resolved Requests
Critical Requests
Escalated Requests
Average Resolution Time
SLA Compliance %
Average Customer Rating
Requests per Technician
First-Time Resolution %

DAX CHEAT SHEET

Total Requests

Total Requests =
COUNTROWS(
 'Service Request'
)

Resolved Requests

Resolved Requests =
CALCULATE(
 [Total Requests],
 'Service Request'[Status] = "Resolved"
)

Escalated Requests

Escalated Requests =
CALCULATE(

```
[Total Requests],  
'Service Request'[Escalated] = TRUE()  
)
```

Average Customer Rating

Average Rating =

```
AVERAGE(  
    'Customer Feedback'[Rating]  
)
```

SLA Compliance

Conceptually:

SLA Compliance % =

```
DIVIDE(  
    [Requests Within SLA],  
    [Resolved Requests]  
)
```

Students should build the supporting measure correctly for their model.

REQUIRED VISUALS

Include:

KPI Cards

Requests by Status

Requests by Priority

Tickets by Category

Tickets by Customer

Technician Workload

Average Resolution Time by Technician

SLA Compliance Trend

Customer Satisfaction

Top Problematic Assets

Slicers:

Date

Technician

Customer

Priority

Category

Status

 BONUS 1 — POWER PAGES CUSTOMER PORTAL

Build:

Customer Support Portal

Customer can:

Sign In

Submit Support Request

Select Asset

View Own Tickets

Track Status

View Service History

Submit Feedback

Possible navigation:

Home

My Assets

Submit Request

My Requests

Service History

Profile

Students must configure:

Authentication

Contacts

Web Roles

Page Permissions

Table Permissions

BONUS 2 — COPILOT STUDIO SUPPORT AGENT

Create:

Service Support Assistant 

It can answer:

How do I report a problem?

What does "Waiting for Parts" mean?

What information should I provide?

What is the warranty policy?

How do I prepare for a technician visit?

Knowledge can include:

Support Policy

Warranty Policy

Product Manuals

FAQ

Troubleshooting Guide

Advanced capability:

"Check my ticket SR-000542."

Architecture:

User



Copilot Studio



Tool / Flow



Dataverse



Ticket Status



Response

BONUS 3 — CUSTOM CONNECTOR

Integrate with an external mapping, inventory, or equipment API.

Example:

Technician App



Custom Connector



Parts Inventory API



Check Stock

or:

Power Automate



Custom Connector



Warranty API



Validate Serial Number

Students should demonstrate:

GET

POST

JSON

Authentication

Status Codes

Error Handling

PART 11 — TESTING

Students must create at least:

15 formal test cases.

Example:

ID	Scenario	Expected Result
TC01	Create valid service request	Request created
TC02	Submit without customer	Validation shown

ID	Scenario	Expected Result
TC03	Assign technician	Technician receives job
TC04	Technician starts job	Status becomes In Progress
TC05	Complete job	Status becomes Resolved
TC06	Customer submits rating	Feedback saved
TC07	SLA expires	Request escalated
TC08	Technician accesses unrelated admin record	Access denied
TC09	Flow connection fails	Error handled
TC10	Power BI refreshes	New data appears

Additional tests should cover:

Invalid asset

Inactive technician

Missing customer email

Duplicate service request

Cancelled request

Critical priority

Failed notification

Waiting for parts

UAT

Another student should act as:

Support Agent

Technician

Manager

Customer

They should provide feedback about:

Navigation

Ease of use

Status wording

Mobile experience

Performance

Errors

Business process

PART 12 — ALM

Use:

DEV

↓

TEST

↓

PROD

Development:

Unmanaged Solution

Deployment:

Managed Solution

ENVIRONMENT CONFIGURATION

Use environment variables for:

Support Email

Manager Email

Escalation Threshold

Portal URL

App URL

API Base URL

Use connection references for:

Outlook

Teams

Dataverse

Custom Connectors

PRODUCTION READINESS CHECKLIST

Before final submission:

- ☐ Canvas App works on mobile
- ☐ Technician sees correct jobs
- ☐ Model-Driven App works
- ☐ Assignment automation works
- ☐ SLA escalation works
- ☐ Security roles tested
- ☐ Unauthorized access blocked
- ☐ Error handling implemented
- ☐ Power BI refresh works
- ☐ App Checker reviewed
- ☐ Solution Checker reviewed
- ☐ Environment variables used
- ☐ Connection references configured
- ☐ Test document completed

FINAL DELIVERABLES

Students must submit:

1. Business Requirements Summary
2. Architecture Diagram
3. Dataverse ERD
4. Dataverse Tables
5. Canvas Technician App
6. Model-Driven Service App
7. Automation Flows
8. SLA Escalation Flow
9. Security Design
10. Power BI Dashboard
11. Test Document
12. Deployment Checklist
13. User Guide
14. Technical Documentation
15. Final Demonstration

FINAL DEMONSTRATION

Recommended duration:

15–20 minutes.

DEMO STORY

1 Explain the Problem

Example:

The company previously managed service requests through phone calls and Excel.
Explain the problems.

2 Show the Architecture

Explain:

Dataverse

→ Central Data

Model-Driven App

→ Support Administration

Canvas App

→ Technician Experience

Power Automate

→ Process Automation

Power BI

→ Analytics

3 Create a Customer Ticket

Demonstrate:

Customer

↓

Asset

↓

Issue

↓

Priority

↓

Create Ticket

4 Assign Technician

Show:

New Request

↓

Support Agent

↓

Assign Technician

5 Technician Mobile Demo

Technician:

Opens My Jobs

↓

Selects Ticket

↓

Starts Work

↓

Adds Diagnosis

↓

Completes Tasks

↓

Resolves Ticket

6 Show Automation

Demonstrate:

Notifications

Status Changes

SLA

Escalation

7 Show Administration

Use Model-Driven App to show:

Customer

Asset

Ticket

Service Visit

History

8 Show Power BI

Students must explain at least:

3 business insights.

Examples:

Network issues create the most tickets.

Technician A has the fastest resolution time.

12% of critical requests breached SLA.

GRADING RUBRIC

Total:

100 Points

Category	Points
 Dataverse Architecture	15
 Model-Driven Service App	10
 Technician Canvas App	15
 Automation & SLA	15
 Security	10
 Power BI	10
 Testing & Reliability	10
 ALM	5
 Documentation	5
 Final Demo	5
TOTAL	100

BONUS

Feature	Bonus
 Customer Power Pages Portal	+5
 Copilot Studio Support Agent	+5
 Custom Connector	+5
 Spare Parts Management	+3

Feature

Bonus

 Advanced SLA / Assignment Logic +2

Maximum:

120 / 100

QUICK CHEAT SHEET

DATAVERSE

Use:

Choice

for:

Priority

Status

Asset Type

Use:

Lookup

for:

Customer

Asset

Technician

Category

Service Request

RELATIONSHIP CHEAT

Customer

1 → Many

Assets

Customer

1 → Many

Service Requests

Service Request

1 → Many

Service Visits

Service Visit

1 → Many

Service Tasks

Service Request

1 → Many

Status History

Lookup goes on the:

Many side.

POWER FX CHEAT

Current user jobs

Filter(

 'Service Requests',

 'Assigned Technician'.Email = User().Email

)

Save selected job

```
Set(  
    varSelectedRequest,  
    ThisItem  
)
```

Update status

```
Patch(  
    'Service Requests',  
    varSelectedRequest,  
    {  
        Status:  
            'Service Request Status'.In Progress  
    }  
)
```

Success notification

```
Notify(  
    "Service job updated successfully.",  
    NotificationType.Success  
)
```

Error handling

```
IfError(  
    Patch(  
        'Service Requests',  
        varSelectedRequest,
```

```
{  
    Status:  
        'Service Request Status'.Resolved  
}  
,  
  
Notify(  
    "Unable to update the service request.",  
    NotificationType.Error  
)  
)
```

POWER AUTOMATE CHEAT

Recommended flow structure:

TRIGGER

↓

VALIDATION

↓

TRY

↓

PROCESS

↓

CATCH

↓

FINALLY

SLA CHEAT

Priority



Calculate Due Date



Store SLA Due Date

Scheduled checker:

Every Hour



Open Requests



Now() > SLA Due?

/ \

No Yes

| |

Skip Escalate

STATUS CHEAT

Good lifecycle:

New



Under Review



Assigned



In Progress

↓

Resolved

↓

Closed

Exceptions:

Waiting for Customer

Waiting for Parts

Escalated

Cancelled

Avoid vague statuses such as:

Open

Working

Done

when more precise business states are available.



SECURITY CHEAT

Remember:

Visible = false

is NOT security.

And:

Filter(...)

is NOT authorization.

Use:

Dataverse Security Roles

Ownership

Teams

Business Units

Sharing

POWER BI CHEAT

Think:

Business Question



Measure



Visual

Not:

Cool Chart



Try to find data for it

ALM CHEAT

DEV

Unmanaged



Managed Export



TEST



PROD

Use:

Environment Variables

for changing configuration.

Use:

Connection References

for solution-aware connections.

COMMON STUDENT MISTAKES

Avoid:

- ✗ Putting everything in Service Request table
 - ✗ Storing customer as plain text
 - ✗ Storing asset serial number only in ticket description
 - ✗ Giving Technician System Administrator
 - ✗ Treating Canvas filters as security
 - ✗ Using one vague "Open" status
 - ✗ Not storing status history
 - ✗ Not recording service visits separately
 - ✗ Hardcoding support email everywhere
 - ✗ Sending notifications without error handling
 - ✗ Ignoring SLA failures
 - ✗ Developing directly in production
 - ✗ Building dashboards without business questions
 - ✗ Testing only with administrator account
-

RECOMMENDED 4-DAY CAPSTONE PLAN

Day 29 — Architecture & Dataverse

Students complete:

Requirements

Personas

Architecture Diagram

ERD

Tables

Columns

Relationships

Choices

Security Plan

Solution

Deliverable

Architecture

+

Dataverse Model

Day 30 — Apps

Students complete:

Model-Driven Service App

Technician Canvas App

Views

Forms

Mobile UI

Service Visit Logic

Deliverable

Working support and technician applications.

Day 31 — Automation & Analytics

Students complete:

Notifications

Technician Assignment

SLA Calculation

Escalation

Status History

Feedback

Power BI

Deliverable

End-to-end service process.

Day 32 — Test, Deploy & Present

Students complete:

Security Testing

Functional Testing

UAT

Solution Checker

Versioning

Deployment

Documentation

Final Demo

Deliverable

 **Production-ready Customer Support & Field Service Solution**

FINAL CHALLENGE

The final goal is not simply to build:

An App

+

A Flow

+

A Dashboard

Students should demonstrate that they can design:

An Enterprise Business Solution.

Their solution should answer:

 Does it solve the business problem?

 Is the data model correct?

 Is the user experience practical?

 Is the automation reliable?

 Is the data secure?

 Can management understand performance?

 Has the solution been tested?

 Can it move between environments?

 Can another team support it?

If those questions are answered well, the student has moved beyond simply learning Power Platform tools and is beginning to think like a:

Power Platform Solution Architect.