> Testing Summary

Microbials: PASS

> Analytical Methods

- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

> Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%] [CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

> Sample: 16132954027261000


Origination: Dogtown Pioneers Sample Name: Rays - Strawberry Lemonade

License: 416538 Type: Liquid Edible

Address 4645 N Swenson Rd Ste A Clayton, WA 99110 Date Recieved: 11/23/2022

> 1 Unit: ³⁵⁵ mL

> Potency



> Microbials

Analyte ————————————————————————————————————	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	10,000 (CFU/g)	Negative

