

## Testing Summary

Date Tested: 12/28/2022

Microbials

PASS

## Analytical Methods

- Microbials: 3M Petrifilm
- Potency: HPLC UV-VIS Detector

## Analytical Information

### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%]  
[CBDA  $\pm$  0.02%] [CBD  $\pm$  0.07%]. Total THC = THCa \* 0.877 + d9-THC,  
Total CBD = CBDA \* 0.877 + CBD, Total Cannabinoids = the sum of all  
cannabinoids tested, LOQ = Limit of Quantitation; the reported result  
is based on a sample weight with the applicable moisture content for  
that sample; unless otherwise stated all quality control samples  
performed within specifications established by the Laboratory.

### Microbials /

The estimation of uncertainty: 3M Petrifilm  $\pm$  14 cfu/g. LOQ = Limit of  
Quantitation; unless otherwise stated all quality control samples  
performed within specifications established by the Laboratory.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA  
www.greengrowerlabs.com

Sample: **16133255919323065**

Origination: Dogtown Pioneers

Sample Name: lil' Rays Strawberry Lemonade - 100mg

License: 416538

Type: Liquid Edible


Address: 4645 N Swenson Rd Ste A Clayton, WA 99110

Date Received: 12/28/2022

1 Unit: **50** mL

## Potency

### Cannabinoids



Analyte	Mass (Mg / Unit)
$\Delta$ 9-THC	100
THCa	0.0
Total THC	100
CBD	0.0
CBDA	0.0
Total CBD	0.0

## Microbials

Analyte	Limit	Unit
<i>E.coli</i>	Negative	0.0
Total Aerobic	< 100 (CFU/g)	< 100
Total Combined Yeast and Molds	10 (CFU/g)	< 10

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist  
Lab Director