Full — Set A — SVR
Final-predictor mean absolute SHAP

Operating temperature (K)	+0.95
avg_dev NpUnfilled	+0.25
avg_dev NdValence	+0.21
mean NValence	+0.2
avg_dev NpValence	+0.16
avg_dev SpaceGroupNumber	+0.12
range MeltingT	+0.11
maximum MeltingT	+0.11
avg_dev MendeleevNumber	+0.1
avg_dev NValence	+0.08
mean Electronegativity	+0.08
range GSvolume_pa	+0.08
maximum GSvolume_pa	+0.07
mean Row	+0.05
avg_dev Row	+0.05
mean Number	+0.04
avg_dev Number	+0.04
mean NpValence	+0.04
range NUnfilled	+0.04
mean NpUnfilled	+0.04
mean CovalentRadius	+0.04
mean AtomicWeight	+0.04
avg_dev MeltingT	+0.03
avg_dev AtomicWeight	+0.03
mean SpaceGroupNumber	+0.03
mean MeltingT	+0.03
avg_dev Electronegativity	+0.03
avg_dev CovalentRadius	+0.02
mean GSvolume_pa	+0.01
avg_dev GSvolume_pa	+0.01

0.0 0.2 0.4 0.6 0.8 1.0

mean(|SHAP value|)