When dividing the population strictly into newborn, pediatric, and adult categories, the World Health Organization (WHO) and global medical standards generally use the following age thresholds:

1. Newborn (Neonatal Period)

- Age: 0 to 28 days
- Focus: Critical window for survival, congenital conditions, and early life infections. [1, 2, 3, 4, 5]

2. Pediatric

- Age: 29 days to 19 years
- Sub-categories: Frequently broken down due to rapid biological growth:
  - Infants: 29 days to under 1 year.
  - Toddlers / Early Childhood: 1 to 4 years.
  - Older Children: 5 to 9 years.
  - Adolescents: 10 to 19 years. [6, 7, 8, 9, 10]

3. Adult

Age: 20 years and older [11] Sub-categories: Typically split by health risk profiles:

- Young / Reproductive Adults: 20 to 49 years.
- Older Adults: 50 to 59 years.
- Elderly / Aging Population: 60+ or 65+ years.

If you are looking into this for a clinical study, public health policy, or medical dosage guidelines, I can help you find specific frameworks. Would you like me to look up the drug dosage age groups or the disease burden data for one of these specific brackets?

[1] https://pmc.ncbi.nlm.nih.gov
[2] https://www.banglajol.info
[3] https://www.ijpediatrics.com
[4] https://www.longdom.org

[5] https://academicstrive.com

[6] https://pmc.ncbi.nlm.nih.gov

[7] https://www.sciencedirect.com

[8] https://www.tandfonline.com

[9] https://pmc.ncbi.nlm.nih.gov

[10] https://pmc.ncbi.nlm.nih.gov

[11] https://pmc.ncbi.nlm.nih.gov