



Envision Pulse

API Specification Doc

Envision Pulse API	4
Rest API	5
getMyAppointments	5
getAllAppointments	6
CancelAppointment	8
getLineFriends	8

Document Version No- 1.1.2

Software Version No- 1.3

Created By- Wasiur Rahman

Last Update Date- 22/03/2022

Envision Pulse API

The purpose of this document is to provide a high-level specification for the Envision Pulse "My Appointments", "All Appointments" and "Cancel Appointment" API (Application Programming Interface). We expect the readers of this document will already have an understanding of basic API/Web Services concepts.

The Pulse Appointment API will be used by Envision Pulse clients to get appointment details whenever they require it. Once the API is called by the doctor, we will validate and authorize the doctor and return appointment information based on the level of access they have and the information they require. The response will be in JSON format by default.

Rest API

getMyAppointments

This method will return specific user appointment information by Id.

Api Name : /api/getMyAppointment()

Methods: httpPost

content-type: application/json; charset=utf-8

Body:

- LineUserId
- AppId

```
{  
  
  "LineUserId": "U4d1f91744ae47885746504df1e88314c",  
  
  "AppId": "2bf98351-f834-4442-b0ba-ab28b526ca5a"  
}
```

Response:

- ScheduleId
- ScheduleStartTime
- ScheduleEndTime
- DoctorName
- DoctorId
- StudyName
- HN
- PatientName
- RoomName

```
{
  "ScheduleId": 43421,
  "ScheduleStartTime": "2021-11-10 10:25:23.756",
  "ScheduleEndTime": "2021-11-10 10:25:23.756",
  "DoctorName": "Dr. Test Khan",
  "DoctorId": 12312,
  "StudyName": "Colonoscopy",
  "HN": "HN20001211",
  "PatientName": "Mr. Test Patient",
  "RoomName": "Room 101",
}
```

getAllAppointments

This method will return all user appointment information.

Api Name : /api/getAllAppointment()

Methods: httpPost

content-type: application/json; charset=utf-8

Body:

- LineUserId
- Appld

```
{  
  
  "LineUserId": "U4d1f91744ae47885746504df1e88314c",  
  
  "AppId": "2bf98351-f834-4442-b0ba-ab28b526ca5a"  
  
}
```

Response:

- ScheduleId
- ScheduleStartTime
- ScheduleEndTime
- DoctorName
- DoctorId
- StudyName
- HN
- PatientName
- RoomName

```
{  
  
  "ScheduleId": 43421,  
  
  "ScheduleStartTime": "2021-11-10 10:25:23.756",  
  
  "ScheduleEndTime": "2021-11-10 10:25:23.756",  
  
  "DoctorName": "Dr. Test Khan",  
  
  "DoctorId": 12312,  
  
  "StudyName": "Colonoscopy",  
  
  "HN": "HN20001211",  
  
  "PatientName": "Mr. Test Patient",  
  
  "RoomName": "Room 101",  
  
}
```

CancelAppointment

This method will help users to cancel specific appointments from the list.

Api Name: /api/CancelAppointment()

Methods: httpPost

content-type: application/json; charset=utf-8

Body:

- ScheduleId
- LineUserId
- AppId

```
{
  "ScheduleId":12232,
  "LineUserId": "U4d1f91744ae47885746504df1e88314c",
  "AppId": "2bf98351-f834-4442-b0ba-ab28b526ca5a"
}
```

Response: Boolean [True/False]

getLineFriends

This method helps to get the newly added followers information to the clients.

Api Name: /api/Line/getLineFriends

Header :

Authorization: Bearer AppId (bearer token AppId)

Body :

- AppId
- OrgId
- ResponseType

- TransId
- LineUserId
- LineDisplayName
- RequestTime

```
{  
  "AppId": "2bf98351-f834-4442-b0ba-ab28b526ca5a",  
  "OrgId": "15",  
  "ResponseType": "F",  
  "TransId": 66,  
  "LineUserId": "U5d70f40ce8fb1ed71c9b3fd94d4f123",  
  "LineDisplayName": "JonesSnow",  
  "RequestTime": "2022-03-18T07:00:12.222587"  
}
```