


Shikues Introduction

Silicom Electronics Pvt Ltd Principal



良芯標準踐行者

Modern production line





国网计量中心有限公司 检验报告

样品名称	规格/型号	样品编号	SNMU00A
通信单元	广东电网通信单元有限公司	通信单元	通信单元
生产单位	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元
通信单元	广东电网通信单元有限公司	通信单元	通信单元



Global Distributor Network



Presence in the Industry




Electronica 2015-2020
2015-2021連續參展
in Shanghai, China
慕尼黑上海電子展




in Shenzhen, China
深圳國際電子展
Elexcon 2015-2021
2015-2021連續參展



in Germany
德國慕尼黑國際電子博覽會
Electronica 2018
2018德國參展



in Brazil
FIEE巴西國際電力展
FIEE 2019
2019巴西參展



The 13th-17th China HI-TECH Fair
第13屆-第17屆連續參展
in Shenzhen, China
中國高新技術成果交易會



Global Sources Fair 2018-2019
環球資源消費電子展
in HK, China
2018-2019秋季/春季中國香港



GILE 2019
2019越南河內參展
in Guangzhou, China
越南電子元器件及生產設備展



SHIKEUS workshop
時科研討會
in Shenzhen, China
2019年深圳

Product Application based supply

Communication



HUAWEI



JCG

Power
management

GOODDO



TYMPHANY



TIGIDIGITAL

MOSO



Electronic
products



TAKSTAR

SUNWODA
欣旺达

Others



PENT

ADEL





3NOD Intelligent Industrial Park
The Smart Industrial Park could fill 100 football fields.

The World's Leading OPM Manufacturer
Original Planning Manufacturer

Plan Design Supply Chain Manufacture Market Service

BYD Overcomes Tesla to Become World's Largest EV Maker

BYD India ties up with three companies to set up charging infra for its EVs



Warren Buffett-Backed EV Maker BYD's Sales Nearly Doubled In June

1 in every 7 cars sold globally is an EV: BYD dominates market share, Tesla in 2nd. According to media reports, BYD dominated global EV sales in Q1 2023. The Chinese EV carmaker secured the highest market share of 21.1%, while Tesla came in second, occupying a 16% market share.



ENERGY STORAGE POWER

Charging pile, Solar energy, High-power adapter / charger

PRODUCTS

SIC Schottky Diodes series

GaN series

IGBT



POWER MANAGEMENT

UPS equipment, Power control & Management, Subway equipment, PC/TV power supply, Communication power supply, Laser pulse power supply, High power lighting power supply, Inverter

PRODUCTS

Integrated circuit

Switch diodes

Transistors

Fast recovery rectifiers

Rectifier diodes

Zener diodes

Bridge rectifiers

SIC Schottky Diodes series



IOT & SMART HOME

Temperature controller, Counter, WLAN, Pressure sensor, Linear hall-effect sensors, Fingerprint control door lock, Home intelligent gateway, Bluetooth device, Robot cleaner

PRODUCTS

Zener diodes

Switch diodes

Schottky diodes

ESD protection tubes

Rectifiers

Bridge rectifiers

Switch transistors

Three terminal regulator ICs

SiC Components

- Application
 - Critical power systems in EV, Data Centers, Traction Inverters and Smart grids.
 - The application and use of these components will slowly bring in the quality improvement of electronics. SiC diodes also help reduce the PCB board size due to high tolerance of voltage leading to overall reduction.

High
withstand voltage

The electric field strength that silicon carbide can withstand more than 10 times of silicon semiconductors.

High
Efficiency


Unipolar characteristic resistance under the same withstand voltage is less than 0.5% of silicon

More
stable


The extremely low intrinsic carrier concentration enables silicon carbide to operate stably at high temperatures.

Thermal conductivity

The thermal during operation can be quickly conducted away.




Shikues Product Application



The products are widely used in new energy, power supply, IOT, LED lighting, communication, smart home, motor driver and consumer electronics applications.



Global Customer location



Product application

Temperature controller

Counter device

Pressure sensor

WLAN device

Fingerprint door-lock

Intelligent gateway

Bluetooth device

Sweeping machine



● Feature

-20V/-3A, $R_{DS(ON)} = 120\text{m}\Omega(\text{MAX}) @ V_{GS} = -4.5\text{V}$.

$R_{DS(ON)} = 150\text{m}\Omega(\text{MAX}) @ V_{GS} = -2.5\text{V}$.

Super High dense cell design for extremely low $R_{DS(ON)}$



Reliable and Rugged

SOT-23 for Surface Mount Package


● Applications

Power Management

Portable Equipment and Battery Powered Systems.



SOT-23



THANK YOU!

Please share your BOM and reach out to us for specific support!

Contact us: info@silicomindia.com

suneet@silicomindia.com / 9810029582