

Configure IXM One

URL: <https://docs.grassfish.com/docs/configure-ixm-one-ssp>

Archiviert am: 2025-07-17 18:31:31

To enable playing SSP content on any player, you must configure IXM One.

Adjust the config file

You must enable SSP in the IXM One configuration. To do so, perform the following steps:

1. Navigate to the configuration files on the server at: GVServer2\www\gv2\gf\GFWebHtmlCustomer\
2. Open one of the following the folders:
 - **00000**: edit configurations for the entire server, which means for all customers.
 - **000xxx**: edit customer-specific settings. xxx is the customer ID.
3. Open the config.json file in your folder with a text editor like Notepad++.
4. Change the following settings:
 - Set **enableDooh** to **true** (this setting enables SSP)
 - Set **enableCategoriesPerScreen** to **true**
 - Set **enableLiveTags** to **true**
 - Set **enableSpotPropertyInheritanceForUserType** to **Admin**
5. Save your changes and close the config file.

Example: configuration of the config.json file

```
"enableDooh": true,
"enableCategoriesPerScreen": true,
"enableLiveTags": true,
"enableSpotPropertyInheritanceForUserType":
[
  "Admin"
]
```

Set up the data importer

Note

You need to set up the data importer if you use DOOH add-on versions earlier than 2.5.1. If you use add-on version 2.5.1 or later, you can skip this chapter.

To ensure that the data from the [UDC Importer](#) is imported into IXM One, you must create and configure the data importer in IXM One.

Create the data importer

To create the data importer, perform the following steps:

1. In IXM One, go to **Administration > Content > Data importer**.
2. Click on **New**.
3. From the **Data importer** dropdown, select the DOOH Playback Importer.
4. Specify a **Designation** and **Display name** for your data importer.

Create data importer

General

Feeds

*Data importer: DOOH Playback Importer

Name: DOOH Playback Importer

File type: Special

Abbreviation: DoohPlayba

*Designation: DoohUdcElement

*Display name: DOOH Playback Importer

Permissions

Search ... Selection: 0 / 2

<input type="checkbox"/>	User group	Read	Write
<input checked="" type="checkbox"/>	DOOH Admin	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	DOOH Standard	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

< >

<input type="checkbox"/>	User group
<input type="checkbox"/>	DOOH Test
<input type="checkbox"/>	DOOH Location


Save Cancel

5. Switch to the **Feeds** tab and select a **Feeds definition** from the dropdown menu.
6. Click on the **+** and add a feed.
7. In the **Path** field, enter the file path to your feed definition config file.
8. Specify all other settings as required.
9. Click **Save** to save your changes.

Assign the data importer

Now, you must assign the data importer to the player. To do so, perform the following steps in IXM One:

1. Go to **Channels > Location** and double-click on the player.
2. In the **Edit player** window, click on the **Data sources** tab.
3. Click **Add data source**. This opens the **Add data source** window.
4. Select the **DOOH Playback Importer** from the dropdown menu and click **Save**.



5. In the **Edit player** window, select **Global** for the **DOOH Playback Importer**.

6. Click **Save** to save your changes.