

CS482/495/496 Software Project: Artificial Axon Pipeline

Chloe Miranda and Jonathan Dargakis

2026-03-18

CS495 Software Project Proposal:
Artificial Axon Labs' Data Pipeline Jonathan Dargakis and Chloe Miranda 2026-03-18

1 Client Information

By sharing this client information and the rest of this document, you are stating that this client has provided this project as something they want (not something you created and asked if they wanted), and that they are interested in having you complete this project for your capstone.

1. Client name: Dr.Alexis Lowe
2. Client title: Senior Scientist
3. Client email address: alexislowe816@gmail.com
4. Client employer: Artificial Axon Labs
5. How you know the client: I was mutually connected with them through a colleague based on our shared interest in computational medicine.

2 Project Description

2.1 Overview

Artificial Axon Labs specializes in studying artificial neurons and their myelination using high-resolution 3D imaging. Currently, Dr. Lowe and Dr. Jagelskia rely on a highly fragmented and inefficient workflow to process these image datasets. In its present form, their pipeline spans Python scripts, Jupyter notebooks, and ImageJ each responsible for different stages of preprocessing, rendering, and analysis. Switching between these tools for every dataset is tedious and time-consuming, and even minor adjustments often require manually editing code or scripts. Because each dataset may require unique parameter settings, researchers must repeatedly tune and reconfigure files in different environments, significantly slowing down their ability to produce usable figures and scientific insights.

Additionally, the current workflow suffers from decentralized practices between team members. Dr. Lowe and Dr. Jagelskia process their data using different methods, scripts, and organizational structures, resulting in inconsistent outputs and further complicating collaboration. The lack of a unified system not only increases cognitive load but also makes reproducibility and long-term data management more difficult.

The purpose of this project is to design and implement a dedicated software application that consolidates this entire image-processing pipeline into a single, cohesive system, as well as utilizes computational techniques to speed up the process of rendering their 3D data. The goal is not to eliminate scientific control, but to provide a streamlined interface where researchers can upload files, adjust analysis parameters, view results, and export processed images without navigating three separate programs. By integrating configurable image-analysis tools and automated processing routines, the application aims to reduce repetitive work while preserving the flexibility required for scientific experimentation.

A key requirement expressed by the client is the ability to maintain a history of processed datasets. Both researchers emphasized the importance of comparing multiple renderings, tracking different configurations, and easily retrieving past results for publication-quality figures. The application will therefore include a structured history or “edit-tracking” system that allows users to revisit previous outputs or apply past settings to new datasets.

Ultimately, this project addresses a real and immediate bottleneck in the client’s research process. By centralizing tools, reducing manual overhead, and supporting reproducible workflows, the software will significantly improve efficiency and consistency in analyzing artificial neuron imagery—benefits that are vital for a rapidly growing research lab.

2.2 Key Features

2.3 File Management: image files are organized by wells/sections of the 3d printed axon.

- upload files to app
- automated file organization based on naming conventions
 - option for manually organizing files

2.4 Run configuration and history:

Runs of file processing will have options, and those choices can be recorded and reused for future runs.

- Each run will also have some sort of metadata attached to it, including the configuration used, date, and ID
- Configurations will consist of:
 - input and output folder paths
 - image data type: 2D or 3D
 - microscope type: Keyence or Olympus
 - Channel settings
 - number of field of views per well
- Note that for 3D data, additional inputs are required
 - number of frames per z-stack
 - cherry picking frames for the run
 - distance between frames (micrometers)
 - Yes or no: run wrapping analysis algorithm

Automated Image Processing:

Due to the nature of their work, our clients’ pipeline will remain relatively intact, utilizing a combination of bash, python and ImageJ to process these images but now with user inputs and consolidated into one run.

Result management:

- after running the scripts, there should be four outputs:
 - Masked tiff files for each field of view
 - data files of each field of view
 - summary data of each well used in experiment

- tiff file of myelin overlap
- These four outputs should be consolidated into two separate csv files, one for well data and one for field of view data.
- For 3D data, there should also be an extra csv for the outputs of wrapping analysis.
- The metadata and run configuration should also be recorded and output somewhere, likely as either a text file or in the app itself

2.5 Why this Project is Interesting

This project is interesting because it serves as a bridge between biology and computer science, applying computational tools to address real problems in modern biomedical research. The software directly supports the study of artificial neurons and myelination—processes that are essential for understanding neural development, neurodegenerative diseases, and the behavior of complex neural systems. By building tools that manage large image datasets and extract meaningful information from 3D microscopy images, the project contributes to a field where efficient data handling is often a major bottleneck.

Beyond the scientific relevance, this project is enticing because it involves solving multifaceted engineering challenges. It blends file system design, image processing, data visualization, and user-facing tool development. A challenge I'm excited to tackle with this project is the UI design. Our clients need to have quite a lot of control over what's being processed so it will be interesting to figure out a UI that allows that control without revealing too much of the backend and overwhelming them with information. Developing robust software that researchers can rely on requires disciplined software engineering practices, thoughtful UX, and careful consideration of performance and scalability—skills that align strongly with the goals of a capstone.

Finally, this project matters because the underlying research matters. Improving tools for analyzing 3D neuron imagery has immediate value for the professionals using them and the scientific questions they are trying to answer. The work that Artificial Axon Labs is doing is already groundbreaking. Good data processing pipelines can accelerate the pace of discovery, reduce human error, and make previously impractical analyses feasible. A capstone that enables real researchers to work more efficiently—and potentially contributes to a better understanding of neural health and disease—has both intellectual and practical significance.

2.6 Summary of Efforts to Find a Project

(Not necessary for 482) I was mutually connected with Dr. Lowe through a community crochet night. Other connections I've reached out to did not work out or were not able to offer anything.

~~[Most CS495 projects end here. The sections below are for CS482 and CS496 software projects]~~

3 Requirements

3.1 Non-Functional Requirements

ID	Title	Category	Description
NFR1	Color scheme	Visual / Design	The application shall use a dark red and white color scheme.
NFR2	Error messages	Visual / Design	The system shall display clear and informative error messages whenever a script fails during pipeline execution.
NFR3	Editable codebase	Accessibility	The codebase shall be easily editable to support future requirements and extensions.

ID	Title	Category	Description
NFR4	Analysis consistency	Results	The system shall always produce standard wrapping analysis results using the original formula for all 3D data.
NFR5	Exporting on error	Visual / Design	Options to export scripts as text files and save settings shall be presented whenever an error of both user and system occur.
NFR6	User confirmations	Visual / Design	The system shall display confirmation dialogs when starting, ending, or deleting a process.
NFR7	Pipeline performance	Performance	The system shall execute pipeline sessions within a reasonable time under normal hardware conditions for both 2D and 3D pipelines.
NFR8	File management safety	Reliability	The system shall not modify or delete original input files; all changes shall occur within system-managed copies.
NFR9	Reproducibility	Reproducibility	The system shall produce identical outputs when executed multiple times using the same inputs and configuration settings.
NFR10	User instructions	Visual / Design	The system shall provide tooltips or guidance for all major configuration options and user operations.

note: In all user stories and system requirements, unless the pipeline is explicitly stated, assume that both 2D and 3D pipelines are included.

3.2 User Stories

ID	Title	Points	Description
U1	Data upload	1	As a user, I want to upload data files or folders so that the application can access data for processing.
U2	Setting inputs	2	As a user, I want to input settings for data processing so that I can customize how data is processed depending on the experiment.
U3	Channel selection	1	As a user, I want to select one or multiple channels in a 2D experiment so that I can perform simple or complex experiments.
U4	Image preview after organization	2	As a user, I want to preview selected images after organization so that I can determine which images should be processed.
U5	Selecting images after organization	1	As a user, I want to select organized images for a run so that I can clean up experimental image datasets without reorganizing files.
U6	Deleting images after organization	1	As a user, I want to delete organized images for a run so that I can clean up experimental image datasets without reorganizing files.
U7	2D or 3D pipelines	1	As a user, I want to choose between 2D and 3D image pipelines so that I can correctly process different types of image data.

ID	Title	Points	Description
U8	Intensity threshold	1	As a user, I want to set an intensity threshold or enable automatic selection so that I can subtract debris or noise from images.
U9	Field of view amount	1	As a user, I want to specify the number of fields of view per well so that I can define how many wells are used in an experiment.
U10	Channel selection	1	As a user, I want to select which channels are used so that I can identify stains and suppress debris.
U11	Microscope selection	1	As a user, I want to select which microscope was used so that the system can distinguish between Keyence and Olympus data.
U12	Creating setting configuration	2	As a user, I want to create configuration profiles for data processing sessions so that I can reuse them for similar experiments.
U13	Reading setting configuration	2	As a user, I want to view saved configuration profiles so that I can reuse previous settings.
U14	Update setting configuration	2	As a user, I want to update saved configurations so that I can modify them to meet new experimental needs.
U15	Delete setting configuration	2	As a user, I want to delete saved configurations so that I can manage and declutter my configuration list.
U16	Z-stack frames	1	As a user, I want to enter the number of frames per z-stack so that I can define the structure of 3D image data.
U17	Frame distance	1	As a user, I want to enter the distance between frames in micrometers so that I can define spacing in 3D image data.
U18	Text file generation	2	As a user, I want to generate text files of scripts so that I can manually edit and run them if the system fails.
U19	Preview configuration	1	As a user, I want to preview metadata of saved configurations so that I can identify the correct configuration before selecting it.
U20	Preview cherry-pick images	1	As a user, I want to preview images before selecting them for 3D processing so that I can avoid skewed data.
U21	Session start	1	As a user, I want to start a data processing session so that selected images and settings execute as a single run.
U22	Session end	2	As a user, I want to stop or end a running session so that I can terminate or finalize processing when needed.
U23	Session history	2	As a user, I want to view metadata from past sessions so that I can review and document previous runs.
U24	Choosing configurations	1	As a user, I want to select a saved configuration before starting a run so that I can save time.

ID	Title	Points	Description
U25	Auto-fill	1	As a user, I want to automatically run the pipeline after selecting a configuration so that I can avoid stepping through each stage.
U26	Rerun	1	As a user, I want to auto-fill settings from a previous configuration so that I can rerun experiments with minimal changes.
U27	Pause a run	1	As a user, I want to pause or stop a run so that I can halt execution if incorrect settings were chosen.
U28	Image recovery	1	As a user, I want to undo image exclusions so that I can recover images mistakenly removed from the 3D pipeline.
U29	Progress monitor	1	As a user, I want to see which stage the pipeline is currently executing so that I can track processing progress.
U30	Export failed files	3	As a user, I want to export scripts with previous settings so that I can manually run the pipeline if the system fails.
U31	Preview results	2	As a user, I want to preview results before ending a session so that I can verify outputs.
U32	Preview graphs	5	As a user, I want to generate graphs before exporting results so that I can visualize and verify data.
U33	SSH access for files	1	As a user, I want to access my files via SSH so that I can retrieve them directly.
U34	Mask creation	2	As a user, I want to create masks for both 2D and 3D images so that I can improve visibility and analysis quality.
Total Points		51	

3.3 System Requirements

ID	Title	Points	Description
S0	File organization	2	The pipeline will create a uniform file structure when accepting raw TIFF and OIR files.
S1	File renaming	1	The pipeline will automatically rename image data files to create uniform scaffolding for future processing steps.
S2	Field of view aggregation	1	The 2D pipeline will aggregate data from all fields of view into a single summary file when the pipeline is complete.
S3	Wrapping analysis	1	The 3D pipeline will generate a wrapping analysis when the pipeline is complete.
S4	Ezra's algorithm	2	The 3D pipeline will run Ezra's algorithm when selected in the settings.
S5	Start date and time	1	The pipeline will automatically record the starting date and time of a data processing session when a session begins.
S6	Script runtime	1	The pipeline will automatically record the runtime of scripts executed during a session, only when a script is run.

ID	Title	Points	Description
S7	End date and time	1	The pipeline will record the date and time when a session finishes after producing output and being ended by the user.
S8	Debris calculation	1	The 2D pipeline will calculate debris present in images when the 2D pipeline is selected.
S9	Overlapping calculation	2	The pipeline will calculate overlapping myelin present in images when either the 2D or 3D pipeline is selected.
S10	Myelin growth calculation	2	The pipeline will calculate myelin growth on artificial axons found in images after overlapping myelin is calculated.
S11	Calculation results	4	The pipeline will consolidate calculation results into appropriate CSV files after all calculations are performed.
S12	Ezra's results	1	Ezra's algorithm will consolidate its results with the main CSV file after being selected and all other calculations are completed.
S13	Session history	1	The pipeline will record which pipeline steps were executed and which steps failed during a session run.
S14	Input validation	1	The system will validate all user-provided inputs to prevent invalid or out-of-range values.
S15	Graceful failure handling	2	The pipeline will allow partial results to be preserved if a processing stage fails.
Total Points		25	

4 System Design

4.1 Architecture

This project adopts a hybrid architecture that combines Pipeline and Model–View–Controller (MVC) patterns to balance modular data processing with a clean, maintainable user interface structure.

The pipeline architecture is used to structure the core processing workflow, where data flows through a series of well-defined stages. Each stage performs a specific transformation or analysis and passes its output to the next stage. This approach improves modularity, simplifies debugging, and allows individual components to be modified or extended without affecting the rest of the system. It also allows our client to have a high-level understanding of their own data processing session when it runs.

The MVC architecture is applied to the user interface and front-end components, particularly for managing and reusing saved configurations. The Model represents application data and configuration states, the View handles user-facing presentation, and the Controller manages user interactions and coordinates updates between the Model and View. The controller will also manage file retrieval for any selection and preview thumbnails. This separation of concerns improves maintainability, supports clearer organization of UI logic, and enables future expansion of features with minimal coupling.

Together, these architectural patterns provide a scalable foundation that supports both efficient data processing and a flexible, user-friendly interface.

4.2 Diagrams




Figure 1: Class diagram of proposed objects, setting configurations and settings

4.3 Technology

This project will be reflecting their original pipeline's code. The primary programming language is Python, which serves as the core language for application logic, orchestration, and integration between components. Bash scripts are used to automate pipeline execution and manage system-level tasks. We'll also be using Python's datetime library to store date and time objects for session history.

For the user interface, the project uses Tkinter, a lightweight Python library for building graphical user interfaces. Previously, their pipeline used a separate application, ImageJ to do any image processing. Instead, we will use a python library known as pyimagej which allows ImageJ functionality to be accessed and controlled directly from Python code. This enables seamless coordination between image processing tasks and the rest of the application logic.

All testing is conducted using pytest which provides a structured and automated testing framework to validate individual components and ensure overall system correctness. Data generated and consumed by the application is stored locally as per the client's request as well as general sanity.

4.4 Coding Standards

general coding standards

- Code should prioritize readability and clarity over clever or overly compact implementations.
- Follow consistent naming conventions across all files, functions, and variables.
- Avoid duplication by reusing functions and scripts where possible.
- All code must be version-controlled and include meaningful commit messages.
- All commits must be linked to a respective task in github via its commit message
- use UPPER_SNAKE_CASE for constants
- use lower_snake_case for local variables
- keep python and bash scripts in separated directories
- have meaningful file names

python coding standards

- use snake_case for variables and functions
- use PascalCase for class names
- include docstrings for all modules, classes, and public functions.
- include explicit error handling with try/except statements

bash scripting standards

- make sure all scripts begin with a shebang.
- avoid hard-coded paths. Opt for variables instead

testing and validation standards

- unless you physically can't, all code should be tested
- tests should be repeatable and not depend on an external state unless explicitly simulated to do so

4.5 Data

The main data structures that will be stored are setting configurations and sessions:

setting configuration are comprised of:

- input file path (string)
- output file path (string)
- image data type (string)
- microscope type (string)
- Experiment (string)
- Thresholds per channel (int)
- number of fields of view (int)
- number of frames per z-stack (int)
- yes or no of running Ezra's algorithm (boolean)

a session will contain the following:

- start date and time (datetime)
- end date and time (datetime)
- elapsed time of scripts (excluding user input)
- setting configuration used (configuration object)

all data objects will be stored as simple txt files in local file storage, not utilizing a database.

4.6 UI Mocks




Figure 2: login page for ssh




Figure 3: landing page after login




Figure 4: image data filepath input menu to access image data files for session




Figure 5: 2D setting inputs

image type: ☐ 2D ☐ 3D

microscope: ☐ Keyence ☐ Olympus

experiment:

Choose experiment ▾

thresholds:

DAPI

fields of view:

GFP-myelin

CY5-myelin

GFP-debris

CY5-debris

☐ Auto

Figure 6: dropdown menu example using 2D image

image type: ☐ 2D ☐ 3D

microscope: ☐ Keyence ☐ Olympus

experiment:

Choose experiment ▾

thresholds:

enter a number

fields of view:

enter a number

number of frames:

enter a number

distance:

enter a number

Run Ezra's Algorithm?: ☐

Select frames?: ☐

Figure 7: expanded 3D image data settings

image type: ☒ 2D ☐ 3D

microscope: ☒ Keyence ☐ Olympus

experiment:

thresholds: ☒ Auto

fields of view:

number of frames:

distance:

Run Ezra's Algorithm?: ☐ ☒

Select frames?: ☒

Figure 8: example layout of auto-filled settings

Select the images you want to remove

→ Image 1

→ Image 2

→ Image 3

→ Image 4

→ Image 5

→ Image 6

Image 1




Figure 9: image preview menu




Figure 10: configuration preview menu




Figure 11: session history menu




Figure 12: Session history preview with popup for starting a session with contained configuration




Figure 13: result preview with example result files




Figure 14: result saving menu




Figure 15: loading screen for running pipeline example




Figure 16: session end screen




Figure 17: graph creation menu




Figure 18: graph preview

5 Iterations

5.1 iteration 1: Pipeline foundations (Delivery: Feb 10th)

ID	Title	Points	Description
U1	Data upload	1	Upload data files or folders for processing.
U2	Setting inputs	2	Input customizable data-processing settings.
U7	2D or 3D pipelines	1	Choose between 2D and 3D pipelines.
U11	Microscope selection	1	Select which microscope produced the data.
U21	Session start	1	Start a data-processing session.
S0	File organization	2	Create a uniform file structure for raw image files.
S1	File renaming	1	Automatically rename files for uniform scaffolding.
S5	Start date and time	1	Record the start time of a session.
S14	Input validation	1	Validate all user-provided inputs.
Total Points		11	

5.2 iteration 2: image processing (Delivery: Feb 24th)

ID	Title	Points	Description
U3	Channel selection	1	Select one or more channels for 2D experiments.
U4	Image preview	2	Preview images after organization.
U5	Select images	1	Select organized images for a run.
U6	Delete images	1	Delete organized images without reorganizing files.
U8	Intensity threshold	1	Set or auto-select an intensity threshold.
U9	Field of view amount	1	Specify number of fields of view per well.
U33	SSH access	1	Access files directly via SSH.
S2	FOV aggregation	1	Aggregate all FOVs into a single summary file.
S8	Debris calculation	1	Calculate debris when the 2D pipeline is selected.
Total Points		10	

5.3 iteration 3: configuration management (Delivery: March 17th)

ID	Title	Points	Description
U10	Channel selection (stains)	1	Select channels used for staining and debris reduction.
U12	Create configuration	2	Create reusable processing configurations.
U13	Read configuration	2	View saved configurations.
U14	Update configuration	2	Modify saved configurations.
U15	Delete configuration	2	Remove unused configurations.
U16	Z-stack frames	1	Specify frames per z-stack.
U17	Frame distance	1	Specify distance between frames.
S3	Wrapping analysis	1	Generate wrapping analysis for 3D data.
S4	Ezra's algorithm	2	Run Ezra's algorithm when selected.
Total Points		14	

5.4 iteration 4: 3D image processing (Delivery: March 31st)

ID	Title	Points	Description
U19	Preview configuration	1	Preview configuration metadata before selection.
U22	Session end	2	End or stop a running session.
U23	Session history	2	View metadata of previous sessions.
U24	Choose configuration	1	Select a saved configuration before a run.
U25	Auto-fill	1	Automatically run the pipeline using a configuration.
U26	Rerun	1	Reuse settings from a previous run.
U27	Pause a run	1	Pause or stop a running pipeline.
U28	Image recovery	1	Recover images excluded from processing.
U29	Progress monitor	1	View current pipeline execution stage.
S6	Script runtime	1	Record runtime of executed scripts.
S7	End date and time	1	Record session completion time.
S13	Session history	1	Record executed and failed pipeline steps.
S15	Graceful failure handling	2	Preserve partial results if a stage fails.
Total Points		16	

5.5 iteration 5: final outputs (Delivery: April 14th)

ID	Title	Points	Description
U18	Text file generation	2	Generate editable script text files.
U20	Preview cherry-pick images	1	Preview images before 3D selection.
U30	Export failed files	3	Export scripts with previous settings after failure.
U31	Preview results	2	Preview results before ending a session.
U32	Preview graphs	5	Generate graphs to visualize results.
U34	Mask creation	2	Create masks for 2D and 3D images.
S9	Overlapping calculation	2	Calculate overlapping myelin.
S10	Myelin growth calculation	2	Calculate myelin growth metrics.
S11	Calculation results	3	Consolidate outputs into CSV files.
S12	Ezra's results	1	Merge Ezra's results into final output.
Total Points		23	

5.6 Iteration/Sprint 1

5.6.1 Planning

For this iteration we planned for the following stories:

ID	Title	Points	Description
U1	Data upload	1	Upload data files or folders for processing.
U2	Setting inputs	2	Input customizable data-processing settings.
U7	2D or 3D pipelines	1	Choose between 2D and 3D pipelines.
U11	Microscope selection	1	Select which microscope produced the data.
U21	Session start	1	Start a data-processing session.
S0	File organization	2	Create a uniform file structure for raw image files.
S1	File renaming	1	Automatically rename files for uniform scaffolding.
S5	Start date and time	1	Record the start time of a session.
S14	Input validation	1	Validate all user-provided inputs.
Total Points		11	

5.6.2 Work Done

Chloe was assigned: U2, U7, U11, and S14 incomplete story: S14 Chloe's notes: Most of my user stories are done. You can input settings. Some settings from the mockup are purposely missing since they have their own separate user stories and specific interfaces. S14 which was input validation didn't get done due to the iteration itself being cut short as well as required further discussion with the client on input limits and user-directed validation vs system validation.

Jonathan was assigned: U1, U21, S0, S1 and S5 Jonathan's notes: Most of my user stories are complete as the user is able to upload data, raw, and cleaned folders and saved the paths into a json file. Able to call the saved paths using jq in the bash scripts. The run button records the start time and runs step 1 and step 2 of a single channel. And for the session start I was able to figure out how to run the bath files inside tkinter which will be helpful running a session using the pipeline.

5.6.3 Testing Coverage

Testing this iteration was a little beyond us for this iteration. For Chloe's assignment, her work was very frontend-based and had little backend function that normal unit testing would work with via pytest. Attempts were made to use pytest on Chloe's tkinter code but proved to be difficult and did not run at all. Jonathan's code was also difficult to test since the bash scripting and renaming cannot be teste by pytest or python unit testing in general. Further deliberation upon our testing methods is being worked on at this time.

Figure 19 shows the test coverage




Figure 19: Iteration 1 test coverage report

5.6.4 Retroerspective & Reflection

Chloe: This iteration felt a little rough which was purposeful since it was a lot of learning and setting up. For both of us, we were working with some new libraries. This next iteration should be smoother since we're returning to more classic python coding and utilizing Python's imageJ library. For me, the hardest part was learning how to make nice Python code with tkinter. It was very easy to make messy code with little integrity in it, so when it came time to integrating user story U7 with my existing code, I had to do a giant refactor of the whole file just to support one particular user interface. It was for the better because that refactor definitely taught me what I needed to know for this next iteration in working with python. I

don't think we are behind just yet since we literally just started, but there is a bit of catching up to do with validating inputs and testing. In terms of how to avoid these learning pitfalls, I guess it would be to already strive for nice code which was hard since I was new and learning how to use this library for our UI but I now know the structure tkinter uses so I don't think I'll be making that mistake next time.

Jonathan: This iteration started off slow trying to explore different options of how to save the folder paths and seamlessly call them in the bash files. First looking into saving the a txt file and then using a json file with jq to call the saved paths. And figuring out how to call the bash scripts inside tkinter. Although I still have to finalize saving the folders and data for step 2 file organization and see if I can improve the flow from one step to another or even automate it, instead of uploading the folder paths again. So it is interesting thinking about what you are doing and how it would impact other stories and the overall pipeline which is important so we do not have to go back and re-facture large parts of the pipeline. And for testing I was able to create another bash script of seeing how I could save the folder paths and call them as a variable that I would use in the pipeline and using jq and the json file I was able to print out all of the saved folder paths that ran from a tkinter button. And to test the pipelines I would need to obtain sample raw data from our client to make sure the folder paths are properly being implemented during a run even though i was able to print out the file paths and the pipeline did not change. It is still helpful to know that step 1 and 2 will run successfully during an experiment.

5.7 Iteration/Sprint 2

5.7.1 Planning




Figure 20: iteration 2 kanban

The stories for this iteration mainly focused on finishing off the file renaming and organization and any inputs needed for that. This totaled up to 13 points, which meant the 10 points from the original iteration and 3 points from the stories we didn't get to in iteration 1.

5.7.2 Work Done

Chloe was assigned U3, U8, U9, S2, S8

Chloe's notes: I was able to complete U3, U9, and U8. The stories that did not get done dealt a lot with PyImageJ and I wanted to prioritize getting the file organization and renaming done first as it is the first step of the pipeline. Along with that, I believe this next iteration needs a little bit of deliberation with the client as U33 might not be necessary anymore, as well as S2 since aggregation inherently happens during the renaming process.

Jonathan was assigned U4, U5, U6

Jonathan's notes: In this iteration I was able to work on some previous user stories of File renaming and File organization exploring some options of using a script to get file names. And I was able to get part of Image preview done testing it on a folder of .tiff images. And i was not able to get to selecting and deleting the images because most of my time was spend researching and initializing the use of pyimage. Creating a clear document in the dicussions tab in Github on command and how to run pyimage / fiji.

5.7.3 Testing Coverage

tests coverage			
coverage: platform darwin, python 3.10.7-final-0			
Name	Stmts	Miss	Cover
view/SettingFront.py	90	90	0%
view/UploadPageStep1.py	133	46	65%
view/UploadPageStep2.py	45	1	98%
view/__init__.py	0	0	100%
TOTAL	268	137	49%
===== short test summary info =====			
FAILED tests/test_step1.py::test_save_folders_classifies_directories - FileNotFoundError: [Errno 2] No such file or directory: 'folder_paths.json'			
FAILED tests/test_step1.py::test_save_folders_sorts_tracks - FileNotFoundError: [Errno 2] No such file or directory: 'folder_paths.json'			
FAILED tests/test_step1.py::test_start_time_adds_timestamp - FileNotFoundError: [Errno 2] No such file or directory: 'folder_paths.json'			
FAILED tests/test_step1.py::test_run_step1_windows - AssertionError: assert False			
FAILED tests/test_step1.py::test_run_step1_unix - AssertionError: assert False			
FAILED tests/test_step1.py::test_channels_convert_to_json_format - FileNotFoundError: [Errno 2] No such file or directory: 'folder_paths.json'			
===== 6 failed, 10 passed in 0.58s =====			

Figure 21: Iteration 2 testing coverage report

Because Tkinter elements which do not need testing are in the same file, coverage may not technically be as high, but regardless is still acceptable.

5.7.4 Retroespective & Reflection

Chloe: This iteration was a little rough. We're running a little behind, but this is mainly because of PyImageJ and some time management issues. After conversation with each other and the client, the backlog isn't concerning as the issues are clear and fixable. We also realized that it would be better to have more than one meeting a week, and we will do so going forward.

Jonathan: This iteration was interesting working with Fiji which is just pyimage with additional plugins and trying to get everything setup looking into different options of how to run it and and all of the different dependencies you needed to install to run it like miniconda and making sure you add the path to the terminal and initializing Fiji. This took a very long time to research and sort out and then later looking into how to run it in a virtual environment instead of your local terminal environment and installing all of the necessary packages. Although this took most of my time, I am glad it was well documented so myself and others can read it and understand how to setup Fiji and the virtual environment, and i was able to get pyimage to open .tiff images in a folder by using python and initializing an external Fiji so that it can be always up to date which was surprising because before i tried it, Fiji never loaded.

5.8 Iteration/Sprint 3

Jonathan only committed 100 lines. In sufficient,

8+8=15?

5.8.1 Planning

Chloe: U10, U17, U34, S9, S10, S3 (8 pts) Jonathan: U12, U13, U14, U15 (8 pts) total: 15 points

Note: some stories were pushed to later iterations: U16, S4 other stories were pushed up to now: S9, S10, U34

Your README.md is now extant, which is a plus, but leaves something to be desired. I'm also struggling to find your Kanban

5.8.2 Work Done

[Which stories did you complete in this iteration/sprint. Which ones did you partially complete? Who worked on which story? You may elaborate in paragraph(s) to add more detail about the work done.]

board. It's not in the repo.

Chloe: I was able to get anything involving masking done and any inputs with masking. This means U34, S10. So, just a little over half of my points were completed. S9 is partially done, the masks for it are

made, but the actual calculation is not. I will take note to mention that I'm greatly debating increasing the amount of points that U34 (creating masks). The effort it took to figure out the libraries necessary for the code I wrote took much more than two weeks. I had started it in a separate folder on my own time to try and get ahead, which is why that work isn't recorded on the repository, but it took more than two weeks to create what I had pushed for this iteration. Testing it was even more of a pain. If I were to estimate it now, I'd make the U34 user story 5 points, that's how painful it was. You can check my commit messages and sporadic comments if you want to know how painful it was to make that.

great explanation

Jonathan: None

5.8.3 Testing Coverage

Name	Stmts	Miss	Cover
/Users/chloemiranda/capstone/ArtificialAxonLabPipeline/analysis/masking.py	163	18	89%
/Users/chloemiranda/capstone/ArtificialAxonLabPipeline/view/UploadPageStep1.py	139	42	70%
/Users/chloemiranda/capstone/ArtificialAxonLabPipeline/view/__init__.py	0	0	100%
confest.py	16	0	100%
test_masking.py	144	0	100%
test_step1.py	94	0	100%
TOTAL	556	60	89%

Figure 22: Iteration 2 testing coverage report

5.8.4 Retroespective & Reflection

Chloe: The biggest challenge of this was that stupid PyImageJ library. It is very picky on what inputs it needs, most of the debugging of this was figuring out what it wants just so it can run and tell me I'm missing something else. The documentation for it is also painfully unhelpful. I had to go down a long rabbit hole to realize I needed a whole other library, scyimage, to run pyimagej. In terms of avoiding things, I can't really avoid this awful, awful library. I did however, learn a lot about image processing and why these researchers used their old pipeline in such a specific way. For example, order really matters and I did my best to maintain that in this code. The true myelin mask is actually created from subtracting the debris mask from the raw myelin mask, which I thought was interesting, and having tools that are cool in practice. Implementing said tools in code is much less cool. *Ha!*

Jonathan: No comment

5.9 Iteration/Sprint 4

[CS496 has 5 sprints. CS482 only has only 3 sprints (remove Iterations 4 and 5 from this doc if you are writing a doc for 482)]

5.9.1 Planning

[Which stories did you plan for this iteration/sprint. Add the total points for this plan. You can also explain the reason behind your planning, and what major feature(s) your team is focusing on delivering by completing these stories. You may use a table for a summary display of the planning, but elaborate in text more detail in your focus and feature plan.]

5.9.2 Work Done

[Which stories did you complete in this iteration/sprint. Which ones did you partially complete? Who worked on which story? You may elaborate in paragraph(s) to add more detail about the work done.]

5.9.3 Testing Coverage

[Testing is very important. Show your coverage here. Is this coverage good enough? Explain why you think so. Is it not good enough? Explain a plan to increase the coverage. You may also elaborate on why some artifacts do not undergo much testing. If the testing changed from the last iteration, explain the reasons.]

5.9.4 Retrospective & Reflection

[What were the pitfalls, challenges, and issues you had in this iteration? How can you address them to improve the process in the next iteration? Did anything not go according to plan? Why so and how to avoid the same mistake? Write a personal reflection on what you learned in this iteration (even if a small technical thing like Database storage).]

5.10 Iteration/Sprint 5

5.10.1 Planning

[Which stories did you plan for this iteration/sprint. Add the total points for this plan. You can also explain the reason behind your planning, and what major feature(s) your team is focusing on delivering by completing these stories. You may use a table for a summary display of the planning, but elaborate in text more detail in your focus and feature plan.]

5.10.2 Work Done

[Which stories did you complete in this iteration/sprint. Which ones did you partially complete? Who worked on which story? You may elaborate in paragraph(s) to add more detail about the work done.]

5.10.3 Testing Coverage

[Testing is very important. Show your coverage here. Is this coverage good enough? Explain why you think so. Is it not good enough? Explain a plan to increase the coverage. You may also elaborate on why some artifacts do not undergo much testing. If the testing changed from the last iteration, explain the reasons.]

5.10.4 Retrospective & Reflection

[What were the pitfalls, challenges, and issues you had in this iteration? How can you address them to improve the process in the next iteration? Did anything not go according to plan? Why so and how to avoid the same mistake? Write a personal reflection on what you learned in this iteration (even if a small technical thing like Database storage).]

6 Final Remarks

6.1 Overall Progress

[Have you completed everything? If so, present evidence on how you brought value to your client, and the overall client satisfaction. Otherwise, estimate how much progress you done and how long it would take to finish this project. Be concrete about your progress, you know how many story points your software is, how many points you completed (this shows your progress). You also how many points your team delivers at each iteration, therefore you can estimate how many more iterations it would take to finish the leftover points (show the math).]

6.2 Project Reflection

[Your personal reflection on the project. What lessons did you learned. What would you have done differently? How can you do better work in future projects? You may write this as a team or per person (or both — if all your iterations were team reflections, then it would be better to write individual reflections here)]

Appendix

[Appendix section if needed]

AI usage

AI was used to revise user stories




Figure 23: user story message with ChatGPT




Figure 24: user story response from ChatGPT

6.3 reflection

In terms of helpfulness, it was actually really helpful in finding gaps. It looked at my existing user stories and caught some inherent user stories that were missing. For example, we had start and stop session stories but there was no pause story. It also provided pre-made resulting user stories, which I did not use, and it overestimated points sometimes.