

Booking Platform API Documentation

The Booking Platform REST API is a structured, fully enveloped endpoint set. This manual details standard envelopes, authentication routines, and route lists.

Live API Playground

The interactive OpenAPI Swagger UI is available at: <http://178.128.17.103:3000/docs>

You can view raw JSON/YAML specifications directly:

- **JSON Format Spec:** <http://178.128.17.103:3000/docs-json>
 - **YAML Format Spec:** <http://178.128.17.103:3000/docs-yaml>
-

Response & Error Envelope Structure

All API responses are wrapped in a standard JSON structure.

1. Success Envelope (HTTP 200/201 Series)

```
{
  "success": true,
  "data": {
    "id": "e85e05a8-202a-4a25-9df0-7d72111d4e7f",
    "name": "Jane Doe"
  },
  "meta": {
    "requestId": "req_84d72d2e",
    "timestamp": "2026-07-12T10:50:00.123Z",
    "apiVersion": "v1"
  }
}
```

2. Error Envelope (HTTP 400/401/404/500 Series)

```
{
  "success": false,
  "error": {
    "statusCode": 409,
    "message": "Time slot already booked for this service."
  },
  "meta": {
    "requestId": "req_93f82d1c",
    "timestamp": "2026-07-12T10:51:10.456Z",
    "apiVersion": "v1"
  }
}
```

Authentication Flow (Dual-Token JWT)

Authenticated endpoints require a Bearer Access Token in the request headers: `Authorization: Bearer <your_access_token>`

1. Retrieve Tokens

Send credentials to `/api/v1/auth/login`. You will receive:

- **accessToken:** Short-lived token (15m expiry).
- **refreshToken:** Long-lived token (7d expiry) sent as a cookie and in response parameters.

2. Token Rotation (Automatic Refresh)

When the `accessToken` expires, call the token rotation route:

- **Route:** `/api/v1/auth/refresh`
- **Header:** Pass your refresh token in the authorization header: `Authorization: Bearer <your_refresh_token>`
- **Result:** You will receive a new `accessToken` and `refreshToken` pair.

Endpoint Directory

1. Authentication Module (`/api/v1/auth`)

Register User

- **Method:** POST
- **Route:** `/api/v1/auth/register`
- **Body:**

```
{
  "email": "user@example.com",
  "password": "strongpassword123",
  "name": "Jane Doe"
}
```

Login

- **Method:** POST
- **Route:** `/api/v1/auth/login`
- **Body:**

```
{
  "email": "user@example.com",
  "password": "strongpassword123"
}
```

Logout

- **Method:** POST
- **Route:** `/api/v1/auth/logout`
- **Auth:** Required (Bearer Access Token)

Refresh Tokens

- **Method:** POST
 - **Route:** /api/v1/auth/refresh
 - **Auth:** Required (Bearer Refresh Token)
-

2. Service Management Module (/api/v1/services)

Create Service

- **Method:** POST
- **Route:** /api/v1/services
- **Auth:** Required
- **Body:**

```
{  
  "title": "Haircut appointment",  
  "description": "Standard mens trim",  
  "duration": 30,  
  "price": 45.00  
}
```

Get All Active Services

- **Method:** GET
- **Route:** /api/v1/services
- **Auth:** Required

Get Service Detail

- **Method:** GET
- **Route:** /api/v1/services/:id
- **Auth:** Required

Edit Service

- **Method:** PATCH
- **Route:** /api/v1/services/:id
- **Auth:** Required
- **Body:** (Optional fields)

```
{  
  "title": "Extended Haircut",  
  "duration": 45  
}
```

Delete Service

- **Method:** DELETE
 - **Route:** /api/v1/services/:id
 - **Auth:** Required
-

3. Booking Management Module (/api/v1/bookings)

Create Booking Slot

- **Method:** POST
- **Route:** /api/v1/bookings
- **Auth:** Public (Anyone can book)
- **Body:**

```
{
  "serviceId": "e85e05a8-202a-4a25-9df0-7d72111d4e7f",
  "customerName": "John Customer",
  "customerEmail": "john@customer.com",
  "customerPhone": "+1234567890",
  "bookingDate": "2026-08-15",
  "bookingTime": "14:30:00",
  "notes": "Prefer window seat"
}
```

Get All Bookings (Paginated & Filtered)

- **Method:** GET
- **Route:** /api/v1/bookings
- **Auth:** Required
- **Query Parameters (Optional):**
 - **status:** Filter by PENDING, CONFIRMED, COMPLETED, CANCELLED
 - **search:** Filter by customer name/email/phone substring matches
 - **limit:** Number of records to return (defaults to 10)
 - **cursor:** Cursor UUID index for lookahead pagination

Get Booking by ID

- **Method:** GET
- **Route:** /api/v1/bookings/:id
- **Auth:** Required

Update Booking Status

- **Method:** PATCH
- **Route:** /api/v1/bookings/:id/status
- **Auth:** Required
- **Body:**

```
{  
  "status": "CONFIRMED"  
}
```

Cancel Booking

- **Method:** PATCH
 - **Route:** /api/v1/bookings/:id/cancel
 - **Auth:** Required
-

4. Users Module (/api/v1/users)

Retrieve All Users

- **Method:** GET
- **Route:** /api/v1/users
- **Auth:** Required

Retrieve User by ID

- **Method:** GET
- **Route:** /api/v1/users/find
- **Auth:** Required
- **Query Parameters:**
 - **id:** The UUID of the user to fetch
(/api/v1/users/find?id=e85e05a8...)