


MODULO 4 – LABORATORIO**REQUERIMIENTOS**

- **EXPLICAR LAS MODIFICACIONES QUE SE HIZO EN LOS ROUTERS PARA EN ENRUTAMIENTO CON OSPF**

Se asignó los IPs de la red nueva 10.0.0.0 al puerto serial que conecta el Router0 y el Router1.

En el Router1 y en el Router0 se procedió a hacer la configuración dinámica OSPF, especificando primero la red que se conoce 10.0.0.0, con la wildcard 0.0.0.255 en el área 1, y por último se debe agregar la red 192.168.1.0, seguida de la wildcard 0.0.0.255 y el área 1, y luego las otras 3 redes que son 172.17.10.0, 172.17.20.0, 172.17.88.0, con la wildcard 0.0.0.255 en el área 1.



- **CONECTIVIDAD ENTRE LA PC5 Y PC6**

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic
	Successful	PC5	PC6	ICMP		0.000	N





- **CONECTIVIDAD ENTRE LA LAPTOP Y PC6**

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic
	Successful	Laptop2	PC6	ICMP		0.000	N

- **CONECTIVIDAD ENTRE LA PC6 Y PC1**

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	E
	Successful	PC1	PC6	ICMP		0.000	N	0	0
	Successful	PC6	PC1	ICMP		0.000	N	1	0

- CONECTIVIDAD ENTRE PC1 Y PC6

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	E
	Successful	PC1	PC6	ICMP		0.000	N	0	0
	Successful	PC6	PC1	ICMP		0.000	N	1	0

- TODOS LOS HOSTS PUEDAN VER EL HTML DEL SERVIDOR YOUTUBE.COM

- AL SERVIDOR YOUTUBE.COM MODIFICAR EL HTML Y PONER NOMBRE COMPLETO Y PARALELO



The image displays four screenshots of web browsers running on different devices in Cisco Packet Tracer: PC1, PC6, Laptop0, and Smartphone0. Each browser window shows the same HTML content after a successful connection to the server at http://youtube.com. The content is as follows:

MIREYA ADRIANA LUNA ARUQUIPA

PARALELO "A" JUEVES

LIC. GALLARDO

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)

