

CERN-EP-20XX-YYY LHCb-PAPER-20XX-YYY June 28, 2016

Template for writing LHCb papers

The LHCb collaboration[†]

Abstract

Guidelines for the preparation of LHCb documents are given. This is a "living" document that should reflect our current practice. It is expected that these guidelines are implemented for papers before they go into the first collaboration wide review. Please contact the Editorial Board chair if you have suggestions for modifications. This is the title page for journal publications (PAPER). For a CONF note or ANA note, switch to the appropriate template by uncommenting the corresponding line in the file main.tex.

Submitted to JHEP / Phys. Rev. D / Phys. Rev. Lett. / Phys. Lett. B / Eur. Phys. J. C / Nucl. Phys. B

© CERN on behalf of the LHCb collaboration, licence CC-BY-4.0.

[†]Authors are listed at the end of this paper.

1 Introduction

This is the template for typesetting LHCb notes and journal papers. It should be used for any document in LHCb [1] that is to be publicly available. The format should be used for uploading to preprint servers and only afterwards should specific typesetting required for journals or conference proceedings be applied. The main Latex file contains several options as described in the Latex comment lines.

It is expected that these guidelines are implemented for papers already before they go into the first collaboration wide review.

This template also contains the guidelines for how publications and conference reports should be written. The symbols defined in lhcb-symbols-def.tex are compatible with LHCb guidelines.

The front page should be adjusted according to what is written. Default versions are available for papers, conference reports and analysis notes. Just comment out what you require in the main.tex file.

This directory contains a file called Makefile. Typing make will apply all Latex and Bibtex commands in the correct order to produce a pdf file of the document. The default Latex compliler is pdflatex, which requires figures to be in pdf format. To change to plain Latex, edit line 9 of Makefile. Typing make clean will remove all temporary files generated by (pdf)latex.

There is also a PRL template, which is called main-prl.tex. You need to have REVTEX 4.1 installed [2] to compile this. Typing make prl produces a PRL-style PDF file. Note that this version is not meant for LHCb-wide circulation, nor for submission to the arXiv. It is just available to have a look-and-feel of the final PRL version. Typing make count will count the words in the main body.

25 2 General principles

The main goal is for a paper to be clear. It should be as brief as possible, without sacrificing clarity. For all public documents, special consideration should be given to the fact that the reader will be less familiar with LHCb than the author.

Here follow a list of general principles that should be adhered to:

- 1. Choices that are made concerning layout and typography should be consistently applied throughout the document.
- 2. Standard English should be used (British rather than American) for LHCb notes and preprints. Examples: colour, flavour, centre, metre, modelled and aluminium. Words ending on -ise or -isation (polarise, hadronisation) can be written with -ize or -ization ending. The punctuation normally follows the closing quote mark of quoted text, rather than being included before the closing quote. Footnotes come after punctuation. Papers to be submitted to an American journal can be written in American English instead. Under no circumstance should the two be mixed.
- 3. Use of jargon should be avoided where possible. "Systematics" are "systematic uncertainties", "L0" is "hardware trigger", "penguin" diagrams are best introduced with an expression like "electroweak loop (penguin) diagrams".

- 4. Avoid using quantities that are internal jargon and/or are impossible to reproduce without the full simulation: instead of 'It is required that $\chi^2_{\text{vtx}} < 3$ ', say 'A good quality vertex is required'; instead of 'It is required that $\chi^2_{\text{IP}} > 16$ ', say 'The track is inconsistent with originating from a PV'; instead of 'A DLL greater than 20 is required' say 'Tracks are required to be identified as kaons'.
- 5. Latex should be used for typesetting. Line numbering should be switched on for drafts that are circulated for comments.
- 6. The abstract should be concise, and not include citations or numbered equations, and should give the key results from the paper.
- 7. Apart from descriptions of the detector, the trigger and the simulation, the text should not be cut-and-pasted from other sources that have previously been published.
- 8. References should usually be made only to publicly accessible documents. References to LHCb conference reports and public notes should be avoided in journal publications, instead including the relevant material in the paper itself.
- 9. The use of tenses should be consistent. It is recommended to mainly stay in the present tense, for the abstract, the description of the analysis, *etc.*; the past tense is then used where necessary, for example when describing the data taking conditions.
- 10. It is recommended to use the passive rather than active voice: "the mass is measured", rather than "we measure the mass". Limited use of the active voice is acceptable, in situations where re-writing in the passive form would be cumbersome, such as for the acknowledgements. Some leeway is permitted to accommodate different author's styles, but "we" should not appear excessively in the abstract or the first lines of introduction or conclusion.
- 11. A sentence should not start with a variable, a particle or an acronym. A title or caption should not start with an article.
- 12. Incorrect punctuation around conjunctive adverbs and the use of dangling modifiers are the two most common mistakes of English grammar in LHCb draft papers. If in doubt, read the wikipedia articles on conjunctive adverb and dangling modifier.

70 3 Layout

- 1. Unnecessary blank space should be avoided, between paragraphs or around figures and tables.
- 2. Figure and table captions should be concise and use a somewhat smaller typeface than the main text, to help distinguish them. This is achieved by inserting \small at the beginning of the caption. (NB with the latest version of the file premable.tex this is automatic) Figure captions go below the figure, table captions go above the table.

- 3. Captions and footnotes should be punctuated correctly, like normal text. The use of too many footnotes should be avoided: typically they are used for giving commercial details of companies, or standard items like coordinate system definition or the implicit inclusion of charge-conjugate processes.^{1,2}
- 4. Tables should be formatted in a simple fashion, without excessive use of horizontal and vertical lines. See Table 1 for an example.
 - 5. Figures and tables should normally be placed so that they appear on the same page as their first reference, but at the top or bottom of the page; if this is not possible, they should come as soon as possible afterwards. They must all be referred to from the text.
- 6. If one or more equations are referenced, all equations should be numbered using parentheses as shown in Eq. 1,

$$V_{us}V_{ub}^* + V_{cs}V_{cb}^* + V_{ts}V_{tb}^* = 0. (1)$$

7. Displayed results like

$$\mathcal{B}(B_s^0 \to \mu^+ \mu^-) < 1.5 \times 10^{-8} \text{ at } 95\% \text{ CL}$$

should in general not be numbered.

- 8. Numbered equations should be avoided in captions and footnotes.
- 9. Displayed equations are part of the normal grammar of the text. This means that the equation should end in full stop or comma if required when reading aloud. The line after the equation should only be indented if it starts a new paragraph.
- 10. Sub-sectioning should not be excessive: sections with more than three levels of index (1.1.1) should be avoided.
 - 11. Acronyms should be defined the first time they are used, e.g. "Monte Carlo (MC) events containing a doubly Cabibbo-suppressed (DCS) decay have been generated." The abbreviated words should not be capitalised if it is not naturally written with capitals, e.g. quantum chromodynamics (QCD), impact parameter (IP), boosted decision tree (BDT). Avoid acronyms if they are used three times or less. A sentence should never start with an acronym and its better to avoid it as the last word of a sentence as well.

¹If placed at the end of a sentence, the footnote symbol normally follows the punctuation; if placed in the middle of an equation, take care to avoid any possible confusion with an index.

²The standard footnote reads: "The inclusion of charge-conjugate processes is implied throughout." This may need to be modified, for example with "except in the discussion of asymmetries."

Table 1: Background-to-signal ratio estimated in a $\pm 50 \,\text{MeV}/c^2$ mass window for the prompt and long-lived backgrounds, and the minimum bias rate.

Channel	$B_{\rm pr}/S$	$B_{\rm LL}/S$	MB rate
$B_s^0 \to J/\psi \phi$	1.6 ± 0.6	0.51 ± 0.08	$\sim 0.3~\mathrm{Hz}$
$B^0 \rightarrow J/\psi K^{*0}$	5.2 ± 0.3	1.53 ± 0.08	$\sim 8.1~\mathrm{Hz}$
$B^+ \rightarrow J/\psi K^{*+}$	1.6 ± 0.2	0.29 ± 0.06	$\sim 1.4~\mathrm{Hz}$

4 Typography

The use of the Latex typesetting symbols defined in the file lhcb-symbols-def.tex and detailed in the appendices of this document is strongly encouraged as it will make it much easier to follow the recommendation set out below.

- 1. LHCb is typeset with a normal (roman) lowercase b.
- 2. Titles are in bold face, and usually only the first word is capitalised.
- 3. Mathematical symbols and particle names should also be typeset in bold when appearing in titles.
 - 4. Units are in roman type, except for constants such as c or h that are italic: GeV, GeV/ c^2 . The unit should be separated from the value with a thin space ("\,"), and they should not be broken over two lines. Correct spacing is automatic when using predefined units inside math mode: \$3.0\gev\$ \rightarrow 3.0 GeV. Spacing goes wrong when using predefined units outside math mode AND forcing extra space: 3.0\,\gev\$ \rightarrow 3.0 GeV or worse: 3.0\\gev\$ \rightarrow 3.0 GeV.
 - 5. If factors of c are kept, they should be used both for masses and momenta, e.g. $p = 5.2 \,\text{GeV}/c$ (or $\,\text{GeV}c^{-1}$), $m = 3.1 \,\text{GeV}/c^2$ (or $\,\text{GeV}c^{-2}$). If they are dropped this should be done consistently throughout, and a note should be added at the first instance to indicate that units are taken with c = 1.
 - 6. The % sign should not be separated from the number that precedes it: 5%, not 5 %. A thin space is also acceptable: 5%, but should be applied consistently throughout the paper.
 - 7. Ranges should be formatted consistently. The recommended form is to use a dash with no spacing around it: 7–8 GeV, obtained as 7–-8\gev.
 - 8. Italic is preferred for particle names (although roman is acceptable, if applied consistently throughout). Particle Data Group conventions should generally be followed: B^0 (no need for a "d" subscript), $B_s^0 \to J/\psi \phi$, \overline{B}_s^0 , (note the long bar, obtained with \overline, in contrast to the discouraged short \bar{B} resulting in \overline{B}), K_s^0 (note the uppercase roman type "S"). This is most easily achieved by using the predefined symbols described in Appendix C. Unless there is a good reason not to, the charge of a particle should be specified if there is any possible ambiguity $(m(K^+K^-))$ instead of m(KK), which could refer to neutral kaons).

- 9. Decay chains can be written in several ways, depending on the complexity and the number of times it occurs. Unless there is a good reason not to, usage of a particular type should be consistent within the paper. Examples are: $D_s^+ \to \phi \pi^+$, with $\phi \to K^+K^-$; $D_s^+ \to \phi \pi^+$ ($\phi \to K^+K^-$); $D_s^+ \to \phi (\to K^+K^-) \pi^+$; or $D_s^+ \to [K^+K^-]_{\phi} \pi^+$.
- 10. Variables are usually italic: V is a voltage (variable), while 1 V is a volt (unit). Also in combined expressions: Q-value, z-scale, R-parity etc.
- 11. Subscripts and superscripts are roman type when they refer to a word (such as T for transverse) and italic when they refer to a variable (such as t for time): $p_{\rm T}$, Δm_s , $t_{\rm rec}$.
- 12. Standard function names are in roman type: e.q. cos, sin and exp.
- 13. Figure, Section, Equation, Chapter and Reference should be abbreviated as Fig.,
 Sect. (or alternatively Sec.), Eq., Chap. and Ref. respectively, when they refer to a
 particular (numbered) item, except when they start a sentence. Table and Appendix
 are not abbreviated. The plural form of abbreviation keeps the point after the s,
 e.g. Figs. 1 and 2. Equations may be referred to either with ("Eq. (1)") or without
 ("Eq. 1") parentheses, but it should be consistent within the paper.
- 14. Common abbreviations derived from Latin such as "for example" (e.g.), "in other words" (i.e.), "and so forth" (etc.), "and others" (et al.), "versus" (vs.) can be used, with the typography shown, but not excessively; other more esoteric abbreviations should be avoided.
- 15. Units, material and particle names are usually lower case if spelled out, but often capitalised if abbreviated: amps (A), gauss (G), lead (Pb), silicon (Si), kaon (K), but proton (p).
- 16. Counting numbers are usually written in words if they start a sentence or if they have a value of ten or below in descriptive text (*i.e.* not including figure numbers such as "Fig. 4", or values followed by a unit such as "4 cm"). The word 'unity' can be useful to express the special meaning of the number one in expressions such as:

 "The BDT output takes values between zero and unity".
- 17. Numbers larger than 9999 have a comma (or a small space, but not both) between the multiples of thousand: e.g. 10,000 or 12,345,678. The decimal point is indicated with a point rather than a comma: e.g. 3.141.
- 18. We apply the rounding rules of the PDG [3]. The basic rule states that if the three 167 highest order digits of the uncertainty lie between 100 and 354, we round to two 168 significant digits. If they lie between 355 and 949, we round to one significant digit. 169 Finally, if they lie between 950 and 999, we round up and keep two significant digits. 170 In all cases, the central value is given with a precision that matches that of the 171 uncertainty. So, for example, the result 0.827 ± 0.119 should be written as 0.83 ± 0.12 , 172 0.827 ± 0.367 should turn into 0.8 ± 0.4 , and 14.674 ± 0.964 becomes 14.7 ± 1.0 . When 173 writing numbers with uncertainty components from different sources, i.e. statistical 174 and systematic uncertainties, the rule applies to the uncertainty with the best 175 precision, so $0.827 \pm 0.367 \, (\text{stat}) \pm 0.179 \, (\text{syst})$ goes to $0.83 \pm 0.37 \, (\text{stat}) \pm 0.18 \, (\text{syst})$ 176 and 8.943 ± 0.123 (stat) ± 0.995 (syst) goes to 8.94 ± 0.12 (stat) ± 1.00 (syst). 177

- 19. When rounding numbers, it should be avoided to pad with zeroes at the end. So 51237 ± 4561 should be rounded as $(5.12 \pm 0.46) \times 10^4$ and not 51200 ± 4600 .
- when rounding numbers in a table, some variation of the rounding rules above may be required to achieve uniformity.
- 21. Hyphenation should be used where necessary to avoid ambiguity, but not excessively. 182 For example: "big-toothed fish" (to indicate that big refers to the teeth, not to 183 the fish), but "big white fish". A compound modifier often requires hyphenation 184 (CP-violating observables, b-hadron decays, final-state radiation, second-order poly-185 nomial), even if the same combination in an adjective-noun combination does not 186 (direct CP violation, heavy b hadrons, charmless final state). Adverb-adjective 187 combinations are not hyphenated if the adverb ends with 'ly': oppositely charged 188 pions, kinematically similar decay. Cross-section, cross-check, and two-dimensional 189 are hyphenated. Semileptonic, pseudorapidity, pseudoexperiment, multivariate, 190 multidimensional, reweighted, preselection, nonresonant, nonzero, nonparametric, 191 nonrelativistic, misreconstructed and misidentified are single words and should not 192 be hyphenated. 193
- 22. Minus signs should be in a proper font (-1), not just hyphens (-1); this applies to figure labels as well as the body of the text. In Latex, use math mode (between \$\\$'s) or make a dash ("--"). In ROOT, use #font[122]{-} to get a normal-sized minus sign.
- 23. Inverted commas (around a title, for example) should be a matching set of left- and right-handed pairs: "Title". The use of these should be avoided where possible.
- 24. Single symbols are preferred for variables in equations, e.g. \mathcal{B} rather than BF for a branching fraction.
- 25. Parentheses are not usually required around a value and its uncertainty, before the unit, unless there is possible ambiguity: so $\Delta m_s = 20 \pm 2 \,\mathrm{ps^{-1}}$ does not need parentheses, whereas $f_d = (40 \pm 4)\%$ or $x = (1.7 \pm 0.3) \times 10^{-6}$ does. The unit does not need to be repeated in expressions like $1.2 < E < 2.4 \,\mathrm{GeV}$.
- 26. The same number of decimal places should be given for all values in any one expression (e.g. $5.20 < m_B < 5.34 \,\text{GeV}/c^2$).
- 27. Apostrophes are best avoided for abbreviations: if the abbreviated term is capitalised or otherwise easily identified then the plural can simply add an s, otherwise it is best to rephrase: e.g. HPDs, π^0 s, pions, rather than HPD's, π^0 's, π s.
- 28. Particle labels, decay descriptors and mathematical functions are not nouns, and need often to be followed by a noun. Thus "background from $B^0 \to \pi^+\pi^-$ decays" instead of "background from $B^0 \to \pi^+\pi^-$ ", and "the width of the Gaussian function" instead of "the width of the Gaussian".
- 29. In equations with multidimensional integrations or differentiations, the differential terms should be separated by a thin space. Thus $\int f(x,y)dx dy$ instead $\int f(x,y)dxdy$ and $\frac{d^2\Gamma}{dx dQ^2}$ instead of $\frac{d^2\Gamma}{dx dQ^2}$. The d's are allowed in either roman or italic font, but should be consistent throughout the paper.

5 Detector and simulation

The paragraph below can be used for the detector description. Modifications may be required in specific papers to fit within page limits, to enhance particular detector elements or to introduce acronyms used later in the text. For journals where strict word counts are applied (for example, PRL), and space is at a premium, it may be sufficient to write, as a minimum: "The LHCb detector is a single-arm forward spectrometer covering the pseudorapidity range $2 < \eta < 5$, described in detail in Refs. [1,4]". A slightly longer version could specify the most relevant sub-detectors, e.g "The LHCb detector [1,4] is a single-arm forward spectrometer covering the pseudorapidity range $2 < \eta < 5$, designed for the study of particles containing b or c quarks. The detector elements that are particularly relevant to this analysis are: a silicon-strip vertex detector surrounding the pp interaction region that allows c- and b-hadrons to be identified from their characteristically long flight distance; a tracking system that provides a measurement of momentum, p, of charged particles; and two ring-imaging Cherenkov detectors that are able to discriminate between different species of charged hadrons."

In the following paragraph, references to the individual detector performance papers are marked with a * and should only be included if the analysis relies on numbers or methods described in the specific papers. Otherwise, a reference to the overall detector performance paper \cite{LHCb-DP-2014-002} will suffice. Note also that the text defines the acronyms for primary vertex, PV, and impact parameter, IP. Remove either of those in case it is not used later on.

The LHCb detector [1, 4] is a single-arm forward spectrometer covering the pseudorapidity range $2 < \eta < 5$, designed for the study of particles containing b or c quarks. The detector includes a high-precision tracking system consisting of a siliconstrip vertex detector surrounding the pp interaction region [5]*, a large-area silicon-strip detector located upstream of a dipole magnet with a bending power of about 4 Tm, and three stations of silicon-strip detectors and straw drift tubes [6]* placed downstream of the magnet. The tracking system provides a measurement of momentum, p, of charged particles with a relative uncertainty that varies from 0.5% at low momentum to 1.0% at $200 \,\mathrm{GeV}/c$. The minimum distance of a track to a primary vertex (PV), the impact parameter (IP), is measured with a resolution of $(15 + 29/p_T) \mu m$, where p_T is the component of the momentum transverse to the beam, in GeV/c. Different types of charged hadrons are distinguished using information from two ring-imaging Cherenkov detectors [7]*. Photons, electrons and hadrons are identified by a calorimeter system consisting of scintillating-pad and preshower detectors, an electromagnetic calorimeter and a hadronic calorimeter. Muons are identified by a system composed of alternating layers of iron and multiwire proportional chambers [8]*. The online event selection is performed by a trigger [9]*, which consists of a hardware stage, based on information from the calorimeter and muon systems, followed by a software stage, which applies a full event reconstruction.

A more detailed description of the 'full event reconstruction' could be:

• The trigger [9]* consists of a hardware stage, based on information from the calorimeter and muon systems, followed by a software stage, in which all charged particles with $p_T > 500 \, (300) \, \text{MeV}$ are reconstructed for 2011 (2012) data. For triggers that

require neutral particles, energy deposits in the electromagnetic calorimeter are analysed to reconstruct π^0 and γ candidates.

The trigger description has to be specific for the analysis in question. In general, you should not attempt to describe the full trigger system. Below are a few variations that inspiration can be taken from. First from a hadronic analysis, and second from an analysis with muons in the final state. A detailed description of the trigger conditions for Run 1 is available in Ref. [10].

- At the hardware trigger stage, events are required to have a muon with high $p_{\rm T}$ or a hadron, photon or electron with high transverse energy in the calorimeters. For hadrons, the transverse energy threshold is 3.5 GeV. The software trigger requires a two-, three- or four-track secondary vertex with a significant displacement from the primary pp interaction vertices. At least one charged particle must have a transverse momentum $p_{\rm T} > 1.7 \, {\rm GeV}/c$ and be inconsistent with originating from a PV. A multivariate algorithm [11] is used for the identification of secondary vertices consistent with the decay of a b hadron.
- The $B^0 \to K^{*0} \mu^+ \mu^-$ signal candidates are first required to pass the hardware trigger, which selects events containing at least one muon with transverse momentum $p_T > 1.48 \, \text{GeV/}c$ in the 7 TeV data or $p_T > 1.76 \, \text{GeV/}c$ in the 8 TeV data. In the subsequent software trigger, at least one of the final-state particles is required to have $p_T > 1.7 \, \text{GeV/}c$ in the 7 TeV data or $p_T > 1.6 \, \text{GeV/}c$ in the 8 TeV data, unless the particle is identified as a muon in which case $p_T > 1.0 \, \text{GeV/}c$ is required. The final-state particles that satisfy these transverse momentum criteria are also required to have an impact parameter larger than 100 μ m with respect to all PVs in the event. Finally, the tracks of two or more of the final-state particles are required to form a vertex that is significantly displaced from the PVs."

An example to describe the use of both TOS and TIS events:

• In the offline selection, trigger signals are associated with reconstructed particles. Selection requirements can therefore be made on the trigger selection itself and on whether the decision was due to the signal candidate, other particles produced in the pp collision, or a combination of both.

A good example of a description of long and downstream K_s^0 is given in Ref. [12]:

• Decays of $K^0_s \to \pi^+\pi^-$ are reconstructed in two different categories: the first involving K^0_s mesons that decay early enough for the daughter pions to be reconstructed in the vertex detector; and the second containing K^0_s that decay later such that track segments of the pions cannot be formed in the vertex detector. These categories are referred to as long and downstream, respectively. The long category has better mass, momentum and vertex resolution than the downstream category.

The description of our software stack for simulation is often causing trouble. The following paragraph can act as inspiration but with variations according to the level of detail required and if mentioning of *e.g.* Photos is required.

• In the simulation, pp collisions are generated using Pythia [13] (In case only Pythia 6 is used, remove *Sjostrand:2007gs from this citation; if only Pythia 8 is used, then reverse the order of the papers in the citation.) with a specific LHCb configuration [14]. Decays of hadronic particles are described by Evtgen [15], in which final-state radiation is generated using Photos [16]. The interaction of the generated particles with the detector, and its response, are implemented using the Geant4 toolkit [17] as described in Ref. [18].

Many analyses depend on boosted decision trees. It is inappropriate to use TMVA as the reference as that is merely an implementation of the BDT algorithm. Rather it is suggested to write

In this paper we use a boosted decision tree (BDT) [19, 20] to separate signal from background.

When describing the integrated luminosity of the data set, do not use expressions like " $1.0 \,\mathrm{fb^{-1}}$ of data", but e.g. "data corresponding to an integrated luminosity of $1.0 \,\mathrm{fb^{-1}}$ ", or "data obtained from $3 \,\mathrm{fb^{-1}}$ of integrated luminosity".

For analyses where the periodical reversal of the magnetic field is crucial, e.g. in measurements of direct CP violation, the following description can be used as an example phrase: "The polarity of the dipole magnet is reversed periodically throughout datataking. The configuration with the magnetic field vertically upwards, MagUp (downwards, MagDown), bends positively (negatively) charged particles in the horizontal plane towards the centre of the LHC." Only use the MagUp, MagDown symbols if they are used extensively in tables or figures.

6 Figures

A standard LHCb style file for use in production of figures in ROOT is in the URANIA package RootTools/LHCbStyle or directly in SVN at svn+ssh://svn.cern.ch/reps/lhcb/Urania/trunk/RootTools/LHCbStyle. It is not mandatory to use this style, but it makes it easier to follow the recommendations below. Figure 1 shows an example of how to include an eps or pdf figure with the \includegraphics command (eps figures will not work with pdflatex). Note that if the graphics sits in figs/myfig.pdf, you can just write \includegraphics{myfig}

as the figs subdirectory is searched automatically and the extension .pdf (.eps) is

automatically added for pdflatex (latex).

- 1. Figures should be legible at the size they will appear in the publication, with suitable line width. Their axes should be labelled, and have suitable units (e.g. avoid a mass plot with labels in MeV/c^2 if the region of interest covers a few GeV/c^2 and all the numbers then run together). Spurious background shading and boxes around text should be avoided.
- 2. For the y-axis, "Entries" or "Candidates" is approriate in case no background subtraction has been applied. Otherwise "Yield" or "Decays" may be more appropriate. If the unit on the y-axis corresponds to the yield per bin, indicate so, for example "Entries / ($5 \text{ MeV}/c^2$)" or "Entries per $5 \text{ MeV}/c^2$ ".




Figure 1: Example plots for (a) data and (b) simulation using the LHCb style from the URANIA package RootTools/LHCbStyle. The signal data is shown as points with the signal component as yellow (light shaded), background 1 as green (medium shaded) and background 2 as blue (dark shaded).

- 3. Fit curves should not obscure the data points, and data points are best (re)drawn over the fit curves.
- 4. Colour may be used in figures, but the distinction between differently coloured areas or lines should be clear also when the document is printed in black and white, for example through differently dashed lines. The LHCb style mentioned above implements a colour scheme that works well but individual adjustments might be required.
- 5. Using different hatching styles helps to disinguished filled areas, also in black and white prints. Hatching styles 3001-3025 should be avoided since they behave unpredictably under zooming and scaling. Good styles for "falling hatched" and "rising hatched" are 3345 and 3354.
- 6. Figures with more than one part should have the parts labelled (a), (b) etc., with a corresponding description in the caption; alternatively they should be clearly referred to by their position, e.g. Fig. 1 (left). In the caption, the labels (a), (b) etc. should precede their description. When referencing specific sub-figures, use "see Fig. 1(a)" or "see Figs. 2(b)-(e)".
- 7. All figures containing LHCb data should have LHCb written on them. For preliminary results, that should be replaced by "LHCb preliminary". Figures that only have simulated data should display "LHCb simulation". Figures that do not depend on LHCb-specific software (e.g. only on PYTHIA) should not have any label.

7 References

References should be made using BibTEX [21]. A special style LHCb.bst has been created to achieve a uniform style. Independent of the journal the paper is submitted to, the preprint should be created using this style. Where arXiv numbers exist, these should be added even for published articles. In the PDF file, hyperlinks will be created to both the arXiv and the published version.

1. Citations are marked using square brackets, and the corresponding references should be typeset using BibT_FX and the official LHCb BibT_FX style. An example is in Ref. [13].

370

371

372

376

378

379

380

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

411

- 2. For references with four or less authors all of the authors' names are listed [22], 373 otherwise the first author is given, followed by et al.. The LHCb BibT_EX style will 374 take care of this. 375
 - 3. The order of references should be sequential when reading the document. This is automatic when using BibT_EX.
 - 4. The titles of papers should in general be included. To remove them, change \setboolean{articletitles}{false} to true at the top of this template. Note that the titles in LHCb-PAPER.bib are in plain LaTex, in order to correspond to the actual title on the arXiv record. Some differences in style can thus be noticed with respect to the main text, for example particle names that use capital Greek letters are not slanted in the reference titles (Λ vs Λ)
 - 5. Whenever possible, use references from the supplied files main.bib, LHCb-PAPER.bib, LHCb-CONF. bib, and LHCB-DP. bib. These are kept up-to-date by the EB. If you see a mistake, do not edit these files, but let the EB know. This way, for every update of the paper, you save yourself the work of updating the references. Instead, you can just copy or check in the latest versions of the .bib files from the repository.
 - 6. For those references not provided by the EB, the best is to copy the BibT_FX entry directly from Inspire. Often these need to be edited to get the correct title, author names and formatting. For authors with multiple initials, add a space between them (change R.G.C. to R. G. C.), otherwise only the first initial will be taken Also, make sure to eliminate unnecessary capitalisation. Apart from that, the title should be respected as much as possible (e.g. do not change particle names to PDG convention nor introduce/remove factors of c). Check that both the arXiv and the journal index are clickable and point to the right article.
 - 7. The mciteplus [23] package is used to enable multiple references show up as a single item in the reference list. As an example \cite{Mohapatra:1979ia,*Pascoli:2007qh} where the * indicates that the reference should be merged with the previous one. The result of this can be seen in Ref. [24]. Be aware that the mciteplus package should be included as the very last item before the \begin{document} to work correctly.
 - 8. It should be avoided to make references to public notes and conference reports in public documents. Exceptions can be discussed on a case-by-case basis with the review committee for the analysis. In internal reports they are of course welcome and can be referenced as seen in Ref. [25] using the lhcbreport category. For conference reports, omit the author field completely in the BibT_FX record.
- 9. To get the typesetting and hyperlinks correct for LHCb reports, the category 1hcbreport should be used in the BibT_FX file. See Refs. [26] for some examples. It can be used for LHCb documents in the series CONF, PAPER, PROC, THESIS, LHCC, 410 TDR and internal LHCb reports. Papers sent for publication, but not published yet,

- should be referred with their arXiv number, so the PAPER category should only be used in the rare case of a forward reference to a paper.
- 10. Proceedings can be used for references to items such as the LHCb simulation [18], where we do not yet have a published paper.
 - There is a set of standard references to be used in LHCb that are listed in Appendix A.

¹¹⁷ 8 Inclusion of supplementary material

Three types of supplementary material should be distinguised:

- A regular appendix: lengthy equations or long tables are sometimes better put in an appendix in order not to interrupt the main flow of a paper. Appendices will appear in the final paper, on arXiv and on the cds record and should be considered integral part of a paper, and are thus to be reviewed like the rest of the paper. An example of an LHCb paper with an appendix is Ref. [27].
- Supplementary material for cds: plots or tables that would make the paper exceed the page limit or are not appropriate to include in the paper itself, but are desireable to be shown in public should be added to the paper drafts in an appendix, and removed from the paper before submitting to arXiv or the journal. See Appendix D for further instructions. Examples are: comparison plots of the new result with older results, plots that illustrate cross-checks. An example of an LHCb paper with supplementary material for cds is Ref. [28]. Supplementary material for cds cannot be referenced in the paper. Supplementary material should be included in the draft paper to be reviewed by the collaboration.
- Supplementary material for the paper. This is usually called "supplemental material", which distinguishes it from supplementary material for cds only. Most journals allow to submit files along with the paper that will not be part of the text of the article, but will be stored on the journal server. Examples are plain text files with numerical data corresponding to the plots in the paper. The supplemental material should be cited in the paper by including a reference which should say "See supplemental material at [link] for [give brief description of material]." The journal will insert a specific link for [link]. The arXiv version will usually include the supplemental material as part of the paper and so should not contain the words "at [link]". Supplemental material should be included in the draft paper to be reviewed by the collaboration. An example of an LHCb paper with supplemental material is Ref. [29]

${f Acknowledgements}$

The text below are the acknowledgements as approved by the collaboration board. Extending the acknowledgements to include individuals from outside the collaboration who have contributed to the analysis should be approved by the EB. The extra acknowledgements are normally placed before the standard acknowledgements, unless it matches better

be included in the draft for the first circulation. Except in exceptional circumstances, 451 to be approved by the EB chair, authors of the paper should not be named in extended 452 acknowledgements. 453 We express our gratitude to our colleagues in the CERN accelerator departments for the 454 excellent performance of the LHC. We thank the technical and administrative staff at the 455 LHCb institutes. We acknowledge support from CERN and from the national agencies: 456 CAPES, CNPq, FAPERJ and FINEP (Brazil); NSFC (China); CNRS/IN2P3 (France); 457 BMBF, DFG and MPG (Germany); INFN (Italy); FOM and NWO (The Netherlands); 458 MNiSW and NCN (Poland); MEN/IFA (Romania); MinES and FANO (Russia); MinECo 459 (Spain); SNSF and SER (Switzerland); NASU (Ukraine); STFC (United Kingdom); NSF 460 (USA). We acknowledge the computing resources that are provided by CERN, IN2P3 461 (France), KIT and DESY (Germany), INFN (Italy), SURF (The Netherlands), PIC (Spain), 462 GridPP (United Kingdom), RRCKI and Yandex LLC (Russia), CSCS (Switzerland), IFIN-463 HH (Romania), CBPF (Brazil), PL-GRID (Poland) and OSC (USA). We are indebted to 464 the communities behind the multiple open source software packages on which we depend. 465 Individual groups or members have received support from AvH Foundation (Germany), 466 EPLANET, Marie Skłodowska-Curie Actions and ERC (European Union), Conseil Général 467 de Haute-Savoie, Labex ENIGMASS and OCEVU, Région Auvergne (France), RFBR and 468 Yandex LLC (Russia), GVA, XuntaGal and GENCAT (Spain), Herchel Smith Fund, The Royal Society, Royal Commission for the Exhibition of 1851 and the Leverhulme Trust 470 (United Kingdom). 471

with the text of the standard acknowledgements to put them elsewhere. They should

472 Appendices

A Standard References

Below is a list of common references, as well as a list of all LHCb publications. As they are already in prepared bib files, they can be used as simply as \cite{Alves:2008zz} to get the LHCb detector paper. The references are defined in the files main.bib, LHCb-PAPER.bib, LHCb-CONF.bib, LHCb-DP.bib LHCb-TDR.bib files, with obvious contents. Each of these have their LHCb-ZZZ-20XX-0YY number as their cite code. If you believe there is a problem with the formatting or content of one of the entries, then get in contact with the Editorial Board rather than just editing it in your local file, since you are likely to need the latest version just before submiting the article.

Description	cite code	Reference
LHCb detector	Alves:2008zz	[1]
LHCb simulation	LHCb-PROC-2011-006	[18]
PDG 2014	PDG2014	[3]
HFAG	HFAG	[30]
Рутніа	Sjostrand:2006za, *Sjostrand:2007gs	[13]
LHCb Pythia tuning	LHCb-PROC-2010-056	[14]
Geant4	Allison:2006ve, *Agostinelli:2002hh	[17]
EVTGEN	Lange: 2001uf	[15]
PHOTOS	Golonka:2005pn	[16]
DIRAC	Tsaregorodtsev:2010zz, *BelleDIRACAmazon	[31]
Crystal Ball function ³	Skwarnicki:1986xj	[32]
Wilks' theorem	Wilks:1938dza	[33]
BDT	Breiman	[19]
BDT training	AdaBoost	[20]
HLT2 topo	BBDT	[11]
DecayTreeFitter	Hulsbergen:2005pu	[34]
sPlot	Pivk:2004ty	[35]
Punzi's optimization	Punzi:2003bu	[36]
f_s/f_d	fsfd	[37]

⁴⁸²

 $^{^{3}}$ A valid alternative for most papers where the normalisation is not critical is to use the expression "Gaussian function with a low-mass power-law tail" or "Gaussian function with power-law tails". In that case, no citation is needed

LHCb-DP number	Title
LHCb-DP-2016-001 [38]	TESLA project
LHCb-DP-2014-002 [4]	LHCb detector performance
LHCb-DP-2014-001 [5]	Performance of the LHCb Vertex Locator
LHCb-DP-2013-004 [39]	Performance of the LHCb calorimeters
LHCb-DP-2013-003 [6]	Performance of the LHCb Outer Tracker
LHCb-DP-2013-002 [40]	Measurement of the track reconstruction efficiency at LHCb
LHCb-DP-2013-001 [41]	Performance of the muon identification at LHCb
LHCb-DP-2012-005 [42]	Radiation damage in the LHCb Vertex Locator
LHCb-DP-2012-004 [9]	The LHCb trigger and its performance in 2011
LHCb-DP-2012-003 [7]	Performance of the LHCb RICH detector at the LHC
LHCb-DP-2012-002 [8]	Performance of the LHCb muon system
LHCb-DP-2012-001 [43]	Radiation hardness of the LHCb Outer Tracker
LHCb-DP-2011-002 [44]	Simulation of machine induced background
LHCb-DP-2011-001 [45]	Performance of the LHCb muon system with cosmic rays
LHCb-DP-2010-001 [46]	First spatial alignment of the LHCb VELO

LHCb-TDR number	Title
LHCb-TDR-016 [47]	Trigger and online upgrade
LHCb-TDR-015 [48]	Tracker upgrade
LHCb-TDR-014 $[49]$	PID upgrade
LHCb-TDR-013 $[50]$	VELO upgrade
LHCb-TDR-012 $[51]$	Framework TDR for the upgrade
LHCb-TDR-011 $[52]$	Computing
LHCb-TDR-010 [53]	Trigger
LHCb-TDR-009 $[54]$	Reoptimized detector
LHCb-TDR-008 $[55]$	Inner Tracker
LHCb-TDR-007 [56]	Online, DAQ, ECS
LHCb-TDR-006 [57]	Outer Tracker
LHCb-TDR-005 [58]	VELO
LHCb-TDR-004 $[59]$	Muon system
LHCb-TDR-003 [60]	RICH
LHCb-TDR-002 [61]	Calorimeters
LHCb-TDR-001 [62]	Magnet

Table 3: LHCb-PAPERs (which have their identifier as their cite code). Note that LHCb-PAPER-2011-039 does not exist.

	LHCb-PAPER-2016-027 [63]
LHCb-PAPER-2016-026 [64]	LHCb-PAPER-2016-025 [65]
LHCb-PAPER-2016-024 [66]	LHCb-PAPER-2016-023 [67]
LHCb-PAPER-2016-022 [68]	LHCb-PAPER-2016-021 [69]
LHCb-PAPER-2016-020 [70]	LHCb-PAPER-2016-019 [71]
LHCb-PAPER-2016-018 [72]	LHCb-PAPER-2016-017 [73]
LHCb-PAPER-2016-016 [74]	LHCb-PAPER-2016-015 [75]
LHCb-PAPER-2016-014 [76]	LHCb-PAPER-2016-013 [77]
LHCb-PAPER-2016-012 [78]	LHCb-PAPER-2016-011 [79]

```
LHCb-PAPER-2016-010 [80]
                            LHCb-PAPER-2016-009 [81]
LHCb-PAPER-2016-008 [82]
                            LHCb-PAPER-2016-007 [83]
LHCb-PAPER-2016-006 |84|
                            LHCb-PAPER-2016-005 |85|
LHCb-PAPER-2016-004 [86]
                            LHCb-PAPER-2016-003 [87]
LHCb-PAPER-2016-002 [88]
                            LHCb-PAPER-2016-001 [89]
LHCb-PAPER-2015-060 |90|
                            LHCb-PAPER-2015-059 |91|
LHCb-PAPER-2015-058 [92]
                            LHCb-PAPER-2015-057 [93]
LHCb-PAPER-2015-056 [94]
                            LHCb-PAPER-2015-055 [95]
LHCb-PAPER-2015-054 |96|
                            LHCb-PAPER-2015-053 |97|
LHCb-PAPER-2015-052 [98]
                            LHCb-PAPER-2015-051 [99]
LHCb-PAPER-2015-050 [100]
                            LHCb-PAPER-2015-049 [101]
LHCb-PAPER-2015-048 | 102
                            LHCb-PAPER-2015-047 [103]
LHCb-PAPER-2015-046 [104]
                            LHCb-PAPER-2015-045 [105]
LHCb-PAPER-2015-044 [106]
                            LHCb-PAPER-2015-043 [107
LHCb-PAPER-2015-042 [108]
                            LHCb-PAPER-2015-041 [109]
LHCb-PAPER-2015-040 [110]
                            LHCb-PAPER-2015-039 [111]
LHCb-PAPER-2015-038 [112]
                            LHCb-PAPER-2015-037 [113]
LHCb-PAPER-2015-036 [114]
                            LHCb-PAPER-2015-035 [115]
                            LHCb-PAPER-2015-033 [117]
LHCb-PAPER-2015-034 [116]
LHCb-PAPER-2015-032 |118|
                            LHCb-PAPER-2015-031 |119|
LHCb-PAPER-2015-030 | 120
                            LHCb-PAPER-2015-029 |29|
                            LHCb-PAPER-2015-027 [122]
LHCb-PAPER-2015-028 [121]
LHCb-PAPER-2015-026 [123]
                            LHCb-PAPER-2015-025 [124]
                            LHCb-PAPER-2015-023 [126]
LHCb-PAPER-2015-024 | 125
LHCb-PAPER-2015-022 [127
                            LHCb-PAPER-2015-021 [128]
LHCb-PAPER-2015-020 [129]
                            LHCb-PAPER-2015-019 [130]
LHCb-PAPER-2015-018 |131|
                            LHCb-PAPER-2015-017 |132|
LHCb-PAPER-2015-016 [133]
                            LHCb-PAPER-2015-015 [134]
LHCb-PAPER-2015-014 [135]
                            LHCb-PAPER-2015-013 [136]
LHCb-PAPER-2015-012 [137]
                            LHCb-PAPER-2015-011 [138]
LHCb-PAPER-2015-010 |139|
                            LHCb-PAPER-2015-009 |140|
LHCb-PAPER-2015-008 |141
                            LHCb-PAPER-2015-007 [142]
LHCb-PAPER-2015-006 [143]
                            LHCb-PAPER-2015-005 [144]
LHCb-PAPER-2015-004 |145
                            LHCb-PAPER-2015-003 |146|
LHCb-PAPER-2015-002 [147]
                            LHCb-PAPER-2015-001 [148]
LHCb-PAPER-2014-070 [149]
                            LHCb-PAPER-2014-069 [150]
LHCb-PAPER-2014-068 | 151
                            LHCb-PAPER-2014-067 |152|
LHCb-PAPER-2014-066 [153]
                            LHCb-PAPER-2014-065 [154]
LHCb-PAPER-2014-064 [155]
                            LHCb-PAPER-2014-063 [156]
LHCb-PAPER-2014-062 | 157
                            LHCb-PAPER-2014-061 |158|
LHCb-PAPER-2014-060 [159]
                            LHCb-PAPER-2014-059 [160]
LHCb-PAPER-2014-058 [161]
                            LHCb-PAPER-2014-057 [162]
LHCb-PAPER-2014-056 [163]
                            LHCb-PAPER-2014-055 [164]
LHCb-PAPER-2014-054 [165]
                            LHCb-PAPER-2014-053 [166]
LHCb-PAPER-2014-052 [167]
                            LHCb-PAPER-2014-051 [168]
LHCb-PAPER-2014-050 |169|
                            LHCb-PAPER-2014-049 |170|
```

```
LHCb-PAPER-2014-048 [171]
                            LHCb-PAPER-2014-047 [172]
LHCb-PAPER-2014-046 [173]
                            LHCb-PAPER-2014-045 [174]
LHCb-PAPER-2014-044 |175|
                            LHCb-PAPER-2014-043 |176|
LHCb-PAPER-2014-042 [177]
                            LHCb-PAPER-2014-041 [178]
                            LHCb-PAPER-2014-039 [180]
LHCb-PAPER-2014-040 [179]
LHCb-PAPER-2014-038 |181|
                            LHCb-PAPER-2014-037 |182|
LHCb-PAPER-2014-036 [183]
                            LHCb-PAPER-2014-035 [184]
LHCb-PAPER-2014-034 |185|
                            LHCb-PAPER-2014-033 |186|
LHCb-PAPER-2014-032 [187]
                            LHCb-PAPER-2014-031 [188]
LHCb-PAPER-2014-030 [189]
                            LHCb-PAPER-2014-029 [190]
LHCb-PAPER-2014-028 [191]
                            LHCb-PAPER-2014-027 [192]
LHCb-PAPER-2014-026 [193]
                            LHCb-PAPER-2014-025 [194]
                            LHCb-PAPER-2014-023 [196]
LHCb-PAPER-2014-024 [195]
LHCb-PAPER-2014-022 [197]
                            LHCb-PAPER-2014-021 [198]
LHCb-PAPER-2014-020 |199|
                            LHCb-PAPER-2014-019 |200|
LHCb-PAPER-2014-018 [201]
                            LHCb-PAPER-2014-017 [202]
LHCb-PAPER-2014-016 [203]
                            LHCb-PAPER-2014-015 [204]
LHCb-PAPER-2014-014 [205]
                            LHCb-PAPER-2014-013 |206|
LHCb-PAPER-2014-012 [207]
                            LHCb-PAPER-2014-011 [208]
LHCb-PAPER-2014-010 [209]
                            LHCb-PAPER-2014-009 [210]
LHCb-PAPER-2014-008 [211]
                            LHCb-PAPER-2014-007 [212]
LHCb-PAPER-2014-006 [12]
                            LHCb-PAPER-2014-005 [213]
LHCb-PAPER-2014-004 [214]
                            LHCb-PAPER-2014-003 [215]
LHCb-PAPER-2014-002 [216
                            LHCb-PAPER-2014-001 [217
LHCb-PAPER-2013-070 [27]
                            LHCb-PAPER-2013-069 [218]
LHCb-PAPER-2013-068 [219]
                            LHCb-PAPER-2013-067 [220]
LHCb-PAPER-2013-066 |221|
                            LHCb-PAPER-2013-065 |222
LHCb-PAPER-2013-064 [223]
                            LHCb-PAPER-2013-063 [224]
LHCb-PAPER-2013-062 [225]
                            LHCb-PAPER-2013-061 [226]
LHCb-PAPER-2013-060 [227]
                            LHCb-PAPER-2013-059 [228]
                            LHCb-PAPER-2013-057 [230]
LHCb-PAPER-2013-058 |229|
LHCb-PAPER-2013-056 |231|
                            LHCb-PAPER-2013-055 [232]
LHCb-PAPER-2013-054 [233]
                            LHCb-PAPER-2013-053 [234]
LHCb-PAPER-2013-052 |235|
                            LHCb-PAPER-2013-051 |236|
LHCb-PAPER-2013-050 [237]
                            LHCb-PAPER-2013-049 [238]
LHCb-PAPER-2013-048 [239]
                            LHCb-PAPER-2013-047 [240]
LHCb-PAPER-2013-046 [241]
                            LHCb-PAPER-2013-045 [242]
LHCb-PAPER-2013-044 [243]
                            LHCb-PAPER-2013-043 [244]
LHCb-PAPER-2013-042 [245]
                            LHCb-PAPER-2013-041 [246]
LHCb-PAPER-2013-040 [247]
                            LHCb-PAPER-2013-039 [248]
LHCb-PAPER-2013-038 [249]
                            LHCb-PAPER-2013-037 [250]
LHCb-PAPER-2013-036 [251]
                            LHCb-PAPER-2013-035 [28]
LHCb-PAPER-2013-034 |252|
                            LHCb-PAPER-2013-033 |253|
LHCb-PAPER-2013-032 [254]
                            LHCb-PAPER-2013-031 [255]
LHCb-PAPER-2013-030 [256]
                            LHCb-PAPER-2013-029 [257]
LHCb-PAPER-2013-028 |258|
                            LHCb-PAPER-2013-027 |259|
```

```
LHCb-PAPER-2013-026 [260]
                            LHCb-PAPER-2013-025 [261]
LHCb-PAPER-2013-024 [262]
                            LHCb-PAPER-2013-023 [263]
LHCb-PAPER-2013-022 |264|
                            LHCb-PAPER-2013-021 |265|
LHCb-PAPER-2013-020 [266]
                            LHCb-PAPER-2013-019 [267]
LHCb-PAPER-2013-018 [268]
                            LHCb-PAPER-2013-017 [269]
LHCb-PAPER-2013-016 |270|
                            LHCb-PAPER-2013-015 |271
LHCb-PAPER-2013-014 [272]
                            LHCb-PAPER-2013-013 [273]
                            LHCb-PAPER-2013-011 [275]
LHCb-PAPER-2013-012 |274|
LHCb-PAPER-2013-010 [276]
                            LHCb-PAPER-2013-009 [277]
LHCb-PAPER-2013-008 [278]
                            LHCb-PAPER-2013-007 [279]
LHCb-PAPER-2013-006 [280]
                            LHCb-PAPER-2013-005 [281]
LHCb-PAPER-2013-004 |282|
                            LHCb-PAPER-2013-003 |283
LHCb-PAPER-2013-002 [284]
                            LHCb-PAPER-2013-001 [285]
LHCb-PAPER-2012-057 [286]
LHCb-PAPER-2012-056 [287]
                            LHCb-PAPER-2012-055 [288]
LHCb-PAPER-2012-054 [289]
                            LHCb-PAPER-2012-053 [290]
LHCb-PAPER-2012-052 [291]
                            LHCb-PAPER-2012-051 [292]
LHCb-PAPER-2012-050 [293]
                            LHCb-PAPER-2012-049 [294]
LHCb-PAPER-2012-048 [295]
                            LHCb-PAPER-2012-047 [296]
LHCb-PAPER-2012-046 [297]
                            LHCb-PAPER-2012-045 [298]
LHCb-PAPER-2012-044 | 299
                            LHCb-PAPER-2012-043 |300|
LHCb-PAPER-2012-042 [301]
                            LHCb-PAPER-2012-041 [302]
LHCb-PAPER-2012-040 [303]
                            LHCb-PAPER-2012-039 [304]
LHCb-PAPER-2012-038 [305]
                            LHCb-PAPER-2012-037 [306]
LHCb-PAPER-2012-036 [307]
                            LHCb-PAPER-2012-035 [308]
LHCb-PAPER-2012-034 [309]
                            LHCb-PAPER-2012-033 [310]
LHCb-PAPER-2012-032 |311|
                            LHCb-PAPER-2012-031 |312|
LHCb-PAPER-2012-030 [313]
                            LHCb-PAPER-2012-029 [314]
LHCb-PAPER-2012-028 [315]
                            LHCb-PAPER-2012-027 [316]
LHCb-PAPER-2012-026 [317]
                            LHCb-PAPER-2012-025 [318]
LHCb-PAPER-2012-024 [319]
                            LHCb-PAPER-2012-023 [320]
LHCb-PAPER-2012-022 [321]
                            LHCb-PAPER-2012-021 [322]
LHCb-PAPER-2012-020 [323]
                            LHCb-PAPER-2012-019 [324]
LHCb-PAPER-2012-018 |325|
                            LHCb-PAPER-2012-017 |326|
LHCb-PAPER-2012-016 [327]
                            LHCb-PAPER-2012-015 [328]
LHCb-PAPER-2012-014 [329]
                            LHCb-PAPER-2012-013 [330]
LHCb-PAPER-2012-012 [331]
                            LHCb-PAPER-2012-011 [332]
LHCb-PAPER-2012-010 [333]
                            LHCb-PAPER-2012-009 [334]
LHCb-PAPER-2012-008 [335]
                            LHCb-PAPER-2012-007 [336]
LHCb-PAPER-2012-006 [337]
                            LHCb-PAPER-2012-005 [338]
LHCb-PAPER-2012-004 [339]
                            LHCb-PAPER-2012-003 [340]
LHCb-PAPER-2012-002 [341]
                            LHCb-PAPER-2012-001 [342
LHCb-PAPER-2011-045 [343]
                            LHCb-PAPER-2011-044 [344]
LHCb-PAPER-2011-043 [345]
                            LHCb-PAPER-2011-042 [346]
LHCb-PAPER-2011-041 [347]
                            LHCb-PAPER-2011-040 [348]
LHCb-PAPER-2011-038 [349]
                            LHCb-PAPER-2011-037 [350]
```

	1 0
LHCb-PAPER-2011-036 [351]	LHCb-PAPER-2011-035 [352]
LHCb-PAPER-2011-034 [353]	LHCb-PAPER-2011-033 [354]
LHCb-PAPER-2011-032 [355]	LHCb-PAPER-2011-031 [356]
LHCb-PAPER-2011-031 [357]	LHCb-PAPER-2011-029 [358]
LHCb-PAPER-2011-028 [359]	LHCb-PAPER-2011-027 [360]
LHCb-PAPER-2011-026 [361]	LHCb-PAPER-2011-025 [362]
LHCb-PAPER-2011-024 [363]	LHCb-PAPER-2011-023 [364]
LHCb-PAPER-2011-023 [365]	LHCb-PAPER-2011-021 [366]
LHCb-PAPER-2011-020 [367]	LHCb-PAPER-2011-019 [368]
LHCb-PAPER-2011-018 [369]	LHCb-PAPER-2011-017 [370]
LHCb-PAPER-2011-016 [371]	LHCb-PAPER-2011-015 [372]
LHCb-PAPER-2011-014 [373]	LHCb-PAPER-2011-013 [374]
LHCb-PAPER-2011-012 [375]	LHCb-PAPER-2011-011 [376]
LHCb-PAPER-2011-010 [377]	LHCb-PAPER-2011-009 [378]
LHCb-PAPER-2011-008 [379]	LHCb-PAPER-2011-007 [380]
LHCb-PAPER-2011-006 [381]	LHCb-PAPER-2011-005 [382]
LHCb-PAPER-2011-004 [383]	LHCb-PAPER-2011-003 [384]
LHCb-PAPER-2011-002 [385]	LHCb-PAPER-2011-001 [386]
LHCb-PAPER-2010-002 [387]	LHCb-PAPER-2010-001 [388]

485

Table 4: LHCb-CONFs (which have their identifier as their cite code). Note that LHCb-CONF-2011-032 does not exist.

LHCb-CONF-2016-004 [389]	LHCb-CONF-2016-003 [390]
LHCb-CONF-2016-002 [391]	LHCb-CONF-2016-001 [392]
LHCb-CONF-2015-005 [393]	
LHCb-CONF-2015-004 $[394]$	LHCb-CONF-2015-003 [395]
LHCb-CONF-2015-002 [396]	LHCb-CONF-2015-001 [397]
LHCb-CONF-2014-004 [398] ⁴	LHCb-CONF-2014-003 [399]
LHCb-CONF-2014-002 $[400]$	LHCb-CONF-2014-001 [401]
LHCb-CONF-2013-013 [402]	
LHCb-CONF-2013-012 $[403]$	LHCb-CONF-2013-011 [404]
LHCb-CONF-2013-010 $[405]$	LHCb-CONF-2013-009 [406]
LHCb-CONF-2013-008 $[407]$	LHCb-CONF-2013-007 [408]
LHCb-CONF-2013-006 $[409]$	LHCb-CONF-2013-005 [410]
LHCb-CONF-2013-004 [411]	LHCb-CONF-2013-003 [412]
LHCb-CONF-2013-002 [413]	LHCb-CONF-2013-001 [414]
LHCb-CONF-2012-034 [415]	LHCb-CONF-2012-033 [416]
LHCb-CONF-2012-032 [417]	LHCb-CONF-2012-031 [418]
LHCb-CONF-2012-030 $[419]$	LHCb-CONF-2012-029 [420]
LHCb-CONF-2012-028 [421]	LHCb-CONF-2012-027 [422]

 $^{^4\}mathrm{If}$ you cite the gamma combination, always also cite the latest gamma paper as \cite{LHCb-PAPER-2013-020,*LHCb-CONF-2014-004} (unless you cite LHCb-PAPER-2013-020 separately too).

```
LHCb-CONF-2012-026 [423]
                           LHCb-CONF-2012-025 [424]
LHCb-CONF-2012-024 [425]
                           LHCb-CONF-2012-023 [426]
LHCb-CONF-2012-022 |427|
                           LHCb-CONF-2012-021 |428|
LHCb-CONF-2012-020 [429]
                           LHCb-CONF-2012-019 [430]
LHCb-CONF-2012-018 [431]
                           LHCb-CONF-2012-017 [432]
LHCb-CONF-2012-016 |433|
                           LHCb-CONF-2012-015 |434|
                           LHCb-CONF-2012-013 [436]
LHCb-CONF-2012-014 |435|
LHCb-CONF-2012-012 |437|
                           LHCb-CONF-2012-011 |438|
LHCb-CONF-2012-010 [439]
                           LHCb-CONF-2012-009 [440]
LHCb-CONF-2012-008 [441]
                           LHCb-CONF-2012-007 [442]
LHCb-CONF-2012-006 |443|
                           LHCb-CONF-2012-005 [444]
LHCb-CONF-2012-004 |445|
                           LHCb-CONF-2012-003 |446|
LHCb-CONF-2012-002 [447]
                           LHCb-CONF-2012-001 [448]
LHCb-CONF-2011-062 [449]
                           LHCb-CONF-2011-061 [450]
LHCb-CONF-2011-060 [451]
                           LHCb-CONF-2011-059 [452]
LHCb-CONF-2011-058 [453]
                           LHCb-CONF-2011-057 [454]
LHCb-CONF-2011-056 [455]
                           LHCb-CONF-2011-055 [456]
LHCb-CONF-2011-054 [457]
                           LHCb-CONF-2011-053 [458]
LHCb-CONF-2011-052 [459]
                           LHCb-CONF-2011-051 [460]
LHCb-CONF-2011-050 |461|
                           LHCb-CONF-2011-049 |462|
LHCb-CONF-2011-048 |463|
                           LHCb-CONF-2011-047 |464|
LHCb-CONF-2011-046 [465]
                           LHCb-CONF-2011-045 [466]
LHCb-CONF-2011-044 [467]
                           LHCb-CONF-2011-043 [468]
LHCb-CONF-2011-042 |469|
                           LHCb-CONF-2011-041 |470|
LHCb-CONF-2011-040 [471]
                           LHCb-CONF-2011-039 [472]
LHCb-CONF-2011-038 [473]
                           LHCb-CONF-2011-037 [474]
LHCb-CONF-2011-036 |475|
                           LHCb-CONF-2011-035 |476|
LHCb-CONF-2011-034 [477]
                           LHCb-CONF-2011-033 [478]
LHCb-CONF-2011-031 [479]
LHCb-CONF-2011-030 [480]
                           LHCb-CONF-2011-029 [481]
                           LHCb-CONF-2011-027 [483]
LHCb-CONF-2011-028 |482|
LHCb-CONF-2011-026 [484]
                           LHCb-CONF-2011-025 [485]
LHCb-CONF-2011-024 [486]
                           LHCb-CONF-2011-023 [487]
LHCb-CONF-2011-023 |488|
                           LHCb-CONF-2011-021 [489]
LHCb-CONF-2011-020 [490]
                           LHCb-CONF-2011-019 [491]
LHCb-CONF-2011-018 [492]
                           LHCb-CONF-2011-017 [493]
LHCb-CONF-2011-016 [494]
                           LHCb-CONF-2011-015 [495]
LHCb-CONF-2011-014 [496]
                           LHCb-CONF-2011-013 [497]
LHCb-CONF-2011-012 |498|
                           LHCb-CONF-2011-011 [499]
LHCb-CONF-2011-010 |500|
                           LHCb-CONF-2011-009 [501]
LHCb-CONF-2011-008 [502]
                           LHCb-CONF-2011-007 [503]
                           LHCb-CONF-2011-005 [505]
LHCb-CONF-2011-006 |504|
LHCb-CONF-2011-004 |506|
                           LHCb-CONF-2011-003 |25|
LHCb-CONF-2011-002 [507]
                           LHCb-CONF-2011-001 [508]
LHCb-CONF-2010-014 [509]
                           LHCb-CONF-2010-013 [510]
LHCb-CONF-2010-012 [511]
                           LHCb-CONF-2010-011 |512|
```

```
- continued from previous page.
```

```
LHCb-CONF-2010-010 [513] LHCb-CONF-2010-009 [514] LHCb-CONF-2010-008 [515]
```

Some LHCb papers quoted together will look like [380–384]. The combination of CMS and LHCb results on $B_{(s)}^0 \to \mu^+ \mu^-$ should be cited like [403].

489 B Standard symbols

As explained in Sect. 4 this appendix contains standard typesetting of symbols, particle names, units etc. in LHCb documents.

In the file lhcb-symbols-def.tex, which is included, a large number of symbols is defined. While they can lead to quicker typing, the main reason is to ensure a uniform notation within a document and between different LHCb documents. If a symbol like \CP to typeset CP violation is available for a unit, particle name, process or whatever, it should be used. If you do not agree with the notation you should ask to get the definition in lhcb-symbols-def.tex changed rather than just ignoring it.

All the main particles have been given symbols. The B mesons are thus named B^+ , B^0 , B_s^0 , and B_c^+ . There is no need to go into math mode to use particle names, thus saving the typing of many \$ signs. By default particle names are typeset in italic type to agree with the PDG preference. To get roman particle names you can just change \setboolean{uprightparticles}{false} to true at the top of this template.

There is a large number of units typeset that ensures the correct use of fonts, capitals and spacing. As an example we have $m_{B_s^0} = 5366.3 \pm 0.6 \,\mathrm{MeV}/c^2$. Note that $\mu\mathrm{m}$ is typeset with an upright μ , even if the particle names have slanted greek letters.

A set of useful symbols are defined for working groups. More of these symbols can be included later. As an example in the Rare Decay group we have several different analyses looking for a measurement of $C_7^{'(\text{eff})}$ and $\mathcal{O}_7^{'}$.

$^{\circ \circ}$ C $^{\circ}$ List of all symbols

$_{\scriptscriptstyle 10}$ C.1 Experiments

	ackslash lhcb	LHCb	ackslash	ATLAS	\cms	CMS
	$ar{\ alice}$	ALICE	\babar	BaBar	\belle	Belle
	ackslashcleo	CLEO	$\backslash \mathtt{cdf}$	CDF	\dzero	D0
511	$ar{ ext{aleph}}$	ALEPH	$\backslash \mathtt{delphi}$	DELPHI	$\backslash opal$	OPAL
	$\backslash exttt{lthree}$	L3	$\backslash \mathtt{sld}$	SLD	\cern	CERN
	$\backslash ext{lhc}$	LHC	ackslashlep	LEP	$\$ tevatron	Tevatron

$_{512}$ C.1.1 LHCb sub-detectors and sub-systems

	\velo	VELO	$\backslash \mathtt{rich}$	RICH	$\backslash {\tt richone}$	RICH1
١	\richtwo	RICH2	ackslash ttracker	TT	\setminus intr	IT
	\st	ST	\setminus ot	OT	\spd	SPD
	\presh	PS	ackslashecal	ECAL	\hcal	HCAL
513	\MagUp	MagUp	$\backslash { t MagDown}$	MagDown	\setminus ode	ODE
	\daq	DAQ	\tfc	TFC	\ecs	ECS
,	\lone	L0	$ackslash exttt{hlt}$	HLT	\hline	HLT1
	\hlttwo	HLT2				

514 C.2 Particles

515 C.2.1 Leptons

	ackslashelectron	e	\en	e^{-}	\ep	e^+
	\epm	e^{\pm}	$\backslash \mathtt{epem}$	e^+e^-	$\backslash \mathtt{muon}$	μ
	$\backslash \mathtt{mup}$	μ^+	$\backslash \mathtt{mun}$	μ^-	\backslash mumu	$\mu^+\mu^-$
	ackslashtauon	au	\setminus taup	$ au^+$	\setminus taum	$ au^-$
516	\tautau	$ au^+ au^-$	\setminus lepton	ℓ	$\backslash exttt{ellm}$	ℓ^-
	\ellp	ℓ^+	\ellell	$\ell^+\ell^-$	\neu	ν
	\neub	$\overline{ u}$	\neue	$ u_e$	\neueb	$\overline{ u}_e$
	\setminus neum	$ u_{\mu}$	\setminus neumb	$\overline{ u}_{\mu}$	\setminus neut	$ u_{ au}$
	$ackslash ext{neutb}$	$\overline{ u}_{ au}$	$\ne $	$ u_{\ell}$	\setminus neulb	$\overline{ u}_\ell$

$_{517}$ C.2.2 Gauge bosons and scalars

	\g	γ	$\backslash H$	H^0	$\backslash \mathtt{Hp}$	H^+
	$\backslash Hm$	H^-	$\backslash {\tt Hpm}$	H^\pm	\W	W
518	$\backslash \mathtt{Wp}$	W^+	\Wm	W^-	\Wpm	W^{\pm}
	\ 7 .	Z				

519 C.2.3 Quarks

	$\setminus \mathtt{quark}$	q	\quarkbar	\overline{q}	\q	$q\overline{q}$
	\setminus uquark	u	\setminus uquarkbar	\overline{u}	\setminus uubar	$u\overline{u}$
	\dquark	d	$\backslash dquarkbar$	\overline{d}	$\backslash ddbar$	$d\overline{d}$
520	$\setminus \mathtt{squark}$	s	\setminus squarkbar	\overline{s}	$\backslash \mathtt{ssbar}$	$s\overline{s}$
	\setminus cquark	c	\setminus cquarkbar	\overline{c}	$\backslash \mathtt{ccbar}$	$c\overline{c}$
	\bquark	b	ackslashbquarkbar	\overline{b}	\bbbar	$b\overline{b}$
	\setminus tquark	t	$\$ tquarkbar	\overline{t}	$\backslash exttt{ttbar}$	$t\overline{t}$

521 C.2.4 Light mesons

$\backslash { t hadron}$	h	$\protect\pro$	π	πz	π^0
$ackslash exttt{pizs}$	$\pi^0\mathrm{s}$	$\protect\operatorname{ iny}$	π^+	$\operatorname{\prec}$	π^-
$\protect\operatorname{ iny}$	π^\pm	$\protect\operatorname{ iny}$	π^{\mp}	$\backslash { t rhomeson}$	ho
$ackslash{ ext{rhoz}}$	$ ho^0$	$\backslash { t rhop}$	$ ho^+$	$\backslash { t rhom}$	$ ho^-$
$\backslash { t rhopm}$	$ ho^\pm$	$\backslash { t rhomp}$	$ ho^{\mp}$	\setminus kaon	K
\Kb	\overline{K}	\setminus KorKbar	(\overline{K})	\Kz	K^0
522 \Kzb	$\overline{K}{}^0$	\setminus Kp	K^+	$\backslash \mathtt{Km}$	K^{-}
$\setminus \texttt{Kpm}$	K^{\pm}	$\backslash \mathtt{Kmp}$	K^{\mp}	\KS	$rac{K_{ ext{ iny S}}^{0}}{ar{K}^{*0}}$
\setminus KL	$K_{\scriptscriptstyle m L}^0$	\setminus Kstarz	K^{*0}	\setminus Kstarzb	\overline{K}^{*0}
$ackslash ext{Kstar}$	K^*	\setminus Kstarb	\overline{K}^*	\setminus Kstarp	K^{*+}
$ackslash ext{Kstarm}$	K^{*-}	$\setminus \texttt{Kstarpm}$	$K^{*\pm}$	$\setminus \mathtt{Kstarmp}$	$K^{*\mp}$
ackslashetaz	η	$\backslash \mathtt{etapr}$	η'	$ackslash ext{phiz}$	ϕ
$\backslash \mathtt{omegaz}$	ω				

523 C.2.5 Heavy mesons

\D	D	\Db	\overline{D}	$\backslash { t Dor Dbar}$	(\overline{D})
\Dz	D^0	\Dzb	$ar{D}^0$	\Dp	D^+
\Dm	D^{-}	$\backslash \mathtt{Dpm}$	D^{\pm}	$\backslash \mathtt{Dmp}$	D^{\mp}
\Dstar	D^*	$ackslash exttt{Dstarb}$	\overline{D}^*	$\backslash \mathtt{Dstarz}$	D^{*0}
$ackslash exttt{Dstarzb}$	$ar{D}^{*0}$	$ackslash exttt{Dstarp}$	D^{*+}	$\backslash \mathtt{Dstarm}$	D^{*-}
$ackslash \mathtt{Dstarpm}$	$D^{*\pm}$	$ackslash \mathtt{Dstarmp}$	$D^{*\mp}$	\Ds	D_s^+
\Dsp	D_s^+	$\backslash \mathtt{Dsm}$	D_s^-	$\backslash \mathtt{Dspm}$	$D_s^{\pm} \\ D_s^{*+}$
$\backslash \mathtt{Dsmp}$	D_s^{\mp}	$ackslash extsf{Dss}$	D_s^{*+}	$\backslash \mathtt{Dssp}$	D_s^{*+}
$\setminus \mathtt{Dssm}$	D_s^{*-}	$\backslash \mathtt{Dsspm}$	$D_s^{*\pm}$	$\backslash \mathtt{Dssmp}$	$\overline{B}^{*\mp}$
\B	B	\Bbar	\overline{B}	\Bb	\overline{B}
\BorBbar	(\overline{B})	\Bz	B^0	\Bzb	$\overline{B}{}^0$
\Bu	B^+	Bub	B^-	\Bp	B^+
\Bm	B^-	$\backslash \mathtt{Bpm}$	B^{\pm}	$\backslash \mathtt{Bmp}$	B^{\mp}
∖Bd	B^0	\Bs	B_s^0	\Bsb	\overline{B}_s^0
\Bdb	$\overline{B}{}^0$	\Bc		$\backslash \texttt{Bcp}$	B_c^+
Bcm	B_c^-	$\backslash \texttt{Bcpm}$	B_c^{\pm}		
	\Dz \Dm \Dstar \Dstarzb \Dstarpm \Dsp \Dsmp \Dsmp \Dssm \B \BorBbar \Bu \Bu \Bd	$egin{array}{lll} egin{array}{lll} egin{array}{lll} egin{array}{lll} Dz & D^0 \\ egin{array}{lll} Dm & D^- \\ egin{array}{lll} Dstar & D^* \\ egin{array}{lll} Dstarpm & D^{*\pm} \\ egin{array}{lll} Dsp & D_s^+ \\ egin{array}{lll} Dsmp & D_s^{\mp} \\ egin{array}{lll} Dssm & D_s^{*-} \\ egin{array}{lll} B & B \\ egin{array}{lll} BorBbar & \overline{B}^0 \\ egin{array}{lll} Bu & B^+ \\ egin{array}{lll} Bm & B^- \\ egin{array}{lll} Bd & B^0 \\ egin{array}{lll} Bdb & \overline{B}^0 \\ \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

525 C.2.6 Onia

	$ackslash exttt{jpsi}$	$J\!/\!\psi$	$ackslash exttt{psitwos}$	$\psi(2S)$	$ackslash ext{psiprpr}$	$\psi(3770)$
	ackslashetac	η_c	ackslashchiczero	χ_{c0}	ackslashchicone	χ_{c1}
526	$\backslash \mathtt{chictwo}$	χ_{c2}	$\setminus \mathtt{OneS}$	$\Upsilon(1S)$	$\backslash exttt{TwoS}$	$\Upsilon(2S)$
	ThreeS	$\Upsilon(3S)$	FourS	$\Upsilon(4S)$	FiveS	$\Upsilon(5S)$
	chic	χ_c	·	,	·	, ,

527 C.2.7 Baryons

	\proton	p	\antiproton	\overline{p}	$\new neutron$	n
	\setminus antineutron	\overline{n}	$\backslash \mathtt{Deltares}$	Δ	$\backslash \mathtt{Deltaresbar}$	$\overline{\Delta}$
	\Xires	Ξ	$\backslash exttt{Xiresbar}$	Ē	\Lz	Λ
	\Lbar	$\overline{\varLambda}$	$\setminus LorLbar$	$\overline{\Lambda}$	\setminus Lambdares	Λ
	\Lambdaresbar	$\overline{\Lambda}$	\Sigmares	Σ	\Sigmaresbar	$\overline{\Sigma}$
	\Omegares	Ω	$\backslash \mathtt{Omegaresbar}$	$\overline{\varOmega}$	\Lb	A_b^0
528	\Lbbar	$\overline{\varLambda}^0_b$	\Lc	Λ_c^+	\Lcbar	$\overline{\Lambda}_c^-$
	\Xib	\varXi_b	\Xibz	Ξ_b^0	\Xibm	Ξ_b^-
	\Xibbar	$\overline{\Xi}_b$	$\setminus \texttt{Xibbarz}$	$\overline{\Xi}_b^0$	\Xibbarp	$\overline{\Xi}_b^+$
	\Xic	Ξ_c	$\backslash \mathtt{Xicz}$	$\frac{\Xi_c^0}{\Xi_c^0}$	\Xicp	Ξ_{b}^{-} Ξ_{b}^{+} Ξ_{c}^{-} Ξ_{c}^{-}
	\Xicbar	$\overline{\Xi}_c$	$\setminus \texttt{Xicbarz}$	$\overline{\Xi}_c^0$	$\backslash \mathtt{Xicbarm}$	$\overline{\Xi}_c^-$
	\Omegac	$arOmega_c^0$	$\backslash {\tt Omegacbar}$	$\overline{\Omega}_c^0$	$\backslash \mathtt{Omegab}$	Ω_b^-
	$\backslash \mathtt{Omegabbar}$	$\overline{\varOmega}_b^+$				

529 C.3 Physics symbols

530 C.3.1 Decays

	\BF	$\mathcal B$	\BRvis $\mathcal{B}_{ ext{vis}}$	$\backslash \mathtt{BR}$	${\cal B}$
531	$\decay[2] \decay\{a \}\{b c \}$	$a \rightarrow bc$	$ackslash ag{ra} o$	$\backslash exttt{to}$	\rightarrow

532 C.3.2 Lifetimes

	$\backslash { t tauBs}$	$ au_{B^0_s}$	$\backslash \texttt{tauBd}$	$ au_{B^0}$	$\backslash { t tauBz}$	$ au_{B^0}$
533	$\backslash { t tauBu}$	$ au_{B^+}$	$\text{ar{tauDp}}$	$ au_{D^+}$	$\backslash { t tauDz}$	$ au_{D^0}$
	$\setminus \mathtt{tauL}$	$ au_{ m L}$	\tauH	$ au_{ m H}$		

534 C.3.3 Masses

	$\backslash mBd$		$\backslash \mathtt{mBp}$	m_{B^+}	$\backslash \mathtt{mBs}$	$m_{B_s^0}$
535	$\backslash mBc$	$m_{B_c^+}$	\mbox{mLb}	$m_{A_b^0}$		

536 C.3.4 EW theory, groups

	\grpsuthree	SU(3)	\grpsutw	SU(2)	\grpu one	U(1)
537	\ssqtw	$\sin^2\! heta_{ m W}$	$\backslash \mathtt{csqtw}$	$\cos^2 \theta_{ m W}$	ackslashstw	$\sin \theta_{ m W}$
	\ctw	$\cos heta_{ m W}$	$\setminus \mathtt{ssqtwef}$	$\sin^2\! heta_{ m W}^{ m eff}$	$\backslash \mathtt{csqtwef}$	$\cos^2 \theta_{ m W}^{ m eff}$
	\stwef	$\sin heta_{ m W}^{ m eff}$	$\backslash \mathtt{ctwef}$	$\cos heta_{ m W}^{ m eff}$	\gv	$g_{ m \scriptscriptstyle V}$
	\ga	$g_{ m A}$	$\backslash \mathtt{order}$	\mathcal{O}	$\backslash \mathtt{ordalph}$	$\mathcal{O}(\alpha)$
	\ordalsq	$\mathcal{O}(lpha^2)$	$\backslash \mathtt{ordalcb}$	$\mathcal{O}(lpha^3)$		

538 C.3.5 QCD parameters

540 C.3.6 CKM, CP violation

	\eps	arepsilon	$\backslash \mathtt{epsK}$	$arepsilon_K$	$\backslash \mathtt{epsB}$	ε_B
	$\backslash \mathtt{epsp}$	$arepsilon_K'$	\CP	CP	$\backslash \mathtt{CPT}$	CPT
	$\$ rhobar	$\overline{\overline{ ho}}$	\etabar	$\overline{\eta}$	$\setminus Vud$	V_{ud}
	$\backslash \mathtt{Vcd}$	V_{cd}	$\backslash \mathtt{Vtd}$	V_{td}	$ackslash exttt{Vus}$	V_{us}
541	Vcs	V_{cs}	Vts	V_{ts}	\Vub	V_{ub}
	Vcb	V_{cb}	Vtb	V_{tb}	\Vuds	V_{ud}^*
	Vcds	V_{cd}^*	Vtds	V_{td}^*	Vuss	V_{us}^*
	Vcss	V_{cs}^*	Vtss	V_{ts}^*	Vubs	V_{ub}^*
	Vcbs	V_{\perp}^{*}	Vtbs	V_{i}^{*}	•	20

542 C.3.7 Oscillations

	$\backslash dm$	Δm	$\backslash \mathtt{dms}$	Δm_s	$\backslash \mathtt{dmd}$	Δm_d
,	\DG	$\Delta\Gamma$	$ackslash exttt{DGs}$	$\Delta\Gamma_s$	\DGd	$\Delta\Gamma_d$
	\Gs	Γ_s	\Gd	Γ_d	$\backslash \mathtt{MBq}$	M_{B_q}
	\DGq	$\Delta\Gamma_q$	$\backslash \mathtt{Gq}$	Γ_q	$\backslash \mathtt{dmq}$	Δm_q
	\GL	$\Gamma_{ m L}$	$\backslash \mathtt{GH}$	$\Gamma_{ m H}$	$\backslash \mathtt{DGsGs}$	$\Delta\Gamma_s/\Gamma_s$
543	$\backslash \mathtt{Delm}$	Δm	$\backslash \texttt{ACP}$	\mathcal{A}^{CP}	$\setminus \texttt{Adir}$	$\mathcal{A}^{\mathrm{dir}}$
	$\backslash \texttt{Amix}$	$\mathcal{A}^{ ext{mix}}$	$ackslash exttt{ADelta}$	\mathcal{A}^{Δ}	$\backslash exttt{phid}$	ϕ_d
\	$\backslash \mathtt{sinphid}$	$\sin \phi_d$	$ackslash ext{phis}$	ϕ_s	ackslash	β_s
	$\backslash \mathtt{sbetas}$	$\sigma(\beta_s)$	ackslashstbetas	$\sigma(2\beta_s)$	$\backslash \mathtt{stphis}$	$\sigma(\phi_s)$
	$\backslash \mathtt{sinphis}$	$\sin \phi_s$				

544 C.3.8 Tagging

	\edet	$arepsilon_{ m det}$	\erec	$\varepsilon_{ m rec/det}$	\esel	$\varepsilon_{ m sel/rec}$
	\etrg	$\varepsilon_{\rm trg/sel}$	\etot	$arepsilon_{ ext{tot}}$	$\backslash \mathtt{mistag}$	ω
545	$\backslash \mathtt{wcomb}$	ω^{comb}	\etag	$\varepsilon_{ m tag}$	ackslashetagcomb	$arepsilon_{ ext{tag}}^{ ext{comb}}$
	\effeff	$arepsilon_{ ext{eff}}$	\effeffcomb	$arepsilon_{ ext{eff}}^{ ext{comb}}$	\efftag	$\varepsilon_{\rm tag}(1-2\omega)^2$
	\effD	$\varepsilon_{\mathrm{tag}} D^2$	\etagprompt	$arepsilon_{ ext{tag}}^{ ext{Pr}}$	\etagLL	$arepsilon_{ ext{tag}}^{ ext{LL}}$

546 C.3.9 Key decay channels

	$\backslash \texttt{BdToKstmm}$	$B^0 \to K^{*0} \mu^+ \mu^-$	$^-ackslash BdbToKstmm$	$\overline B{}^0\! o \overline K^{*0}\mu^+\mu^-$	$^-ackslash BsToJPsiPhi$	$B_s^0 \rightarrow J/\psi \phi$
	$\backslash \texttt{BdToJPsiKst}$	$B^0 \rightarrow J/\psi K^{*0}$	$\backslash \texttt{BdbToJPsiKst}$	$\overline B{}^0\! o J\!/\!\psi\overline K^{*0}$	ackslash BsPhiGam	$B_s^0 \to \phi \gamma$
547	$\backslash \texttt{BdKstGam}$	$B^0\! o K^{*0}\gamma$	$\backslash \mathtt{BTohh}$	$B \rightarrow h^+ h^{\prime -}$	$\backslash exttt{BdTopipi}$	$B^0 \rightarrow \pi^+\pi^-$
	\BdToKpi	$B^0 \rightarrow K^+\pi^-$	ackslash BsToKK	$B_s^0 \rightarrow K^+K^-$	$\backslash \texttt{BsTopiK}$	$B_s^0 \rightarrow \pi^+ K^-$

548 C.3.10 Rare decays

550 C.3.11 Wilson coefficients and operators

552 C.3.12 Charm

554 C.3.13 QM

556 C.4 Units

557 \unit[1] \unit{kg} kg

558 C.4.1 Energy and momentum

	ackslashtev	TeV	\gev	GeV	$\backslash \mathtt{mev}$	MeV
	\setminus kev	keV	\ev	eV	\gevc	GeV/c
559	$\backslash \mathtt{mevc}$	MeV/c	$\backslash \texttt{gevcc}$	GeV/c^2	\gevgevcccc	GeV^2/c^4
	mevcc	MeV/c^2				

560 C.4.2 Distance and area

,	\km	km	$\backslash m$	m	$\backslash \mathtt{ma}$	m^2
,	$\backslash \mathtt{cm}$	cm	$\backslash \mathtt{cma}$	cm^2	$\backslash mm$	mm
	$\backslash \mathtt{mma}$	mm^2	$\backslash \mathtt{mum}$	$\mu \mathrm{m}$	$\backslash \mathtt{muma}$	$\mu\mathrm{m}^2$
	$\backslash \mathtt{nm}$	nm	$\backslash \mathtt{fm}$	fm	\barn	b
561	\mbarn	mb	\mub	μb	\nb	nb
,	\invnb	nb^{-1}	\pb	pb	\invpb	pb^{-1}
	\fb	fb	\invfb	fb^{-1}	\ab	ab
,	\invab	ab^{-1}	•		,	

562 C.4.3 Time

,	\sec	S	\ms	ms	$\backslash \mathtt{mus}$	μs
,	\ns	ns	\ps	ps	\fs	fs
563	mhz	MHz	khz	kHz	\hz	Hz
١	invps	ps^{-1}	invns	ns^{-1}	\yr	yr
,	\hr	hr				

564 C.4.4 Temperature

$$^{\circ}$$
 \degc $^{\circ}$ C \degk K

566 C.4.5 Material lengths, radiation

	\Xrad	X_0	NIL	λ_{int}	\mip	MIP
567	$ \setminus neutroneq $	n_{eq}		n_{eq}/cm^2	\kRad	kRad
	\MRad	MRad	\ci	Ci	\mci	mСi

568 C.4.6 Uncertainties

570 C.4.7 Maths

	\order	\mathcal{O}	$\backslash \mathtt{chisq}$	χ^2	$\backslash \mathtt{chisqndf}$	χ^2/ndf
,	$\backslash \mathtt{chisqip}$	$\chi^2_{ m IP}$	ackslashchisqvs	$\chi^2_{ m VS}$	$\backslash \mathtt{chisqvtx}$	$\chi^2_{ m vtx}$
	$\backslash \mathtt{chisqvtxndf}$	$\chi^2_{ m vtx}/{ m ndf}$	\deriv	d	$\backslash \mathtt{gsim}$	\gtrsim
571	$\backslash \texttt{lsim}$	\lesssim	$\mathbb{1} \operatorname{mean}[1]$	$\langle x \rangle$	$\abs[1] \abs\{x\}$	x
,	\Real	$\mathcal{R}e$	$\backslash { t Imag}$	$\mathcal{I}m$	\PDF	PDF
	\sPlot	sPlot				

572 C.5 Kinematics

573 C.5.1 Energy, Momenta

	$\backslash { t Ebeam}$	$E_{\scriptscriptstyle m BEAM}$	\sqs	\sqrt{S}	\ptot	p
574	\pt	$p_{ m T}$	\et	E_{T}	\mt	$M_{ m T}$
	$\backslash \mathtt{dpp}$	$\Delta p/p$	$\backslash \mathtt{msq}$	m^2	\dedx	dE/dx

575 C.5.2 PID

$$\label{eq:local_potential} $$ \dlkpi \ DLL_{K\pi} \ \dllppi \ DLL_{p\pi} \ \dllepi \ DLL_{e\pi}$$

577 C.5.3 Geometry

579 C.5.4 Accelerator

$$_{580}$$
 \betastar eta^* \lum ${\cal L}$ \intlum[1] \intlum{2 fb}^{-1} } $\int {\cal L} = 2 ext{ fb}^{-1}$

581 C.6 Software

S82 C.6.1 Programs

	\bcvegpy	BCVEGPY	\boole	BOOLE	\brunel	Brunel
	\davinci	DAVINCI	$ackslash ext{dirac}$	DIRAC	\evtgen	EVTGEN
	\fewz	Fewz	\fluka	FLUKA	\ganga	GANGA
583	\gaudi	Gaudi	ackslashgauss	Gauss	\general geant	Geant4
	$\backslash \mathtt{hepmc}$	НЕРМС	ackslashherwig	HERWIG	\moore	Moore
	$ackslash ext{neurobayes}$	NEUROBAYES	$ackslash exttt{photos}$	Photos	\setminus powheg	Powheg
	ackslash pythia	Рутніа	\resbos	ResBos	\roofit	RooFit
	\root	Root	\spice	SPICE	$\backslash \mathtt{urania}$	Urania

584 C.6.2 Languages

	\cpp \svn	C++	$\$ ruby	Ruby	$\setminus \texttt{fortran}$	Fortran
585	\svn	SVN				

586 C.6.3 Data processing

	$ackslash ext{kbytes}$	kbytes	ackslashkbsps	kbits/s	ackslashkbits	kbits
	ackslash kbsps	kbits/s	ackslashmbsps	Mbytes/s	$ackslash \mathtt{mbytes}$	Mbytes
587	$\backslash \mathtt{mbps}$	Mbyte/s	\mbsps	Mbytes/s	\gbsps	Gbytes/s
	gbytes	Gbytes	\gbsps	Gbytes/s	\tbytes	Tbytes
	\tbpy	Tbytes/yr	\dst	DST		

588 C.7 Detector related

589 C.7.1 Detector technologies

\	\setminus nonn	n^+ -on- n	$\setminus \mathtt{ponn}$	p^+ -on- n	nonp	n^+ -on- p
590	cvd	CVD	\mwpc	MWPC	\gem	$\overline{\text{GEM}}$

⁵⁹¹ C.7.2 Detector components, electronics

\	tell1	TELL1	\ukl1	UKL1	\beetle	Beetle
\	otis	OTIS	\croc	CROC	carioca	CARIOCA
\	dialog	DIALOG	\sync	SYNC	\cardiac	CARDIAC
\	\gol	GOL	ackslash vcsel	VCSEL	\ttc	TTC
\	ttcrx	TTCrx	\hpd	HPD	$\backslash \mathtt{pmt}$	PMT
592	specs	SPECS	$\backslash \mathtt{elmb}$	ELMB	\fpga	FPGA
\	plc	PLC	rasnik	RASNIK	\elmb	ELMB
\	can	CAN	\lvds	LVDS	\ntc	NTC
\	adc	ADC	led	LED	ccd	CCD
\	hv	HV	\lv	LV	\pvss	PVSS
\	cmos	CMOS	\fifo	FIFO	\ccpc	CCPC

593 C.7.3 Chemical symbols

504 .	ackslashcfourften	C_4F_{10}	ackslash cffour	CF_4	ackslashcotwo	CO_2
	\csixffouteen	C_6F_{14}	$\backslash \mathtt{mgftwo}$	MgF_2	\siotwo	SiO_2

595 C.8 Special Text

D Supplementary material for LHCb-PAPER-20XX-YYY

598

599

600

601

602

This appendix contains supplementary material that will posted on the public cds record but will not appear in the paper.

Please leave the above sentence in your draft for first and second circulation and replace what follows by your actual supplementary material. For more information about other types of supplementary material, see Section 8. Plots and tables that follow should be well described, either with captions or with additional explanatory text.




Figure 2: Comparison of our result to those from other experiments. Note that the style of this figure differs slightly from that of Figure 1

$\mathbf{References}$

- [1] LHCb collaboration, A. A. Alves Jr. et al., The LHCb detector at the LHC, JINST 3 (2008) S08005.
- [2] American Physical Society, APS REVTEX package, https://journals.aps.org/revtex.
- [3] Particle Data Group, K. A. Olive et al., Review of particle physics, Chin. Phys. C38 (2014) 090001, and 2015 update.
- [4] LHCb collaboration, R. Aaij et al., LHCb detector performance, Int. J. Mod. Phys. **A30** (2015) 1530022, arXiv:1412.6352.
- [5] R. Aaij et al., Performance of the LHCb Vertex Locator, JINST **9** (2014) P09007, arXiv:1405.7808.
- [6] R. Arink et al., Performance of the LHCb Outer Tracker, JINST 9 (2014) P01002, arXiv:1311.3893.
- [7] M. Adinolfi et al., Performance of the LHCb RICH detector at the LHC, Eur. Phys. J. C73 (2013) 2431, arXiv:1211.6759.
- [8] A. A. Alves Jr. et al., Performance of the LHCb muon system, JINST 8 (2013) P02022, arXiv:1211.1346.
- [9] R. Aaij et al., The LHCb trigger and its performance in 2011, JINST 8 (2013) P04022, arXiv:1211.3055.
- [10] A. Puig, The LHCb trigger in 2011 and 2012, LHCb-PUB-2014-046.
- [11] V. V. Gligorov and M. Williams, Efficient, reliable and fast high-level triggering using a bonsai boosted decision tree, JINST 8 (2013) P02013, arXiv:1210.6861.
- [12] LHCb collaboration, R. Aaij et al., Differential branching fractions and isospin asymmetries of $B \to K^{(*)}\mu^+\mu^-$ decays, JHEP **06** (2014) 133, arXiv:1403.8044.
- [13] T. Sjöstrand, S. Mrenna, and P. Skands, *PYTHIA 6.4 physics and manual*, JHEP **05** (2006) 026, arXiv:hep-ph/0603175; T. Sjöstrand, S. Mrenna, and P. Skands, *A brief introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, arXiv:0710.3820.
- [14] I. Belyaev et al., Handling of the generation of primary events in Gauss, the LHCb simulation framework, J. Phys. Conf. Ser. **331** (2011) 032047.
- [15] D. J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Meth. A462 (2001) 152.
- [16] P. Golonka and Z. Was, *PHOTOS Monte Carlo: A precision tool for QED corrections* in Z and W decays, Eur. Phys. J. **C45** (2006) 97, arXiv:hep-ph/0506026.
- [17] Geant4 collaboration, J. Allison et al., Geant4 developments and applications, IEEE
 Trans. Nucl. Sci. **53** (2006) 270; Geant4 collaboration, S. Agostinelli et al., Geant4:

 A simulation toolkit, Nucl. Instrum. Meth. **A506** (2003) 250.

- [18] M. Clemencic et al., The LHCb simulation application, Gauss: Design, evolution and experience, J. Phys. Conf. Ser. **331** (2011) 032023.
- [19] L. Breiman, J. H. Friedman, R. A. Olshen, and C. J. Stone, *Classification and regression trees*, Wadsworth international group, Belmont, California, USA, 1984.
- [20] R. E. Schapire and Y. Freund, A decision-theoretic generalization of on-line learning and an application to boosting, J. Comput. Syst. Sci. **55** (1997) 119.
- [21] A. Feder, Your BibTeX resource, http://www.bibtex.org/.
- [22] E. Majorana, Teoria simmetrica dell'elettrone e del positrone, Nuovo Cim. **14** (1937) 171.
- 650 [23] M. Shell, *Mciteplus: Enhanced multicitations*, 651 http://www.michaelshell.org/tex/mciteplus/.
- [24] R. N. Mohapatra and G. Senjanovic, Neutrino Mass and Spontaneous Parity Violation, Phys. Rev. Lett. 44 (1980) 912; S. Pascoli and S. T. Petcov, Majorana neutrinos, neutrino mass spectrum and the $|\langle m \rangle| \sim 10^{-3}$ eV frontier in neutrinoless double beta decay, Phys. Rev. D77 (2008) 113003, arXiv:0711.4993.
- [25] LHCb collaboration, Optimization and calibration of the LHCb flavour tagging performance using 2010 data, LHCb-CONF-2011-003.
- [26] J. Dickens, A measurement of the photon efficiency from the 2010 data, LHCb-INT-2011-047; C. Adrover et al., Searches for $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$ in 370 pb⁻¹ at LHCb, LHCb-ANA-2011-078; P. Owen, Measurement of branching fractions, isospin asymmetries and angular observables in exclusive electroweak penguin decays, CERN-THESIS-2014-057; P. Perret, First Years of Running for the LHCb Calorimeter system, LHCb-PROC-2014-017; U. Egede, Future of heavy flavour physics, LHCb-TALK-2014-257.
- [27] LHCb collaboration, R. Aaij et al., Measurement of charged particle multiplicities and densities in pp collisions at $\sqrt{s}=7$ TeV in the forward region, Eur. Phys. J. C74 (2014) 2888, arXiv:1402.4430.
- [28] LHCb collaboration, R. Aaij et al., Observation of the decay $B_s^0 \to \overline{D}^0 \phi$, Phys. Lett. B727 (2013) 403, arXiv:1308.4583.
- [29] LHCb collaboration, R. Aaij et al., Observation of $J/\psi p$ resonances consistent with pentaquark states in $\Lambda_b^0 \to J/\psi p K^-$ decays, Phys. Rev. Lett. **115** (2015) 072001, arXiv:1507.03414.
- [30] Heavy Flavor Averaging Group, Y. Amhis et al., Averages of b-hadron, c-hadron, and τ-lepton properties as of summer 2014, arXiv:1412.7515, updated results and plots available at http://www.slac.stanford.edu/xorg/hfag/.
- [31] A. Tsaregorodtsev et al., DIRAC3: The new generation of the LHCb grid software,
 J. Phys. Conf. Ser. **219** (2010) 062029; R. Graciani Diaz et al., Belle-DIRAC setup
 for using Amazon Elastic Compute Cloud, Journal of Grid Computing **9** (2011) 65.

- [32] T. Skwarnicki, A study of the radiative cascade transitions between the Upsilon-prime and Upsilon resonances, PhD thesis, Institute of Nuclear Physics, Krakow, 1986, DESY-F31-86-02.
- [33] S. S. Wilks, The large-sample distribution of the likelihood ratio for testing composite hypotheses, Ann. Math. Stat. 9 (1938) 60.
- [34] W. D. Hulsbergen, *Decay chain fitting with a Kalman filter*, Nucl. Instrum. Meth. **A552** (2005) 566, arXiv:physics/0503191.
- [35] M. Pivk and F. R. Le Diberder, sPlot: A statistical tool to unfold data distributions, Nucl. Instrum. Meth. **A555** (2005) 356, arXiv:physics/0402083.
- [36] G. Punzi, Sensitivity of searches for new signals and its optimization, in Statistical Problems in Particle Physics, Astrophysics, and Cosmology (L. Lyons, R. Mount, and R. Reitmeyer, eds.), p. 79, 2003. arXiv:physics/0308063.
- [37] LHCb collaboration, R. Aaij et al., Measurement of the fragmentation fraction ratio f_s/f_d and its dependence on B meson kinematics, JHEP **04** (2013) 001, arXiv:1301.5286, f_s/f_d value updated in LHCb-CONF-2013-011.
- [38] R. Aaij et al., Tesla: an application for real-time data analysis in High Energy Physics, arXiv:1604.05596.
- [39] R. Aaij et al., Performance of the LHCb calorimeters, LHCb-DP-2013-004, in preparation.
- [40] LHCb collaboration, R. Aaij et al., Measurement of the track reconstruction efficiency at LHCb, JINST **10** (2015) P02007, arXiv:1408.1251.
- ⁷⁰⁰ [41] F. Archilli et al., Performance of the muon identification at LHCb, JINST 8 (2013) P10020, arXiv:1306.0249.
- [42] A. Affolder et al., Radiation damage in the LHCb vertex locator, JINST 8 (2013) P08002, arXiv:1302.5259.
- ⁷⁰⁴ [43] D. van Eijk et al., Radiation hardness of the LHCb Outer Tracker, Nucl. Instrum. ⁷⁰⁵ Meth. **A685** (2012) 62.
- [44] R. B. Appleby et al., Simulation of machine induced background in the LHCb experiment: methodology and implementation, IEEE Trans. Nucl. Sci. **59** (2012) 1681.
- [45] M. Anelli et al., Performance of the LHCb muon system with cosmic rays, JINST 5 (2010) P10003, arXiv:1009.1963.
- [46] S. Borghi et al., First spatial alignment of the LHCb VELO and analysis of beam absorber collision data, Nucl. Instrum. Meth. A618 (2010) 108.
- [47] LHCb collaboration, *LHCb Trigger and Online Technical Design Report*, CERN-LHCC-2014-016. LHCb-TDR-016.

- ⁷¹⁵ [48] LHCb collaboration, *LHCb Tracker Upgrade Technical Design Report*, CERN-⁷¹⁶ LHCC-2014-001. LHCb-TDR-015.
- [49] LHCb collaboration, *LHCb PID Upgrade Technical Design Report*, CERN-LHCC-2013-022. LHCb-TDR-014.
- [50] LHCb collaboration, *LHCb VELO Upgrade Technical Design Report*, CERN-LHCC-2013-021. LHCb-TDR-013.
- [51] LHCb collaboration, Framework TDR for the LHCb Upgrade: Technical Design Report, CERN-LHCC-2012-007. LHCb-TDR-012.
- [52] LHCb collaboration, *LHCb computing: Technical Design Report*, CERN-LHCC-2005-019. LHCb-TDR-011.
- [53] LHCb collaboration, *LHCb trigger system: Technical Design Report*, CERN-LHCC-2003-031. LHCb-TDR-010.
- [54] LHCb collaboration, *LHCb reoptimized detector design and performance: Technical Design Report*, CERN-LHCC-2003-030. LHCb-TDR-009.
- [55] LHCb collaboration, *LHCb inner tracker: Technical Design Report*, CERN-LHCC-2002-029. LHCb-TDR-008.
- [56] LHCb collaboration, *LHCb online system, data acquisition and experiment control:*Technical Design Report, CERN-LHCC-2001-040. LHCb-TDR-007.
- ⁷³³ [57] LHCb collaboration, *LHCb outer tracker: Technical Design Report*, CERN-LHCC-⁷³⁴ 2001-024. LHCb-TDR-006.
- [58] LHCb collaboration, *LHCb VELO (VErtex LOcator): Technical Design Report*, CERN-LHCC-2001-011. LHCb-TDR-005.
- [59] LHCb collaboration, *LHCb muon system: Technical Design Report*, CERN-LHCC-2001-010. LHCb-TDR-004.
- [60] LHCb collaboration, *LHCb RICH: Technical Design Report*, CERN-LHCC-2000-037. LHCb-TDR-003.
- [61] LHCb collaboration, *LHCb calorimeters: Technical Design Report*, CERN-LHCC-2000-036. LHCb-TDR-002.
- [62] LHCb collaboration, *LHCb magnet: Technical Design Report*, CERN-LHCC-2000-007. LHCb-TDR-001.
- [63] LHCb collaboration, R. Aaij et al., Measurement of the CP violating phase and decaywidth difference in $B_s^0 \to \psi(2S)\phi$ decays, LHCb-PAPER-2016-027, in preparation.
- [64] LHCb collaboration, R. Aaij et al., Amplitude analysis of $B^- \to D^+\pi^-\pi^-$ decays, LHCb-PAPER-2016-026, in preparation.

- [65] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular analysis of the decay $B^0 \to K^+\pi^-\mu^+\mu^-$ in the $K^*(1430)$ region, LHCb-PAPER-2016-025, in preparation.
- [66] LHCb collaboration, R. Aaij et al., Measurement of forward $W \to e\nu$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, LHCb-PAPER-2016-024, in preparation.
- LHCb collaboration, R. Aaij et al., Search for the suppressed decays $B^+ \to K^+ K^+ \pi^$ and $B^+ \to \pi + \pi^+ K^-$, LHCb-PAPER-2016-023, in preparation.
- LHCb collaboration, R. Aaij et al., Study of B_c^+ decays to the $K^+K^-\pi^+$ final state and evidence for the decay $B_c^+ \to \chi_{c0}\pi^+$, LHCb-PAPER-2016-022, in preparation.
- [69] LHCb collaboration, R. Aaij et al., Measurement of the forward Z boson production cross-section in pp collisions at $\sqrt{s} = 13$ TeV, LHCb-PAPER-2016-021, in preparation.
- [70] LHCb collaboration, R. Aaij et al., Measurement of $BR(B_c \to J/\psi K^+)/BR(B_c \to J/\psi \pi^+)$, LHCb-PAPER-2016-020, in preparation.
- [71] LHCb collaboration, R. Aaij et al., Amplitude analysis of $B^+ \to J/\psi \phi K^+$ decays, arXiv:1606.07898, submitted to PRD.
- [72] LHCb collaboration, R. Aaij et al., Observation of exotic $J/\psi\phi$ structures from amplitude analysis of $B^+ \to J/\psi\phi K^+$ decays, arXiv:1606.07895, submitted to PRL.
- [73] LHCb collaboration, R. Aaij et al., Measurement of the $B_s^0 \to J/\psi \eta$ lifetime, LHCb-PAPER-2016-017, in preparation.
- [74] LHCb collaboration, R. Aaij et al., Observation of $\eta_c(2S) \to p\bar{p}$ and search for $X(3872) \to p\bar{p}$ decays, LHCb-PAPER-2016-016, in preparation.
- [75] LHCb collaboration, R. Aaij et al., Evidence for exotic hadron contributions to $\Lambda_b^0 \to J/\psi p \pi^-$ decays, LHCb-PAPER-2016-015, in preparation.
- [76] LHCb collaboration, R. Aaij et al., Search for Higgs-like boson decaying into pair of long-lived particles, LHCb-PAPER-2016-014, in preparation.
- [77] LHCb collaboration, R. Aaij et al., Measurement of the CP asymmetry in $B_s^0 \overline{B}_s^0$ mixing, arXiv:1605.09768, submitted to Phys. Rev. Lett.
- [78] LHCb collaboration, R. Aaij et al., Measurement of the S-wave fraction in $B^0 \rightarrow K^+\pi^-\mu^+\mu^-$ decays and the $B^0 \rightarrow K^*(892)^0\mu^+\mu^-$ differential branching fraction, arXiv:1606.04731, submitted to JHEP.
- [79] LHCb collaboration, R. Aaij et al., Measurement of forward W and Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 05 (2016) 131, arXiv:1605.00951.
- ⁷⁸⁴ [80] LHCb collaboration, R. Aaij et al., Measurement of the properties of the Ξ_b^{*0} baryon, ⁷⁸⁵ JHEP **05** (2016) 161, arXiv:1604.03896.

- [81] LHCb collaboration, R. Aaij et al., Model-independent evidence for $J/\psi p$ contributions to $\Lambda_b \to J/\psi p K^-$ decays, arXiv:1604.05708, submitted to Phys. Rev. Lett.
- [82] LHCb collaboration, R. Aaij et al., Measurements of the mass and lifetime of the Ω_b^- baryon, Phys. Rev. **D93** (2016) 092007, arXiv:1603.01412.
- [83] LHCb collaboration, R. Aaij et al., Measurement of the CKM angle γ using $B^0 \rightarrow DK^{*0}$ with $D \rightarrow K_S^0 \pi^+ \pi^-$ decays, arXiv:1605.01082, submitted to JHEP.
- [84] LHCb collaboration, R. Aaij et al., Model-independent measurement of the CKM angle γ using $B^0 \to DK^{*0}$ decays with $D \to K_S^0 \pi^+ \pi^-$ and $K_S^0 K^+ K^-$, arXiv:1604.01525, to appear in JHEP.
- [85] LHCb collaboration, R. Aaij et al., Search for violations of Lorentz invariance and CPT symmetry in $B^0_{(s)}$ mixing, Phys. Rev. Lett. **116** (2016) 241601, arXiv:1603.04804.
- [86] LHCb collaboration, R. Aaij et al., Observations of $\Lambda_b^0 \to \Lambda K^+\pi^-$ and $\Lambda_b^0 \to \Lambda K^+K^-$ decays and searches for other Λ_b^0 and Ξ_b^0 decays to Λh^+h^- final states, JHEP **05** (2016) 081, arXiv:1603.00413.
- [87] LHCb collaboration, R. Aaij et al., Measurement of CP observables in $B^{\pm} \to DK^{\pm}$ and $B^{\pm} \to D\pi^{\pm}$ with two- and four-body D meson decays, arXiv:1603.08993, submitted to Phys. Lett. B.
- [88] LHCb collaboration, R. Aaij et al., Observation of the $\Lambda_b \to \Lambda \phi$ decay, Phys. Lett. B759 (2016) 282, arXiv:1603.02870.
- [89] LHCb collaboration, R. Aaij et al., Search for B_c decays to the $p\bar{p}\pi$ final state, Phys. Lett. **B759** (2016) 313, arXiv:1603.07037.
- [90] LHCb collaboration, R. Aaij et al., Observation of $\Lambda_b^0 \to \psi(2S)pK^-$ and $\Lambda_b^0 \to J\psi\pi^+\pi^-pK^-$ decays and a measurement of the Λ_b^0 baryon mass, JHEP **05** (2016) 132, arXiv:1603.06961.
- [91] LHCb collaboration, R. Aaij et al., Constraints on the unitarity triangle angle γ from Dalitz plot analysis of $B^0 \to DK^+\pi^-$ decays, arXiv:1602.03455, to appear in Phys. Rev. D.
- [92] LHCb collaboration, R. Aaij et al., Study of $\psi(2S)$ production cross-sections and cold nuclear matter effects in pPb collisions at $\sqrt{s_{\scriptscriptstyle NN}}=5~{\rm TeV}$, JHEP **03** (2016) 133, arXiv:1601.07878.
- [93] LHCb collaboration, R. Aaij et al., First observation of $D^0-\overline{D}^0$ oscillations in $D^0 \to K^+\pi^+\pi^-\pi^-$ decays and a measurement of the associated coherence parameters, Phys. Rev. Lett. **116** (2016) 241801, arXiv:1602.07224.
- [94] LHCb collaboration, R. Aaij et al., Neural-network-based same side kaon tagging algorithm calibrated with $B_s^0 \to D_s^- \pi^+$ and $B_{s2}^* (5840)^0 \to B^+ K^-$ decays, JINST 11 (2015) P05010, arXiv:1602.07252.

- [95] LHCb collaboration, R. Aaij et al., Measurement of the difference of time-integrated CP asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays, Phys. Rev. Lett. 116 (2016) 191601, arXiv:1602.03160.
- [96] LHCb collaboration, R. Aaij et al., First observation of the rare $B^+ \to D^+ K^+ \pi^-$ decay, Phys. Rev. **D93** (2015) 051101(R), Erratum ibid. **D93** (2016) 119902, arXiv:1512.02494.
- EXAMPLE 2830 [97] LHCb collaboration, R. Aaij et al., Measurement of the inclusive $B_s^0 \to D_s^{(*)+} D_s^{(*)-}$ EXAMPLE 2831 branching fraction, Phys. Rev. **D93** (2016) 092008, arXiv:1602.07543.
- ESS2 [98] LHCb collaboration, R. Aaij et al., Study of D_{sJ}^+ mesons decaying to $D^{*+}K_S^0$ and $D^{*0}K^+$ final states, JHEP **02** (2015) 133, arXiv:1601.01495.
- ES34 [99] LHCb collaboration, R. Aaij et al., Angular analysis of the $B^0 \to K^{*0}\mu^+\mu^-$ decay using 3 fb⁻¹ of integrated luminosity, JHEP **02** (2016) 104, arXiv:1512.04442.
- [100] LHCb collaboration, R. Aaij et al., Observation of $B^0_s \to \overline{D}^0 K^0_S$ and evidence for $B^0_s \to \overline{D}^{*0} K^0_S$ decays, Phys. Rev. Lett. **116** (2016) 161802, arXiv:1603.02408.
- E338 [101] LHCb collaboration, R. Aaij et al., Measurement of forward W and Z boson production in pp collisions at $\sqrt{s}=8$ TeV, JHEP **01** (2015) 155, arXiv:1511.08039.
- [102] LHCb collaboration, R. Aaij et al., Search for the lepton-flavour violating decay $D^0 \rightarrow e^{\pm}\mu^{\mp}$, Phys. Lett. **B754** (2015) 167, arXiv:1512.00322.
- ⁸⁴² [103] LHCb collaboration, R. Aaij et al., Evidence for the strangeness-changing weak decay $\Xi_b^- \to \Lambda_b^0 \pi^-$, Phys. Rev. Lett. **115** (2015) 241801, arXiv:1510.03829.
- [104] LHCb collaboration, R. Aaij et al., Production of associated Υ and open charm hadrons in pp collisions at $\sqrt{s}=7$ and 8 TeV via double parton scattering, arXiv:1510.05949, submitted to JHEP.
- ⁸⁴⁷ [105] LHCb collaboration, R. Aaij et al., Forward production of Υ mesons in pp collisions at $\sqrt{s}=7$ and 8 TeV, JHEP 11 (2015) 103, arXiv:1509.02372.
- [106] LHCb collaboration, R. Aaij et al., Search for the decays $B^0 \to J/\psi \gamma$ and $B_s^0 \to J/\psi \gamma$, Phys. Rev. **D92** (2015) 112002, arXiv:1510.04866.
- ESI [107] LHCb collaboration, R. Aaij et al., First observation of the decay $D^0 \to K^-\pi^+\mu^+\mu^$ in the $\rho^0 - \omega$ region of the dimuon mass spectrum, Phys. Lett. **B757** (2016) 558, arXiv:1510.08367.
- EXAMPLE 108] LHCb collaboration, R. Aaij et al., Model-independent measurement of mixing parameters in $D^0 \to K_S^0 \pi^+ \pi^-$ decays, JHEP **04** (2016) 033, arXiv:1510.01664.
- ELHCb collaboration, R. Aaij et al., Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, JHEP **03** (2016) 159, arXiv:1510.01707.
- ESS [110] LHCb collaboration, R. Aaij et al., Measurement of two-particle correlations in proton-ion collisions at $\sqrt{s_{\scriptscriptstyle NN}}=5~TeV$, arXiv:1512.00439, submitted to Phys.Lett.B.

- [111] LHCb collaboration, R. Aaij et al., Measurement of the forward-backward asymmetry in $Z/\gamma^* \to \mu^+\mu^-$ decays and determination of the effective weak mixing angle, JHEP 11 (2015) 190, arXiv:1509.07645.
- Eq. [112] LHCb collaboration, R. Aaij et al., A model-independent confirmation of the $Z(4430)^-$ state, Phys. Rev. **D92** (2015) 112009, arXiv:1510.01951.
- ELHCb collaboration, R. Aaij et al., Measurement of forward J/ψ production cross-sections in pp collisions at $\sqrt{s}=13~TeV$, JHEP **10** (2015) 172, arXiv:1509.00771.
- [114] LHCb collaboration, R. Aaij et al., Search for hidden-sector bosons in $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decays, Phys. Rev. Lett. 115 (2015) 161802, arXiv:1508.04094.
- [115] LHCb collaboration, R. Aaij et al., First measurement of the differential branching fraction and CP asymmetry of the $B^+ \to \pi^+ \mu^+ \mu^-$ decay, JHEP **10** (2015) 034, arXiv:1509.00414.
- [116] LHCb collaboration, R. Aaij et al., Measurement of CP violation parameters and polarisation fractions in $B_s^0 \to J/\psi \overline{K}^{*0}$ decays, JHEP 11 (2015) 082, arXiv:1509.00400.
- ETA [117] LHCb collaboration, R. Aaij et al., Observation of the $B_s \to J/\psi \phi \phi$ decay, JHEP 03 (2016) 040, arXiv:1601.05284.
- ETRE [118] LHCb collaboration, R. Aaij et al., Study of the productions of Λ_b^0 and \bar{B}^0 hadrons in pp collisions and first measurement of the $\Lambda_b^0 \to J/\psi p K^-$ branching fraction, Chin. Phys. C **40** (2015) 011001, arXiv:1509.00292.
- EXAMPLE 2881 [119] LHCb collaboration, R. Aaij et al., A precise measurement of the B^0 meson oscillation frequency, arXiv:1604.03475, submitted to Eur. Phys. J. C.
- ⁸⁸³ [120] LHCb collaboration, R. Aaij et al., Measurement of the time-integrated CP asymmetry in $D^0 \to K_S^0 K_S^0$ decays, JHEP **10** (2015) 055, arXiv:1508.06087.
- ENSE [121] LHCb collaboration, R. Aaij et al., Measurement of the $B^0_s \to \phi \phi$ branching fraction and search for the decay $B^0 \to \phi \phi$, JHEP 10 (2015) 053, arXiv:1508.00788.
- ENT [122] LHCb collaboration, R. Aaij et al., B flavour tagging using charm decays at the LHCb experiment, JINST 10 (2015) P10005, arXiv:1507.07892.
- [123] LHCb collaboration, R. Aaij et al., Studies of the resonance structure in $D^0 \rightarrow K_S^0 K^{\pm} \pi^{\mp}$ decays, Phys. Rev. **D93** (2016) 052018, arXiv:1509.06628.
- [124] LHCb collaboration, R. Aaij et al., Measurement of the ratio of branching fractions $\mathcal{B}(\overline{B}^0 \to D^{*+}\tau^-\overline{\nu}_{\tau})/\mathcal{B}(\overline{B}^0 \to D^{*+}\mu^-\overline{\nu}_{\mu})$, Phys. Rev. Lett. **115** (2015) 111803, arXiv:1506.08614.
- ENGLY ENERGY ENERGY IN THE BOTH SHOPE IN THE BO

- EPROOF [126] LHCb collaboration, R. Aaij et al., Angular analysis and differential branching fraction of the decay $B_s^0 \to \phi \mu^+ \mu^-$, JHEP **09** (2015) 179, arXiv:1506.08777.
- [127] LHCb collaboration, R. Aaij et al., First observation of top quark production in the forward region, Phys. Rev. Lett. 115 (2015) 112001, arXiv:1506.00903.
- [128] LHCb collaboration, R. Aaij et al., Study of W boson production in association with beauty and charm, Phys. Rev. **D92** (2015) 052012, arXiv:1505.04051.
- [129] LHCb collaboration, R. Aaij et al., Study of $B^- \to DK^-\pi^+\pi^-$ and $B^- \to D\pi^-\pi^+\pi^-$ decays and determination of the CKM angle γ , Phys. Rev. **D92** (2015) 112005, arXiv:1505.07044.
- 906 [130] LHCb collaboration, R. Aaij et al., Search for the $\Lambda_b^0 \to \Lambda \eta$ and $\Lambda_b^0 \to \Lambda \eta'$ decays 907 with the LHCb detector, JHEP **09** (2015) 006, arXiv:1505.03295.
- [131] LHCb collaboration, R. Aaij et al., First observation of the decay $B_s^0 \to K_S^0 K^*(892)^0$, JHEP **01** (2015) 012, arXiv:1506.08634.
- 910 [132] LHCb collaboration, R. Aaij et al., Amplitude analysis of $B^0 \to \overline{D}^0 K^+ \pi^-$ decays, 911 Phys. Rev. **D92** (2015) 012012, arXiv:1505.01505.
- [133] LHCb collaboration, R. Aaij et al., Identification of beauty and charm quark jets at
 LHCb, JINST 10 (2015) P06013, arXiv:1504.07670.
- [134] LHCb collaboration, R. Aaij et al., Quantum numbers of the X(3872) state and orbital angular momentum in its $\rho^0 J/\psi$ decays, Phys. Rev. **D92** (2015) 011102(R), arXiv:1504.06339.
- [135] LHCb collaboration, R. Aaij et al., A study of CP violation in $B^{\mp} \to Dh^{\mp}$ ($h = K, \pi$) with the modes $D \to K^{\mp}\pi^{\pm}\pi^{0}$, $D \to \pi^{+}\pi^{-}\pi^{0}$ and $D \to K^{+}K^{-}\pi^{0}$, Phys. Rev. **D91** (2015) 112014, arXiv:1504.05442.
- [136] LHCb collaboration, R. Aaij et al., Determination of the quark coupling strength $|V_{ub}|$ using baryonic decays, Nature Physics 11 (2015) 743, arXiv:1504.01568.
- [137] LHCb collaboration, R. Aaij et al., Search for the decay $B_s^0 \to \overline{D}^0 f_0(980)$, JHEP **08** (2015) 005, arXiv:1505.01654.
- [138] LHCb collaboration, R. Aaij et al., Measurement of the exclusive $\Upsilon(nS)$ production cross-section in pp collisions at $\sqrt{s}=7$ TeV and 8 TeV, JHEP **09** (2015) 084, arXiv:1505.08139.
- [139] LHCb collaboration, R. Aaij et al., Observation of the decay $\overline{B}_s^0 \to \psi(2S)K^+\pi^-$, Phys. Lett. **B747** (2015) 484, arXiv:1503.07112.
- [140] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular analysis of $\Lambda_b^0 \to \Lambda \mu^+ \mu^-$ decays, JHEP **06** (2015) 115, arXiv:1503.07138.
- [141] LHCb collaboration, R. Aaij et al., First observation and measurement of the branching fraction for the decay $B_s^0 \to D_s^{*\mp} K^{\pm}$, JHEP **06** (2015) 130, arXiv:1503.09086.

- [142] LHCb collaboration, R. Aaij et al., First observation and amplitude analysis of the $B^- \to D^+ K^- \pi^-$ decay, Phys. Rev. **D91** (2015) 092002, Erratum ibid. **D93** (2016) 119901, arXiv:1503.02995.
- [143] LHCb collaboration, R. Aaij et al., Observation of the $B^0 \to \rho^0 \rho^0$ decay from an amplitude analysis of $B^0 \to (\pi^+\pi^-)(\pi^+\pi^-)$ decays, Phys. Lett. **B747** (2015) 468, arXiv:1503.07770.
- [144] LHCb collaboration, R. Aaij et al., Measurement of the time-dependent CP asymmetries in $B_s^0 \to J/\psi K_S^0$, JHEP **06** (2015) 131, arXiv:1503.07055.
- ⁹⁴¹ [145] LHCb collaboration, R. Aaij et al., Measurement of CP violation in $B^0 \to J/\psi K_S^0$ ⁹⁴² decays, Phys. Rev. Lett. **115** (2015) 031601, arXiv:1503.07089.
- LHCb collaboration, R. Aaij et al., Measurement of $Z \rightarrow e^+e^-$ production at $\sqrt{s} = 8$ TeV, JHEP **05** (2015) 109, arXiv:1503.00963.
- [147] LHCb collaboration, R. Aaij et al., Search for long-lived heavy charged particles
 using a ring-imaging Cherenkov technique at LHCb, Eur. Phys. J. C75 (2015) 595,
 arXiv:1506.09173.
- LHCb collaboration, R. Aaij et al., Measurement of the forward Z boson cross-section in pp collisions at $\sqrt{s} = 7$ TeV, JHEP **08** (2015) 039, arXiv:1505.07024.
- ⁹⁵⁰ [149] LHCb collaboration, R. Aaij et al., Dalitz plot analysis of $B^0 \to \overline{D}^0 \pi^+ \pi^-$ decays, ⁹⁵¹ Phys. Rev. **D92** (2015) 032002, arXiv:1505.01710.
- ⁹⁵² [150] LHCb collaboration, R. Aaij et al., Measurement of indirect CP asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays, JHEP **04** (2015) 043, arXiv:1501.06777.
- [151] LHCb collaboration, R. Aaij et al., Measurement of CP asymmetries and polarisation fractions in $B_s^0 \to K^{*0} \overline{K}^{*0}$ decays, JHEP **07** (2015) 166, arXiv:1503.05362.
- ⁹⁵⁶ [152] LHCb collaboration, R. Aaij et al., Precise measurements of the properties of the $B_1(5721)^{0,+}$ and $B_2^*(5747)^{0,+}$ states and observation of structure at higher invariant mass in the $B^+\pi^-$ and $B^0\pi^+$ spectra, JHEP **04** (2015) 024, arXiv:1502.02638.
- ⁹⁵⁹ [153] LHCb collaboration, R. Aaij et al., Angular analysis of the $B^0 \to K^{*0}e^+e^-$ decay in the low- q^2 region, JHEP **04** (2015) 064, arXiv:1501.03038.
- ⁹⁶¹ [154] LHCb collaboration, R. Aaij et al., Observation of the $B_s^0 \to \eta' \eta'$ decay, Phys. Rev. Lett. **115** (2015) 051801, arXiv:1503.07483.
- [155] LHCb collaboration, R. Aaij et al., Determination of the branching fractions of $B_s^0 \to D_s^{\mp} K^{\pm}$ and $B^0 \to D_s^{-} K^{+}$, JHEP **02** (2015) 029, arXiv:1412.7654.
- ⁹⁶⁵ [156] LHCb collaboration, R. Aaij et al., Study of the rare B_s^0 and B^0 decays into the $\pi^+\pi^-\mu^+\mu^-$ final state, Phys. Lett. **B743** (2015) 46, arXiv:1412.6433.
- [157] LHCb collaboration, R. Aaij et al., Search for long-lived particles decaying to jet
 pairs, Eur. Phys. J. C75 (2014) 152, arXiv:1412.3021.

- ⁹⁶⁹ [158] LHCb collaboration, R. Aaij et al., Observation of two new Ξ_b^- baryon resonances, Phys. Rev. Lett. **114** (2015) 062004, arXiv:1411.4849.
- ⁹⁷¹ [159] LHCb collaboration, R. Aaij et al., Measurement of the lifetime of the B_c^+ meson using the $B_c^+ \to J/\psi \pi^+$ decay mode, Phys. Lett. **B742** (2015) 29, arXiv:1411.6899.
- [160] LHCb collaboration, R. Aaij et al., Precision measurement of CP violation in $B_s^0 \to J/\psi K^+K^-$ decays, Phys. Rev. Lett. **114** (2015) 041801, arXiv:1411.3104.
- [161] LHCb collaboration, R. Aaij et al., Measurement of the CP-violating phase β in $\overline{B}^0 \to J/\psi \pi^+ \pi^-$ decays and limits on penguin effects, Phys. Lett. **B742** (2015) 38, arXiv:1411.1634.
- ⁹⁷⁸ [162] LHCb collaboration, R. Aaij et al., Measurement of the inelastic pp cross-section at a centre-of-mass energy of $\sqrt{s}=7$ TeV, JHEP **02** (2014) 029, arXiv:1412.2500.
- [163] LHCb collaboration, R. Aaij et al., Study of η - η' mixing from measurement of $B^0_{(s)} \to J/\psi \eta^{(\prime)}$ decay rates, JHEP **01** (2015) 024, arXiv:1411.0943.
- [164] LHCb collaboration, R. Aaij et al., Measurement of the Z+b-jet cross-section in pp collisions at $\sqrt{s}=7$ TeV in the forward region, JHEP **01** (2015) 064, arXiv:1411.1264.
- ⁹⁸⁵ [165] LHCb collaboration, R. Aaij et al., Search for CP violation in $D^0 \to \pi^- \pi^+ \pi^0$ decays with the energy test, Phys. Lett. **B740** (2015) 158, arXiv:1410.4170.
- ⁹⁸⁷ [166] LHCb collaboration, R. Aaij et al., Measurement of the semileptonic CP asymmetry in $B^0-\overline{B}^0$ mixing, Phys. Rev. Lett. **114** (2015) 041601, arXiv:1409.8586.
- ⁹⁸⁹ [167] LHCb collaboration, R. Aaij et al., Search for the lepton flavour violating decay ⁹⁹⁰ $\tau^- \to \mu^- \mu^+ \mu^-$, JHEP **02** (2015) 121, arXiv:1409.8548.
- [168] LHCb collaboration, R. Aaij et al., Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \to D_s^+ D_s^-$ decays, Phys. Rev. Lett. **113** (2014) 211801, arXiv:1409.4619.
- ⁹⁹³ [169] LHCb collaboration, R. Aaij et al., Measurement of B_c^+ production at $\sqrt{s}=8$ TeV, Phys. Rev. Lett. **114** (2014) 132001, arXiv:1411.2943.
- [170] CMS and LHCb collaborations, V. Khachatryan et al., Observation of the rare $B_s^0 \to \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data, Nature **522** (2015) 68, arXiv:1411.4413.
- ⁹⁹⁸ [171] LHCb collaboration, R. Aaij et al., Precision measurement of the mass and lifetime ⁹⁹⁹ of the Ξ_b^- baryon, Phys. Rev. Lett. **113** (2014) 242002, arXiv:1409.8568.
- 1000 [172] LHCb collaboration, R. Aaij et al., Precision luminosity measurements at LHCb,
 1001 JINST 9 (2014) P12005, arXiv:1410.0149.
- 1002 [173] LHCb collaboration, R. Aaij et al., Search for CP violation using T-odd correlations 1003 in $D^0 \to K^+K^-\pi^+\pi^-$ decays, JHEP 10 (2014) 005, arXiv:1408.1299.

- 1004 [174] LHCb collaboration, R. Aaij et al., Determination of γ and $-2\beta_s$ from charmless 1005 two-body decays of beauty mesons, Phys. Lett. **B739** (2014) 1, arXiv:1408.4368.
- [175] LHCb collaboration, R. Aaij et al., Measurement of CP violation in the three-body phase space of charmless B^{\pm} decays, Phys. Rev. **D90** (2014) 112004, arXiv:1408.5373.
- 1009 [176] LHCb collaboration, R. Aaij et al., Observation of $B_s^0 \to K^{*\pm}K^{\mp}$ and evidence of $B_s^0 \to K^{*-}\pi^+$ decays, New J. Phys. **16** (2014) 123001, arXiv:1407.7704.
- 1011 [177] LHCb collaboration, R. Aaij et al., Measurement of the \overline{B}^0 - B^0 and \overline{B}^0_s - B^0_s production asymmetries in pp collisions at $\sqrt{s}=7$ TeV, Phys. Lett. **B739** (2014) 218, arXiv:1408.0275.
- [178] LHCb collaboration, R. Aaij *et al.*, Measurement of the CKM angle γ using $B^{\pm} \to DK^{\pm}$ with $D \to K_S^0 \pi^+ \pi^-$, $K_S^0 K^+ K^-$ decays, JHEP **10** (2014) 097, arXiv:1408.2748.
- 1017 [179] LHCb collaboration, R. Aaij et al., Measurement of the $\chi_b(3P)$ mass and of the relative rate of $\chi_{b1}(1P)$ and $\chi_{b2}(1P)$ production, JHEP 10 (2014) 088, arXiv:1409.1408.
- 1020 [180] LHCb collaboration, R. Aaij et al., First observation of a baryonic B_c^+ decay, Phys. Rev. Lett. **113** (2014) 152003, arXiv:1408.0971.
- 1022 [181] LHCb collaboration, R. Aaij et al., Measurement of CP asymmetry in $B_s^0 \to D_s^{\mp} K^{\pm}$ 1023 decays, JHEP 11 (2014) 060, arXiv:1407.6127.
- 1024 [182] LHCb collaboration, R. Aaij et al., Measurement of the \overline{B}_s^0 meson lifetime in $D_s^+\pi^-$ 1025 decays, Phys. Rev. Lett. **113** (2014) 172001, arXiv:1407.5873.
- 1026 [183] LHCb collaboration, R. Aaij et al., Dalitz plot analysis of $B_s^0 \to \overline{D}^0 K^- \pi^+$ decays, Phys. Rev. **D90** (2014) 072003, arXiv:1407.7712.
- [184] LHCb collaboration, R. Aaij et al., Observation of overlapping spin-1 and spin- \overline{D}^0K^- resonances at mass 2.86 GeV/c^2 , Phys. Rev. Lett. **113** (2014) 162001, arXiv:1407.7574.
- 1031 [185] LHCb collaboration, R. Aaij et al., Evidence for CP violation in $B^+ \to p\bar{p}K^+$ decays, Phys. Rev. Lett. 113 (2014) 141801, arXiv:1407.5907.
- [186] LHCb collaboration, R. Aaij et al., Measurement of the forward W boson production cross-section in pp collisions at $\sqrt{s}=7$ TeV, JHEP 12 (2014) 079, arXiv:1408.4354.
- 1036 [187] LHCb collaboration, R. Aaij et al., Measurement of CP asymmetries in the decays $B^0 \to K^{*0}\mu^+\mu^-$ and $B^+ \to K^+\mu^+\mu^-$, JHEP **09** (2014) 177, arXiv:1408.0978.
- [188] LHCb collaboration, R. Aaij et al., Study of χ_b meson production in pp collisions at $\sqrt{s}=7$ and 8 TeV and observation of the decay $\chi_b \to \Upsilon(3S)\gamma$, Eur. Phys. J. C74 (2014) 3092, arXiv:1407.7734.

- 1041 [189] LHCb collaboration, R. Aaij et al., First observations of the rare decays $B^+ \rightarrow K^+\pi^+\pi^-\mu^+\mu^-$ and $B^+ \rightarrow \phi K^+\mu^+\mu^-$, JHEP **10** (2014) 064, arXiv:1408.1137.
- [190] LHCb collaboration, R. Aaij et al., Measurement of the $\eta_c(1S)$ production crosssection in proton-proton collisions via the decay $\eta_c(1S) \to p\overline{p}$, Eur. Phys. J. C75 (2015) 311, arXiv:1409.3612.
- 1046 [191] LHCb collaboration, R. Aaij et al., Measurement of CP violation parameters in $B^0 \to DK^{*0}$ decays, Phys. Rev. **D90** (2014) 112002, arXiv:1407.8136.
- 1048 [192] LHCb collaboration, R. Aaij et al., Observation of charmonium pairs produced exclusively in pp collisions, J. Phys. **G41** (2014) 115002, arXiv:1407.5973.
- 1050 [193] LHCb collaboration, R. Aaij et al., Measurement of CP violation in $B_s^0 \to \phi \phi$ decays, Phys. Rev. **D90** (2014) 052011, arXiv:1407.2222.
- 1052 [194] LHCb collaboration, R. Aaij et al., Measurement of the ratio of B_c^+ branching frac-1053 tions to $J/\psi\pi^+$ and $J/\psi\mu^+\nu_\mu$, Phys. Rev. **D90** (2014) 032009, arXiv:1407.2126.
- 1054 [195] LHCb collaboration, R. Aaij et al., Test of lepton universality using $B^+ \to K^+ \ell^+ \ell^-$ 1055 decays, Phys. Rev. Lett. **113** (2014) 151601, arXiv:1406.6482.
- 1056 [196] LHCb collaboration, R. Aaij et al., First measurement of the charge asym1057 metry in beauty-quark pair production, Phys. Rev. Lett. **113** (2014) 082003,
 1058 arXiv:1406.4789.
- 1059 [197] LHCb collaboration, R. Aaij et al., Observation of Z production in proton-lead collisions at LHCb, JHEP **09** (2014) 030, arXiv:1406.2885.
- 1061 [198] LHCb collaboration, R. Aaij et al., Precision measurement of the mass and lifetime of the Ξ_b^0 baryon, Phys. Rev. Lett. **113** (2014) 032001, arXiv:1405.7223.
- 1063 [199] LHCb collaboration, R. Aaij et al., Observation of the $\Lambda_b^0 \to J/\psi p\pi^-$ decay, JHEP 07 (2014) 103, arXiv:1406.0755.
- [200] LHCb collaboration, R. Aaij et al., Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi \pi^+ \pi^-$ decays, Phys. Lett. **B736** (2014) 186, arXiv:1405.4140.
- [201] LHCb collaboration, R. Aaij et al., Search for CP violation in $D^{\pm} \to K_S^0 K^{\pm}$ and $D_s^{\pm} \to K_S^0 \pi^{\pm}$ decays, JHEP 10 (2014) 025, arXiv:1406.2624.
- [202] LHCb collaboration, R. Aaij et al., Measurement of CP violation and constraints on the CKM angle γ in $B^{\pm} \to DK^{\pm}$ with $D \to K_S^0 \pi^+ \pi^-$ decays, Nucl. Phys. B888 (2014) 169, arXiv:1407.6211.
- 1072 [203] LHCb collaboration, R. Aaij *et al.*, Observation of the $B_s^0 \to J/\psi K_S^0 K^{\pm} \pi^{\mp}$ decay, JHEP **07** (2014) 140, arXiv:1405.3219.
- 1074 [204] LHCb collaboration, R. Aaij et al., Study of Υ production and cold nuclear effects 1075 in pPb collisions at $\sqrt{s_{NN}} = 5~TeV$, JHEP **07** (2014) 094, arXiv:1405.5152.

- ¹⁰⁷⁶ [205] LHCb collaboration, R. Aaij et al., Observation of the resonant character of the $Z(4430)^-$ state, Phys. Rev. Lett. **112** (2014) 222002, arXiv:1404.1903.
- 1078 [206] LHCb collaboration, R. Aaij et al., Measurement of CP asymmetry in $D^0 \to K^-K^+$ 1079 and $D^0 \to \pi^-\pi^+$ decays, JHEP **07** (2014) 041, arXiv:1405.2797.
- 1080 [207] LHCb collaboration, R. Aaij et al., Measurement of the resonant and CP components in $\overline{B}^0 \to J/\psi \pi^+ \pi^-$ decays, Phys. Rev. **D90** (2014) 012003, arXiv:1404.5673.
- [208] LHCb collaboration, R. Aaij et al., Effective lifetime measurements in the $B_s^0 \to K^+K^-$, $B^0 \to K^+\pi^-$ and $B_s^0 \to \pi^+K^-$ decays, Phys. Lett. **B736** (2014) 446, arXiv:1406.7204.
- 1085 [209] LHCb collaboration, R. Aaij et al., Measurement of the Ξ_b^- and Ω_b^- baryon lifetimes, Phys. Lett. **B736** (2014) 154, arXiv:1405.1543.
- ¹⁰⁸⁷ [210] LHCb collaboration, R. Aaij *et al.*, Evidence for the decay $B_c^+ \to J/\psi 3\pi^+ 2\pi^-$, JHEP **05** (2014) 148, arXiv:1404.0287.
- [211] LHCb collaboration, R. Aaij et al., Evidence for the decay $X(3872) \rightarrow \psi(2S)\gamma$, Nucl. Phys. **B886** (2014) 665, arXiv:1404.0275.
- [212] LHCb collaboration, R. Aaij et al., Angular analysis of charged and neutral $B \rightarrow K\mu^+\mu^-$ decays, JHEP **05** (2014) 082, arXiv:1403.8045.
- [213] LHCb collaboration, R. Aaij et al., Measurement of polarization amplitudes and CP asymmetries in $B^0 \to \phi K^*(892)^0$, JHEP **05** (2014) 069, arXiv:1403.2888.
- [214] LHCb collaboration, R. Aaij et al., Study of the kinematic dependences of Λ_b^0 production in pp collisions and a measurement of the $\Lambda_b^0 \to \Lambda_c^+ \pi^-$ branching fraction, JHEP **08** (2014) 143, arXiv:1405.6842.
- 1098 [215] LHCb collaboration, R. Aaij et al., Precision measurement of the ratio of the Λ_b^0 to \overline{B}^0 lifetimes, Phys. Lett. **B734** (2014) 122, arXiv:1402.6242.
- 1100 [216] LHCb collaboration, R. Aaij et al., Study of beauty hadron decays into pairs of charm hadrons, Phys. Rev. Lett. 112 (2014) 202001, arXiv:1403.3606.
- 1102 [217] LHCb collaboration, R. Aaij et al., Observation of photon polarization in the $b \rightarrow s\gamma$ 1103 transition, Phys. Rev. Lett. **112** (2014) 161801, arXiv:1402.6852.
- 1104 [218] LHCb collaboration, R. Aaij et al., Measurement of resonant and CP components 1105 $in \ \overline{B}_s^0 \to J/\psi \pi^+ \pi^- \ decays$, Phys. Rev. **D89** (2014) 092006, arXiv:1402.6248.
- 1106 [219] LHCb collaboration, R. Aaij et al., A study of CP violation in $B^{\pm} \to DK^{\pm}$ and 1107 $B^{\pm} \to D\pi^{\pm}$ decays with $D \to K_S^0 K^{\pm} \pi^{\mp}$ final states, Phys. Lett. **B733** (2014) 36, arXiv:1402.2982.
- 1109 [220] LHCb collaboration, R. Aaij et al., Measurement of $\psi(2S)$ polarisation in pp collisions at $\sqrt{s}=7$ TeV, Eur. Phys. J. C74 (2014) 2872, arXiv:1403.1339.

- 1111 [221] LHCb collaboration, R. Aaij et al., Measurement of Υ production in pp collisions at $\sqrt{s} = 2.76$ TeV, Eur. Phys. J. C74 (2014) 2835, arXiv:1402.2539.
- 1113 [222] LHCb collaboration, R. Aaij et al., Measurements of the B^+ , B^0 , B_s^0 meson and Λ_b^0 1114 baryon lifetimes, JHEP **04** (2014) 114, arXiv:1402.2554.
- 1115 [223] LHCb collaboration, R. Aaij et al., Search for Majorana neutrinos in $B^- \to \pi^+ \mu^- \mu^-$ 1116 decays, Phys. Rev. Lett. **112** (2014) 131802, arXiv:1401.5361.
- 1117 [224] LHCb collaboration, R. Aaij et al., Measurement of the B_c^+ meson lifetime using $B_c^+ \to J/\psi \mu^+ \nu_\mu X$ decays, Eur. Phys. J. C74 (2014) 2839, arXiv:1401.6932.
- 1119 [225] LHCb collaboration, R. Aaij et al., Observation of associated production of a Z boson 1120 with a D meson in the forward region, JHEP **04** (2014) 091, arXiv:1401.3245.
- 1121 [226] LHCb collaboration, R. Aaij et al., Searches for Λ_b^0 and Ξ_b^0 decays to $K_S^0 p \pi^-$ and $K_S^0 p K^-$ final states with first observation of the $\Lambda_b^0 \to K_S^0 p \pi^-$ decay, JHEP **04** (2014) 087, arXiv:1402.0770.
- 1124 [227] LHCb collaboration, R. Aaij et al., Measurement of the $\overline{B}^0_s \to D_s^- D_s^+$ and $\overline{B}^0_s \to D_s^- D_s^+$ effective lifetimes, Phys. Rev. Lett. **112** (2014) 111802, arXiv:1312.1217.
- 1126 [228] LHCb collaboration, R. Aaij et al., Updated measurements of exclusive J/ψ and $\psi(2S)$ production cross-sections in pp collisions at $\sqrt{s}=7$ TeV, J. Phys. **G41** (2014) 055002, arXiv:1401.3288.
- 1129 [229] LHCb collaboration, R. Aaij et al., Study of forward Z+jet production in pp collisions at $\sqrt{s}=7$ TeV, JHEP **01** (2014) 033, arXiv:1310.8197.
- 1131 [230] LHCb collaboration, R. Aaij et al., Search for CP violation in the decay $D^+ \rightarrow \pi^-\pi^+\pi^+$, Phys. Lett. **B728** (2014) 585, arXiv:1310.7953.
- 1133 [231] LHCb collaboration, R. Aaij et al., Study of beauty baryon decays to D^0ph^- and $\Lambda_c^+h^-$ final states, Phys. Rev. **D89** (2014) 032001, arXiv:1311.4823.
- 1135 [232] LHCb collaboration, R. Aaij et al., Observation of $\overline{B}_{(s)}^0 \to J/\psi f_1(1285)$ decays and 1136 measurement of the $f_1(1285)$ mixing angle, Phys. Rev. Lett. **112** (2014) 091802, arXiv:1310.2145.
- 1138 [233] LHCb collaboration, R. Aaij et al., Measurements of indirect CP asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays, Phys. Rev. Lett. **112** (2014) 041801, arXiv:1310.7201.
- 1141 [234] LHCb collaboration, R. Aaij et al., Measurement of $D^0-\overline{D}^0$ mixing parameters and search for CP violation using $D^0 \to K^+\pi^-$ decays, Phys. Rev. Lett. **111** (2013) 251801, arXiv:1309.6534.
- 1144 [235] LHCb collaboration, R. Aaij et al., Study of J/ψ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{\scriptscriptstyle NN}}=5$ TeV, JHEP **02** (2014) 072, arXiv:1308.6729.

- 1146 [236] LHCb collaboration, R. Aaij et al., Measurement of CP violation in the phase space of $B^{\pm} \to K^+K^-\pi^{\pm}$ and $B^{\pm} \to \pi^+\pi^-\pi^{\pm}$ decays, Phys. Rev. Lett. **112** (2014) 011801, arXiv:1310.4740.
- 1149 [237] LHCb collaboration, R. Aaij et al., Search for the decay $D^0 \to \pi^+\pi^-\mu^+\mu^-$, Phys. Lett. **B728** (2014) 234, arXiv:1310.2535.
- 1151 [238] LHCb collaboration, R. Aaij et al., Search for the doubly charmed baryon Ξ_{cc}^+ , JHEP 1152 12 (2013) 090, arXiv:1310.2538.
- [239] LHCb collaboration, R. Aaij et al., Measurement of the charge asymmetry in $B^{\pm} \rightarrow \phi K^{\pm}$ and search for $B^{\pm} \rightarrow \phi \pi^{\pm}$ decays, Phys. Lett. **B728** (2014) 85, arXiv:1309.3742.
- 1156 [240] LHCb collaboration, R. Aaij et al., Observation of the decay $B_c^+ \to J/\psi K^+ K^- \pi^+$, 1157 JHEP **11** (2013) 094, arXiv:1309.0587.
- 1158 [241] LHCb collaboration, R. Aaij et al., Measurement of the $B_s^0 \to \mu^+\mu^-$ branching 1159 fraction and search for $B^0 \to \mu^+\mu^-$ decays at the LHCb experiment, Phys. Rev. Lett. 1160 111 (2013) 101805, arXiv:1307.5024.
- 1161 [242] LHCb collaboration, R. Aaij et al., First observation of $\overline{B}^0 \to J/\psi K^+K^-$ and search for $\overline{B}^0 \to J/\psi \phi$ decays, Phys. Rev. **D88** (2013) 072005, arXiv:1308.5916.
- 1163 [243] LHCb collaboration, R. Aaij et al., Observation of the decay $B_c^+ \to B_s^0 \pi^+$, Phys. Rev. Lett. **111** (2013) 181801, arXiv:1308.4544.
- 1165 [244] LHCb collaboration, R. Aaij et al., Measurement of the CP asymmetry in $B^+ \rightarrow K^+\mu^+\mu^-$ decays, Phys. Rev. Lett. **111** (2013) 151801, arXiv:1308.1340.
- 1167 [245] LHCb collaboration, R. Aaij et al., Study of $B^0_{(s)} \to K^0_S h^+ h'^-$ decays with first observation of $B^0_s \to K^0_S K^\pm \pi^\mp$ and $B^0_s \to K^0_S \pi^+ \pi^-$, JHEP **10** (2013) 143, 1169 arXiv:1307.7648.
- 1170 [246] LHCb collaboration, R. Aaij et al., Model-independent search for CP violation in $D^0 \to K^-K^+\pi^+\pi^-$ and $D^0 \to \pi^-\pi^+\pi^-\pi^+$ decays , Phys. Lett. **B726** (2013) 623, arXiv:1308.3189.
- 1173 [247] LHCb collaboration, R. Aaij et al., First measurement of time-dependent CP viola-1174 tion in $B_s^0 \to K^+K^-$ decays, JHEP **10** (2013) 183, arXiv:1308.1428.
- 1175 [248] LHCb collaboration, R. Aaij et al., Observation of a resonance in $B^+ \to K^+ \mu^+ \mu^-$ 1176 decays at low recoil, Phys. Rev. Lett. **111** (2013) 112003, arXiv:1307.7595.
- 1177 [249] LHCb collaboration, R. Aaij et al., First evidence for the two-body charmless baryonic decay $B^0 \to p\overline{p}$, JHEP **10** (2013) 005, arXiv:1308.0961.
- [250] LHCb collaboration, R. Aaij et al., Measurement of form-factor-independent observables in the decay $B^0 \to K^{*0}\mu^+\mu^-$, Phys. Rev. Lett. **111** (2013) 191801, arXiv:1308.1707.

- 1182 [251] LHCb collaboration, R. Aaij et al., Observation of $B_s^0 \overline{B}_s^0$ mixing and measurement of mixing frequencies using semileptonic B decays, Eur. Phys. J. C73 (2013) 2655, arXiv:1308.1302.
- 1185 [252] LHCb collaboration, R. Aaij et al., Branching fraction and CP asymmetry of the decays $B^+ \to K_S^0 \pi^+$ and $B^+ \to K_S^0 K^+$, Phys. Lett. **B726** (2013) 646, arXiv:1308.1277.
- 1188 [253] LHCb collaboration, R. Aaij et al., Measurement of the flavour-specific CP-violating asymmetry $a_{\rm sl}^s$ in B_s^0 decays, Phys. Lett. **B728** (2014) 607, arXiv:1308.1048.
- 1190 [254] LHCb collaboration, R. Aaij et al., Precision measurement of the Λ_b^0 baryon lifetime, 1191 Phys. Rev. Lett. **111** (2013) 102003, arXiv:1307.2476.
- 1192 [255] LHCb collaboration, R. Aaij et al., Studies of the decays $B^+ \to p\overline{p}h^+$ and observation of $B^+ \to \overline{\Lambda}(1520)p$, Phys. Rev. **D88** (2013) 052015, arXiv:1307.6165.
- [256] LHCb collaboration, R. Aaij et al., Search for the lepton-flavour-violating decays $B_s^0 \to e^{\pm}\mu^{\mp}$ and $B^0 \to e^{\pm}\mu^{\mp}$, Phys. Rev. Lett. **111** (2013) 141801, arXiv:1307.4889.
- 1197 [257] LHCb collaboration, R. Aaij et al., Searches for $B^0_{(s)} \to J/\psi p\overline{p}$ and $B^+ \to J/\psi p\overline{p}\pi^+$ 1198 decays, JHEP **09** (2013) 006, arXiv:1306.4489.
- 1199 [258] LHCb collaboration, R. Aaij et al., Measurement of the relative rate of prompt χ_{c0} , χ_{c1} and χ_{c2} production at $\sqrt{s} = 7$ TeV, JHEP **10** (2013) 115, arXiv:1307.4285.
- [259] LHCb collaboration, R. Aaij et al., Measurement of CP violation in the phase space of $B^{\pm} \rightarrow K^{\pm}\pi^{+}\pi^{-}$ and $B^{\pm} \rightarrow K^{\pm}K^{+}K^{-}$ decays, Phys. Rev. Lett. **111** (2013) 101801, arXiv:1306.1246.
- 1204 [260] LHCb collaboration, R. Aaij et al., Study of D_J meson decays to $D^+\pi^-$, $D^0\pi^+$ and $D^{*+}\pi^-$ final states in pp collisions, JHEP **09** (2013) 145, arXiv:1307.4556.
- [261] LHCb collaboration, R. Aaij et al., Measurement of the differential branching fraction of the decay $\Lambda_b^0 \to \Lambda \mu^+ \mu^-$, Phys. Lett. **B725** (2013) 25, arXiv:1306.2577.
- 1208 [262] LHCb collaboration, R. Aaij et al., Observation of $B_s^0 \to \chi_{c1} \phi$ decay and study of $B^0 \to \chi_{c1,2} K^{*0}$ decays, Nucl. Phys. **B874** (2013) 663, arXiv:1305.6511.
- 1210 [263] LHCb collaboration, R. Aaij et al., Measurement of the polarization amplitudes in $B^0 \to J/\psi K^*(892)^0$ decays, Phys. Rev. **D88** (2013) 052002, arXiv:1307.2782.
- [264] LHCb collaboration, R. Aaij et al., Measurements of the branching fractions of the decays $B_s^0 \to \overline{D}^0 K^- \pi^+$ and $B^0 \to \overline{D}^0 K^+ \pi^-$, Phys. Rev. **D87** (2013) 112009, arXiv:1304.6317.
- 1215 [265] LHCb collaboration, R. Aaij et al., First observation of the decay $B_c^+ \to J/\psi K^+$, 1216 JHEP **09** (2013) 075, arXiv:1306.6723.
- [266] LHCb collaboration, R. Aaij et al., A measurement of the CKM angle γ from a combination of $B^{\pm} \rightarrow Dh^{\pm}$ analyses, Phys. Lett. **B726** (2013) 151, arXiv:1305.2050.

- 1219 [267] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular 1220 analysis of the decay $B^0 \to K^{*0} \mu^+ \mu^-$, JHEP **08** (2013) 131, arXiv:1304.6325.
- 1221 [268] LHCb collaboration, R. Aaij et al., First observation of CP violation in the decays of B_s^0 mesons, Phys. Rev. Lett. 110 (2013) 221601, arXiv:1304.6173.
- [269] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular analysis of the decay $B_s^0 \to \phi \mu^+ \mu^-$, JHEP **07** (2013) 084, arXiv:1305.2168.
- 1225 [270] LHCb collaboration, R. Aaij et al., Production of J/ψ and Υ mesons in pp collisions at $\sqrt{s}=8$ TeV, JHEP **06** (2013) 064, arXiv:1304.6977.
- 1227 [271] LHCb collaboration, R. Aaij et al., Measurement of the effective $B_s^0 \to J/\psi K_S^0$ 1228 lifetime, Nucl. Phys. **B873** (2013) 275, arXiv:1304.4500.
- 1229 [272] LHCb collaboration, R. Aaij et al., Searches for violation of lepton flavour and
 1230 baryon number in tau lepton decays at LHCb, Phys. Lett. **B724** (2013) 36,
 1231 arXiv:1304.4518.
- 1232 [273] LHCb collaboration, R. Aaij *et al.*, Search for the rare decay $D^0 \to \mu^+\mu^-$, Phys. Lett. **B725** (2013) 15, arXiv:1305.5059.
- 1234 [274] LHCb collaboration, R. Aaij et al., First observation of the decay $B_s^0 \to \phi \overline{K}^{*0}$, 1235 JHEP 11 (2013) 092, arXiv:1306.2239.
- 1236 [275] LHCb collaboration, R. Aaij et al., Precision measurement of D meson mass differences, JHEP **06** (2013) 065, arXiv:1304.6865.
- 1238 [276] LHCb collaboration, R. Aaij *et al.*, Observation of $B_c^+ \to J/\psi D_s^+$ and $B_c^+ \to J/\psi D_s^{*+}$ decays, Phys. Rev. **D87** (2013) 112012, arXiv:1304.4530.
- 1240 [277] LHCb collaboration, R. Aaij et al., Limits on neutral Higgs boson production 1241 in the forward region in pp collisions at $\sqrt{s}=7$ TeV, JHEP **05** (2013) 132, 1242 arXiv:1304.2591.
- 1243 [278] LHCb collaboration, R. Aaij et al., Measurement of J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C73 (2013) 2631, arXiv:1307.6379.
- 1245 [279] LHCb collaboration, R. Aaij et al., First measurement of the CP-violating phase in $B_s^0 \to \phi \phi$ decays, Phys. Rev. Lett. **110** (2013) 241802, arXiv:1303.7125.
- [280] LHCb collaboration, R. Aaij et al., Precision measurement of the $B_s^0 \overline{B}_s^0$ oscillation frequency in the decay $B_s^0 \to D_s^- \pi^+$, New J. Phys. **15** (2013) 053021, arXiv:1304.4741.
- 1250 [281] LHCb collaboration, R. Aaij et al., Measurement of the $B^0 \to K^{*0} e^+ e^-$ branching 1251 fraction at low dilepton mass, JHEP **05** (2013) 159, arXiv:1304.3035.
- [282] LHCb collaboration, R. Aaij et al., Measurement of B meson production crosssections in proton-proton collisions at $\sqrt{s}=7$ TeV, JHEP **08** (2013) 117, arXiv:1306.3663.

- 1255 [283] LHCb collaboration, R. Aaij et al., Search for direct CP violation in $D^0 \to h^-h^+$ 1256 modes using semileptonic B decays, Phys. Lett. **B723** (2013) 33, arXiv:1303.2614.
- [284] LHCb collaboration, R. Aaij et al., Measurement of CP violation and the B_s^0 meson decay width difference with $B_s^0 \to J/\psi K^+K^-$ and $B_s^0 \to J/\psi \pi^+\pi^-$ decays, Phys. Rev. **D87** (2013) 112010, arXiv:1304.2600.
- 1260 [285] LHCb collaboration, R. Aaij et al., Determination of the X(3872) meson quantum numbers, Phys. Rev. Lett. **110** (2013) 222001, arXiv:1302.6269.
- [286] LHCb collaboration, R. Aaij et al., Measurements of the $\Lambda_b^0 \to J/\psi \Lambda$ decay amplitudes and the Λ_b^0 polarisation in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Lett. **B724** (2013) 27, arXiv:1302.5578.
- 1265 [287] LHCb collaboration, R. Aaij *et al.*, Search for the decay $B_s^0 \to D^{*\mp}\pi^{\pm}$, Phys. Rev. **D87** (2013) 071101(R), arXiv:1302.6446.
- [288] LHCb collaboration, R. Aaij et al., Observation of the suppressed ADS modes $B^{\pm} \to [\pi^{\pm}K^{\mp}\pi^{+}\pi^{-}]_{D}K^{\pm}$ and $B^{\pm} \to [\pi^{\pm}K^{\mp}\pi^{+}\pi^{-}]_{D}\pi^{\pm}$, Phys. Lett. **B723** (2013) 44, arXiv:1303.4646.
- [289] LHCb collaboration, R. Aaij et al., Observation of the decay $B_c^+ \to \psi(2S)\pi^+$, Phys. Rev. **D87** (2013) 071103(R), arXiv:1303.1737.
- [290] LHCb collaboration, R. Aaij et al., Observations of $B_s^0 \to \psi(2S)\eta$ and $B_{(s)}^0 \to \psi(2S)\pi^+\pi^-$ decays, Nucl. Phys. **B871** (2013) 403, arXiv:1302.6354.
- 1274 [291] LHCb collaboration, R. Aaij et al., Search for CP violation in $D^+ \to \phi \pi^+$ and $D_s^+ \to K_S^0 \pi^+$ decays, JHEP **06** (2013) 112, arXiv:1303.4906.
- 1276 [292] LHCb collaboration, R. Aaij *et al.*, Search for $D^+_{(s)} \to \pi^+ \mu^+ \mu^-$ and $D^+_{(s)} \to \pi^- \mu^+ \mu^+$ 1277 decays, Phys. Lett. **B724** (2013) 203, arXiv:1304.6365.
- 1278 [293] LHCb collaboration, R. Aaij et al., First observations of $\overline{B}^0_s \to D^+D^-$, $D^+_sD^-$ and $D^0\overline{D}^0$ decays, Phys. Rev. **D87** (2013) 092007, arXiv:1302.5854.
- 1280 [294] LHCb collaboration, R. Aaij et al., Search for rare $B^0_{(s)} \to \mu^+ \mu^- \mu^+ \mu^-$ decays, Phys. Rev. Lett. **110** (2013) 211801, arXiv:1303.1092.
- [295] LHCb collaboration, R. Aaij et al., Measurements of the Λ_b^0 , Ξ_b^- , and Ω_b^- baryon masses, Phys. Rev. Lett. **110** (2013) 182001, arXiv:1302.1072.
- [296] LHCb collaboration, R. Aaij et al., Measurements of the branching fractions of $B^+ \to p\bar{p}K^+$ decays, Eur. Phys. J. C73 (2013) 2462, arXiv:1303.7133.
- 1286 [297] LHCb collaboration, R. Aaij *et al.*, Study of $B^0 \to D^{*-}\pi^+\pi^-\pi^+$ and $B^0 \to D^{*-}K^+\pi^-\pi^+$ decays, Phys. Rev. **D87** (2013) 092001, arXiv:1303.6861.
- 1288 [298] LHCb collaboration, R. Aaij et al., Analysis of the resonant components in $\overline{B}^0 \to J/\psi \pi^+ \pi^-$, Phys. Rev. **D87** (2013) 052001, arXiv:1301.5347.

- [299] LHCb collaboration, R. Aaij et al., Exclusive J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s}=7$ TeV, J. Phys. **G40** (2013) 045001, arXiv:1301.7084.
- [300] LHCb collaboration, R. Aaij et al., First evidence for the decay $B_s^0 \to \mu^+\mu^-$, Phys. Rev. Lett. **110** (2013) 021801, arXiv:1211.2674.
- [301] LHCb collaboration, R. Aaij et al., Measurement of CP observables in $B^0 \to DK^{*0}$ with $D \to K^+K^-$, JHEP **03** (2013) 067, arXiv:1212.5205.
- [302] LHCb collaboration, R. Aaij et al., Prompt charm production in pp collisions at $\sqrt{s} = 7$ TeV, Nucl. Phys. **B871** (2013) 1, arXiv:1302.2864.
- [303] LHCb collaboration, R. Aaij et al., Amplitude analysis and branching fraction measurement of $\overline{B}_s^0 \to J/\psi K^+ K^-$, Phys. Rev. **D87** (2013) 072004, arXiv:1302.1213.
- 1300 [304] LHCb collaboration, R. Aaij et al., Measurement of J/ψ production in pp collisions at $\sqrt{s}=2.76$ TeV, JHEP **02** (2013) 041, arXiv:1212.1045.
- 1302 [305] LHCb collaboration, R. Aaij et al., Observation of $D^0-\overline{D}^0$ oscillations, Phys. Rev. Lett. **110** (2013) 101802, arXiv:1211.1230.
- [306] LHCb collaboration, R. Aaij et al., Measurement of the fragmentation fraction ratio f_s/f_d and its dependence on B meson kinematics, JHEP **04** (2013) 001, arXiv:1301.5286.
- 1307 [307] LHCb collaboration, R. Aaij et al., Measurement of the cross-section for $Z \to e^+e^-$ 1308 production in pp collisions at $\sqrt{s} = 7$ TeV, JHEP **02** (2013) 106, arXiv:1212.4620.
- 1309 [308] LHCb collaboration, R. Aaij et al., Measurement of the time-dependent CP asym-1310 $metry~in~B^0 \rightarrow J/\psi~K_S^0~decays$, Phys. Lett. **B721** (2013) 24, arXiv:1211.6093.
- 1311 [309] LHCb collaboration, R. Aaij et al., Measurement of the forward energy flow in pp collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. **C73** (2013) 2421, arXiv:1212.4755.
- [310] LHCb collaboration, R. Aaij et al., First observation of the decays $\overline{B}_{(s)}^{0} \rightarrow D_{s}^{+}K^{-}\pi^{+}\pi^{-}$ and $\overline{B}_{s}^{0} \rightarrow D_{s1}(2536)^{+}\pi^{-}$, Phys. Rev. **D86** (2012) 112005, arXiv:1211.1541.
- 1316 [311] LHCb collaboration, R. Aaij et al., Measurement of the $B^0-\overline{B}^0$ oscillation frequency Δm_d with the decays $B^0 \to D^-\pi^+$ and $B^0 \to J/\psi K^{*0}$, Phys. Lett. **B719** (2013) 318, arXiv:1210.6750.
- 1319 [312] LHCb collaboration, R. Aaij et al., and A. Bharucha et al., Implications of LHCb measurements and future prospects, Eur. Phys. J. C73 (2013) 2373, arXiv:1208.3355.
- [313] LHCb collaboration, R. Aaij et al., First observation of the decay $B_{s2}^*(5840)^0 \rightarrow B^{*+}K^-$ and studies of excited B_s^0 mesons, Phys. Rev. Lett. **110** (2013) 151803, arXiv:1211.5994.
- 1325 [314] LHCb collaboration, R. Aaij et al., A study of the Z production cross-section in pp col-1326 lisions at $\sqrt{s} = 7$ TeV using tau final states, JHEP **01** (2013) 111, arXiv:1210.6289.

- 1327 [315] LHCb collaboration, R. Aaij et al., Measurements of B_c^+ production and mass with the $B_c^+ \to J/\psi \pi^+$ decay, Phys. Rev. Lett. **109** (2012) 232001, arXiv:1209.5634.
- [316] LHCb collaboration, R. Aaij et al., A model-independent Dalitz plot analysis of $B^{\pm} \rightarrow DK^{\pm}$ with $D \rightarrow K_S^0 h^+ h^-$ ($h = \pi, K$) decays and constraints on the CKM angle γ , Phys. Lett. **B718** (2012) 43, arXiv:1209.5869.
- 1332 [317] LHCb collaboration, R. Aaij et al., Measurement of the D^{\pm} production asymmetry 1333 in 7 TeV pp collisions, Phys. Lett. **B718** (2013) 902, arXiv:1210.4112.
- 1334 [318] LHCb collaboration, R. Aaij et al., First evidence for the annihilation decay mode $B^+ \to D_s^+ \phi$, JHEP **02** (2013) 043, arXiv:1210.1089.
- 1336 [319] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular 1337 analysis of the $B^+ \to K^+ \mu^+ \mu^-$ decay, JHEP **02** (2013) 105, arXiv:1209.4284.
- 1338 [320] LHCb collaboration, R. Aaij *et al.*, Search for the rare decay $K_S^0 \to \mu^+ \mu^-$, JHEP **01** (2013) 090, arXiv:1209.4029.
- 1340 [321] LHCb collaboration, R. Aaij et al., Evidence for the decay $B^0 \to J/\psi\omega$ and mea-1341 surement of the relative branching fractions of B_s^0 meson decays to $J/\psi\eta$ and $J/\psi\eta'$, 1342 Nucl. Phys. **B867** (2013) 547, arXiv:1210.2631.
- 1343 [322] LHCb collaboration, R. Aaij et al., Measurement of the CP asymmetry in $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decays, Phys. Rev. Lett. **110** (2013) 031801, arXiv:1210.4492.
- 1345 [323] LHCb collaboration, R. Aaij et al., First observation of the decay $B^+ \to \pi^+ \mu^+ \mu^-$, JHEP 12 (2012) 125, arXiv:1210.2645.
- [324] LHCb collaboration, R. Aaij et al., Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \to K^{*0}\gamma)/\mathcal{B}(B^0_s \to \phi\gamma)$ and the direct CP asymmetry in $B^0 \to K^{*0}\gamma$, Nucl. Phys. **B867** (2013) 1, arXiv:1209.0313.
- 1350 [325] LHCb collaboration, R. Aaij et al., Observation of $B^0 \to \overline{D}^0 K^+ K^-$ and evidence for $B^0_s \to \overline{D}^0 K^+ K^-$, Phys. Rev. Lett. **109** (2012) 131801, arXiv:1207.5991.
- 1352 [326] LHCb collaboration, R. Aaij et al., Measurement of the \overline{B}_s^0 effective lifetime in the $J/\psi f_0(980)$ final state, Phys. Rev. Lett. 109 (2012) 152002, arXiv:1207.0878.
- 1354 [327] LHCb collaboration, R. Aaij et al., Study of D_{sJ} decays to $D^+K_S^0$ and D^0K^+ final states in pp collisions, JHEP 10 (2012) 151, arXiv:1207.6016.
- 1356 [328] LHCb collaboration, R. Aaij et al., Measurement of the fraction of $\Upsilon(1S)$ originating from $\chi_b(1P)$ decays in pp collisions at $\sqrt{s}=7$ TeV, JHEP 11 (2012) 031, arXiv:1209.0282.
- 1359 [329] LHCb collaboration, R. Aaij et al., Measurement of the $B_s^0 \to J/\psi \overline{K}^{*0}$ branching fraction and angular amplitudes, Phys. Rev. **D86** (2012) 071102(R), arXiv:1208.0738.
- 1361 [330] LHCb collaboration, R. Aaij et al., Measurement of the effective $B_s^0 \to K^+K^-$ 1362 lifetime, Phys. Lett. **B716** (2012) 393, arXiv:1207.5993.

- 1363 [331] LHCb collaboration, R. Aaij et al., Observation of excited Λ_b^0 baryons, Phys. Rev. Lett. 109 (2012) 172003, arXiv:1205.3452.
- 1365 [332] LHCb collaboration, R. Aaij et al., Measurement of the isospin asymmetry in $B \to K^{(*)} \mu^+ \mu^-$ decays, JHEP 07 (2012) 133, arXiv:1205.3422.
- 1367 [333] LHCb collaboration, R. Aaij et al., Measurement of relative branching fractions of B decays to $\psi(2S)$ and J/ψ mesons, Eur. Phys. J. C72 (2012) 2118, arXiv:1205.0918.
- 1369 [334] LHCb collaboration, R. Aaij et al., Measurement of the D_s^+ - D_s^- production asymmetry in 7 TeV pp collisions, Phys. Lett. **B713** (2012) 186, arXiv:1205.0897.
- 1371 [335] LHCb collaboration, R. Aaij et al., Inclusive W and Z production in the forward region at $\sqrt{s}=7$ TeV, JHEP **06** (2012) 058, arXiv:1204.1620.
- 1373 [336] LHCb collaboration, R. Aaij et al., Strong constraints on the rare decays $B_s^0 \to \mu^+\mu^-$ 1374 and $B^0 \to \mu^+\mu^-$, Phys. Rev. Lett. **108** (2012) 231801, arXiv:1203.4493.
- 1375 [337] LHCb collaboration, R. Aaij et al., Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi \pi^+ \pi^-$ decays, Phys. Lett. **B713** (2012) 378, arXiv:1204.5675.
- 1377 [338] LHCb collaboration, R. Aaij et al., Analysis of the resonant components in $\overline{B}_s^0 \rightarrow J/\psi \pi^+ \pi^-$, Phys. Rev. **D86** (2012) 052006, arXiv:1204.5643.
- [339] LHCb collaboration, R. Aaij et al., Measurement of the polarization amplitudes and triple product asymmetries in the $B_s^0 \to \phi \phi$ decay, Phys. Lett. **B713** (2012) 369, arXiv:1204.2813.
- [340] LHCb collaboration, R. Aaij et al., Observation of double charm production involving open charm in pp collisions at $\sqrt{s}=7$ TeV, JHEP **06** (2012) 141, Addendum ibid. **03** (2014) 108, arXiv:1205.0975.
- 1385 [341] LHCb collaboration, R. Aaij et al., Measurement of b-hadron branching frac-1386 tions for two-body decays into charmless charged hadrons, JHEP **10** (2012) 037, 1387 arXiv:1206.2794.
- 1388 [342] LHCb collaboration, R. Aaij *et al.*, Observation of CP violation in $B^{\pm} \rightarrow DK^{\pm}$ decays, Phys. Lett. **B712** (2012) 203, Erratum ibid. **B713** (2012) 351, arXiv:1203.3662.
- 1391 [343] LHCb collaboration, R. Aaij et al., Measurement of $\psi(2S)$ meson production in pp collisions at $\sqrt{s}=7$ TeV, Eur. Phys. J. C72 (2012) 2100, arXiv:1204.1258.
- 1393 [344] LHCb collaboration, R. Aaij et al., First observation of the decay $B_c^+ \to J/\psi \pi^+ \pi^- \pi^+$, Phys. Rev. Lett. **108** (2012) 251802, arXiv:1204.0079.
- 1395 [345] LHCb collaboration, R. Aaij et al., Measurement of the B^{\pm} production cross-section 1396 in pp collisions at $\sqrt{s}=7$ TeV, JHEP **04** (2012) 093, arXiv:1202.4812.
- 1397 [346] LHCb collaboration, R. Aaij et al., Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \to K^{*0}\gamma)/\mathcal{B}(B_s^0 \to \phi\gamma)$, Phys. Rev. **D85** (2012) 112013, arXiv:1202.6267.

- 1399 [347] LHCb collaboration, R. Aaij et al., Measurement of the $B_s^0 \to J/\psi K_S^0$ branching 1400 fraction, Phys. Lett. **B713** (2012) 172, arXiv:1205.0934.
- [348] LHCb collaboration, R. Aaij et al., First observation of the decays $\overline{B}^0 \to D^+ K^- \pi^+ \pi^$ and $B^- \to D^0 K^- \pi^+ \pi^-$, Phys. Rev. Lett. **108** (2012) 161801, arXiv:1201.4402.
- 1403 [349] LHCb collaboration, R. Aaij et al., Searches for Majorana neutrinos in B^- decays, 1404 Phys. Rev. **D85** (2012) 112004, arXiv:1201.5600.
- [350] LHCb collaboration, R. Aaij et al., Measurement of prompt hadron production ratios in pp collisions at $\sqrt{s}=0.9$ and 7 TeV, Eur. Phys. J. C72 (2012) 2168, arXiv:1206.5160.
- 1408 [351] LHCb collaboration, R. Aaij et al., Measurement of Υ production in pp collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C72 (2012) 2025, arXiv:1202.6579.
- [352] LHCb collaboration, R. Aaij et al., Measurement of b-hadron masses, Phys. Lett.
 B708 (2012) 241, arXiv:1112.4896.
- [353] LHCb collaboration, R. Aaij et al., Observation of X(3872) production in pp collisions at $\sqrt{s}=7$ TeV, Eur. Phys. J. C72 (2011) 1972, arXiv:1112.5310.
- 1414 [354] LHCb collaboration, R. Aaij et al., Search for the X(4140) state in $B^+ \to J/\psi \phi K^+$ 1415 decays, Phys. Rev. **D85** (2012) 091103(R), arXiv:1202.5087.
- 1416 [355] LHCb collaboration, R. Aaij et al., Measurement of mixing and CP violation 1417 parameters in two-body charm decays, JHEP **04** (2012) 129, arXiv:1112.4698.
- [356] LHCb collaboration, R. Aaij et al., Measurement of the CP violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi f_0(980)$, Phys. Lett. **B707** (2012) 497, arXiv:1112.3056.
- [357] LHCb collaboration, R. Aaij et al., Measurement of the ratio of prompt χ_c to J/ψ production in pp collisions at $\sqrt{s}=7$ TeV, Phys. Lett. **B718** (2012) 431, arXiv:1204.1462.
- [358] LHCb collaboration, R. Aaij et al., First evidence of direct CP violation in charmless two-body decays of B_s^0 mesons, Phys. Rev. Lett. **108** (2012) 201601, arXiv:1202.6251.
- 1426 [359] LHCb collaboration, R. Aaij et al., Determination of the sign of the decay width difference in the B_s^0 system, Phys. Rev. Lett. 108 (2012) 241801, arXiv:1202.4717.
- [360] LHCb collaboration, R. Aaij et al., Opposite-side flavour tagging of B mesons at the LHCb experiment, Eur. Phys. J. C72 (2012) 2022, arXiv:1202.4979.
- 1430 [361] LHCb collaboration, R. Aaij *et al.*, Observation of $\overline{B}_s^0 \to J/\psi f_2'(1525)$ in $J/\psi K^+K^-$ 1431 final states, Phys. Rev. Lett. **108** (2012) 151801, arXiv:1112.4695.
- [362] LHCb collaboration, R. Aaij et al., Search for the rare decays $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$, Phys. Lett. **B708** (2012) 55, arXiv:1112.1600.

- [363] LHCb collaboration, R. Aaij et al., Measurements of the branching fractions and CP asymmetries of $B^{\pm} \to J/\psi \pi^{\pm}$ and $B^{\pm} \to \psi(2S)\pi^{\pm}$ decays, Phys. Rev. **D85** (2012) 091105(R), arXiv:1203.3592.
- [364] LHCb collaboration, R. Aaij et al., Evidence for CP violation in time-integrated $D^0 \rightarrow h^-h^+$ decay rates, Phys. Rev. Lett. 108 (2012) 111602, arXiv:1112.0938.
- 1439 [365] LHCb collaboration, R. Aaij et al., Measurements of the branching fractions of the decays $B_s^0 \to D_s^{\mp} K^{\pm}$ and $B_s^0 \to D_s^{-} \pi^{+}$, JHEP **06** (2012) 115, arXiv:1204.1237.
- [366] LHCb collaboration, R. Aaij et al., Measurement of the CP-violating phase ϕ_s in the decay $B_s^0 \to J/\psi \phi$, Phys. Rev. Lett. 108 (2012) 101803, arXiv:1112.3183.
- [367] LHCb collaboration, R. Aaij et al., Differential branching fraction and angular analysis of the decay $B^0 \to K^{*0} \mu^+ \mu^-$, Phys. Rev. Lett. **108** (2012) 181806, arXiv:1112.3515.
- [368] LHCb collaboration, R. Aaij et al., Measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s}=7$ TeV, Phys. Lett. **B714** (2012) 215, arXiv:1202.1080.
- 1449 [369] LHCb collaboration, R. Aaij et al., Measurement of b hadron production fractions 1450 in 7 TeV pp collisions, Phys. Rev. **D85** (2012) 032008, arXiv:1111.2357.
- 1451 [370] LHCb collaboration, R. Aaij et al., Search for CP violation in $D^+ \to K^-K^+\pi^+$ 1452 decays, Phys. Rev. **D84** (2011) 112008, arXiv:1110.3970.
- [371] LHCb collaboration, R. Aaij et al., Measurements of the branching fractions for $B_{(s)} \to D_{(s)} \pi \pi \pi$ and $\Lambda_b^0 \to \Lambda_c^+ \pi \pi \pi$, Phys. Rev. **D84** (2011) 092001, Erratum ibid. **D85** (2012) 039904, arXiv:1109.6831.
- 1456 [372] LHCb collaboration, R. Aaij et al., Absolute luminosity measurements with the LHCb detector at the LHC, JINST 7 (2012) P01010, arXiv:1110.2866.
- 1458 [373] LHCb collaboration, R. Aaij et al., Measurement of the effective $B_s^0 \to K^+K^-$ 1459 lifetime, Phys. Lett. **B707** (2012) 349, arXiv:1111.0521.
- 1460 [374] LHCb collaboration, R. Aaij et al., Observation of J/ψ -pair production in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Lett. **B707** (2012) 52, arXiv:1109.0963.
- 1462 [375] LHCb collaboration, R. Aaij et al., First observation of the decay $B_s^0 \to K^{*0} \overline{K}^{*0}$, Phys. Lett. **B709** (2012) 50, arXiv:1111.4183.
- [376] LHCb collaboration, R. Aaij et al., Measurement of charged particle multiplicities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region, Eur. Phys. J. C72 (2012) 1947, arXiv:1112.4592.
- 1467 [377] LHCb collaboration, R. Aaij et al., Measurement of the $B_s^0 \overline{B}_s^0$ oscillation frequency Δm_s in $B_s^0 \to D_s^-(3)\pi$ decays, Phys. Lett. **B709** (2012) 177, arXiv:1112.4311.

- [378] LHCb collaboration, R. Aaij *et al.*, Search for lepton number violating decays $B^+ \to \pi^- \mu^+ \mu^+$ and $B^+ \to K^- \mu^+ \mu^+$, Phys. Rev. Lett. **108** (2012) 101601, arXiv:1110.0730.
- [379] LHCb collaboration, R. Aaij et al., First observation of the decay $\overline{B}_s^0 \to D^0 K^{*0}$ and a measurement of the ratio of branching fractions $\frac{\mathcal{B}(\overline{B}_s^0 \to D^0 K^{*0})}{\mathcal{B}(\overline{B}^0 \to D^0 \rho^0)}$, Phys. Lett. **B706** (2011) 32, arXiv:1110.3676.
- [380] LHCb collaboration, R. Aaij et al., Measurement of the inclusive ϕ cross-section in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Lett. **B703** (2011) 267, arXiv:1107.3935.
- [381] LHCb collaboration, R. Aaij et al., Determination of f_s/f_d for 7 TeV pp collisions and measurement of the $B^0 \to D^-K^+$ branching fraction, Phys. Rev. Lett. 107 (2011) 211801, arXiv:1106.4435.
- 1480 [382] LHCb collaboration, R. Aaij et al., Measurement of V^0 production ratios in pp collisions at $\sqrt{s}=0.9$ and 7 TeV, JHEP **08** (2011) 034, arXiv:1107.0882.
- [383] LHCb collaboration, R. Aaij et al., Search for the rare decays $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$, Phys. Lett. **B699** (2011) 330, arXiv:1103.2465.
- 1484 [384] LHCb collaboration, R. Aaij et al., Measurement of J/ψ production in pp collisions 1485 at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C71 (2011) 1645, arXiv:1103.0423.
- ¹⁴⁸⁶ [385] LHCb collaboration, R. Aaij *et al.*, First observation of $B_s^0 \to J/\psi f_0(980)$ decays, Phys. Lett. **B698** (2011) 115, arXiv:1102.0206.
- 1488 [386] LHCb collaboration, R. Aaij et al., First observation of $\overline{B}_s^0 \to D_{s2}^{*+} X \mu^- \overline{\nu}$ decays, Phys. Lett. **B698** (2011) 14, arXiv:1102.0348.
- 1490 [387] LHCb collaboration, R. Aaij et al., Measurement of $\sigma(pp \to b\bar{b}X)$ at $\sqrt{s} = 7$ TeV 1491 in the forward region, Phys. Lett. **B694** (2010) 209, arXiv:1009.2731.
- [388] LHCb collaboration, R. Aaij et al., Prompt K_S^0 production in pp collisions at $\sqrt{s} = 0.9$ TeV, Phys. Lett. **B693** (2010) 69, arXiv:1008.3105.
- [389] LHCb collaboration, Search for structure in the $B_s^0\pi^{\pm}$ invariant mass spectrum, LHCb-CONF-2016-004.
- [390] LHCb collaboration, Study of Cold Nuclear Matter effect with prompt D^0 meson production in pPb collisions at LHCb, LHCb-CONF-2016-003.
- [391] LHCb collaboration, Measurement of the $Z \to \mu\mu$ production cross-section at forward rapidities in pp collisions at $\sqrt{s} = 13$ TeV, LHCb-CONF-2016-002.
- 1500 [392] LHCb collaboration, LHCb γ combination update from $B \to DKX$ decays, LHCb-1501 CONF-2016-001.
- [393] LHCb collaboration, Study of $\psi(2S)$ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV, LHCb-CONF-2015-005.

- 1504 [394] LHCb collaboration, First measurements of long-range near-side angular correlations 1505 $in \sqrt{s_{NN}} = 5$ TeV proton-lead collisions in the forward region, LHCb-CONF-2015-1506 004.
- 1507 [395] LHCb collaboration, Measurement of the B^0 oscillation frequency Δm_d with $B^0 \rightarrow D^{(*)-}\mu^+\nu_\mu$, LHCb-CONF-2015-003.
- 1509 [396] LHCb collaboration, Angular analysis of the $B_d^0 \to K^{*0} \mu^+ \mu^-$ decay, LHCb-CONF-1510 2015-002.
- 1511 [397] LHCb collaboration, Study of the decay $B^+ \to K^+\pi^0$ at LHCb, LHCb-CONF-2015-1512 001.
- 1513 [398] LHCb collaboration, Improved constraints on γ : CKM2014 update, LHCb-CONF-1514 2014-004.
- [399] ALICE and LHCb collaborations, Reference pp cross-sections for $\Upsilon(1S)$ studies in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV and comparisons between ALICE and LHCb results, Aug, 2014. LHCb-CONF-2014-003; ALICE-PUBLIC-2014-002.
- 1518 [400] LHCb collaboration, Measurement of the forward W boson cross-section in pp collisions at $\sqrt{s} = 7$ TeV, LHCb-CONF-2014-002.
- [401] LHCb collaboration, A search for heavy long-lived stau pair production in the LHCb detector, LHCb-CONF-2014-001.
- [402] ALICE and LHCb collaborations, Reference pp cross-sections for J/ψ studies in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV and comparisons between ALICE and LHCb results, Dec, 2013. LHCb-CONF-2013-013, ALICE-PUBLIC-2013-002.
- [403] CMS and LHCb collaborations, Combination of results on the rare decays $B_{(s)}^0 \rightarrow \mu^+\mu^-$ from the CMS and LHCb experiments, Jul, 2013. CMS-PAS-BPH-13-007, LHCb-CONF-2013-012.
- 1528 [404] LHCb collaboration, Updated average f_s/f_d b-hadron production fraction ratio for 7 TeV pp collisions, LHCb-CONF-2013-011.
- ¹⁵³⁰ [405] LHCb collaboration, Search for the $\Lambda_b^0 \to \Lambda \eta'$ decay at LHCb, LHCb-CONF-2013-1531 010.
- ¹⁵³² [406] LHCb collaboration, *CP* and up-down asymmetries in $B^{\pm} \to K^{\pm}\pi^{\mp}\pi^{\pm}\gamma$ decays, LHCb-CONF-2013-009.
- 1534 [407] LHCb collaboration, Study of the J/ψ production cross-section in proton-lead colli-1535 sions at $\sqrt{s_{NN}} = 5~TeV$, LHCb-CONF-2013-008.
- 1536 [408] LHCb collaboration, Measurement of the cross section for $Z \to \mu^+\mu^-$ production 1537 with 1.0 fb⁻¹ of pp collisions at $\sqrt{s} = 7$ TeV, LHCb-CONF-2013-007.
- 1538 [409] LHCb collaboration, A measurement of γ from a combination of $B^{\pm} \to DK^{\pm}$ 1539 analyses including first results using 2 fb⁻¹ of 2012 data, LHCb-CONF-2013-006.

- 1540 [410] LHCb collaboration, Graphical comparison of the LHCb measurements of W and Z boson production with ATLAS and CMS, LHCb-CONF-2013-005.
- [411] LHCb collaboration, Model-independent measurement of CP violation parameters in $B^{\pm} \to (K_S^0 h^+ h^-)_D K^{\pm}$ decays, LHCb-CONF-2013-004.
- 1544 [412] LHCb collaboration, A search for time-integrated CP violation in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays, LHCb-CONF-2013-003.
- 1546 [413] LHCb collaboration, Measurement of $\sigma(b\bar{b})$ with inclusive final states, LHCb-CONF-1547 2013-002.
- 1548 [414] LHCb collaboration, Measurement of the forward-central $b\bar{b}$ production asymmetry at LHCb, LHCb-CONF-2013-001.
- 1550 [415] LHCb collaboration, First look at the pPb pilot run, LHCb-CONF-2012-034.
- 1551 [416] LHCb collaboration, Optimization and calibration of the same-side kaon tagging algorithm using hadronic B_s^0 decays in 2011 data, LHCb-CONF-2012-033.
- 1553 [417] LHCb collaboration, A measurement of γ from a combination of $B^+ \to Dh^+$ 1554 analyses, LHCb-CONF-2012-032.
- 1555 [418] LHCb collaboration, Studies of $\Lambda_b^0 \to J/\psi \Lambda$ production in pp collisions at $\sqrt{s} = 7 \ TeV$, LHCb-CONF-2012-031.
- 1557 [419] LHCb collaboration, Search for the suppressed ADS modes $B^{\pm} \rightarrow [\pi^{\pm}K^{\mp}\pi^{+}\pi^{-}]_{D}K^{\pm}$ 1558 and $B^{\pm} \rightarrow [\pi^{\pm}K^{\mp}\pi^{+}\pi^{-}]_{D}\pi^{\pm}$, LHCb-CONF-2012-030.
- 1559 [420] LHCb collaboration, Measurement of the time-dependent CP-violation parameters 1560 in $B_s^0 \to D_s^{\mp} K^{\pm}$, LHCb-CONF-2012-029.
- 1561 [421] LHCb collaboration, Evidence for CP violation in $B \to KK\pi$ and $B \to \pi\pi\pi$ decays, LHCb-CONF-2012-028.
- 1563 [422] LHCb collaboration, Search for the lepton flavour violating and baryon number 1564 violating decays $\tau^- \to \overline{p}\mu^+\mu^-$ and $\tau^- \to p\mu^-\mu^-$, LHCb-CONF-2012-027.
- 1565 [423] LHCb collaboration, Performance of flavor tagging algorithms optimised for the analysis of $B_s^0 \to J/\psi \phi$, LHCb-CONF-2012-026.
- 1567 [424] LHCb collaboration, Production of J/ψ and $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ mesons at $\sqrt{s} = 8 \ TeV$, LHCb-CONF-2012-025.
- 1569 [425] LHCb collaboration, Measurement of CP observables in $B^0 \to DK^{*0}$ with $D \to K^+K^-$, LHCb-CONF-2012-024.
- 1571 [426] LHCb collaboration, Branching fraction measurements of $B_{d,s}^0$ decays to $K_S^0 hh'$ final states, including first observation of $B_s^0 \to K_S K \pi$, LHCb-CONF-2012-023.
- 1573 [427] LHCb collaboration, Measurement of the flavour-specific CP violating asymmetry $a_{\rm sl}^s$ in B_s^0 decays, LHCb-CONF-2012-022.

- 1575 [428] LHCb collaboration, First observation of $B^- \to D^0 K^- \pi^+ \pi^-$ decays to CP even 1576 final states, LHCb-CONF-2012-021.
- 1577 [429] LHCb collaboration, Observation of $\chi_b(3P)$ state at LHCb in pp collisions at $\sqrt{s} = 7 \ TeV$, LHCb-CONF-2012-020.
- 1579 [430] LHCb collaboration, Search for CP violation in $D^0 \to \pi^- \pi^+ \pi^+ \pi^-$ decays, LHCb1580 CONF-2012-019.
- [431] LHCb collaboration, Evidence for CP violation in $B \to K\pi\pi$ and $B \to KKK$ decays, LHCb-CONF-2012-018.
- 1583 [432] LHCb collaboration, Search for the rare decays $B^0_{(s)} \to \mu\mu$ at the LHC with the ATLAS, CMS and LHCb experiments, LHCb-CONF-2012-017.
- 1585 [433] LHCb collaboration, Measurement of jet production in $Z^0/\gamma^* \to \mu^+\mu^-$ events at LHCb in $\sqrt{s}=7$ TeV pp collisions, LHCb-CONF-2012-016.
- ¹⁵⁸⁷ [434] LHCb collaboration, Search for the lepton flavour violating decay $\tau^- \to \mu^+ \mu^- \mu^-$, LHCb-CONF-2012-015.
- 1589 [435] LHCb collaboration, Search for (Higgs-like) bosons decaying into long-lived exotic particles, LHCb-CONF-2012-014.
- 1591 [436] LHCb collaboration, Inclusive low mass Drell-Yan production in the forward region at $\sqrt{s} = 7$ TeV, LHCb-CONF-2012-013.
- 1593 [437] LHCb collaboration, Measurement of the forward energy flow in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the LHCb experiment, LHCb-CONF-2012-012.
- 1595 [438] LHCb collaboration, Measurement of the cross-section for $Z^0 \to e^+e^-$ production 1596 in pp collisions at $\sqrt{s} = 7$ TeV, LHCb-CONF-2012-011.
- ¹⁵⁹⁷ [439] LHCb collaboration, Search for the rare decays $B_s^0 \to \mu^+ \mu^- \mu^+ \mu^-$ and $B_d^0 \to \mu^+ \mu^- \mu^+ \mu^-$, LHCb-CONF-2012-010.
- 1599 [440] LHCb collaboration, First observations and branching fraction measurements of \overline{B}_s^0 1600 to double-charm final states, LHCb-CONF-2012-009.
- [441] LHCb collaboration, Differential branching fraction and angular analysis of the $B^0 \to K^{*0} \mu^+ \mu^- decay$, LHCb-CONF-2012-008.
- 1603 [442] LHCb collaboration, Measurement of time-dependent CP violation in charmless 1604 two-body B decays, LHCb-CONF-2012-007.
- 1605 [443] LHCb collaboration, First observation of $B^+ \to \pi^+ \mu^+ \mu^-$, LHCb-CONF-2012-006.
- 1606 [444] LHCb collaboration, Search for the $D^0 \rightarrow \mu^+\mu^-$ decay with $0.9\,fb^{-1}$ at LHCb, LHCb-CONF-2012-005.
- 1608 [445] LHCb collaboration, Measurement of the direct CP asymmetry in the $B_d^0 \to K^{*0}\gamma$ 1609 decay, LHCb-CONF-2012-004.

- [446] LHCb collaboration, Measurement of the ratio of branching fractions for $B_s^0 \to \phi \mu \mu$ and $B_s^0 \to J/\psi \phi$, LHCb-CONF-2012-003.
- [447] LHCb collaboration, Tagged time-dependent angular analysis of $B_s^0 \to J/\psi \phi$ decays at LHCb, LHCb-CONF-2012-002.
- 1614 [448] LHCb collaboration, Measurement of the effective $B_s^0 \to K^+K^-$ lifetime, LHCb-1615 CONF-2012-001.
- 1616 [449] LHCb collaboration, Measurement of the relative cross-section $\sigma(\chi_{c_2})/\sigma(\chi_{c_1})$ of prompt χ_c mesons using at LHCb, LHCb-CONF-2011-062.
- ¹⁶¹⁸ [450] LHCb collaboration, A search for time-integrated CP violation in $D^0 \to h^-h^+$ ¹⁶¹⁹ decays, LHCb-CONF-2011-061.
- ¹⁶²⁰ [451] LHCb collaboration, Measurement of the masses of the Ξ_b^- and Ω_b^- , LHCb-CONF-¹⁶²¹ 2011-060.
- [452] LHCb collaboration, Relative branching ratio measurements of charmless B^{\pm} decays to three hadrons, LHCb-CONF-2011-059.
- [453] LHCb collaboration, Measurements of the relative branching fractions of the $B^{\pm} \rightarrow p\bar{p}K^{\pm}$ decay channel including charmonium contributions, LHCb-CONF-2011-058.
- [454] LHCb collaboration, Measurements of the relative and absolute branching fractions of the decays $B_s^0 \to D_s^{\mp} K^{\pm}$ and $B_s^0 \to D_s^{-} \pi^{+}$, LHCb-CONF-2011-057.
- 1628 [455] LHCb collaboration, Combination of ϕ_s measurements from $B_s^0 \to J/\psi \phi$ and 1629 $B_s^0 \to J/\psi f_0(980)$, LHCb-CONF-2011-056.
- [456] LHCb collaboration, Measurement of the ratio of branching fractions $\mathcal{B}(B_d \to K^{*0}\gamma)/\mathcal{B}(B_s \to \phi\gamma)$ with the LHCb experiment at $\sqrt{s} = 7$ TeV, LHCb-CONF-2011-055.
- [457] LHCb collaboration, Measurement of the Charm Mixing Parameter y_{CP} in Two-Body Charm Decays, LHCb-CONF-2011-054.
- ¹⁶³⁵ [458] LHCb collaboration, Observations of Orbitally Excited $B_{(s)}^{**}$ Mesons, LHCb-CONF-¹⁶³⁶ 2011-053.
- [459] LHCb collaboration, Study of Triple Product Asymmetries in $B_s \to \phi \phi$ decays, LHCb-CONF-2011-052.
- [460] LHCb collaboration, Measurement of ϕ_s in $B_s \to J/\psi f_0(980)$, LHCb-CONF-2011-1640 051.
- [461] LHCb collaboration, Measurement of Δm_s in the decay $B_s^0 \to D_s^-(K^+K^-\pi^-)\pi^+$ using opposite-side and same-side flavour tagging algorithms, LHCb-CONF-2011-050.
- 1644 [462] LHCb collaboration, Tagged time-dependent angular analysis of $B_s \to J/\psi \phi$ decays with 337 pb⁻¹ at LHCb, LHCb-CONF-2011-049.

- ¹⁶⁴⁶ [463] LHCb collaboration, Measurement of the $B_s^0 \to J/\psi K_s^0$ branching fraction, LHCb-1647 CONF-2011-048.
- [464] CMS and LHCb collaborations, Search for the rare decay $B_s^0 \to \mu^+\mu^-$ at the LHC with the CMS and LHCb experiments, LHCb-CONF-2011-047,CMS-PAS-BPH-11-050 019.
- 1651 [465] LHCb collaboration, Measurement of the CP Violation Parameter A_{Γ} in Two-Body 1652 Charm Decays, LHCb-CONF-2011-046.
- ¹⁶⁵³ [466] LHCb collaboration, Search for X(4140) in $B^+ \rightarrow J/\psi \phi K^+$, LHCb-CONF-2011-¹⁶⁵⁴ 045.
- 1655 [467] LHCb collaboration, Evidence for the suppressed decay $B^{\pm} \to (K^{\mp}\pi^{\pm})_D K^{\pm}$, LHCb1656 CONF-2011-044.
- ¹⁶⁵⁷ [468] LHCb collaboration, Inclusive X(3872) production in pp collisions at $\sqrt{s} = 7$ TeV, LHCb-CONF-2011-043.
- [469] LHCb collaboration, Charmless charged two-body B decays at LHCb with 2011 data,
 LHCb-CONF-2011-042.
- [470] LHCb collaboration, Z cross-section measurement at $\sqrt{s}=7$ TeV using the channel $Z \to \tau \tau$, LHCb-CONF-2011-041.
- ¹⁶⁶³ [471] LHCb collaboration, First observation of $B_c^+ \to J/\psi \pi^+ \pi^- \pi^+$, LHCb-CONF-2011-¹⁶⁶⁴ 040.
- 1665 [472] LHCb collaboration, Updated measurements of W and Z production at $\sqrt{s} = 7$ TeV with the LHCb experiment, LHCb-CONF-2011-039.
- 1667 [473] LHCb collaboration, Angular analysis of $B^0 \to K^{*0} \mu^+ \mu^-$, LHCb-CONF-2011-038.
- 1668 [474] LHCb collaboration, Search for the rare decays $B^0_{(s)} \to \mu^+\mu^-$ with 300 pb⁻¹ at LHCb, LHCb-CONF-2011-037.
- ¹⁶⁷⁰ [475] LHCb collaboration, Studies of beauty baryons decaying to $D^0p\pi^-$ and D^0pK^- , LHCb-CONF-2011-036.
- [476] LHCb collaboration, Analysis of $\overline{B}^0_s \to J/\psi \, (\pi^+\pi^- \text{ and } K^+K^-)$ and the first observation of $J/\psi f_2'(1525)$, LHCb-CONF-2011-035.
- 1674 [477] LHCb collaboration, Average f_s/f_d b-hadron production fraction for 7 TeV pp collisions, LHCb-CONF-2011-034.
- 1676 [478] LHCb collaboration, Measurement of the B^{\pm} production cross-section at LHCb, LHCb-CONF-2011-033.
- 1678 [479] LHCb collaboration, A measurement of the ratio of branching fractions: $\frac{\mathcal{B}(B^{\pm}\to DK^{\pm})}{\mathcal{B}(B^{\pm}\to D\pi^{\pm})}$ 1679 for $D\to K\pi$, KK, $K\pi\pi\pi$ and $K_S^0\pi\pi$, LHCb-CONF-2011-031.

- [480] LHCb collaboration, Measurement of the Ratio of Branching Fractions $\mathcal{B}(B^{\pm} \to J/\psi \pi^{\pm})/\mathcal{B}(B^{\pm} \to J/\psi K^{\pm})$ at $\sqrt{s} = 7$ TeV with the LHCb Detector, LHCb-CONF-2011-030.
- [481] LHCb collaboration, Time integrated ratio of wrong-sign to right-sign $D^0 \to K\pi$ decays in 2010 data at LHCb, LHCb-CONF-2011-029.
- 1685 [482] LHCb collaboration, Measurement of b-hadron production fractions in 7 TeV centre-1686 of-mass energy pp collisions, LHCb-CONF-2011-028.
- [483] LHCb collaboration, Measurement of b-hadron masses with exclusive $J/\psi X$ decays in 2010 data, LHCb-CONF-2011-027.
- ¹⁶⁸⁹ [484] LHCb collaboration, Measurement of the $\psi(2S)$ production cross-section at $\sqrt{s} = 7$ TeV in LHCb, LHCb-CONF-2011-026.
- ¹⁶⁹¹ [485] LHCb collaboration, Evidence for the decay $B_s^0 \to J/\psi \overline{K}^{*0}$, LHCb-CONF-2011-025.
- [486] LHCb collaboration, First observations of the Cabibbo-suppressed decays $\overline{B}^0 \to D^+K^-\pi^+\pi^-$ and $B^- \to D^0K^-\pi^+\pi^-$, LHCb-CONF-2011-024.
- 1694 [487] LHCb collaboration, A search for time-integrated CP violation in $D^0 \to h^+h^-$ decays 1695 and a measurement of the D^0 production asymmetry, LHCb-CONF-2011-023.
- ¹⁶⁹⁶ [488] LHCb collaboration, Central exclusive dimuon production at $\sqrt{s}=7$ TeV, LHCb-¹⁶⁹⁷ CONF-2011-022.
- [489] LHCb collaboration, Measurement of the X(3872) mass with first LHCb data, LHCb-CONF-2011-021.
- 1700 [490] LHCb collaboration, A measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s} = 7$ TeV in LHCb, LHCb-CONF-2011-020.
- 1702 [491] LHCb collaboration, First observation of the decay $B_s^0 \to K^{*0} \overline{K}^{*0}$, LHCb-CONF-1703 2011-019.
- 1704 [492] LHCb collaboration, Measurement of the effective $B_s^0 \to K^+K^-$ Lifetime, LHCb-1705 CONF-2011-018.
- 1706 [493] LHCb collaboration, Measurement of the B_c^+ to B^+ production cross-section ratios at $\sqrt{s} = 7$ TeV in LHCb, LHCb-CONF-2011-017.
- ¹⁷⁰⁸ [494] LHCb collaboration, Measurement of the $\Upsilon(1S)$ production cross-section at $\sqrt{s} = 7$ TeV in LHCb, LHCb-CONF-2011-016.
- 1710 [495] LHCb collaboration, Inclusive jets and dijets in LHCb, LHCb-CONF-2011-015.
- 1711 [496] LHCb collaboration, $\mathcal{B}(B_s^0 \to \psi(2S)\phi)/\mathcal{B}(B_s^0 \to J/\psi\phi)$, LHCb-CONF-2011-014.
- [497] LHCb collaboration, Measurement of the relative yields of the decay modes $B^0 \rightarrow D^-\pi^+$, $B^0 \rightarrow D^-K^+$, $B^0 \rightarrow D^-\pi^+$, and determination of f_s/f_d for 7 TeV pp collisions, LHCb-CONF-2011-013.

- [498] LHCb collaboration, W and Z production at $\sqrt{s} = 7$ TeV with the LHCb experiment, LHCb-CONF-2011-012.
- [499] LHCb collaboration, Measurement of direct \mathcal{CP} violation in charmless charged two-body B decays at LHCb, LHCb-CONF-2011-011.
- [500] LHCb collaboration, Measurement of Δm_d in $B^0 \to D^-(K^+\pi^-\pi^-)\pi^+$, LHCb-CONF-2011-010.
- [501] LHCb collaboration, Observation of double J/ψ production in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 7$ TeV, LHCb-CONF-2011-009.
- 1723 [502] LHCb collaboration, First observation of the decay $\overline{B}_s^0 \to D^0 K^{*0}$ and measurement of the ratio of branching fractions $\frac{\mathcal{B}(\overline{B}_s^0 \to D^0 K^{*0})}{\mathcal{B}(\overline{B}_d^0 \to D^0 \rho^0)}$, LHCb-CONF-2011-008.
- [503] LHCb collaboration, Improved Measurements of the Cabibbo Favored Decays $B_{(s)} \rightarrow D_{(s)}\pi\pi\pi$ and $\Lambda_b \rightarrow \Lambda_{c\pi\pi\pi}$ Branching Fractions, LHCb-CONF-2011-007.
- 1727 [504] LHCb collaboration, Tagged time-dependent angular analysis of $B_s^0 \to J/\psi \phi$ decays with the 2010 LHCb data, LHCb-CONF-2011-006.
- [505] LHCb collaboration, Measurement of Δm_s in the decay $B_s^0 \to D_s^-(K^+K^-\pi^-)(3)\pi$, LHCb-CONF-2011-005.
- [506] LHCb collaboration, Search for CP violation in $B^0 \to J/\psi K_S^0$ decays with first LHCb data, LHCb-CONF-2011-004.
- 1733 [507] LHCb collaboration, Flavor-untagged angular analysis of $B_d^0 \to J/\psi K^*$ and $B_s^0 \to J/\psi \phi$ decays, LHCb-CONF-2011-002.
- [508] LHCb collaboration, b-hadron lifetime measurements with exclusive $b \rightarrow J/\psi X$ decays reconstructed in the 2010 data, LHCb-CONF-2011-001.
- [509] LHCb collaboration, Measurement of the inclusive ϕ cross-section in pp collisions at $\sqrt{s} = 7$ TeV with the LHCb experiment, LHCb-CONF-2010-014.
- 1739 [510] LHCb collaboration, Prompt charm production in pp collisions at $\sqrt{s}=7$ TeV, LHCb-CONF-2010-013.
- 1741 [511] LHCb collaboration, Measurements of B^0 mesons production cross-section in pp 1742 collisions at $\sqrt{s} = 7$ TeV using $B^0 \to D^{*-}\mu^+\nu_\mu X$ decays, LHCb-CONF-2010-012.
- [512] LHCb collaboration, Measurement of prompt $\overline{\Lambda}/\Lambda$ and $\overline{\Lambda}/K_{\rm S}^0$ production ratios in inelastic non-diffractive pp collisions at $\sqrt{s}=0.9$ and 7 TeV, LHCb-CONF-2010-011.
- 1746 [513] LHCb collaboration, Measurement of the J/ψ production cross-section at $\sqrt{s} = 7$ TeV in LHCb, LHCb-CONF-2010-010.
- 1748 [514] LHCb collaboration, Measurement of the \bar{p}/p ratio in LHCb at $\sqrt{s} = 900$ GeV and 7 TeV, LHCb-CONF-2010-009.

1750 [515] LHCb collaboration, Prompt K_S^0 production in pp collisions at $\sqrt{s}=900$ GeV, LHCb-CONF-2010-008.

LHCb collaboration

1752 A. N. Other¹.

1753 ¹ University of nowhere

The author list for journal publications is generated from the Membership Database shortly after 'approval to go to paper' has been given. It will be sent to you by email shortly after a paper number has been assigned. The author list should be included already at first circulation, to allow new members of the collaboration to verify that they have been included correctly. Occasionally a misspelled name is corrected, or associated institutions become full members. Therefore an updated author list will be sent to you after the final EB review of the paper. In case line numbering doesn't work well after including the authorlist, try moving the \bigskip after the last author to a separate line.

The authorship for Conference Reports should be "The LHCb collaboration", with a footnote giving the name(s) of the contact author(s), but without the full list of collaboration names.