Documentation

/home/runner/work/PA_TEST_ACTION/PA_TEST_ACTION/test.py

error

```
def test():
    return "a"
```

-> Returns a Unicode string containing the given Unicode string .

error

```
def delete_double_spaces(text):
    return text.replace('  ', ' ')
```

-> Replaces double spaces in a string with the given text .

error

```
def delete_doublon_array(array):
    return list(set(array))
```

-> Returns a list of zubute vectors

error

```
def delete_doublon_string(string):
    return ''.join(set(string))
```

-> Returns a copy of the string with all the second ellipsis .

error

```
def find_value_in_array(array, value):
    return array.index(value)
```

Documentation

-> Find the array value in array for a given value

error

```
def find_value_in_string(string, value):
    return string.index(value)
```

-> Returns the index of the value of the given string

error

```
def get_promotion_name(promotion_name):
    return promotion_name.split('_')[0]
```

-> Translates a snake_case promotion name to the name in question

error

```
def apply_pourcent_in_array(array, pourcent):
    return [x * pourcent for x in array]
# Modifier la police
```

-> Traverses the given array in a pretty list while assumes the Colour is being used .

error

```
def bonjour_test():
    print("bonjour")
```

-> Prints a Bonjours that evaluates the given string to a terminal the use

Documentation

/home/runner/work/PA_TEST_ACTION/PA_TEST_ACTION/main.py

error

```
def max_number(a, b):

    return max(a, b)

if __name__ == '__main__':

    print( (lambda a,b: a*b )(5,4) - True)
```

-> The maximum number of bytes given two strings .