EXAM 1TE717 2018-08-20

B1:



$V_+ = V_r = V_-$

KCL on V- gives:

$$\frac{V_{in} - V_-}{R_1} - \frac{V_-}{R_2} - \frac{V_- - V_o}{R_3} = 0 \iff$$

$$\frac{V_o}{R_3} = +\left(\frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3}\right) V_r - \frac{1}{R_1} V_{in} \iff$$

$$V_o = \left(1 + \frac{R_1 R_2 R_3}{R_1 + R_2}\right) V_r - \frac{R_3}{R_1} V_{in}$$

B2:

The key is to analyze the circuit for different states of the semiconductors D_1 and T_1.

i) T_1 is ON:



The capacitor is short-circuited to ground, so $V_c = 0$ and $V_{o(t)} = V_c = 0$.

This happens independently of $V_{in(t)}$ and the state of D1. And this state is valid when $V_{r(t)} > 2\,V$

ii) T_1 is OFF & D_1 is ON:



Due to the negative feedback of the OpAmp:

$V_- = V_+ \Rightarrow V_{c(t)} = V_{1-} = V_{in}(t)$

$$V_{o(t)} = V_{2-} = V_{c(t)}.$$

$$V_{o(t)} = V_{in}(t).$$

For this to be valid, we must have

$V_{T(t)} < V_{GS,th} = 2V$ (T_1 OFF) and $V_D = V_{10} - V_{c(t)} > 0.7V$ (D_1 ON)

Since $V_{10} = A_{10}(V_{1+} - V_{1-})$ and $A_{10} \approx \infty$, we get that D1 is ON if $V_{1+} - V_{1-} > \frac{V_{c(t)} + 0.7}{A_{10}} \approx 0$

Recalling that $V_{1-} = V_{c(t)}$, we conclude that D1 is ON if $V_{1+} = V_{in}(t) > V_{c(t)}$

iii) T_1 and D_1 are OFF:



$i_c(t) = 0$, So $\frac{d}{dt}V_{c(t)} = 0$ and the voltage will be kept constant.


D1 ON
D1 OFF
D1 ON
D1 OFF
D1 ON
D1 OFF
0.5
T1 is OFF
T1 is ON

B3

We want a BP filter. The filter will be of the form:



, where Z_1 and Z_2 will be determined by arranging one R, one L, and one C.

$$V_o = \frac{Z_2}{Z_1 + Z_2} V_{in} = H(j\omega) V_{in}$$

$Z_{eq} = Z_1 + Z_2$ is the total impedance, and it will remain the same regardless of how we arrange R, L and C.

$$Z_{eq} = R + \frac{1}{j\omega C} + j\omega L.$$

$$H(j\omega) = \frac{Z_2}{R + \frac{1}{j\omega C} + j\omega L}$$

BP filter means: $H(0) = 0$, $H(\infty) = \infty$
i) ii)

i) $H(0) = \frac{Z_2(0)}{R + \frac{1}{j\omega C} + j\omega L} \simeq \frac{Z_2(0)}{\frac{1}{j\omega C}} = \frac{Z_2}{\frac{1}{j\omega C}} = j\omega C Z_2 = 0$

This means Z_2 cannot have C in it!

ii) $H(\infty) = \frac{Z_2}{R + \frac{1}{j\omega C} + j\omega L} \simeq \frac{Z_2}{j\omega L} = 0$. So Z_2 cannot have L in it!

$\therefore Z_2 = R$