Instructions

Uppsala University

Department of Information Technology

Artificial Intelligence

Instructions: Read through the complete exam and note below any unclear directives before you start solving the questions. **If you find any unclear directives, then please note the question number and explain what you think is unclear.**

This is a **closed book** exam. You are NOT allowed to use any other aids (e.g. course material, notes, mobile phones). The exam is **individual**: you are NOT allowed to get help from other people to answer the questions. Cheating will be reported in accordance with university regulations.

Grading scale. 0-49 pts. (U), 50-69 pts. (3), 70-84 pts. (4), 85-100 pts. (5)

There are 15 multiple-choice questions, each worth 2 points (30 points total). There are 7 problem-style questions, each worth 10 points (70 points total), some of which are divided into 2 parts.

Fill in your answer here

1 Ant Colony Optimisation

What is the primary concept behind Ant Colony Optimisation?
Select one alternative:


- Simulating the behaviour of ants to build complex structures
- Modelling the behaviour of ants to create realistic video game characters
- Simulating the behaviour of ants to find the shortest path
- Using ant behaviour to predict weather patterns
- Using ant behaviour to solve complex mathematical equations

---

Totalpoäng: 2

2 Bayesian Networks

Consider the following bayesian network:



Which probability distribution is associated with node B?
Välj ett alternativ:

- P(B|D,E)
- P(B|A,D,E)
- P(B)
- P(B|A)
- P(A|B)

Totalpoäng: 2

3 HMM

Which of the following is **not** a component of a Hidden Markov Model?
Select one alternative:

- All of the other alternatives are part of a HMM
- Decision Tree
- State transition probabilities
- Initial state probabilities
- Emission probabilities

Totalpoäng: 2

4 Markov Chains

A certain stock price has been observed to follow a pattern.

- If the stock price goes up one day, there's a 20% chance of it rising tomorrow, a 30% chance of it falling, and a 50% chance of it remaining the same.
- If the stock price falls one day, there's a 35% chance of it rising tomorrow, a 50% chance of it falling, and a 15% chance of it remaining the same.
- Finally, if the price is stable on one day, then it has a 50-50 chance of rising or falling the next day.

Which matrix below is the transition matrix for this Markov chain, if we list states in the order: (rising, falling, constant).

Select one alternative:

- $\begin{bmatrix} 20 & 30 & 50 \\ 35 & 50 & 15 \\ 50 & 50 & 0 \end{bmatrix}$
- None of the other options
- $\begin{bmatrix} 0.2 & 0.35 & 0.5 \\ 0.3 & 0.5 & 0.5 \\ 0.5 & 0.15 & 0 \end{bmatrix}$
- $\begin{bmatrix} 0.2 & 0.3 & 0.5 \\ 0.35 & 0.5 & 0.15 \\ 0.5 & 0.5 & 0 \end{bmatrix}$
- $\begin{bmatrix} 20 & 35 & 50 \\ 30 & 50 & 50 \\ 50 & 15 & 0 \end{bmatrix}$

Totalpoäng: 2

5 MiniMax (Q1V1)

What is the worst case time complexity of the Minimax algorithm? Where b is the average number of branches (or moves), d is the maximum depth to be considered, and n is the number of nodes (or states) in the tree.


Select one alternative:

- O(n log n)
- O(b log d)
- O(b^d)
- O(n^2)
- O(bd)

Totalpoäng: 2

6 MiniMax Tree (V1)

What would be the evaluation value for the **MIN** player if a *minimax* algorithm is applied on the following game tree?



Välj ett alternativ:

- 7
- 1
- 2
- 8
- 6

Totalpoäng: 2

7 Natural Computation (Q1V1)

Which algorithm is inspired by the social behaviour of bird flocking or fish schooling?
Select one alternative:

- Hill Climbing
- Simulated Annealing
- Genetic Algorithm
- Particle Swarm Optimisation
- Automated Bee Colony Domain Search

Totalpoäng: 2

8 PDDL

What is the main advantage of using PDDL?
Select one alternative:

- It simplifies the process of programming
- It simplifies the process of data analysis
- It simplifies the process of solving and ensures that a solution is found
- It simplifies the process of machine learning
- It simplifies the process of defining planning problems

Totalpoäng: 2

9 Scheduling

Which of the following statements about scheduling is true?
Select one alternative:

- The minimum-slack algorithm is always optimal
- The minimum-slack algorithm is never optimal
- The goal is to provide a sequence of tasks needed to achieve a goal
- It is not possible to obtain optimal solutions to scheduling problems
- Resource-free scheduling is a way to estimate a lower-bound of the end time of the tasks

Totalpoäng: 2

10 Shortest Path Problems - 2023/10

Which of the following statements is true about Shortest Path Problems?
Select one alternative:

- Can only be solved using A*
- Can always be solved with BFS
- Can be used to find a route that minimises some cost
- Can only be solved if the graph is acyclic
- Are only applied to graphs that have costs associated with the nodes

Totalpoäng: 2

11 Statistical Learning

Which of the following statements is true about statistical learning?
Select one alternative:

- None of the other statements are true
- Bayesian networks are a type of neural networks
- When variables are correlated, it means there is a causal relationship
- P(A,B) and P(A|B) both represent the joint distribution of A and B
- A distribution assigns probabilities to a random variable taking particular values

Totalpoäng: 2

12 Video games

One of the main goals of AI in video games (as opposed to academic AI) is:
Select one alternative:

- To create unbeatable opponents
- To study optimal game strategies
- To design the game's graphics
- To control the colour scheme of the game based on the player's facial expressions
- To create opponents with believable behaviour

Totalpoäng: 2

13 alpha beta pruning (Q1V1)

Which of the following is required to be able to use alpha beta pruning?
Select one alternative:

- Zero-sum
- Two players
- Deterministic
- All of the other options
- Turn-taking game

Totalpoäng: 2

14 alpha beta pruning (Q2V2)

Which of the following is **not** a characteristic of MiniMax?
Välj ett alternativ:

- It can only be used in two-player games with perfect information
- It is a recursive algorithm
- It is a greedy algorithm
- It is used in game theory
- It is used in decision making

Totalpoäng: 2

15 A* (v2)

What happens when the heuristic function in the A* algorithm underestimates the cost?
Välj ett alternativ:

- The algorithm finds a shortest path using tree search
- The algorithm becomes slower
- The algorithm becomes faster
- The algorithm becomes uninformed
- The algorithm becomes non-optimal

Totalpoäng: 2

16 Scheduling (version 2)

Consider the actions in the table below:

Index	Action	Duration	Uses	Consumes	After
0	Start	0			NA
1	Action 1	20	Cup	-1 coffee	0
2	Action 2	45	Spoon	-1 coffee	0
3	Action 3	40	Spoon		0
4	Action 4	15			1,2,3
5	Action 5	5	Cup	1 coffee	2,3
6	Action 6	25	Spoon		4,5
7	Action 7	20	Spoon, Cup	1 coffee	5
8	Finish	0			4,6,7

Provide a complete unconstrained schedule (5 points)

Fill in your answer here

Provide a complete resource-constrained schedule (5 points)

Fill in your answer here

Totalpoäng: 10

17 Definition of AI (version 1)


Write an essay about the definition artificial intelligence (5 points) and the history of artificial intelligence (5 points). Name at least five important periods or events and provide approximate dates for them (10 points total).

Fill in your answer here

Totalpoäng: 10

18 Heuristic Search (version 4)

Use A* to find a shortest path from the start node 0 to the goal node 7 in the graph below:



Provide an admissible heuristic (2 points)

Fill in your answer here

Show all your workings (all the steps in the algorithm to find the goal) (8 points)

Fill in your answer here

Totalpoäng: 10

19 Planning - 1DL340

What is PDDL? Explain all components of a PDDL problem. Be as precise as possible and give a small example. You do not have to worry about the exact syntax of PDDL expressions, but you should have all the components of PDDL expressions. In your small example explain what each syntactic element does. (10 points)

Fill in your answer here

Teckenf…

Ord: 0


Totalpoäng: 10

20 Alpha Beta (version 1)

Perform alpha-beta pruning on this game tree assuming that branches are explored from left to right. You should show all working, where this means all alpha-beta values (see example below). Provide a way of identifying the sequence of updates to alpha-beta values associated with nodes. Use the node indices in the diagram as a way of identifying which particular alpha-beta values are associated with which node . Show where pruning occurs. Finally, provide the result (value at end state) of the game assuming optimal play.

For example, use the following notation:

Step X: Node A [alpha, beta]
Step Y: Node B return value
Step Z: Node C because 1<2 then ...



Fill in your answer here

Teckenf...

Ord: 0

Totalpoäng: 10

21

1DL340 Markov Models Feb 2025

You do not need to use a calculator for this question. All your answers should be algebraic or symbolic expressions. You do not need to use the equation editor, your equations can be in ASCII or something approximating LaTeX, but you are free to use the equation editor if you want.

You have a pet rabbit called Minibean. She is a rather stoic creature who does not show her emotions very well. Also, She does not lead a rich inner life. Minibean has only two mental states: Happy and Sad Nonetheless, as we will see later these mental states affect her behaviour.

Question A (1 point): Using an MRI machine and a deep neural network you are able to determine if Minibean is happy or sad. This is a costly procedure, but after some experimentation you have estimates of the following quantities. First the probability that Minibean is happy or sad $P(H), P(S)$, and second the transition probabilities of Minibean's mental state on the next day given her mental state on the previous day: $P(H|H), P(H|S), P(S|H)$ and $P(S|S)$. Write the expression for the probability Minibean is sad after three days given the initial probabilities $P(H_0), P(S_0)$.

Question B (2 points): Using the MRI machine is costly, and you do not always have access to it, but Minibean's mental state affects what she eats. If she is sad then there is a higher probability that she eats carrots (high sugar and instance gratification), if she is happy then there is a higher probability that she will munch slowly on Alfalfa. Without the MRI machine you are going to model Minibean's behaviour using a Hidden Markov model (HMM). With hidden states; Happy H and Sad S. You observe the rabbit eating Carrots C or Alfalfa A. To model this as a HMM you need a number of other emission probabilities. Specify what probabilities you need and what they mean.

Question C (1 point): Suppose that you knew Minibean's mental state for 3 days is H, H, H. Write an expression for the probability that she eats Alfalfa on the third day.

Question D (2 points): In general you cannot observe the mental state of Minibean, so instead you are going to take note of her eating patterns and try to infer her mental state. Suppose that you observe the sequence C, A, there are two approaches to calculating the probability of her mental states. One way is to consider all possible sequences of hidden states. Write an expression for the probability that Minibean is happy given the observed sequence. Explain and justify why this expression is correct.

Question E (4 points): Continuing from part D. Enumerating all the possible sequences of hidden states is in general too costly computationally. There is another algorithm that is much more efficient. For the observed sequence in part D, show how you could calculate the probability that Minibean is happy. You need to explain and justify why you answer is correct.

Fill in your answer here



Ord: 0

Totalpoäng: 10

22 1DL340 - Philosophy, Ethics and AI Oct 2024

You have a job as an ethical and legal adviser for a major company that builds smart TVs. The company is planning to include advanced AI in the design. At the moment, there are lots of ideas floating around on how to use AI to improve the customer experience.

The marketing department believes the TV should recommend new content to users based on their past behaviour. The engineering department thinks that it is possible to use speech recognition to listen to conversations and analyze what people are interested in. To make this system more useful, it will work out who is speaking by their voice patterns and build an AI model of each person in the household. This AI model will be used to drive recommendations. The marketing company also thinks it will be able to sell this information to a video streaming service so that it can make content that people want to watch.


Your boss thinks that there will be no legal problems with the service as users will have to agree to terms of service when they use the TV.

Discuss how this system fits into the European Framework for Trustworthy AI and the seven requirements for a trustworthy system. The seven requirements are:

1. Human Agency and Oversight
2. Technical Robustness and Safety
3. Privacy and Data Governance
4. Transparency
5. Diversity, Non-discrimination and Fairness
6. Environmental and Societal Well-Being
7. Accountability

Discuss each of the seven requirements and possible problems and violations that could occur with the new AI-driven TV.

Fill in your answer here



Ord: 0

Totalpoäng: 10