

Visoka škola za informacione i komunikacione tehnologije



Online prodavnica Sportske opreme

<https://flexfashion.000webhostapp.com/index.php>

Student: Miroslav Jandrić

Broj indeksa: 28/21

Predmet: Web Programiranje PHP 1

Table of Contents

Uvod.....	5
Korisćene tehnologije:	5
Opis funkcionalnosti:	5
Za izradu sajta korišćen je template:	5
Organizacija	6
Dizajn baze podataka;	6
Mapa sajta;	6
Opis funkcionalnosti na stranici:	10
Index.php	10
Login-registration.php	11
editAccount.php.....	12
Shop.php	13
Shop-single.php	14
Cart.php	15
Contact.php.....	17
Author.php.....	17
Poll.php	18
Adminpanel.php.....	19
Kodovi	24
Index.php	24
Login-registration.php	30
About.php	33
Cart.php	42
Contact.php.....	47
editAccount.php.....	51
Poll.php	54
Shop-single.php	55
Shop.php	66
Navigation.php.....	77
Html.php	80
Footer.php	81
Function.php	84

Ispisnavigacije.php	88
addLocation.php	89
addProduct.php	90
addProductImg.php	92
Addsize.php	93
Addspec.php	94
addToCart.php	95
deletedRows.php	96
editSpec.php	96
editUser.php	97
Filter.php	100
Get-deletedMessages.php	101
Get-removedProductsFromCart.php	102
getallImages.php	103
getAllProductSize.php	104
insertAnswer.php	105
insertRewiew.php	106
loadBrands.php	107
loadCategories.php	107
loadProduct.php	108
loadProducts.php	109
LoadRecension.php	111
loadUser.php	112
Login.php	112
Logout.php	113
Orders.php	114
productSpecification.php	115
Registracija.php	116
removeProduct.php	117
removeProductImg.php	117
removeSize.php	118
removeSpec.php	119
returnBackRow.php	120

sendMessage.php	121
setNewPrice.php	122
UpdateDeleteInsertBrand.php.....	123
UpdateDeleteInsertCategory.php.....	125
updateDeleteInsertPoll.php.....	126
UpdateDeleteInsertUser.php.....	128
updateProduct.php	131
addProduct.php	133
Adminpanel.php.....	141
Brands.php	142
Categories.php	144
deletedData.php	146
editPage.php	151
Message.php	163
Poll.php	165
Products.php	169
Users.php	171
Footer.php	173
Head.php.....	173
Logout&scripts.php.....	174
Sidebar.php	176
Topbar.php.....	179
Custom.js.....	186
Main.js.....	204
Custom.css	220
Custom.css/phpMyAdmin.....	231

Uvod

Korisćene tehnologije:

- HTML
- CSS
- JavaScript
- PHP
- JQuery
- Ajax
- SQL
- Bootstrap
- PhpMyAdmin

Opis funkcionalnosti:

- Dinamičko ispisivanje sadržaja kao što je **navigacioni meni, footer, proizvodi, kategorije na index stranici**
- Proizvodi kao i sve njihove karakteristike na shop.php stranici
- Kategorije, brendovi, polovi na shop.php stranici
- Registracija korisnika
- Logovanje korisnika
- U zavisnosti od uloge korisnika prilikom uspesnog logovanja korisnik se redirektuje odredjenu stranicu, Adminu se posle uspesnog logovanja prikazuje adminpanel
- Provera svih podataka pri registraciji i logovanju
- Zastita od pristupa stranicama putem url adrese
- Mogućnost editovanja naloga, dodavanje adrese stanovanja, dodavanje profilne slike...
- Filtriranje sortiranje proizvoda po razlicitim kategorijama, kao i pretraga po imenu proizvoda
- Dodavanje u korpu
- Izračunavanje ukupne vrednosti računa
- Dodavanje review-a za svaki proizvod, s tim da korisnik mora biti ulogovan
- Paginacija, na stranici shop se prikazuju po 9 proizvoda
- U admin panelu omogućeno upravljanje gotovo svim tabelama
- Anketa koja se prikazuje korisniku i nakog sto odgovori više mu se ne prikazuje
- Mogućnost kontaktiranja administratora putem forme

Za izradu sajta korišćen je template:


https://templatemo.com/live/templatemo_559_zay_shop

Za izradu admin panela korišćen template:

<https://startbootstrap.com/previews/sb-admin-2>

Organizacija



Dizajn baze podataka;




Mapa sajta;

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
  <loc>https://flexfashion.000webhostapp.com/index.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>daily</changefreq>
  <priority>1</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/shop.php</loc>
  <lastmod>2023.03.17</lastmod>
```


```
<changefreq>daily</changefreq>
<priority>0.95</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/shop-single.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.8</changefreq>
  <priority>weekly</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/about.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.6</changefreq>
  <priority>montly</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/contact.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.58</changefreq>
  <priority>montly</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/editAccount.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.5</changefreq>
  <priority>yearly</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/cart.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.5</changefreq>
  <priority>yearly</priority>
</url>
<url>
  <loc>https://flexfashion.000webhostapp.com/login-
registration.php</loc>
  <lastmod>2023.03.17</lastmod>
  <changefreq>0.49</changefreq>
  <priority>yearly</priority>
</url>
</urlset>
```






Opis funkcionalnosti na stranici:

Index.php



- Dinamički ispis navigacionog menija
- Ikonica za logovanje i registraciju
- Ikonica za korpu



- Prilikom logovanja dinamički ispisuje podatke i prikazuje ime korisnika kao i dugme za odjavu i editovanje naloga.
- Ukoliko korisnik ima ulogu administratora na vrhu se pojavljuje link koji ga može odvesti do admin panela

Registration

First Name *

Last Name *

Email *

Gender
☐ male ☐ female

Password *

Confirm password *

Register

Login

Email

Password

Login

- Stranica za logovanje I registraciju
- Izvršena validacija podataka

Registration

First Name *

Incorrect first name! First letter must be big

Last Name *

Incorrect last name! First letter must be big

Email *

Incorrect email! Example(miroslov@gmail.com)

Gender
☐ male ☐ female
Please choose gender

Password *

Incorrect password! Password must have one special character,
Big letters, numbers

Confirm password *

Register

Login


Please enter your email

Please enter your password

Email


Password

Login



The screenshot shows a web form titled "Edit Account" on a green background. The form contains several input fields: "First Name" with the value "Miroslav", "Last Name" with "Jandric", "Email address" with "miroslav@gmail.com", "New password" with "New password", and "Confirm new password" with "Confirm new password". There is also a "Pol" field with the value "male". At the bottom, there is a file upload section for "Upload profile img" with a "Choose File" button and the text "No file chosen". A "Submit" button is located at the bottom left of the form.

- Stranica za editovanje naloga
- Mogućnost dodavanja slike



The screenshot shows a web form titled "Add location" on a green background. The form contains three input fields: "Country" with the value "Srbija", "City" with "Pancevo", and "Address" with "Karadjordjeva 33". At the bottom, there are two buttons: "Add location" and "update location".

- Ukoliko nema korisnik može da unese adresu, a ukoliko ima može da je izmeni
- U obe forme izvršena validacija podataka

Shop.php

Categories

Gender

Categories

- ☐ Hoodies & Sweatshirts
- ☐ Sneakers
- ☐ Pants
- ☐ Jackets

Brands

Sort by:



ADICOLOR ESSENTIALS FLEECE HOODIE




\$123.99



BYW SELECT SHOES




\$79.99



CLOUDFOAM PURE 2.0 RUNNING SHOES



\$69.99




- Dinamički ispisani proizvodi, kao i svi kriterijumi po kojima se filtrira i sortira



Search ...



- Pretraga po imenu proizvoda



ADICOLOR ESSENTIALS FLEECE HOODIE

\$123.99

★★★★★ Rating 4.8 | 36 Comments




Brand: Adidas

Description:
A SOFT FLEECE HOODIE THAT LETS YOU MOVE IN TOTAL COMFORT. Even in a sweatshirt, your style is clear. Consider this adidas hoodie your foundation for expression, and definitely for comfort. Mix up the vibe with denim or wide-leg trousers, or keep it head-to-toe casual with matching sweat pants for an elevated take on loungewear. Soft fleece launches you straight into a mode of relaxation.

Specification:
Colour: Black
Regular fit:
Product code: H06660
Material: 70% cotton, 30% recycled polyester fleece


Available sizes: L S M XS Quantity - 1 +

Add To Cart



- Klikom na proizvod ispisuju se podaci koji su jedinstveni za taj proizvod
- Dinamički ispisane dostupne veličine
- Klikom na add to cart proizvod se dodaje u korpu


Related Products



ADICOLOR ESSENTIALS FLEECE HOODIE

★★★★★


\$123.99



ESSENTIALS HOLIDAY PACK HOODIE

★★★★★


\$79.99



Jordan 23 Engineered

★★★★★

\$59.99



Jordan Brooklyn Fleece

★★★★★

\$59.99



- Prikazani proizvodi iste kategorije kao i izabrani proizvod


Write review

Title

Title

Review

Send review



Miroslav Jandric

★★★★★


All the recommendations for this model have proven to be excellent

- Forma za ispis recenzije
- Recenziju je moguće napisati samo ako ste ulogovani

Cart.php

← Continue shopping

Shopping cart




ADICOLOR ESSENTIALS FLEECE HOODIE

Size: M

x1

\$123.99




BYW SELECT SHOES

Size: 40

x1

\$79.99

Details



Subtotal	\$203.98
Shipping	\$20.00
Total(Incl. taxes)	\$223.98

Checkout →

- Kada smo dodali proizvode u korpu oni se nalaze na stranici cart.php
- Dinamički izlistani proizvodi, sa mogućnošću brisanja iz korpe
- Izračunavanje ukupnog računa
- Klikom na dugme checkout izvršava se kupovina i korpa se prazni
- Ukoliko na nalogu niste definisali adresu prikazaće se forma za unošenje adrese

Details



Location

Country

City

Address

Add location

Subtotal	\$0.00
Shipping	\$20.00
Total(Incl. taxes)	\$0.00

Checkout →

Contact.php


Name	Email
<input type="text" value="Name"/>	<input type="text" value="Email"/>
Subject	
<input type="text" value="Subject"/>	
Message	
<input type="text" value="Message"/>	


Let's Talk

- Stranica za kontaktiranje administratora

Author.php

Autor
Sajt radio: Miroslav Jandric
Broj Indeksa: 28/21






- Ukoliko korisnik nije odgovorio na anketu prikazuje mu se link za stranicu na kojoj moze da odgovori

Poll


<p>What's your favorite brand for sports clothing?</p> <ul style="list-style-type: none">● Nike● Addidas● Under Armour● Puma● Hummel● Kappa	<p>What's your go-to outfit for a workout</p> <ul style="list-style-type: none">● Athletic leggings and tank top● Shorts and t-shirt● Track pants and hoodie● Sports bra and shorts
<p>What type of athletic shoes do you prefer?</p> <ul style="list-style-type: none">● Running shoes● Cross-training shoes● Basketball shoes● Tennis shoes	<p>What's your preferred color for sports clothing?</p> <ul style="list-style-type: none">● Blue● Grey● White● Black
<p>What's your favorite type of sports accessory?</p> <ul style="list-style-type: none">● Water bottle● Fitness tracker● Headphones● Gym bag	
<p>Submit</p>	

- Na submit dugme se beleže odgovori
- Korisnik može jednom da odgovori na anketu posle toga mu se neće prikazivati

Adminpanel.php



- Prilikom logovanja korisnika koji ima administratorska prava prikazuje mu se ova stranica
- Administrator ima mogućnost da upravlja svim podacima





- Može upravljati sledećim tabelama

Products

[Add new Product](#)

Category: Brands: [Filter](#)

#	Product name	Category	Brand	Price	Image	Description	Edit	Remove
1	ULTRABOOST LIGHT RUNNING SHOES	Sheakers	Adidas	115.99		EPIC ENERGY. LIGHTEST EVER. Go bold and bright with the Ultraboost Light red colorway, exclusive to adidas stores. Experience epic energy with the new Ultraboost Light, our lightest Ultraboost ever. The magic lies in the Light BOOST midsole, a new generation of adidas BOOST. Its unique molecule design achieves the lightest BOOST foam to date and boasts a 10% lower carbon footprint than previous models (for more information see FAQs below). With ultimate cushioning, comfort and responsiveness, some feet really can have it all.	Edit	Delete
2	BYW SELECT SHOES	Sheakers	Adidas	79.99		BASKETBALL SHOES WITH A SOFT AND SPRINGY FEEL. Keep that pep in your step all game long. These adidas basketball shoes have Lightstrike cushioning that keeps you comfortable without weighing you down. BOOST returns energy with every step you take on the hardwood, so you always have fuel left in the tank to perform in the clutch.	Edit	Delete

- Administrator može da edituje, briše I dodaje nove proizvode/kategorije/brendove itd...

Products

Product name

ULTRABOOST LIGHT RUNNING SHOES

Choose category

Shakers

Choose brand

Adidas

Upload new profile image



Choose File No file chosen

Description

EPIC ENERGY. LIGHTEST EVER.

Go bold and bright with the Ultraboost Light red colorway, exclusive to adidas stores. Experience epic energy with the new Ultraboost Light, our lightest Ultraboost ever. The magic lies in the Light BOOST midsole, a new generation of adidas BOOST. Its unique molecule design achieves the lightest BOOST foam to date and boasts a 10% lower carbon footprint than previous models (for more information see FAQs below). With ultimate cushioning, comfort and responsiveness, some feet really can have it all.

Update product

Remove product

Price

Add size

Product images

Upload new image

Choose File No file chosen


Upload



Remove



Remove



Remove

Specification

Add specification

Comfort

Enter value

Add specification

- Dodavanje svih podataka koji su vezani za neki proizvod

Add product

Product name

Choose category

Hoodies & Sweatshirts ▼

Choose brand

Adidas ▼

Choose gender

- ☐ Men
☐ Women

Set price

Upload new profile image

No file chosen

Description

- Stranica za dodavanje novog proizvoda

Brands

#	Brand name	Edit	Remove
1	Adidas	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
2	Nike	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
3	Hummel	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
4	Levi's	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

Categories

#	Category name	Edit	Remove
1	Hoodies & Sweatshirts	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
2	Sheakers	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
3	Pants	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
4	Jackets	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

Users

Add new user

#	First name	Last name	Email	Profile image	Role	Location	Gender	Edit	Remove
1	Miroslav	Jandric	miki@gmail.com	./uploadimg/1678556575_miroslav.jpg	user	Empty	male	Edit	Delete
2	Miroslav	Jandric	miroslav@gmail.com	./uploadimg/1678833674_miroslav.jpg	administrator	Empty	male	Edit	Delete
3	Tina	Tina	tina@gmail.com	./uploadimg/1678810013_user.png	user	Empty	female	Edit	Delete
4	Maja	Majkic	maja@gmail.com	null	user	Empty	female	Edit	Delete

Add user

First Name

Last Name

Email address

New password

Confirm new password

Role


Gender

Upload profile img




No file chosen

Add user


- Postupak je isti i za sve ostale podatke



- Svaki obrisani podatak može da se vrati

#	Product name	Category	Brand	Price	Image	Description	Return
1	ADICOLOR CLASSICS TREFOIL HOODIE	Hoodies & Sweatshirts	Adidas	123.99		A COMFORTABLE HOODIE WITH CLASSIC ADIDAS STYLE. Since it came onto the scene in the '70s, the Trefoil has been seen on top athletes, music legends and revolutionary artists worldwide. This adidas hoodie carries on the legacy with a statement Trefoil logo and classic Adicolor style. The classic fit is as cozy as always thanks to soft French terry.	Return back
2	ADICOLOR CLASSICS TREFOIL HOODIE	Hoodies & Sweatshirts	Adidas	124.99		A COMFORTABLE HOODIE WITH CLASSIC ADIDAS STYLE. Since it came onto the scene in the '70s, the Trefoil has been seen on top athletes, music legends and revolutionary artists worldwide. This adidas hoodie carries on the legacy with a statement Trefoil logo and classic Adicolor style. The classic fit is as cozy as always thanks to soft French terry.	Return back
3	Novi Proizvod	Sheakers	Hummel	132.22		DESCRIPTIONDESCRIPTIONDESCRIPTIONDESCRIPTIONDESCRIPTION	Return back

- Na return back dugme vraćamo podatke nazad da budu vidljivi na sajtu



Poll

[Add new poll question](#)

#	Question	Total responses	choise 1	choise 2	choise 3	choise 4	Edit	Remove
1	What's your favorite brand for sports clothing?	3	Nike - 1 votes	Addidas - 1 votes	Under Armour - 0 votes	Puma - 1 votes	Edit	Remove
2	What's your go-to outfit for a workout	3	Athletic leggings and tank top - 1 votes	Shorts and t-shirt - 0 votes	Track pants and hoodie - 1 votes	Sports bra and shorts - 1 votes	Edit	Remove
3	What type of athletic shoes do you prefer?	3	Running shoes - 2 votes	Cross-training shoes - 0 votes	Basketball shoes - 0 votes	Tennis shoes - 1 votes	Edit	Remove
4	What's your preferred color for sports clothing?	3	Blue - 1 votes	Grey - 0 votes	White - 0 votes	Black - 2 votes	Edit	Remove
5	What's your favorite type of sports accessory?	3	Water bottle - 1 votes	Fitness tracker - 0 votes	Headphones - 1 votes	Gym bag - 1 votes	Edit	Remove

- Na dugme Poll otvaramo rezultate ankete, gde vidim pitanja kao I odgovore I rezultate odgovora
- Takodje kao I sa svim podacima moguće je I ovima upravljati

Message

#	Name	Email	Subject	Message	Return
1	Miroslav	miki@gmail.com	Test	Proba Test	Delete
2	Miroslav	miki@gmail.com	Test	Proba Test	Delete

Copyright © Your Website 2020

- Poruke koje su upućene administratoru, administrator može da ih obriše posle čitanja

Kodovi

Index.php

```
<?php
include 'includes/html.php';
include "connection/connection.php";
?>

<body>

    <!-- Start Top Nav -->
    <?php include "includes/pre-nav.php"; ?>
    <!-- Close Top Nav -->

    <!-- Header -->
    <?php include "includes/navigation.php"; ?>
    <!-- Close Header -->

    <!-- Modal -->
    <div class="modal fade bg-white" id="templatemo_search" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog modal-lg" role="document">
            <div class="w-100 pt-1 mb-5 text-right">
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <form action="" method="get" class="modal-content modal-body
border-0 p-0">
                <div class="input-group mb-2">
```



```

        <input type="text" class="form-control"
id="inputModalSearch" name="q" placeholder="Search ...">
        <button type="submit" class="input-group-text bg-
success text-light">
            <i class="fa fa-fw fa-search text-white"></i>
        </button>
    </div>
</form>
</div>
</div>

<!-- Start Banner Hero -->
<div id="template-mo-zay-hero-carousel" class="carousel slide" data-
bs-ride="carousel">
    <ol class="carousel-indicators">
        <li data-bs-target="#template-mo-zay-hero-carousel" data-bs-
slide-to="0" class="active"></li>
        <li data-bs-target="#template-mo-zay-hero-carousel" data-bs-
slide-to="1"></li>
        <li data-bs-target="#template-mo-zay-hero-carousel" data-bs-
slide-to="2"></li>
    </ol>
    <div class="carousel-inner">
        <div class="carousel-item active">
            <div class="container">
                <div class="row p-5">
                    <div class="mx-auto col-md-8 col-lg-6 order-lg-
last carousel-container">
                        
                    </div>
                    <div class="col-lg-6 mb-0 d-flex align-items-
center">
                        <div class="text-align-left align-self-
center">
                            <h1 class="h1 text-success"><b>F</b>
eCommerce</h1>
                            <h3 class="h2">Tiny and Perfect eCommerce
Template</h3>
                            <p>

```

```

                Zay Shop is an eCommerce HTML5 CSS
template with latest version of Bootstrap 5 (beta 1).
                This template is 100% free provided by
<a rel="sponsored" class="text-success" href="https://templatemo.com"
target="_blank">TemplateMo</a> website.
                Image credits go to <a rel="sponsored"
class="text-success" href="https://stories.freepik.com/"
target="_blank">Freepik Stories</a>,
                <a rel="sponsored" class="text-
success" href="https://unsplash.com/" target="_blank">Unsplash</a> and
                <a rel="sponsored" class="text-
success" href="https://icons8.com/" target="_blank">Icons 8</a>.
            </p>
        </div>
    </div>
</div>
</div>
</div>
<div class="carousel-item">
    <div class="container">
        <div class="row p-5">
            <div class="mx-auto col-md-8 col-lg-6 order-lg-
last carousel-container">
                
            </div>
            <div class="col-lg-6 mb-0 d-flex align-items-
center">
                <div class="text-align-left">
                    <h1 class="h1">Proident occaecat</h1>
                    <h3 class="h2">Aliquip ex ea commodo
consequat</h3>
                <p>
                    You are permitted to use this Zay CSS
template for your commercial websites.
                    You are <strong>not permitted</strong>
to re-distribute the template ZIP file in any kind of template collection
websites.
                </p>
            </div>
        </div>
    </div>
</div>
</div>

```

```

        </div>
        <div class="carousel-item">
            <div class="container">
                <div class="row p-5">
                    <div class="mx-auto col-md-8 col-lg-6 order-lg-
last carousel-container">
                        
                    </div>
                    <div class="col-lg-6 mb-0 d-flex align-items-
center">
                        <div class="text-align-left">
                            <h1 class="h1">Repr in voluptate</h1>
                            <h3 class="h2">Ullamco laboris nisi ut
</h3>
                                <p>
                                    We bring you 100% free CSS templates
for your websites.
                                    If you wish to support TemplateMo,
please make a small contribution via PayPal or tell your friends about our
website. Thank you.
                                </p>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <div class="carousel-control-prev text-decoration-none w-auto ps-3"
href="#template-mo-zay-hero-carousel" role="button" data-bs-slide="prev">
            <i class="fas fa-chevron-left"></i>
        </div>
        <div class="carousel-control-next text-decoration-none w-auto pe-3"
href="#template-mo-zay-hero-carousel" role="button" data-bs-slide="next">
            <i class="fas fa-chevron-right"></i>
        </div>
    </div>
<!-- End Banner Hero -->

<!-- Start Categories of The Month -->
<section class="container py-5">
    <div class="row text-center pt-3">

```

```

        <div class="col-lg-6 m-auto">
            <h1 class="h1">Categories of The Month</h1>
            <p>
                Excepteur sint occaecat cupidatat non proident, sunt
in culpa qui officia
                deserunt mollit anim id est laborum.
            </p>
        </div>
    </div>
    <div class="row">
        <div class="col-12 col-md-4 p-5 mt-3">
            <a href="shop.php"></a>
            <h5 class="text-center mt-3 mb-3">Hoodies &
Sweatshirts</h5>
            <p class="text-center"><a href="shop.php" class="btn btn-
success">Go Shop</a></p>
        </div>
        <div class="col-12 col-md-4 p-5 mt-3">
            <a href="shop.php"></a>
            <h2 class="h5 text-center mt-3 mb-3">Sheakers</h2>
            <p class="text-center"><a href="shop.php" class="btn btn-
success">Go Shop</a></p>
        </div>
        <div class="col-12 col-md-4 p-5 mt-3">
            <a href="shop.php"></a>
            <h2 class="h5 text-center mt-3 mb-3">Pants</h2>
            <p class="text-center"><a href="shop.php" class="btn btn-
success">Go Shop</a></p>
        </div>
    </div>
</section>
<!-- End Categories of The Month -->

<!-- Start Featured Product -->
<section class="bg-light">
    <div class="container py-5">
        <?php

```

```

        global $con;
        $upit = $con->prepare("SELECT * FROM `products` prod
INNER JOIN prices pr ON prod.id = pr.product_id WHERE prod.is_deleted=0
ORDER BY pr.price DESC LIMIT 3");
        $upit->execute();
        $products = $upit->fetchAll(PDO::FETCH_ASSOC);

        ?>
        <div class="row text-center py-3">
            <div class="col-lg-6 m-auto">
                <h1 class="h1">Featured Product</h1>
                <p>
                    Reprehenderit in voluptate velit esse cillum
dolore eu fugiat nulla pariatur.
                    Excepteur sint occaecat cupidatat non proident.
                </p>
            </div>
        </div>
        <div class="row justify-content-around">
            <?php foreach($products as $product):?>
                <div class="card" style="width: 20em; padding: 0;">
                    <a href="shop-single.php?id=<?php echo
$product['product_id']?>" class="img-ct" >
                        
                    </a>
                    <div class="card-body content-ct">
                        <h5 class="card-title"><?php echo
$product['name']?></h5>
                        <div class="position-absolute bottom-0 mb-2 mt-3">
                            <p class="card-text">$<?php echo
$product['price']?></p>
                            <a href="shop-single.php?id=<?php echo
$product['product_id']?>" class="btn btn-success">Go Shop</a>
                        </div>
                    </div>
                </div>
            <?php endforeach;?>
        </div>
    </div>
</section>

```

```

<!-- End Featured Product -->

<!-- Start Footer -->
<?php include "includes/footer.php"; ?>
<!-- End Footer -->

<!-- Start Script -->
<script src="assets/js/jquery-1.11.0.min.js"></script>
<script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/templatemo.js"></script>
<script src="assets/js/custom.js"></script>
<!-- End Script -->
</body>

</html>

```

Login-registration.php

```

<?php
    if(isset($_SESSION['user'])){
        header('location: index.php');
    }
    include "connection/connection.php";
    $genders = $con->prepare("select * from genders");
    $genders->execute();
    $genders = $genders->fetchAll(PDO::FETCH_ASSOC);
?>

<!DOCTYPE html>
<html lang="en">
<?php
include 'includes/html.php';
?>

<body>

    <!-- Start Top Nav -->
    <?php include "includes/pre-nav.php"; ?>
    <!-- Close Top Nav -->

    <!-- Start Navigation-->

```

```

<?php include "includes/navigation.php"; ?>
<!--End navigation-->

<!--SUCCESS REGISTER BLOCK-->
<div class="hidden">
    <h3>You are successfully registered, please log in</h3>
</div>

<?php if(isset($_GET['message']))){echo "<div class='message alert
alert-danger text-center'>".$_GET['message']."'</div>";}?>

<!--SUCCESS REGISTER BLOCK-->

<div class="login-registration container">
    <div class="registration-block RL-container">
        <h2>Registration</h2>
        <form action="">
            <div class="registration-input inputs">
                <label for="Fname">First Name *</label>
                <input type="text" name="Fname" id="Fname"
placeholder="First Name">
                <div class="greske text-danger"></div>
            </div>
            <div class="registration-input inputs">
                <label for="Lname">Last Name *</label>
                <input type="text" name="Lname" id="Lname"
placeholder="Last Name">
                <div class="greske text-danger"></div>
            </div>
            <div class="registration-input inputs">
                <label for="email">Email *</label>
                <input type="text" name="email" id="email"
placeholder="Email">
                <div class="greske text-danger"></div>
            </div>
            <div class="registration-input inputs">
                <label for="email">Gender</label>
                <div class="gender-ct">
                    <?php foreach($genders as $gender):?>
                        <div class="gender-form">
                            <input type="radio" name="gender" id="<?php
echo $gender['gender']?>" value="<?php echo $gender['id']?>">

```

```

                                <label for="gender"><?php echo
$gender['gender']?></label>
                                </div>
                                <?php endforeach; ?>

                                </div>
                                <div class="greske radioGreske text-danger"></div>
                                </div>
                                <div class="registration-input inputs">
                                    <label for="password">Password *</label>
                                    <input type="password" name="password" id="password"
class="gender" placeholder="Password">
                                    <div class="greske text-danger"></div>
                                </div>
                                <div class="registration-input inputs">
                                    <label for="confirmPass">Confirm password *</label>
                                    <input type="password" name="confirmPass"
id="confirmPass" class="gender" placeholder="Confirm password">
                                    <div class="greske text-danger"></div>
                                </div>
                                <div class="registration-input inputs">
                                    <input type="button" value="Register" class="btn btn-
success" id="registerBtn">
                                </div>
                            </form>
                        </div>
                        <div class="login-block RL-container">
                            <h2>Login</h2>
                            <form action="logic/login.php" method="POST">

                                <?php

                                    if(isset($_GET['errors'])) {
                                        echo "<div class='greske alert alert-
danger'><p>".$_GET['errors']. "</p></div>";
                                    }

                                ?>

                                <div class="login-input inputs">
                                    <label for="loginMail">Email</label>
                                    <input type="text" name="loginMail" id="loginMail"
placeholder="Email">

```



```

        <div class="greske"></div>
    </div>
    <div class="login-input inputs">
        <label for="loginPassword">Password</label>
        <input type="password" name="loginPassword"
id="passLogin" placeholder="Password">
        <div class="greske"></div>
    </div>

    <div class="login-input inputs">
        <input type="submit" name="btnLogin" value="Login"
class="btn btn-success" id="loginBtn">
    </div>
</form>
</div>
</div>

<!-- Start Footer -->
<?php include "includes/footer.php"; ?>
<!-- End Footer -->
<script src="https://code.jquery.com/jquery-3.6.3.js"
integrity="sha256-nQLuAZGRRcILA+6dMBOvcRh5Pe310sBpanc6+QBmyVM="
crossorigin="anonymous"></script>
<script src="assets/mojJS/main.js"></script>
<script src="assets/js/jquery-1.11.0.min.js"></script>
<script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/templatemo.js"></script>
<script src="assets/js/custom.js"></script>
</body>
</html>

```

About.php

```

<?php
include 'includes/html.php';
include "connection/connection.php";
?>

<body>

```

```

<!-- Start Top Nav -->
<?php include "includes/pre-nav.php"; ?>
<!-- Close Top Nav -->

<!-- Header -->
<?php include "includes/navigation.php"; ?>
<!-- Close Header -->

<!-- Modal -->
<div class="modal fade bg-white" id="templatemo_search" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-lg" role="document">
        <div class="w-100 pt-1 mb-5 text-right">
            <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
        </div>
        <form action="" method="get" class="modal-content modal-body
border-0 p-0">
            <div class="input-group mb-2">
                <input type="text" class="form-control"
id="inputModalSearch" name="q" placeholder="Search ...">
                <button type="submit" class="input-group-text bg-
success text-light">
                    <i class="fa fa-fw fa-search text-white"></i>
                </button>
            </div>
        </form>
    </div>
</div>

<section class="bg-success py-5">
    <div class="container">
        <div class="row align-items-center py-5">
            <div class="col-md-8 text-white">
                <h1>Autor</h1>
                <h2 class="text-white">
                    Sajt radio: Miroslav Jandric
                </h2>
                <h3 class="text-white">
                    Broj Indeksa: 28/21
            </div>
        </div>
    </div>
</section>

```

```

</h3>
        </div>
        <div class="col-md-4">
            
        </div>
    </div>
</div>
</section>
<!-- Close Banner -->

<!-- Start Section -->
<section class="container py-5">
    <div class="row text-center pt-5 pb-3">
        <div class="col-lg-6 m-auto">
            <h1 class="h1">Our Services</h1>
            <p>
                Lorem ipsum dolor sit amet, consectetur adipisicing
elit, sed do eiusmod
                Lorem ipsum dolor sit amet.
            </p>
        </div>
    </div>
    <div class="row">

        <div class="col-md-6 col-lg-3 pb-5">
            <div class="h-100 py-5 services-icon-wap shadow">
                <div class="h1 text-success text-center"><i class="fa
fa-truck fa-lg"></i></div>
                <h2 class="h5 mt-4 text-center">Delivery Services</h2>
            </div>
        </div>

        <div class="col-md-6 col-lg-3 pb-5">
            <div class="h-100 py-5 services-icon-wap shadow">
                <div class="h1 text-success text-center"><i class="fas
fa-exchange-alt"></i></div>
                <h2 class="h5 mt-4 text-center">Shipping & Return</h2>
            </div>
        </div>

        <div class="col-md-6 col-lg-3 pb-5">
            <div class="h-100 py-5 services-icon-wap shadow">

```

```

        <div class="h1 text-success text-center"><i class="fa
fa-percent"></i></div>
        <h2 class="h5 mt-4 text-center">Promotion</h2>
    </div>
</div>

    <div class="col-md-6 col-lg-3 pb-5">
        <div class="h-100 py-5 services-icon-wap shadow">
            <div class="h1 text-success text-center"><i class="fa
fa-user"></i></div>
            <h2 class="h5 mt-4 text-center">24 Hours Service</h2>
        </div>
    </div>
</div>
</section>
<!-- End Section -->

<!-- Start Brands -->
<section class="bg-light py-5">
    <div class="container my-4">
        <div class="row text-center py-3">
            <div class="col-lg-6 m-auto">
                <h1 class="h1">Our Brands</h1>
                <p>
                    Lorem ipsum dolor sit amet, consectetur
adipisicing elit, sed do eiusmod
                    Lorem ipsum dolor sit amet.
                </p>
            </div>
            <div class="col-lg-9 m-auto tempaltemo-carousel">
                <div class="row d-flex flex-row">
                    <!--Controls-->
                    <div class="col-1 align-self-center">
                        <a class="h1" href="#templatemo-slide-brand"
role="button" data-bs-slide="prev">
                            <i class="text-light fas fa-chevron-
left"></i>
                        </a>
                    </div>
                    <!--End Controls-->

                    <!--Carousel Wrapper-->
                    <div class="col">

```

```

        <div class="carousel slide carousel-multi-item
pt-2 pt-md-0" id="templatemo-slide-brand" data-bs-ride="carousel">
            <!--Slides-->
            <div class="carousel-inner product-links-
wap" role="listbox">

                <!--First slide-->
                <div class="carousel-item active">
                    <div class="row">
                        <div class="col-3 p-md-5">
                            <a href="#"></a>
                        </div>
                        <div class="col-3 p-md-5">
                            <a href="#"></a>
                        </div>
                        <div class="col-3 p-md-5">
                            <a href="#"></a>
                        </div>
                        <div class="col-3 p-md-5">
                            <a href="#"></a>
                        </div>
                    </div>
                </div>
            <!--End First slide-->

            <!--Second slide-->
            <div class="carousel-item">
                <div class="row">
                    <div class="col-3 p-md-5">
                        <a href="#"></a>
                    </div>
                    <div class="col-3 p-md-5">

```

```

<a href="#"></a>

</div>
<div class="col-3 p-md-5">
    <a href="#"></a>

</div>
<div class="col-3 p-md-5">
    <a href="#"></a>

</div>
</div>
</div>
<!--End Second slide-->

<!--Third slide-->
<div class="carousel-item">
    <div class="row">
        <div class="col-3 p-md-5">
            <a href="#"></a>

            </div>
            <div class="col-3 p-md-5">
                <a href="#"></a>

            </div>
            <div class="col-3 p-md-5">
                <a href="#"></a>

            </div>
            <div class="col-3 p-md-5">
                <a href="#"></a>

            </div>
        </div>
    </div>
</div>

```

```

        <!--End Third slide-->

        </div>
        <!--End Slides-->
    </div>
</div>
<!--End Carousel Wrapper-->

<!--Controls-->
<div class="col-1 align-self-center">
    <a class="h1" href="#templatemo-slide-brand"
role="button" data-bs-slide="next">
        <i class="text-light fas fa-chevron-
right"></i>

        </a>
    </div>
    <!--End Controls-->
</div>
</div>
</div>
</div>
</section>
<!--End Brands-->

<!-- Start Footer -->
<footer class="bg-dark" id="tempaltemo_footer">
    <div class="container">
        <div class="row">

            <div class="col-md-4 pt-5">
                <h2 class="h2 text-success border-bottom pb-3 border-
light logo">Zay Shop</h2>
                <ul class="list-unstyled text-light footer-link-list">
                    <li>
                        <i class="fas fa-map-marker-alt fa-fw"></i>
                        123 Consectetur at ligula 10660
                    </li>
                    <li>
                        <i class="fa fa-phone fa-fw"></i>
                        <a class="text-decoration-none" href="tel:010-
020-0340">010-020-0340</a>
                    </li>

```

```

        <li>
            <i class="fa fa-envelope fa-fw"></i>
            <a class="text-decoration-none"
href="mailto:info@company.com">info@company.com</a>
        </li>
    </ul>
</div>

    <div class="col-md-4 pt-5">
        <h2 class="h2 text-light border-bottom pb-3 border-
light">Products</h2>
        <ul class="list-unstyled text-light footer-link-list">
            <li><a class="text-decoration-none"
href="#">Luxury</a></li>
            <li><a class="text-decoration-none" href="#">Sport
Wear</a></li>
            <li><a class="text-decoration-none" href="#">Men's
Shoes</a></li>
            <li><a class="text-decoration-none"
href="#">Women's Shoes</a></li>
            <li><a class="text-decoration-none"
href="#">Popular Dress</a></li>
            <li><a class="text-decoration-none" href="#">Gym
Accessories</a></li>
            <li><a class="text-decoration-none" href="#">Sport
Shoes</a></li>
        </ul>
    </div>

    <div class="col-md-4 pt-5">
        <h2 class="h2 text-light border-bottom pb-3 border-
light">Further Info</h2>
        <ul class="list-unstyled text-light footer-link-list">
            <li><a class="text-decoration-none"
href="#">Home</a></li>
            <li><a class="text-decoration-none" href="#">About
Us</a></li>
            <li><a class="text-decoration-none" href="#">Shop
Locations</a></li>
            <li><a class="text-decoration-none"
href="#">FAQs</a></li>
            <li><a class="text-decoration-none"
href="#">Contact</a></li>

```



```

        </ul>
      </div>

    </div>

    <div class="row text-light mb-4">
      <div class="col-12 mb-3">
        <div class="w-100 my-3 border-top border-light"></div>
      </div>
      <div class="col-auto me-auto">
        <ul class="list-inline text-left footer-icons">
          <li class="list-inline-item border border-light rounded-circle text-center">
            <a rel="nofollow" class="text-light text-decoration-none" target="_blank" href="http://fb.com/templatemo"><i class="fab fa-facebook-f fa-lg fa-fw"></i></a>
          </li>
          <li class="list-inline-item border border-light rounded-circle text-center">
            <a class="text-light text-decoration-none" target="_blank" href="https://www.instagram.com/"><i class="fab fa-instagram fa-lg fa-fw"></i></a>
          </li>
          <li class="list-inline-item border border-light rounded-circle text-center">
            <a class="text-light text-decoration-none" target="_blank" href="https://twitter.com/"><i class="fab fa-twitter fa-lg fa-fw"></i></a>
          </li>
          <li class="list-inline-item border border-light rounded-circle text-center">
            <a class="text-light text-decoration-none" target="_blank" href="https://www.linkedin.com/"><i class="fab fa-linkedin fa-lg fa-fw"></i></a>
          </li>
        </ul>
      </div>
      <div class="col-auto">
        <label class="sr-only" for="subscribeEmail">Email address</label>
        <div class="input-group mb-2">
          <input type="text" class="form-control bg-dark border-light" id="subscribeEmail" placeholder="Email address">

```

```

        <div class="input-group-text btn-success text-
light">Subscribe</div>
    </div>
</div>
</div>
</div>

<div class="w-100 bg-black py-3">
    <div class="container">
        <div class="row pt-2">
            <div class="col-12">
                <p class="text-left text-light">
                    Copyright &copy; 2021 Company Name
                    | Designed by <a rel="sponsored"
href="https://templatemo.com/page/1" target="_blank">TemplateMo</a>
                </p>
            </div>
        </div>
    </div>
</div>

</footer>
<!-- End Footer -->

<!-- Start Script -->
<script src="assets/js/jquery-1.11.0.min.js"></script>
<script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/templatemo.js"></script>
<script src="assets/js/custom.js"></script>
<!-- End Script -->
</body>

</html>

```

Cart.php

```

<?php
include 'includes/html.php';
include 'functions/functions.php';
include "connection/connection.php";

```

```

?>

<body>
  <?php include "includes/navigation.php"; ?>
  <section class="h-100 h-custom" style="background-color: #eee;">
    <div class="container py-5 h-100">
      <div class="row d-flex justify-content-center align-items-
center h-100">
        <div class="col">
          <div class="card">
            <div class="card-body p-4">

              <div class="row">

                <div class="col-lg-7 ">
                  <h5 class="mb-3"><a href="shop.php" class="text-
body"><i
                      class="fas fa-long-arrow-alt-left me-
2"></i>Continue shopping</a></h5>
                  <hr>
                  <div class="d-flex justify-content-between align-
items-center mb-4">
                    <div>
                      <p class="mb-1">Shopping cart</p>

                    </div>
                    </div>

                    <div class="cart-product-ct"></div>

                  </div>
                  <?php
                    if(isset($_SESSION['user'])):
                      ?>
                      <div class="col-lg-5">

                        <div class="card bg-primary text-white
rounded-3">
                          <div class="card-body " id="user" data-
id="<?php echo $_SESSION['user']['user_id']?>">

```

```

        <div class="d-flex justify-content-between
align-items-center mb-4">
            <h5 class="mb-0">Details</h5>
            
        </div>

        <?php
            global $con;
            $userLocation = $con->prepare("SELECT
* from locations l INNER JOIN users u ON l.id=u.location_id WHERE
u.user_id =:id ");
            $userLocation->bindParam(":id",
$_SESSION['user']['user_id']);
            $userLocation->execute();
            $location = $userLocation-
>fetch(PDO::FETCH_ASSOC);

        ?>
        <?php
if($_SESSION['user']['location_id']==NULL):?>
            <p class="small mb-2">Location</p>
            <form action="logic/addLocation.php"
id='editForma' method="post" onSubmit="return addLocation()">
                <div class="form-group my-3">
                    <label
for="exampleInputEmail1">Country</label>
                    <input type="text"
class="form-control" id="country" name="country" aria-
describedby="emailHelp" value="<?php if(isset($location['country'])) echo
$location['country']?>">

```

```

                                <input type="hidden"
name="locId" value="<?php if(isset($location['id'])) echo
$location['id']?>">
                                </div>
                                <div class="form-group my-3">
                                    <label
for="ULName">City</label>
                                <input type="text"
class="form-control" id="city" name="city" aria-describedby="emailHelp"
value="<?php if(isset($location['city']))echo $location['city']?>">
                                </div>
                                <div class="form-group my-3">
                                    <label
for="UEmail">Address</label>
                                <input type="text"
class="form-control" id="address" name="address" aria-
describedby="emailHelp" value="<?php if(isset($location['addresses']))echo
$location['addresses']?>">
                                </div>
                                <button type="submit"
name="addLocationCart" class="btn btn-outline-light my-3 editUser">Add
location</button>
                                </form>
                                <?php endif?>
                                <hr class="my-4">
                                <div class="d-flex justify-content-
between">
                                    <p class="mb-2">Subtotal</p>
                                    <p class="mb-2 subtotal">$0.00</p>
                                </div>
                                <div class="d-flex justify-content-
between">
                                    <p class="mb-2">Shipping</p>
                                    <p class="mb-2">$20.00</p>
                                </div>
                                <div class="d-flex justify-content-between
mb-4">
                                    <p class="mb-2">Total(Incl. taxes)</p>
                                    <p class="mb-2 total">$0.00</p>

```

```

        </div>

        <button type="button" class="btn btn-info
btn-block btn-lg checkout-btn">
        <div class="d-flex justify-content-
between">
            <span class="checkout">Checkout <i
class="fas fa-long-arrow-alt-right ms-2"></i></span>
        </div>
        </button>

    </div>
</div>

    </div>
    <?php else:?>
        <p class="alert alert-danger">You must log in to
make a purchase</p>
    <?php endif;?>
</div>

</div>
</div>
</div>
</div>
</div>
</section>
<script src="https://code.jquery.com/jquery-3.6.3.js"
integrity="sha256-nQLuAZGRRcILA+6dMBOvcRh5Pe310sBpanc6+QBmyVM="
crossorigin="anonymous"></script>
    <script src="assets/mojJS/main.js"></script>
    <!--Kraj MOG JS FAJL -->
    <!-- Start Script -->
    <script src="assets/js/jquery-1.11.0.min.js"></script>
    <script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
    <script src="assets/js/bootstrap.bundle.min.js"></script>
    <script src="assets/js/templatemo.js"></script>
    <script src="assets/js/custom.js"></script>
</body>
</html>

```

Contact.php

```
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Zay Shop - Contact</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="apple-touch-icon" href="assets/img/apple-icon.png">
  <link rel="shortcut icon" type="image/x-icon"
href="assets/img/favicon.ico">

  <link rel="stylesheet" href="assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/css/templatemo.css">
  <link rel="stylesheet" href="assets/css/custom.css">

  <!-- Load fonts style after rendering the layout styles -->
  <link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;200;300;400;500;700;900&display=swap">
  <link rel="stylesheet" href="assets/css/fontawesome.min.css">

  <!-- Load map styles -->
  <link rel="stylesheet"
href="https://unpkg.com/leaflet@1.7.1/dist/leaflet.css" integrity="sha512-xodZBNTC5n17Xt2atTPuE1HxjVMSvLVW9ocqUKLsCC5CXdbqCmblAshOMAS6/keqq/sMZM19s
cR4PsZChSR7A==" crossorigin="" />
  <!--

TemplateMo 559 Zay Shop

https://templatemo.com/tm-559-zay-shop

-->
</head>

<body>
  <!-- Start Top Nav -->
  <?php include "includes/pre-nav.php"; ?>
  <!-- Close Top Nav -->
```

```

<!-- Header -->
<?php include "includes/navigation.php"; ?>
<!-- Close Header -->

<!-- Modal -->
<div class="modal fade bg-white" id="templatemo_search" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-lg" role="document">
        <div class="w-100 pt-1 mb-5 text-right">
            <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
        </div>
        <form action="" method="get" class="modal-content modal-body
border-0 p-0">
            <div class="input-group mb-2">
                <input type="text" class="form-control"
id="inputModalSearch" name="q" placeholder="Search ...">
                <button type="submit" class="input-group-text bg-
success text-light">
                    <i class="fa fa-fw fa-search text-white"></i>
                </button>
            </div>
        </form>
    </div>
</div>

<!-- Start Content Page -->
<div class="container-fluid bg-light py-5">
    <div class="col-md-6 m-auto text-center">
        <h1 class="h1">Contact Us</h1>
        <p>
            Proident, sunt in culpa qui officia deserunt mollit anim
id est laborum.
            Lorem ipsum dolor sit amet.
        </p>
    </div>
</div>

<!-- Start Map -->
<div id="mapid" style="width: 100%; height: 300px;"></div>
<script src="https://unpkg.com/leaflet@1.7.1/dist/leaflet.js"
integrity="sha512-

```



```

XQoYMqMTK8LvdxXYG3nZ448h0EQiglfqkJs1N0QV44cWnUrBc8PkA0cXy20w0vlaXaVUearIOB
hiXZ5V3ynxwA==" crossorigin=""></script>
<script>
    var mymap = L.map('mapid').setView([-23.013104, -43.394365, 13],
13);

    L.tileLayer('https://api.mapbox.com/styles/v1/{id}/tiles/{z}/{x}/{
y}?access_token=pk.eyJ1IjoibWFwYm94IiwiYSI6ImNpejY4NXVycTA2emYycXBndHRqcmZ
3N3gifQ.rJcFIG214AriISLbB6B5aw', {
        maxZoom: 18,
        attribution: 'Zay Telmplte | Template Design by <a
href="https://templatemo.com/">Templatemo</a> | Map data &copy; <a
href="https://www.openstreetmap.org/">OpenStreetMap</a> contributors, ' +
            '<a href="https://creativecommons.org/licenses/by-
sa/2.0/">CC-BY-SA</a>, ' +
            'Imagery © <a href="https://www.mapbox.com/">Mapbox</a>',
        id: 'mapbox/streets-v11',
        tileSize: 512,
        zoomOffset: -1
    }).addTo(mymap);

    L.marker([-23.013104, -43.394365, 13]).addTo(mymap)
        .bindPopup("<b>Zay</b> eCommerce Template<br
/>Location.").openPopup();

    mymap.scrollWheelZoom.disable();
    mymap.touchZoom.disable();
</script>
<!-- Ena Map -->
<!-- Start Contact -->
<div class="container py-5">
    <div class="errorsContact mt-3">
        <?php if(isset($_GET['success'])):?>
        <p class='alert alert-success'><?php echo
$_GET['success']?></p>
        <?php endif;?>
    </div>
    <div class="row py-5">
        <form action="logic/sendMessage.php" onsubmit="return
provera()" class="col-md-9 m-auto" method="post" role="form">
            <div class="row">
                <div class="form-group col-md-6 mb-3">
                    <label for="inputname">Name</label>

```

```

        <input type="text" class="form-control mt-1"
id="name" name="name" placeholder="Name">
    </div>
    <div class="form-group col-md-6 mb-3">
        <label for="inputemail">Email</label>
        <input type="text" class="form-control mt-1"
id="email" name="email" placeholder="Email">
    </div>
</div>
<div class="mb-3">
    <label for="inputsubject">Subject</label>
    <input type="text" class="form-control mt-1"
id="subject" name="subject" placeholder="Subject">
</div>
<div class="mb-3">
    <label for="inputmessage">Message</label>
    <textarea class="form-control mt-1" id="message"
name="message" placeholder="Message" rows="8"></textarea>
</div>
<div class="row">
    <div class="col text-end mt-2">
        <button type="submit" name="send" class="btn btn-
success btn-lg px-3">Let's Talk</button>
    </div>
</div>
</form>
</div>
</div>

<!-- End Contact -->

<!-- Start Footer -->
<?php include "includes/footer.php"; ?>
<!-- End Footer -->

<!-- Start Script -->
<script src="assets/js/jquery-1.11.0.min.js"></script>
<script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/templatemo.js"></script>
<script src="assets/js/custom.js"></script>
<script src="assets/mojJS/main.js"></script>

```

```

        <!-- End Script -->
    </body>

</html>

```

editAccount.php

```

<?php
    include 'includes/navigation.php';
    include 'includes/html.php';
    include 'functions/functions.php';
    include 'connection/connection.php';
    $session = $_SESSION['user'];

?>
<body>
    <div class="container my-5 editUserCt">
        <div class="col-lg-8">
            <h2>Edit Account</h2>
            <div class="successfulEdit">
                <p><?php if(isset($_GET['success'])) {echo
$_GET['success']; } ?></p>
            </div>
            <form action="logic/editUser.php" id='editForma' method="post"
enctype="multipart/form-data" onSubmit="return editUser()">
                <div class="form-group my-3">
                    <label for="exampleInputEmail1">First Name</label>
                    <input type="text" class="form-control" id="UFName"
name="UFName" aria-describedby="emailHelp"
value="<?=$session['first_name']?>">

                </div>
                <div class="form-group my-3">
                    <label for="ULName">Last Name</label>
                    <input type="text" class="form-control" id="ULName"
name="ULName" aria-describedby="emailHelp"
value="<?=$session['last_name']?>">
                </div>
                <div class="form-group my-3">
                    <label for="UEmail">Email address</label>
                    <input type="text" class="form-control" id="UEmail"
name="UEmail" aria-describedby="emailHelp" value="<?=$session['email']?>">
                </div>
                <div class="form-group my-3">

```

```

        <label for="UNPass">New password</label>
        <input type="text" class="form-control" id="pass"
name="UNPass" aria-describedby="emailHelp" placeholder="New password">
    </div>
    <div class="form-group my-3">
        <label for="UNCPass">Confirm new password</label>
        <input type="text" class="form-control" id="confPass"
name="UNCPass" aria-describedby="emailHelp" placeholder="Confirm new
password">
    </div>
    <div class="form-group my-3">
        <label for="exampleInputPassword1">Pol</label>
        <?php $genders = getGenders();?>
        <select name="genders" id="ddlGenders" class="form-
control">
            <?php foreach($genders as $gender):?>
                <option value="<?=$gender['id']?>" <?php
if($gender["id"]==$session['gender_id']) echo 'selected'; ?>><?php echo
$gender['gender']?></option>
                <?php endforeach;?>
            </select>
        </div>
        <div class="form-group my-3">
            <label for="exampleInputPassword1">Upload profile
img</label>
            <input type="file" class="form-control-file"
name="profileImg">
        </div>

        <button type="submit" name="edit" class="btn btn-outline-
light my-3 editUser">Submit</button>
    </form>
</div>
</div>
<div class="container my-5 editUserCt">
    <div class="col-lg-8">
        <h2>Add location</h2>
        <div class="successfulEdit">
            <p><?php if(isset($_GET['successLoc'])) {echo
$_GET['successLoc']; } ?></p>
        </div>
        <?php
            global $con;

```

```

        $userLocation = $con->prepare("SELECT * from locations l
INNER JOIN users u ON l.id=u.location_id WHERE u.user_id =:id ");
        $userLocation->bindParam(":id",
$_SESSION['user']['user_id']);
        $userLocation->execute();
        $location = $userLocation->fetch(PDO::FETCH_ASSOC);
    ?>
    <form action="logic/addLocation.php" id='editForma'
method="post" onSubmit="return addLocation()">
        <div class="form-group my-3">
            <label for="exampleInputEmail1">Country</label>
            <input type="text" class="form-control" id="country"
name="country" aria-describedby="emailHelp" value="<?php
if(isset($location['country'])) echo $location['country']?>">
            <input type="hidden" name="locId" value="<?php
if(isset($location['id'])) echo $location['id']?>">
        </div>
        <div class="form-group my-3">
            <label for="ULName">City</label>
            <input type="text" class="form-control" id="city"
name="city" aria-describedby="emailHelp" value="<?php
if(isset($location['city']))echo $location['city']?>">
        </div>
        <div class="form-group my-3">
            <label for="UEmail">Address</label>
            <input type="text" class="form-control" id="address"
name="address" aria-describedby="emailHelp" value="<?php
if(isset($location['addresses']))echo $location['addresses']?>">
        </div>

        <button type="submit" name="addLocation" class="btn btn-
outline-light my-3 editUser">Add location</button>
        <button type="submit" name="updateLocation" class="btn
btn-outline-light my-3 editUser">update location</button>
    </form>
</div>
</div>
<?php include 'includes/footer.php'?>
<script src="https://code.jquery.com/jquery-3.6.3.js"
integrity="sha256-nQLuAZGRRcILA+6dMB0vcRh5Pe310sBpanc6+QBmyVM="
crossorigin="anonymous"></script>
    <script src="assets/mojJS/main.js"></script>
</body>

```

```
</html>
```

Poll.php

```
<?php
include 'includes/html.php';
include 'functions/functions.php';
include "connection/connection.php";
$poll = getPoll();

?>

<body>
    <?php include "includes/navigation.php"; ?>
    <?php
        if(isset($_SESSION['user']) && $isAnswered):?>
        <div class="poll">
            <h1 class="h3 text-center mt-5 mb-4">Poll</h1>
            <form action="">
                <div class="msg"></div>
                <div class="registration-input inputs">
                    <div class="poll-ct" data-user="<?php echo
$_SESSION['user']['user_id']?>">
                        <?php foreach($poll as $question):?>

                            <div class="poll-form">
                                <label for=""><?php echo
$question['question']?></label>

                                    <?php
                                        global $con;
                                        $pollChoice = $con->prepare("SELECT *
FROM poll_choices WHERE question_id =:id");
                                        $pollChoice->bindParam(":id",
$question['question_id']);

                                        $pollChoice->execute();
                                        $pollChoice = $pollChoice->
>fetchAll(PDO::FETCH_ASSOC);

                                    ?>
                                    <div class="choice">
                                        <?php foreach($pollChoice as
$choice):?>
```

```

                                <div class="single-choice">
                                    <input type="radio"
name="<?php echo $question['question_id']?>" class="choice" value="<?php
echo $choice['choice_id']?>">
                                <label for="gender"><?php echo
$choice['choice']?></label
                                ></div>

                                <?php endforeach; ?>
                            </div>

                        </div>
                    <?php endforeach; ?>

                </div>
                <div class="greske radioGreske"></div>
            </div>

            <div class="registration-input inputs text-center mt-4">
                <input type="button" value="Submit" class="btn btn-
success" id="submitPoll">
            </div>
        </form>
    </div>
    <?php endif;?>
    <script src="https://code.jquery.com/jquery-3.6.3.js"
integrity="sha256-nQLuAZGRRcILA+6dMB0vcRh5Pe310sBpanc6+QBmyVM="
crossorigin="anonymous"></script>
    <script src="assets/mojJS/main.js"></script>
    <!--Kraj MOG JS FAJL -->
    <!-- Start Script -->
    <script src="assets/js/jquery-1.11.0.min.js"></script>
    <script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
    <script src="assets/js/bootstrap.bundle.min.js"></script>
    <script src="assets/js/templatemo.js"></script>
    <script src="assets/js/custom.js"></script>
    </body>
</html>

```

Shop-single.php

```
<?php
```

```

include "connection/connection.php";

if(isset($_GET['id'])) {
    $id = $_GET['id'];
    global $con;
    $single_prod = $con->prepare('SELECT * FROM products prod INNER
JOIN prices pr ON prod.id = pr.product_id INNER JOIN brands b ON
prod.brand_id = b.id where prod.id=:id');
    $single_prod->bindParam(':id', $id);
    $single_prod->execute();
    $single_prod = $single_prod->fetch(PDO::FETCH_ASSOC);

    $specifications = $con->prepare('SELECT * FROM specifications s
INNER JOIN prod_spec p ON s.id = p.specification_id WHERE
p.product_id=:id');
    $specifications->bindParam(':id', $id);
    $specifications->execute();
    $specifications = $specifications->fetchAll(PDO::FETCH_ASSOC);

    $sizes = $con->prepare('SELECT * FROM sizes s INNER JOIN
product_size p ON s.id = p.size_id where p.product_id=:id');
    $sizes->bindParam(':id', $id);
    $sizes->execute();
    $sizes = $sizes->fetchAll(PDO::FETCH_ASSOC);

    $cat_id = $single_prod['category_id'];
    $relatedProducts = $con->prepare('SELECT * FROM products prod
INNER JOIN prices pr ON prod.id = pr.product_id where prod.category_id
=:category_id AND is_deleted=0');
    $relatedProducts->bindParam(':category_id', $cat_id);
    $relatedProducts->execute();
    $relatedProducts = $relatedProducts->fetchAll(PDO::FETCH_ASSOC);

    $images = $con->prepare('SELECT * FROM images where
product_id=:prodId');
    $images->bindParam(':prodId', $id);
    $images->execute();
    $images=$images->fetchAll(PDO::FETCH_ASSOC);

} else {
    header("location: index.php");
}
?>

```



```

<!DOCTYPE html>
<html lang="en">

<head>
    <title>Zay Shop - Product Detail Page</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="apple-touch-icon" href="assets/img/apple-icon.png">
    <link rel="shortcut icon" type="image/x-icon"
href="assets/img/favicon.ico">

    <link rel="stylesheet" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/templatemo.css">
    <link rel="stylesheet" href="assets/css/custom.css">

    <!-- Load fonts style after rendering the layout styles -->
    <link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;200;300;400;500;700;900&display=swap">
    <link rel="stylesheet" href="assets/css/fontawesome.min.css">

    <!-- Slick -->
    <link rel="stylesheet" type="text/css"
href="assets/css/slick.min.css">
    <link rel="stylesheet" type="text/css" href="assets/css/slick-
theme.css">
    <!--

TemplateMo 559 Zay Shop

https://templatemo.com/tm-559-zay-shop

-->
</head>

<body>
    <!-- Start Top Nav -->
    <?php include "includes/pre-nav.php"; ?>
    <!-- Close Top Nav -->

```

```

<!-- Header -->
<?php include "includes/navigation.php"; ?>
<!-- Close Header -->

<!-- Modal -->
<div class="modal fade bg-white" id="templatemo_search" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-lg" role="document">
        <div class="w-100 pt-1 mb-5 text-right">
            <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
        </div>
        <form action="" method="get" class="modal-content modal-body
border-0 p-0">
            <div class="input-group mb-2">
                <input type="text" class="form-control"
id="inputModalSearch" name="q" placeholder="Search ...">
                <button type="submit" class="input-group-text bg-
success text-light">
                    <i class="fa fa-fw fa-search text-white"></i>
                </button>
            </div>
        </form>
    </div>
</div>

<!-- Open Content -->
<section class="bg-light">
    <div class="container pb-5">
        <div class="row">
            <div class="col-lg-5 mt-5">
                <div class="card mb-3">
                    
                </div>
                <div class="row">
                    <!--Start Controls-->
                    <div class="col-1 align-self-center">
                        <a href="#multi-item-example" role="button"
data-bs-slide="prev">

```

```

        <i class="text-dark fas fa-chevron-
left"></i>
        <span class="sr-only">Previous</span>
    </a>
</div>
<!--End Controls-->
<!--Start Carousel Wrapper-->
<div id="multi-item-example" class="col-10
carousel slide carousel-multi-item" data-bs-ride="carousel">
    <!--Start Slides-->
    <div class="carousel-inner product-links-wap
role="listbox">

        <!--First slide-->
        <div class="carousel-item active">
            <div class="row">
                <?php foreach($images as
$image):?>

                    <div class="col-4">
                        <a href="#">
                            

                            </a>
                        </div>
                        <?php endforeach;?>
                    </div>
                </div>

            </div>
            <!--End Slides-->
        </div>
        <!--End Carousel Wrapper-->
        <!--Start Controls-->
        <div class="col-1 align-self-center">
            <a href="#multi-item-example" role="button"
data-bs-slide="next">

                <i class="text-dark fas fa-chevron-
right"></i>

                <span class="sr-only">Next</span>

```

```

        </a>
    </div>
    <!--End Controls-->
</div>
</div>
<!-- col end -->
<div class="col-lg-7 mt-5">
    <div class="card">

        <div class="card-body" id="product-container"
data-id='<?php echo $single_prod['product_id']?>' data-userID='<?php echo
$_SESSION['user']['user_id']?>'>
            <h1 class="h2"><?php echo
$single_prod['name']?></h1>
            <p class="h3 py-2">$<?php echo
$single_prod['price']?></p>
            <p class="py-2">
                <i class="fa fa-star text-warning"></i>
                <i class="fa fa-star text-warning"></i>
                <i class="fa fa-star text-warning"></i>
                <i class="fa fa-star text-warning"></i>
                <i class="fa fa-star text-secondary"></i>
                <span class="list-inline-item text-
dark">Rating 4.8 | 36 Comments</span>
            </p>
            <ul class="list-inline">
                <li class="list-inline-item">
                    <h6>Brand:</h6>
                </li>
                <li class="list-inline-item">
                    <p class="text-muted"><strong><?php
echo $single_prod['brand_name']?></strong></p>
                </li>
            </ul>

            <h6>Description:</h6>
            <p><?php echo
$single_prod['description']?></p>

            <h6>Specification:</h6>
            <ul class="list-unstyled pb-3">
                <?php foreach($specifications as
$specification):?>

```

```

                <li><?php echo $specification['type'].":
"; echo $specification['value']; ?></li>

                <?php endforeach; ?>
            </ul>

            <form action="" method="GET">
                <input type="hidden" name="product-title"
value="Activewear">

                <div class="row">
                    <div id="errors"></div>
                    <div class="col-auto">

                        <ul class="list-inline pb-3">
                            <li class="list-inline-
item"><span>Available sizes:</span></li>

                                <?php foreach($sizes as
$size):?>

                                    <li class="list-inline-
item"><span class="btn btn-success btn-size" data-sizeID='<?php echo
$size['id']; ?>'><?php echo $size['size']; ?></span></li>

                                    <?php endforeach; ?>
                                </ul>
                            </div>
                            <div class="col-auto">
                                <ul class="list-inline pb-3">
                                    <li class="list-inline-item
text-right">

                                        Quantity
                                        <input type="hidden"
name="product-quantity" id="product-quantity" value="1">
                                        </li>
                                    <li class="list-inline-
item"><span class="btn btn-success" id="btn-minus">-</span></li>
                                    <li class="list-inline-
item"><span class="badge bg-secondary" id="var-value">1</span></li>
                                    <li class="list-inline-
item"><span class="btn btn-success" id="btn-plus">+</span></li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

```

```

        <div class="row pb-3">
            <div class="col d-grid">
                <button type="submit"
id="addToCart" class="btn btn-success btn-lg" name="submit"
value="addtocard">Add To Cart</button>
            </div>
        </div>
    </form>

</div>
</div>
</div>
</div>
</section>

<!-- Close Content -->

<!-- Start Article -->
<section class="py-5">
    <div class="container">
        <div class="row text-left p-2 pb-3">
            <h4>Related Products</h4>
        </div>

        <!--Start Carousel Wrapper-->
        <div id="carousel-related-product">
            <?php foreach($relatedProducts as $relatedProduct):?>
                <div class="p-2 pb-3">
                    <div class="product-wap card rounded-0">
                        <div class="card img-ct rounded-0">
                            
                            <div class="card-img-overlay rounded-0
product-overlay d-flex align-items-center justify-content-center">

                                <ul class="list-unstyled">
                                    <li><a class="btn btn-success
text-white" href="shop-single.php"><i class="far fa-heart"></i></a></li>
                                    <li id="<?php echo
$relatedProduct['product_id']?>"><a class="btn btn-success text-white mt-

```

```

2" href="shop-single.php?id=<?php echo $relatedProduct['product_id']?>"><i
class="far fa-eye"></i></a></li>
                                <li><a class="btn btn-success
text-white mt-2" href="shop-single.php"><i class="fas fa-cart-
plus"></i></a></li>
                                </ul>
                            </div>
                        </div>
                    <div class="card-body card-ct">
                        <a href="shop-single.html" class="h3 text-
decoration-none"><?php echo $relatedProduct['name']?></a>
                        <ul class="w-100 list-unstyled d-flex justify-
content-between mb-0">
                            <li class="pt-2">
                                <span class="product-color-dot color-
dot-red float-left rounded-circle ml-1"></span>
                                <span class="product-color-dot color-
dot-blue float-left rounded-circle ml-1"></span>
                                <span class="product-color-dot color-
dot-black float-left rounded-circle ml-1"></span>
                                <span class="product-color-dot color-
dot-light float-left rounded-circle ml-1"></span>
                                <span class="product-color-dot color-
dot-green float-left rounded-circle ml-1"></span>
                            </li>
                        </ul>
                        <ul class="list-unstyled d-flex justify-
content-center mb-1">
                            <li>
                                <i class="text-warning fa fa-
star"></i>
                                <i class="text-warning fa fa-
star"></i>
                                <i class="text-warning fa fa-
star"></i>
                                <i class="text-warning fa fa-
star"></i>
                                <i class="text-muted fa fa-star"></i>
                            </li>
                        </ul>
                        <p class="text-center mb-0"><?php echo
$relatedProduct['price']?></p>
                    </div>

```

```

        </div>
    </div>
    <?php endforeach; ?>

</div>

</div>
</section>
<!-- End Article -->
<div class="container mb-5">
<div class="row">
    <div class="col-md-12 course-details-content">
        <div class="course-details-card mt--40">
            <div class="course-content" data-product="<?php echo
$_GET['id']?>">
                <?php if(isset($_SESSION['user'])):?>
                <div class="row">
                    <div class="report"></div>
                    <h5 class="mb--25">Write rewiew</h5>
                    <form>
                        <div class="mb-3">
                            <label for="title" class="form-
label">Title</label>
                            <input type="text" class="form-control" id="title"
placeholder="Title">
                        </div>
                        <div class="mb-3">
                            <label for="message" class="form-
label">Rewiew</label>
                            <textarea class="form-control" id="message"
rows="3"></textarea>
                        </div>
                        <button type="submit" class="btn btn-success" data-
id="<?php echo $_SESSION['user']['user_id']?>" id="sendRewies">Send
rewiew</button>
                    </form>
                </div>
                <?php endif;?>
            <div class="comment-wrapper pt--40 rewiews-block">
                <div class="section-title">

```



```

        },
        {
            breakpoint: 600,
            settings: {
                slidesToShow: 2,
                slidesToScroll: 3
            }
        },
        {
            breakpoint: 480,
            settings: {
                slidesToShow: 2,
                slidesToScroll: 3
            }
        }
    ]
});
</script>
<!-- End Slider Script -->

</body>

</html>

```

Shop.php

```

<?php
    include "connection/connection.php";

    if(isset($_GET['id'])) {
        $id = $_GET['id'];
        global $con;
        $single_prod = $con->prepare('SELECT * FROM products prod INNER
JOIN prices pr ON prod.id = pr.product_id INNER JOIN brands b ON
prod.brand_id = b.id where prod.id=:id');
        $single_prod->bindParam(':id', $id);
        $single_prod->execute();
        $single_prod = $single_prod->fetch(PDO::FETCH_ASSOC);

        $specifications = $con->prepare('SELECT * FROM specifications s
INNER JOIN prod_spec p ON s.id = p.specification_id WHERE
p.product_id=:id');
        $specifications->bindParam(':id', $id);
    }
}

```

```

        $specifications->execute();
        $specifications = $specifications->fetchAll(PDO::FETCH_ASSOC);

        $sizes = $con->prepare('SELECT * FROM sizes s INNER JOIN
product_size p ON s.id = p.size_id where p.product_id=:id');
        $sizes->bindParam(':id', $id);
        $sizes->execute();
        $sizes = $sizes->fetchAll(PDO::FETCH_ASSOC);

        $cat_id = $single_prod['category_id'];
        $relatedProducts = $con->prepare('SELECT * FROM products prod
INNER JOIN prices pr ON prod.id = pr.product_id where prod.category_id
=:category_id AND is_deleted=0');
        $relatedProducts->bindParam(':category_id', $cat_id);
        $relatedProducts->execute();
        $relatedProducts = $relatedProducts->fetchAll(PDO::FETCH_ASSOC);

        $images = $con->prepare('SELECT * FROM images where
product_id=:prodId');
        $images->bindParam(':prodId', $id);
        $images->execute();
        $images=$images->fetchAll(PDO::FETCH_ASSOC);

    }else {
        header("location: index.php");
    }
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <title>Zay Shop - Product Detail Page</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="apple-touch-icon" href="assets/img/apple-icon.png">
    <link rel="shortcut icon" type="image/x-icon"
href="assets/img/favicon.ico">

    <link rel="stylesheet" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/templatemo.css">
    <link rel="stylesheet" href="assets/css/custom.css">

```

```

    <!-- Load fonts style after rendering the layout styles -->
    <link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;200;300;400;500;700;900&display=swap">
    <link rel="stylesheet" href="assets/css/fontawesome.min.css">

    <!-- Slick -->
    <link rel="stylesheet" type="text/css"
href="assets/css/slick.min.css">
    <link rel="stylesheet" type="text/css" href="assets/css/slick-
theme.css">
    <!--

TemplateMo 559 Zay Shop

https://templatemo.com/tm-559-zay-shop

-->
</head>

<body>
    <!-- Start Top Nav -->
    <?php include "includes/pre-nav.php"; ?>
    <!-- Close Top Nav -->

    <!-- Header -->
    <?php include "includes/navigation.php"; ?>
    <!-- Close Header -->

    <!-- Modal -->
    <div class="modal fade bg-white" id="templatemo_search" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog modal-lg" role="document">
            <div class="w-100 pt-1 mb-5 text-right">
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <form action="" method="get" class="modal-content modal-body
border-0 p-0">
                <div class="input-group mb-2">

```

```

        <input type="text" class="form-control"
id="inputModalSearch" name="q" placeholder="Search ...">
        <button type="submit" class="input-group-text bg-
success text-light">
            <i class="fa fa-fw fa-search text-white"></i>
        </button>
    </div>
</form>
</div>
</div>

<!-- Open Content -->
<section class="bg-light">
    <div class="container pb-5">
        <div class="row">
            <div class="col-lg-5 mt-5">
                <div class="card mb-3">
                    
                </div>
            <div class="row">
                <!--Start Controls-->
                <div class="col-1 align-self-center">
                    <a href="#multi-item-example" role="button"
data-bs-slide="prev">
                        <i class="text-dark fas fa-chevron-
left"></i>
                        <span class="sr-only">Previous</span>
                    </a>
                </div>
                <!--End Controls-->
                <!--Start Carousel Wrapper-->
                <div id="multi-item-example" class="col-10
carousel slide carousel-multi-item" data-bs-ride="carousel">
                    <!--Start Slides-->
                    <div class="carousel-inner product-links-wap"
role="listbox">
                        <!--First slide-->
                        <div class="carousel-item active">

```

```

        <div class="row">
            <?php foreach($images as
$image):?>

                <div class="col-4">
                    <a href="#">
                        

                    </a>
                </div>
            <?php endforeach;?>

        </div>
    </div>

    </div>
    <!--End Slides-->
</div>
<!--End Carousel Wrapper-->
<!--Start Controls-->
<div class="col-1 align-self-center">
    <a href="#multi-item-example" role="button"
data-bs-slide="next">

        <i class="text-dark fas fa-chevron-
right"></i>

        <span class="sr-only">Next</span>
    </a>
</div>
<!--End Controls-->
</div>
</div>
<!-- col end -->
<div class="col-lg-7 mt-5">
    <div class="card">

        <div class="card-body" id="product-container"
data-id='<?php echo $single_prod['product_id']?>' data-userID='<?php echo
$_SESSION['user']['user_id']?>'>
            <h1 class="h2"><?php echo
$single_prod['name']?></h1>

```

```

        <p class="h3 py-2">${?php echo
$single_prod['price']}></p>
        <p class="py-2">
            <i class="fa fa-star text-warning"></i>
            <i class="fa fa-star text-warning"></i>
            <i class="fa fa-star text-warning"></i>
            <i class="fa fa-star text-warning"></i>
            <i class="fa fa-star text-secondary"></i>
            <span class="list-inline-item text-
dark">Rating 4.8 | 36 Comments</span>
        </p>
        <ul class="list-inline">
            <li class="list-inline-item">
                <h6>Brand:</h6>
            </li>
            <li class="list-inline-item">
                <p class="text-muted"><strong>{?php
echo $single_prod['brand_name']}></strong></p>
            </li>
        </ul>

        <h6>Description:</h6>
        <p>{?php echo
$single_prod['description']}></p>

        <h6>Specification:</h6>
        <ul class="list-unstyled pb-3">
            <?php foreach($specifications as
$specification):?>
                <li>{?php echo $specification['type'].":
"; echo $specification['value']; ?></li>

                <?php endforeach; ?>
            </ul>

        <form action="" method="GET">
            <input type="hidden" name="product-title"
value="Activewear">

            <div class="row">
                <div id="errors"></div>
                <div class="col-auto">

                    <ul class="list-inline pb-3">

```

```

        <li class="list-inline-
item"><span>Avalible sizes:</span></li>
        <?php foreach($sizes as
$size):?>

            <li class="list-inline-
item"><span class="btn btn-success btn-size" data-sizeID='<?php echo
$size['id']; ?>'><?php echo $size['size']; ?></span></li>

            <?php endforeach; ?>
        </ul>
    </div>
    <div class="col-auto">
        <ul class="list-inline pb-3">
            <li class="list-inline-item
text-right">
                Quantity
                <input type="hidden"
name="product-quanitty" id="product-quanitty" value="1">
                </li>
            <li class="list-inline-
item"><span class="btn btn-success" id="btn-minus">-</span></li>
            <li class="list-inline-
item"><span class="badge bg-secondary" id="var-value">1</span></li>
            <li class="list-inline-
item"><span class="btn btn-success" id="btn-plus">+</span></li>
        </ul>
    </div>
</div>
<div class="row pb-3">

    <div class="col d-grid">
        <button type="submit"
id="addToCart" class="btn btn-success btn-lg" name="submit"
value="addtocard">Add To Cart</button>
    </div>
</div>
</form>

</div>
</div>
</div>
</div>

```



```

        </div>
    </section>

    <!-- Close Content -->

    <!-- Start Article -->
    <section class="py-5">
        <div class="container">
            <div class="row text-left p-2 pb-3">
                <h4>Related Products</h4>
            </div>

            <!--Start Carousel Wrapper-->
            <div id="carousel-related-product">
                <?php foreach($relatedProducts as $relatedProduct):?>
                    <div class="p-2 pb-3">
                        <div class="product-wap card rounded-0">
                            <div class="card-img-ct rounded-0">
                                
                                <div class="card-img-overlay rounded-0
product-overlay d-flex align-items-center justify-content-center">

                                    <ul class="list-unstyled">
                                        <li><a class="btn btn-success
text-white" href="shop-single.php"><i class="far fa-heart"></i></a></li>
                                        <li id="<?php echo
$relatedProduct['product_id']?>"><a class="btn btn-success text-white mt-
2" href="shop-single.php?id=<?php echo $relatedProduct['product_id']?>"><i
class="far fa-eye"></i></a></li>
                                        <li><a class="btn btn-success
text-white mt-2" href="shop-single.php"><i class="fas fa-cart-
plus"></i></a></li>
                                    </ul>
                                </div>
                            </div>
                        </div>
                        <div class="card-body card-ct">
                            <a href="shop-single.html" class="h3 text-
decoration-none"><?php echo $relatedProduct['name']?></a>
                            <ul class="w-100 list-unstyled d-flex justify-
content-between mb-0">
                                <li class="pt-2">

```

```

                <span class="product-color-dot color-
dot-red float-left rounded-circle ml-1"></span>
                <span class="product-color-dot color-
dot-blue float-left rounded-circle ml-1"></span>
                <span class="product-color-dot color-
dot-black float-left rounded-circle ml-1"></span>
                <span class="product-color-dot color-
dot-light float-left rounded-circle ml-1"></span>
                <span class="product-color-dot color-
dot-green float-left rounded-circle ml-1"></span>
            </li>
        </ul>
        <ul class="list-unstyled d-flex justify-
content-center mb-1">
            <li>
                <i class="text-warning fa fa-
star"></i>
                <i class="text-warning fa fa-
star"></i>
                <i class="text-warning fa fa-
star"></i>
                <i class="text-warning fa fa-
star"></i>
                <i class="text-muted fa fa-star"></i>
            </li>
        </ul>
        <p class="text-center mb-0">${<?php echo
$relatedProduct['price']?></p>
    </div>
</div>
</div>
</div>
</section>
<!-- End Article -->
<div class="container mb-5">
<div class="row">

```

```

<div class="col-md-12 course-details-content">
  <div class="course-details-card mt--40">
    <div class="course-content" data-product="<?php echo
$_GET['id']?>">
      <?php if(isset($_SESSION['user'])):?>
      <div class="row">
        <div class="report"></div>
        <h5 class="mb--25">Write rewiew</h5>
        <form>
          <div class="mb-3">
            <label for="title" class="form-
label">Title</label>
            <input type="text" class="form-control" id="title"
placeholder="Title">
          </div>
          <div class="mb-3">
            <label for="message" class="form-
label">Rewiew</label>
            <textarea class="form-control" id="message"
rows="3"></textarea>
          </div>
          <button type="submit" class="btn btn-success" data-
id="<?php echo $_SESSION['user']['user_id']?>" id="sendRewies">Send
rewiew</button>
        </form>
      </div>
      <?php endif;?>
      <div class="comment-wrapper pt--40 reviews-block">
        <div class="section-title">
          <h5 class="mb--25">Reviews</h5>
        </div>
        <!-- Comment Box start-->

        <!-- Comment Box end-->
      </div>
    </div>
  </div>
  <div class="atc atc-hidden">dadsa</div>
  <!-- Start Footer -->
  <?php include "includes/footer.php"; ?>

```

```

<!-- End Footer -->
<!--Pocetak MOG JS FAJL -->
<script src="https://code.jquery.com/jquery-3.6.3.js"
integrity="sha256-nQLuAZGRRcILA+6dMB0vcRh5Pe310sBpanc6+QBmyVM="
crossorigin="anonymous"></script>
<script src="assets/mojJS/main.js"></script>
<!--Kraj MOG JS FAJL -->
<!-- Start Script -->
<script src="assets/js/jquery-1.11.0.min.js"></script>
<script src="assets/js/jquery-migrate-1.2.1.min.js"></script>
<script src="assets/js/bootstrap.bundle.min.js"></script>
<script src="assets/js/templatemo.js"></script>
<script src="assets/js/custom.js"></script>
<!-- End Script -->
<!-- Start Slider Script -->
<script src="assets/js/slick.min.js"></script>
<script>
    $('#carousel-related-product').slick({
        infinite: true,
        arrows: false,
        slidesToShow: 4,
        slidesToScroll: 3,
        dots: true,
        responsive: [{
            breakpoint: 1024,
            settings: {
                slidesToShow: 3,
                slidesToScroll: 3
            }
        },
        {
            breakpoint: 600,
            settings: {
                slidesToShow: 2,
                slidesToScroll: 3
            }
        },
        {
            breakpoint: 480,
            settings: {
                slidesToShow: 2,
                slidesToScroll: 3
            }
        }
    ]
});

```

```

        }
    ]
    });
</script>
<!-- End Slider Script -->

</body>

</html>

```

Navigation.php

```

<?php
    session_start();
    include ("connection/connection.php");
    include ("functions/ispisNavigacije.php");

    $rezultat = $con -> prepare("Select * from navigation");
    $rezultat -> execute();
    $rezultat = $rezultat->fetchAll(PDO::FETCH_ASSOC);

    if(isset($_SESSION['user'])) {
        $pollShow = $con ->prepare("SELECT * FROM poll_results WHERE
user_id=:id");
        $pollShow->bindParam(":id", $_SESSION['user']['user_id']);
        $pollShow->execute();
        $isAnswered = $pollShow->fetchAll(PDO::FETCH_ASSOC);
        $isAnswered = count($isAnswered)==0;
    }

?>
<nav class="navbar navbar-expand-lg bg-dark navbar-light d-lg-block"
id="templatemo_nav_top">
    <div class="container text-light">
        <div class="w-100 d-flex justify-content-between">
            <div>

                <i class="fa fa-phone mx-2"></i>
                <a class="navbar-sm-brand text-light text-decoration-
none " href="tel:010-020-0340">020-0340</a>
            </div>
            <div class="d-flex">
                <?php if(isset($_SESSION['user'])):?>

```

```

                <p class="my-0 mx-2 preNavText text-light">Welcome
<?php echo $_SESSION['user']['first_name'];?></p>
                <?php endif;?>
                <?php if(isset($_SESSION['user']) &&
$_SESSION['user']['role_id']==2):?>
                    <a class="text-light nav-icon position-
relative text-decoration-none text-light"
href="adminpanel/adminpanel.php">Admin panel</a>
                <?php else:?>
                    <p class="text-light my-0 mx-2
preNavText">Welcome</p>
                <?php endif;?>
            </div>
        </div>
    </div>
</nav>
<nav class="navbar navbar-expand-lg navbar-light shadow">
<div class="container d-flex justify-content-between align-items-center">

    <a class="navbar-brand text-success logo h1 align-self-center"
href="index.html">
        Zay
    </a>

    <button class="navbar-toggler border-0" type="button" data-bs-
toggle="collapse" data-bs-target="#templatemo_main_nav" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>

    <div class="align-self-center collapse navbar-collapse flex-fill d-
lg-flex justify-content-lg-between" id="templatemo_main_nav">
        <div class="flex-fill">
            <ul class="nav navbar-nav d-flex justify-content-between mx-
lg-auto">

                <!-- <li class="nav-item">
                    <a class="nav-link" href="index.php">Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="about.php">About</a>
                </li>
                <li class="nav-item">

```

```

        <a class="nav-link" href="shop.php">Shop</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="contact.php">Contact</a>
    </li> -->
    <?php echo ispisNavigacije($rezultat);?>
</ul>
</div>
<div class="navbar align-self-center d-flex">
    <div class="d-lg-none flex-sm-fill mt-3 mb-4 col-7 col-sm-auto
pr-3">
        <div class="input-group">
            <input type="text" class="form-control"
id="inputMobileSearch" placeholder="Search ...">
            <div class="input-group-text">
                <i class="fa fa-fw fa-search"></i>
            </div>
        </div>
    </div>
    <?php
        if(strpos($_SERVER["REQUEST_URI"], 'shop.php')):
        ?>
        <a class="nav-icon d-none d-lg-inline searchBtn" href="#"
data-bs-toggle="modal" data-bs-target="#templatemo_search">
            <i class="fa fa-fw fa-search text-dark mr-2"></i>
        </a>
        <?php endif;?>
        <a class="nav-icon position-relative text-decoration-none"
href="cart.php">
            <i class="fa fa-fw fa-cart-arrow-down text-dark mr-1"></i>
        </a>
        <?php if(!isset($_SESSION['user'])):?>
            <a class="nav-icon position-relative text-decoration-none"
href="login-registration.php">
                <i class="fa fa-fw fa-user text-dark mr-3"></i>
            </a>

        <?php endif; ?>

        <?php if(isset($_SESSION['user'])):?>
            <div class="user d-flex align-items-center">
                

        </div>
        <a href="logic/logout.php" class="logoutBtn">Logout</a>
        <a href="editAccount.php" class="logoutBtn">Edit
account</a>
        <?php endif; ?>
        <?php if(isset($_SESSION['user']) && $isAnswered):?>
            <a class="nav-link fw-bold" href="poll.php">
                Poll
            </a>
        <?php endif; ?>
    </div>
</div>
</nav>

```

Html.php

```

<!DOCTYPE html>
<html lang="en">

<head>
    <title>Zay Shop - Product Listing Page</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="apple-touch-icon" href="assets/img/apple-icon.png">
    <link rel="shortcut icon" type="image/x-icon"
href="assets/img/favicon.ico">

    <link rel="stylesheet" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/templatemo.css">
    <link rel="stylesheet" href="assets/css/custom.css">

    <!-- Load fonts style after rendering the layout styles -->

```



```

    <link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;200;300;400
;500;700;900&display=swap">
    <link rel="stylesheet" href="assets/css/fontawesome.min.css">
<!--
-->
</head>

```

Footer.php

```

<?php
include ("connection/connection.php");

$resultat = $con -> prepare("Select * from navigation");
$resultat -> execute();
$resultat = $resultat->fetchAll(PDO::FETCH_ASSOC);
?>
<footer class="bg-dark" id="tempaltemo_footer">
    <div class="container">
        <div class="row">

            <div class="col-md-6 pt-5">
                <h2 class="h2 text-success border-bottom pb-3 border-
light logo">Zay Shop</h2>
                <ul class="list-unstyled text-light footer-link-list">
                    <li>
                        <i class="fas fa-map-marker-alt fa-fw"></i>
                        123 Consectetur at ligula 10660
                    </li>
                    <li>
                        <i class="fa fa-phone fa-fw"></i>
                        <a class="text-decoration-none" href="tel:010-
020-0340">010-020-0340</a>
                    </li>
                    <li>
                        <i class="fa fa-envelope fa-fw"></i>
                        <a class="text-decoration-none"
href="mailto:info@company.com">info@company.com</a>
                    </li>
                </ul>
            </div>

```

```

        <div class="col-md-6 pt-5">
            <h2 class="h2 text-light border-bottom pb-3 border-
light">Further Info</h2>
            <ul class="list-unstyled text-light footer-link-list">
                <?php
                    echo ispisNavigacije($rezultat);

                ?>
                <!-- <li><a class="text-decoration-none"
href="#">Home</a></li>
                <li><a class="text-decoration-none" href="#">About
Us</a></li>
                <li><a class="text-decoration-none" href="#">Shop
Locations</a></li>
                <li><a class="text-decoration-none"
href="#">FAQs</a></li>
                <li><a class="text-decoration-none"
href="#">Contact</a></li> -->
            </ul>
        </div>

    </div>

    <div class="row text-light mb-4">
        <div class="col-12 mb-3">
            <div class="w-100 my-3 border-top border-light"></div>
        </div>
        <div class="col-auto me-auto">
            <ul class="list-inline text-left footer-icons">
                <li class="list-inline-item border border-light
rounded-circle text-center">
                    <a class="text-light text-decoration-none"
target="_blank" href="http://facebook.com/"><i class="fab fa-facebook-f
fa-lg fa-fw"></i></a>
                </li>
                <li class="list-inline-item border border-light
rounded-circle text-center">
                    <a class="text-light text-decoration-none"
target="_blank" href="https://www.instagram.com/"><i class="fab fa-
instagram fa-lg fa-fw"></i></a>
                </li>
            </ul>
        </div>
    </div>

```


Function.php

```
<?php

function getCategories(){
    global $con;
    $categories = $con->prepare("SELECT * from categories WHERE
is_deleted=0");
    $categories->execute();
    $categories=$categories->fetchAll(PDO::FETCH_ASSOC);
    return $categories;
}

function getCategory($id) {
    global $con;
    $categories = $con->prepare("SELECT * from categories where
id=:id");
    $categories->bindParam(':id', $id);
    $categories->execute();
    $categories=$categories->fetch(PDO::FETCH_ASSOC);
    return $categories;
}

function getBrands(){
    global $con;
    $brands = $con->prepare("SELECT * from brands WHERE
is_deleted=0");
    $brands->execute();
    $brands=$brands->fetchAll(PDO::FETCH_ASSOC);
    return $brands;
}

function getSingleBrand($id){
    global $con;
    $brands = $con->prepare("SELECT * from brands WHERE id=:id");
    $brands->bindParam(':id', $id);
    $brands->execute();
    $brands=$brands->fetch(PDO::FETCH_ASSOC);
    return $brands;
}

function getAllProducts(){
    global $con;
    $allProducts = $con->prepare("SELECT * FROM products prod INNER
JOIN prices pri ON prod.id=pri.product_id INNER JOIN categories ON
```

```

prod.category_id=categories.id INNER JOIN brands b ON prod.brand_id=b.id
WHERE prod.is_deleted=0");
    $allProducts->execute();
    $allProducts = $allProducts->fetchAll(PDO::FETCH_ASSOC);
    return $allProducts;
}

function getUsers(){
    global $con;
    $users = $con->prepare("SELECT * FROM users u INNER JOIN roles r
ON u.role_id=r.id INNER JOIN genders g ON u.gender_id=g.id WHERE
is_deleted=0");
    $users->execute();
    $users = $users->fetchAll(PDO::FETCH_ASSOC);
    return $users;
}

function getSingleUser($id) {
    global $con;
    $user_id = $id;
    $users = $con->prepare("SELECT * FROM users u INNER JOIN roles r
ON u.role_id=r.id INNER JOIN genders g ON u.gender_id=g.id WHERE
user_id=:user_id");
    $users->bindParam(":user_id", $user_id);
    $users->execute();
    $users = $users->fetch(PDO::FETCH_ASSOC);
    return $users;
}

function getRoles(){
    global $con;
    $roles = $con->prepare("SELECT * from roles");
    $roles->execute();
    $roles = $roles->fetchAll(PDO::FETCH_ASSOC);
    return $roles;
}

function checkUsers(){
    $_SESSION['user'];
    if($_SESSION['user']['role_id']!=2){
        header("location: ../index.php");
    }
}
}

```

```

function getGenders(){
    global $con;
    $genders = $con->prepare('SELECT * FROM genders');
    $genders->execute();
    $genders = $genders->fetchAll(PDO::FETCH_ASSOC);
    return $genders;
}

function setNewValueInSessionForUser($fname, $lname, $email,
$profile_img, $password, $gender){

    $_SESSION['user']['first_name'] = $fname;
    $_SESSION['user']['last_name'] = $lname;
    $_SESSION['user']['email'] = $email;
    $_SESSION['user']['profile_img'] = $profile_img;
    $_SESSION['user']['password'] = $password;
    $_SESSION['user']['gender_id'] = $gender;

}

function getSingleProdcut($id){

    global $con;
    $singleProduct = $con->prepare("SELECT * FROM products WHERE
id=:id");
    $singleProduct->bindParam(':id', $id);
    $singleProduct->execute();
    return $singleProduct->fetch(PDO::FETCH_ASSOC);
}

function getAllSizes(){
    global $con;
    $allSizes = $con->prepare("SELECT DISTINCT * FROM sizes");
    $allSizes->execute();
    return $allSizes->fetchAll(PDO::FETCH_ASSOC);
}

function getProductSizes($id) {
    global $con;
    $allSizes = $con->prepare("SELECT * FROM sizes s INNER JOIN
product_size ps ON s.id=ps.size_id WHERE product_id=:id");
    $allSizes->bindParam(':id', $id);
    $allSizes->execute();
    return $allSizes->fetchAll(PDO::FETCH_ASSOC);
}

```

```

}

function getPrice($id){
    global $con;
    $price = $con->prepare("SELECT * FROM prices WHERE product_id=:id
ORDER BY date DESC limit 1");
    $price->bindParam(":id", $id);
    $price->execute();
    return $price->fetch(PDO::FETCH_ASSOC);
}

function getProductSpecification() {
    global $con;
    $spec = $con->prepare("SELECT * FROM specifications");
    $spec->execute();
    return $spec->fetchAll(PDO::FETCH_ASSOC);
}

function removeProduct($productId){
    $productId = $productId;
    global $con;
    $remove = $con->prepare("UPDATE products SET is_deleted = 1 WHERE
id=:id");
    $remove->bindParam(":id", $productId);
    $remove = $remove->execute();
    return $remove;
}

function deletedRows($table) {
    global $con;
    $upit = '';
    if($table == 'users') {
        $upit = "SELECT * FROM users u INNER JOIN roles r ON
u.role_id=r.id INNER JOIN genders g ON u.gender_id=g.id WHERE
is_deleted=1";
    } else if($table == 'brands') {
        $upit = "SELECT * from brands WHERE is_deleted=1";
    } else if($table=='categories') {
        $upit = "SELECT * from categories WHERE is_deleted=1";
    } else if($table == 'products') {
        $upit = "SELECT * FROM products prod INNER JOIN prices pri ON
prod.id=pri.product_id INNER JOIN categories ON
prod.category_id=categories.id INNER JOIN brands b ON prod.brand_id=b.id

```

```

INNER JOIN gender_product g on prod.id=g.product_id WHERE
prod.is_deleted=1";
    }
    $deleted = $con->prepare($upit);
    $deleted->execute();

    return $deleted->fetchAll(PDO::FETCH_ASSOC);
}

function getPoll() {
    global $con;
    $poll = $con->prepare("SELECT * FROM poll_questions");
    $poll->execute();
    $poll = $poll->fetchAll(PDO::FETCH_ASSOC);
    return $poll;
}

function getSingleQuestion($id) {
    global $con;
    $question = $con->prepare("SELECT * FROM poll_questions WHERE
question_id=:id");
    $question->bindParam(":id", $id);
    $question->execute();
    return $question->fetch(PDO::FETCH_ASSOC);
}

?>

```

ispisnavigacije.php

```

<?php

function ispisNavigacije($links) {
    $ispis = "";
    foreach($links as $link) {
        $ispis.= "<li class='nav-item'>
            <a class='nav-link' href='\".$link['src'].\"'>\".$link['name'].\"</a>
        </li>";
    }
    return $ispis;
}

?>

```


addLocation.php

```
<?php
    session_start();
    $user=$_SESSION['user'];
    $id = $user['user_id'];
    include '../connection/connection.php';

    if(isset($_POST['addLocation']) || isset($_POST['addLocationCart'])) {
        $country = $_POST['country'];
        $city = $_POST['city'];
        $address = $_POST['address'];

        global $con;
        $insert = $con->prepare("INSERT INTO locations(country, city,
addresses) VALUES(:country, :city, :address)");
        $insert->bindParam(":country", $country);
        $insert->bindParam(':city', $city);
        $insert->bindParam(':address', $address);
        $insert->execute();

        $lastInsertedId = $con->lastInsertId();
        $user['location_id']=$lastInsertedId;

        $insertId = $con->prepare("UPDATE users set
location_id=:location_id WHERE user_id=:id");
        $insertId->bindParam(':location_id', $lastInsertedId);
        $insertId->bindParam(":id", $id);
        $insertId->execute();
        $user['location_id']=$lastInsertedId;
        if(isset($_POST['addLocationCart'])) {
            header("Location: ../cart.php?successLoc=Successful");
        } else if (isset($_POST['addLocation'])) {
            header("Location: ../editAccount.php?successLoc=Successful");
        }
    }

    if (isset($_POST['updateLocation'])) {
        $country = $_POST['country'];
        $city = $_POST['city'];
        $address = $_POST['address'];
        $locId = $_POST['locId'];
```

```

        $errors=0;
        if(empty($country) || empty($city) || empty($address) ||
empty($locId)) {
            $errors++;
        }

        if($errors==0) {
            $update = $con->prepare("UPDATE locations set country=:country,
city=:city, addresses=:addresses WHERE id=:id");
            $update->bindParam(':country', $country);
            $update->bindParam(':city', $city);
            $update->bindParam(':addresses', $address);
            $update->bindParam(':id', $locId);
            $update->execute();
            header("Location: ../editAccount.php?successLoc=Successful");
        } else {
            header("Location: ../editAccount.php?successLoc=Please enter
values");
        }

    }

?>

```

addProduct.php

```

<?php
    include '../connection/connection.php';

    if(isset($_POST['addProduct'])){
        $productName = $_POST['productName'];
        $categoryId = $_POST['categoryId'];
        $brandId = $_POST['brandId'];
        $profileImg = $_FILES['profileImg'];
        $description = $_POST['description'];
        $price = $_POST['price'];
        $menGender = $_POST['men'];
        $womenGender = $_POST['women'];

        $regexPrice = '/^(0(?:!\.00)|[1-9]\d{0,6})\.\d{2}$/' ;

        $greske = 0;
        $insert = '';
    }

```

```

$insertprice = '';
if(empty($productName)){
    $greske++;
    header("Location: ../adminpanel/addProduct.php?error=Please
enter product name");
}
if($greske==0){

    $fileName = $profileImg['name'];
    $tmpFajl = $profileImg['tmp_name'];
    $size = $profileImg['size'];
    $type = $profileImg['type'];

    $noviNazivFajla = time()."_" . $fileName;
    $putanja = "../assets/img/productImg/" . $noviNazivFajla;
    if(move_uploaded_file($tmpFajl, $putanja)){
        global $con;
        $insertProduct = $con->prepare("INSERT INTO products(name,
category_id, brand_id, main_img, description) VALUES(:name, :category_id,
:brand_id, :img, :description)");
        $insertProduct->bindParam(':name', $productName);
        $insertProduct->bindParam(':category_id', $categoryId);
        $insertProduct->bindParam(':brand_id', $brandId);
        $insertProduct->bindParam(':img', $noviNazivFajla);
        $insertProduct->bindParam(':description', $description);
        $insert = $insertProduct->execute();
    }
    $lastInsertedId = $con->lastInsertId();
    if(isset($menGender)) {
        global $con;
        $insertGender = $con->prepare("INSERT INTO gender_product
(product_id,gender_id) VALUES (:product_id, :gender_id)");
        $insertGender->bindParam(":product_id",$lastInsertedId);
        $insertGender->bindParam(':gender_id', $menGender);
        $insertGender = $insertGender->execute();
    }
    if(isset($womenGender)) {
        global $con;
        $insertGender = $con->prepare("INSERT INTO gender_product
(product_id,gender_id) VALUES (:product_id, :gender_id)");
        $insertGender->bindParam(":product_id",$lastInsertedId);

```

```

        $insertGender->bindParam(':gender_id', $womenGender);
        $insertGender = $insertGender->execute();
    }
    if(preg_match($regexPrice, $price)) {
        global $con;
        $insertPrice = $con->prepare("INSERT INTO prices (price,
product_id) VALUES (:price, :product_id)");
        $insertPrice->bindParam(':price', $price);
        $insertPrice->bindParam(":product_id", $lastInsertedId);
        $insertPrice = $insertPrice->execute();
    }
    if($insert){
        header("location: ../adminpanel/products.php");
    }

}

}

?>

```

addProductImg.php

```

<?php
include '../connection/connection.php';
if(isset($_POST["submitUpload"])) {

    $table = $_POST['table'];

    $id = $_POST['id'];
    $newImg = $_FILES['images'];
    $fileName = $newImg['name'];
    $tmpFajl = $newImg['tmp_name'];
    $size = $newImg['size'];
    $type = $newImg['type'];

    $noviNazivFajla = time()."_" . $fileName;

```

```

        $putanja = "../assets/img/productImg/".$noviNazivFajla;

        if(move_uploaded_file($tmpFajl, $putanja)){
            global $con;
            $insert = $con->prepare('INSERT INTO images (product_id, src)
VALUES(:id, :naziv)');
            $insert->bindParam(":id", $id);
            $insert->bindParam(":naziv", $noviNazivFajla);
            $insert = $insert->execute();
            if($insert) {
                header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Successful");
            }

        }
    } else {
        header("Location:
../adminpanel/editPage.php?table=$table&id=$id&error=Something is wrong,
please try again");
    }
}

?>

```

Addsize.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{

        $sizeId = $_POST["id"];
        $productId = $_POST['productId'];

        if(isset($sizeId)) {

            global $con;
            $insertSize = $con->prepare("INSERT INTO product_size
(product_id, size_id) VALUES(:productId, :sizeId)");
            $insertSize->bindParam(':productId', $productId);
            $insertSize->bindParam(':sizeId', $sizeId);

```

```

        $insert = $insertSize->execute();
        echo json_encode('Success insert');
        http_response_code(201);
    }
} catch(PDOException $e) {
    http_response_code(500);
}
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

?>

```

Addspec.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{

        $specId = $_POST["specDdl"];
        $productId = $_POST['productId'];
        $value = $_POST['value'];

        if(isset($specId)) {

            global $con;
            $insertspec = $con->prepare("INSERT INTO
prod_spec(product_id, specification_id, value) VALUES(:productId, :specId,
:value)");

            $insertspec->bindParam(':productId', $productId);
            $insertspec->bindParam(':specId', $specId);
            $insertspec->bindParam(':value', $value);
            $edit = $insertspec->execute();
            echo json_encode('Success insert');
            http_response_code(201);
        }
    } catch(PDOException $e) {

```

```

        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

?>

addToCart.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{

            $sizeId = $_POST["sizeId"];
            $productId = $_POST['productId'];
            $quantity = $_POST['quantity'];
            $userId = $_POST['userId'];

            global $con;
            $insertToCart = $con->prepare("INSERT INTO cart(product_id,
user_id, quantity, size_id) VALUES(:product_id, :user_id, :quantity,
:size_id)");
            $insertToCart->bindParam(':product_id', $productId);
            $insertToCart->bindParam(':user_id', $userId);
            $insertToCart->bindParam(':quantity', $quantity);
            $insertToCart->bindParam(':size_id', $sizeId);
            $insert = $insertToCart->execute();
            echo json_encode('Product added to cart');
            http_response_code(201);

        }catch(PDOException $e) {
            http_response_code(500);
        }
    } else {

```

```
    http_response_code(404);
    header("location: ../cart.php");
}
```

?>

deletedRows.php

```
<?php
include '../functions/functions.php';
include '../connection/connection.php';
header("Content-type: application/json");

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{
        $table = $_POST['table'];
        $deletedRows = deletedRows($table);
        echo json_encode($deletedRows);
        http_response_code(200);
    } catch(PDOException $e) {
        echo json_encode("Empty");
        http_response_code(500);
    }
} else {
    http_response_code(500);
}
```

?>

editSpec.php

```
<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{
```



```

        $specId = $_POST["specId"];
        $productId = $_POST['productId'];
        $value = $_POST['value'];

        if(isset($specId)) {

            global $con;
            $editspec = $con->prepare("UPDATE prod_spec SET
value=:value WHERE product_id=:productId AND specification_id=:specId");
            $editspec->bindParam(':productId', $productId);
            $editspec->bindParam(':specId', $specId);
            $editspec->bindParam(':value', $value);
            $edit = $editspec->execute();
            echo json_encode('Success insert');
            http_response_code(201);
        }
    } catch(PDOException $e) {
        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

?>

```

editUser.php

```

<?php
    session_start();
    $user=$_SESSION['user'];
    $id = $user['user_id'];
    include '../connection/connection.php';
    include '../functions/functions.php';
    if(isset($_POST['edit'])){
        global $con;
        $greske=0;
        $nameRegex = '/^[A-Z][a-z]{2,14}$/';
        $mailRegex = '/^[A-z0-9-\.]{3,30}@[a-z]{2,8}\.(com|rs)$/';
        $passwordRegex = '/^(?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[a-zA-
Z]).{8,}$/';
    }

```

```

        $firstname = isset($_POST['UFName']) ? $_POST['UFName'] :
$user['first_name'];
        $lastName = isset($_POST['ULName']) ? $_POST['ULName'] :
$user['last_name'];
        $email = isset($_POST['UEmail']) ? $_POST['UEmail'] :
$user['email'];
        $password = empty($_POST['UNPass']) ? $user['password'] :
md5($_POST['UNPass'] );
        $img = empty($_FILES['profileImg']['name']) ? $user['profile_img']
: $_FILES['profileImg'];
        $gender = isset($_POST['genders']) ? $_POST['genders'] :
$user['gender_id'];

        $message='';
        function checkValues($value, $regex, $greske, $msg) {
            if(!preg_match($regex, $value)) {
                global $greske;
                global $message;
                $message.=$msg;
                $greske++;
            }
        }
        checkValues($firstname, $nameRegex, $greske, "<p>Incorrect First
name: Example (Miroslav)</p>");
        checkValues($lastName, $nameRegex, $greske, "<p>Incorrect Last
name: Example (Jandric)</p>");
        checkValues($email, $mailRegex, $greske, "<p>Incorrect Email:
Example (miroslav@gmail.com)</p>");
        if($password!=$user['password']) checkValues($password,
$passwordRegex, $greske);

        $noviNazivFajla = null;
        $putanja = $user['profile_img'];
        $tmpFajl = null;
        if($img!=$user['profile_img']){
            $fileName = $img['name'];
            $tmpFajl = $img['tmp_name'];
            $size = $img['size'];
            $type = $img['type'];

```

```

        $noviNazivFajla = time()." ".$fileName;
        $putanja = "../uploadImg/".$noviNazivFajla;
    }
    echo $greske;
    if($greske==0) {
        if(move_uploaded_file($tmpFajl, $putanja) || $img ==
$user['profile_img']){

            $editUser = $con->prepare("UPDATE users SET
first_name=:fName , last_name=:lName , email=:email , password=:password ,
gender_id=:gender , profile_img=:profile_img WHERE user_id = :id");
            $editUser->bindParam(':id', $id);
            $editUser->bindParam(':fName', $firstname);
            $editUser->bindParam(':lName', $lastName);
            $editUser->bindParam(':email', $email);
            $editUser->bindParam(':password', $password);
            $editUser->bindParam(':gender', $gender);
            $editUser->bindParam(':profile_img', $putanja);
            $edit = $editUser->execute();
            if($edit){

                header('Location: ../editAccount.php?success=You are
successfully edit your account');
                setNewValueInSessionForUser($firstname, $lastName,
$email, $putanja, $password, $gender);
            } else {
                echo 'ne valja';
            }

        }
    } else {
        header("location: ../editAccount.php?success=$message");
    }

} else {
    header('location: ../index.php');
}

```

?>

Filter.php

```
<?php
    include "../connection/connection.php";
    header("Content-type: appliation/json");

    if($_SERVER["REQUEST_METHOD"]=="POST") {

        // $gender = $_POST['genderArray'];
        // $category = $_POST['categoryArray'];
        // $brand = $_POST['brandArray'];

        $upit = 'SELECT * FROM products prod INNER JOIN prices pri ON
prod.id=pri.product_id WHERE is_deleted=0';

        if(isset( $_POST['categoryArray']) && $_POST['categoryArray']!='')
        {
            $upit.= " AND category_id IN ('".implode("','",$
$_POST['categoryArray'])."')";
        }
        if(isset($_POST['brandArray']) && $_POST['brandArray']!='') {
            $upit.= " AND brand_id IN
('".implode("','",$_POST['brandArray'])."')";
        }

        $filter = $con->prepare($upit);
        $filter->execute();
        $filter=$filter->fetchAll(PDO::FETCH_ASSOC);

        // echo '<pre>';
        // var_dump($filter);
        // echo '</pre>';

        if($filter){
            echo json_encode($filter);
            http_response_code(200);
        } else {
            echo json_encode("nesto nije u redu");
            http_response_code(500);
        }
    }
}
```

?>

Get-deletedMessages.php

```
<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{

            if($_POST['type']=="get") {

                global $con;
                $getMessages = $con->prepare("SELECT * FROM messages where
answered=0");
                $getMessages->execute();
                $messages = $getMessages->fetchAll(PDO::FETCH_ASSOC);
                if($messages) {
                    echo json_encode($messages);
                    http_response_code(200);
                }
            } else if($_POST['type']=='remove') {
                global $con;
                $id = $_POST['id'];
                $removeMessages = $con->prepare("UPDATE messages set
answered=1 WHERE message_id=:id");
                $removeMessages->bindParam(":id", $id);
                $remove = $removeMessages->execute();

                if($remove) {
                    echo json_encode("Success");
                    http_response_code(202);
                }
            }

        }catch(PDOException $e) {
```

```

        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

?>

Get-removedProductsFromCart.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{

            if($_POST['type']=='get') {

                global $con;
                $user = $_POST['user'];

                $getProducts = $con->prepare("SELECT * FROM cart c INNER
JOIN products pr ON c.product_id=pr.id INNER JOIN users u ON
c.user_id=u.user_id INNER JOIN sizes s ON c.size_id=s.id INNER JOIN prices
price ON pr.id =price.product_id WHERE u.user_id=:user AND
c.is_purchased=0;
                ");

                $getProducts->bindParam(':user', $user);
                $getProducts->execute();
                $products = $getProducts->fetchAll(PDO::FETCH_ASSOC);

                if($products){
                    if(sizeof($products)>0) {
                        echo json_encode($products);
                    } else if (sizeof($products)==0) {

```

```

        echo json_encode('Empty');
    }
    http_response_code(200);
}
}else if($_POST['type']=='remove') {
    $id = $_POST['cartID'];
    global $con;
    $remove = $con->prepare("DELETE FROM cart where cart_id =
:id");

    $remove->bindParam(":id", $id);
    $remove->execute();
    echo json_encode("success remove");
    http_response_code(200);
}

} catch(PDOException $e) {
    http_response_code(500);
}
} else {
    http_response_code(404);
    header("location: ../cart.php");
}

?>

```

getallImages.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{
            $productId = $_POST['productId'];

            if(isset($productId)) {

                global $con;

```

```

        $allImages = $con->prepare("SELECT * FROM images WHERE
product_id=:id");
        $allImages->bindParam(':id', $productId);
        $allImages->execute();
        $allImages = $allImages->fetchAll(PDO::FETCH_ASSOC);

        echo json_encode($allImages);
        http_response_code(200);
    }
    }catch(PDOException $e) {
        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

?>

```

getAllProductSize.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{
        $productId = $_POST['productId'];

        if(isset($productId)) {

            global $con;
            $allSizes = $con->prepare("SELECT * FROM sizes s INNER
JOIN product_size ps ON s.id=ps.size_id WHERE product_id=:id");
            $allSizes->bindParam(':id', $productId);
            $allSizes->execute();
            $allSizes = $allSizes->fetchAll(PDO::FETCH_ASSOC);

            echo json_encode($allSizes);
            http_response_code(200);
        }
    }catch(PDOException $e) {

```



```

        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

?>

insertAnswer.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{

            if(isset($_POST['ids'])) {
                $ids = $_POST['ids'];
                $user = $_POST['idUser'];
                foreach($ids as $id) {
                    global $con;
                    $insertAnswer = $con->prepare("INSERT INTO
poll_results(choice_id, user_id) VALUES(:choice_id, :user_id)");
                    $insertAnswer->bindParam(':choice_id', $id);
                    $insertAnswer->bindParam(':user_id', $user);
                    $insert = $insertAnswer->execute();
                }
                echo json_encode('Success insert');
                http_response_code(201);
            } else {
                echo json_encode('Empty data');
            }

        }catch(PDOException $e) {
            http_response_code(500);
        }
    }

```

```

    } else {
        http_response_code(404);
        header("location: ../editPage.php");
    }
}

```

?>

insertRewiew.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{

        $userId = $_POST['userId'];
        $title = $_POST['title'];
        $message = $_POST['message'];
        $productId = $_POST['productId'];
        $greske=0;
        if(empty($userId) || empty($title) || empty($message)) {
            $greske++;
        }

        if($greske==0) {

            global $con;
            $insertRewiew = $con->prepare("INSERT INTO
recensions(product_id, user_id, content, title) VALUES(:productId,
:user_id, :content, :title)");
            $insertRewiew->bindParam(':productId', $productId);
            $insertRewiew->bindParam(':user_id', $userId);
            $insertRewiew->bindParam(':content', $message);
            $insertRewiew->bindParam(':title', $title);
            $insert = $insertRewiew->execute();
            echo json_encode('Success insert');
            http_response_code(201);
        } else echo json_encode('Something is wrong');
    }catch(PDOException $e) {
        http_response_code(500);
    }
}

```

```

    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

loadBrands.php

```

<?php
include '../connection/connection.php';
include '../functions/functions.php';
header('Content-type: application/json');

if($_SERVER['REQUEST_METHOD']=="POST") {
    try{

        $brands = getBrands();
        echo json_encode($brands);
        http_response_code(200);
    }catch(PDOException $e) {
        http_response_code(500);
    }

} else {
    http_response_code(404);
    header("location: ../products.php");
}

?>

```

loadCategories.php

```

<?php
include '../connection/connection.php';
include '../functions/functions.php';
header('Content-type: application/json');

if($_SERVER['REQUEST_METHOD']=="POST") {
    try{

        $categories = getCategories();

```

```

        echo json_encode($categories);
        http_response_code(200);
    } catch(PDOException $e) {
        http_response_code(500);
    }

    }else {
        http_response_code(404);
        header("location: ../products.php");
    }
}

```

?>

loadProduct.php

```

<?php
    include "../connection/connection.php";
    header("Content-type: appliation/json");
    if($_SERVER["REQUEST_METHOD"]=="POST") {

        global $con;

        $upit = "SELECT DISTINCT * FROM products prod INNER JOIN prices
pri ON prod.id=pri.product_id INNER JOIN brands b ON prod.brand_id=b.id
INNER JOIN categories c ON prod.category_id=c.id WHERE prod.is_deleted=0";
        if(isset( $_POST['categoryId']) && $_POST['categoryId']!='') {
            $upit.= " AND category_id=".$_POST['categoryId'];
        }
        if(isset($_POST['brandId']) && $_POST['brandId']!='') {
            $upit.= " AND brand_id=".$_POST['brandId'];
        }
        if(isset($_POST['search']) && $_POST['search']!='') {
            $upit .= " AND prod.name LIKE('%".$_POST['search']."%')";
        }
    }
}

```

```

        $products = $con->prepare($upit);
        $products->execute();
        $products = $products->fetchAll(PDO::FETCH_ASSOC);

        $odg = ['products' => $products];

        if($products){
            echo json_encode($products);
            http_response_code(200);
        } else {
            echo json_encode("Sorry, we currently do not have this
product.");
            http_response_code(500);
        }
    }
}

?>

```

loadProducts.php

```

<?php
    include "../connection/connection.php";
    header("Content-type: appliation/json");
    if($_SERVER["REQUEST_METHOD"]=="POST") {

        global $con;
        $num_per_page=9;
        if(isset($_POST['page'])) {
            $page = $_POST['page'];
        } else {
            $page=1;
        }

        $start_from = ($page-1) * $num_per_page;

        $upit = "SELECT DISTINCT * FROM products prod INNER JOIN prices
pri ON prod.id=pri.product_id INNER JOIN gender_product g on
prod.id=g.product_id WHERE prod.is_deleted=0";
        if(isset( $_POST['categoryArray']) && $_POST['categoryArray']!='')
        {

```

```

        $upit.= " AND category_id IN ('".implode("','",$
$_POST['categoryArray'])."')";
    }
    if(isset($_POST['brandArray']) && $_POST['brandArray']!='') {
        $upit.= " AND brand_id IN
('".implode("','",$_POST['brandArray'])."')";
    }
    if(isset($_POST['genderArray']) && $_POST['genderArray']!='') {
        $upit.= " AND gender_id IN
('".implode("','",$_POST['genderArray'])."')";
    }
    if(isset($_POST['search']) && $_POST['search']!='') {
        $upit .= " AND prod.name LIKE('%".$_POST['search']."%')";
    }

    if(isset($_POST['sortType'])) {
        $sortType = $_POST['sortType'];
        if($sortType=='name_asc') {
            $upit.= " ORDER BY prod.name DESC";
        }
        if($sortType=="name_desc") {
            $upit.= " ORDER BY prod.name ASC";
        }
        if($sortType=="price_asc") {
            $upit.= " ORDER BY pri.price ASC";
        }
        if($sortType=="price_desc") {
            $upit.= " ORDER BY pri.price DESC";
        }
    }

    $upit.= " LIMIT $start_from,$num_per_page";

    $products = $con->prepare($upit);
    $products->execute();
    $products = $products->fetchAll(PDO::FETCH_ASSOC);

```

```

        if($products){
            echo json_encode($products);
            http_response_code(200);
        } else {
            echo json_encode("Sorry, we currently do not have this
product.");
            http_response_code(500);
        }
    }
}

?>

```

LoadRecension.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{

        $productId = $_POST['id'];
        global $con;
        $getReview = $con->prepare("SELECT * FROM recensions r
INNER JOIN users u ON r.user_id=u.user_id WHERE product_id=:id");
        $getReview->bindParam(':id', $productId);
        $getReview->execute();
        $reviews = $getReview->fetchAll(PDO::FETCH_ASSOC);
        echo json_encode($reviews);
        http_response_code(201);

    }catch(PDOException $e) {
        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

loadUser.php

```
<?php
    include '../connection/connection.php';
    include '../functions/functions.php';
    header('Content-type: application/json');

    if($_SERVER['REQUEST_METHOD']=="POST") {
        try{

            $users = getUsers();
            echo json_encode($users);
            http_response_code(200);
        }catch(PDOException $e) {
            http_response_code(500);
        }

    }else {
        http_response_code(404);
        header("location: ../products.php");
    }

?>
```

Login.php

```
<?php
    session_start();
    include '../connection/connection.php';

    if(isset($_POST['btnLogin'])) {
        $email = $_POST['loginMail'];
        $password = $_POST['loginPassword'];

        global $con;

        $errors='';
        if(empty($email)) {
            $errors .= "<p>Please enter your email </p>";
        }
        if(empty($password)) {
```



```

        $errors .= "<p>Please enter your password</p>";
    }

    if(empty($errors)){
        $password = md5($password);
        $login = $con->prepare("SELECT * FROM users where email = :email
AND password = :password");
        $login->bindParam(':email', $email);
        $login->bindParam(':password', $password);
        $login->execute();
        $login = $login->fetch(PDO::FETCH_ASSOC);

        if($login){
            $_SESSION['user'] = $login;
            if($_SESSION['user']['role_id']==1){
                header('location: ../index.php');
            } else if ($_SESSION['user']['role_id']==2) {
                header('location: ../adminpanel/adminpanel.php');
            }
        } else {
            $errors = 'Wrong email or password';
            header("location: ../login-registration.php?errors=$errors");
        }
    } else {
        header("location: ../login-registration.php?errors=$errors");
    }

    }else {
        header("location: ../login-registration.php?error=Incorrect
data");
    }

?>

```

Logout.php

```

<?php
    session_start();

```

```

if($_SESSION['user']) {
    unset($_SESSION['user']);
    header('Location: ../index.php');
}

```

?>

Orders.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{
        $user = $_POST['user'];
        $total = $_POST['total'];
        $products = $_POST['products'];

        global $con;
        $orders = $con->prepare('INSERT INTO orders(user_id, total)
VALUES (:user_id, :total)');
        $orders->bindParam(":user_id", $user);
        $orders->bindParam(":total", $total);
        $orders->execute();

        $orderId = $con->lastInsertId();

        foreach($products as $product) {

            $upit = "INSERT INTO product_order(product_id, price,
quantity, location_id, size_id, order_id) VALUES(:product, :price,
:quantity, :location, :size, :order)";
            global $con;
            $productOrder = $con->prepare($upit);
            $productOrder->bindParam("product",
$product['product']);
            $productOrder->bindParam("price", $product['price']);
            $productOrder->bindParam("quantity", $product['qty']);
            $productOrder->bindParam("location",
$product['location']);

```

```

        $productOrder->bindParam("size", $product['sizeId']);
        $productOrder->bindParam("order", $orderId);
        $isPurchased = $productOrder->execute();
        if($isPurchased) {
            $changeStatus = $con->prepare("UPDATE cart SET
is_purchased=1 WHERE cart_id=:cart");
            $changeStatus->bindParam(":cart",
$product['cart']);
            $changeStatus->execute();
        }

        echo json_encode('Successful order');
        http_response_code(200);

    }

    }catch(PDOException $e) {
        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../cart.php");
}

?>

```

productSpecification.php

```

<?php
header("Content-type: application/json");
include '../connection/connection.php';
if($_SERVER['REQUEST_METHOD']=="POST") {
    try{
        global $con;
        $id = $_POST['id'];
        $price = $con->prepare("SELECT * FROM prod_spec ps INNER JOIN
specifications s ON ps.specification_id=s.id where product_id=:id");
        $price->bindParam(":id", $id);
        $price->execute();
        $price = $price->fetchAll(PDO::FETCH_ASSOC);
        echo json_encode($price);
    }
}

```

```

    } catch(PDOException $e) {
        http_response_code(500);
    }

    } else {
        http_response_code(404);
        header("location: ../editPage.php");
    }
?>

```

Registracija.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try {
        $firstName = $_POST["firstname"];
        $lastName = $_POST["lastname"];
        $email = $_POST["email"];
        $gender = $_POST["gender"];
        $password = $_POST["password"];
        $password = md5($password);

        global $con;

        $upit = 'INSERT INTO
users(first_name,last_name,email,password,gender_id) VALUES(:first_name,
:last_name, :email, :password, :gender)';
        $registracija = $con->prepare($upit);
        $registracija->bindParam(":first_name", $firstName);
        $registracija->bindParam(":last_name", $lastName);
        $registracija->bindParam(":email", $email);
        $registracija->bindParam(":gender", $gender);
        $registracija->bindParam(":password", $password);

        $registracija = $registracija->execute();
        echo json_encode('uspesno ste se registrovali');
        http_response_code(201);
    } catch(PDOException $e){
        http_response_code(500);
    }
}

```

```

    }
    else {
        http_response_code(404);
        header("location: ../index.php");
    }
}

?>

```

removeProduct.php

```

<?php
    include '../connection/connection.php';
    include '../functions/functions.php';
    header('Content-type: application/json');

    if($_SERVER['REQUEST_METHOD']=="POST") {
        try{
            $productId = $_POST['id'];

            $remove = removeProduct($productId);
            echo json_encode('Success delete');
            http_response_code(201);
        }catch(PDOException $e) {
            http_response_code(500);
        }

    }else {
        http_response_code(404);
        header("location: ../products.php");
    }

}

?>

```

removeProductImg.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {

```

```

        try{

            $imgId = $_POST["img"];
            $productId = $_POST['productId'];

            if(isset($imgId) && isset($productId)) {
                global $con;
                $delete = $con->prepare("DELETE FROM images WHERE
product_id=:prodId AND id=:img");
                $delete->bindParam(":prodId", $productId);
                $delete->bindParam(":img", $imgId);
                $delete->execute();
                echo json_encode('Success delete');

                http_response_code(201);
            }
        }catch(PDOException $e) {

            http_response_code(500);
        }
    } else {
        http_response_code(404);
        header("location: ../editPage.php");
    }

?>

```

removeSize.php

```

<?php
    header('Content-type: application/json');
    include '../connection/connection.php';

    if($_SERVER['REQUEST_METHOD']=='POST') {
        try{

            $sizeId = $_POST["sizeId"];
            $productId = $_POST['productId'];

            if(isset($sizeId) && isset($productId)) {
                global $con;

```

```

        $delete = $con->prepare("DELETE FROM product_size
WHERE product_id=:prodId AND size_id=:sizeId");
        $delete->bindParam(":prodId", $productId);
        $delete->bindParam(":sizeId", $sizeId);
        $delete->execute();
        echo json_encode('Success delete');
        http_response_code(201);
    }
} catch(PDOException $e) {
    http_response_code(500);
}
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

?>

```

removeSpec.php

```

<?php
header('Content-type: application/json');
include '../connection/connection.php';

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{

        $specId = $_POST["specId"];
        $productId = $_POST['productId'];

        if(isset($specId)) {

            global $con;
            $removespec = $con->prepare("DELETE FROM prod_spec WHERE
product_id=:productId AND specification_id=:specId");
            $removespec->bindParam(':productId', $productId);
            $removespec->bindParam(':specId', $specId);
            $remove = $removespec->execute();
            echo json_encode('Success delete');
            http_response_code(201);

```

```

    }
    }catch(PDOException $e) {
        http_response_code(500);
    }
} else {
    http_response_code(404);
    header("location: ../editPage.php");
}

```

?>

returnBackRow.php

```

<?php
include '../functions/functions.php';
include '../connection/connection.php';
header("Content-type: application/json");

if($_SERVER['REQUEST_METHOD']=='POST') {
    try{
        $upit='';
        $table = $_POST['type'];
        $id = $_POST['id'];
        if($table == 'users') {
            $upit = "UPDATE users SET is_deleted=0 WHERE user_id=:id";
        } else {
            $upit = "UPDATE $table SET is_deleted=0 WHERE id=:id";
        }
        global $con;
        $update = $con->prepare($upit);
        $update->bindParam(':id', $id);
        $update->execute();

        echo json_encode('Success');
        http_response_code(200);
    } catch(PDOException $e) {
        echo json_encode("Empty");
        http_response_code(500);
    }
} else {
    http_response_code(500);
}

```



```
}
```

```
?>
```

sendMessage.php

```
<?php
session_start();
include '../connection/connection.php';
if(isset($_POST['send'])) {
    $name = $_POST['name'];
    $email = $_POST['email'];
    $subject = $_POST['subject'];
    $message = $_POST['message'];

    $mailRegex = '/^[A-z0-9-\.]{3,30}@[a-z]{2,8}\.(com|rs)$/';
    $nameRegex = '/^[A-Z][a-z]{2,14}$/';

    $errors = [];
    if(empty($name) || empty($email) || empty($subject) ||
empty($message)) {
        $errors[] = 'All fields are required';
    }
    if(!preg_match($mailRegex, $email)) {
        $errors[] = 'Incorect email';
    }
    if(!preg_match($nameRegex, $name)) {
        $errors[] = 'Incorect name: exemple(Miroslav)';
    }

    if(empty($errors)) {
        global $con;
        $sendMessage = $con->prepare("INSERT INTO messages (name,
email, subject, message) VALUES(:name, :email, :subject, :message)");
        $sendMessage->bindParam(':name', $name);
        $sendMessage->bindParam(':email', $email);
        $sendMessage->bindParam(':subject', $subject);
        $sendMessage->bindParam(':message', $message);
        $send = $sendMessage->execute();
    }
}
```

```

        if($send) {
            header("Location: ../contact.php?success=Your message is
successfully sent");
            unset($_SESSION['errors']);
        } else {
            header("Location: ../contact.php?error=Something is
wrong");
        }
    } else {
        header("Location: ../contact.php");
    }

} else {
    header("Location: ../index.php");
}

?>

```

setNewPrice.php

```

<?php
    include '../connection/connection.php';
    $id = $_POST['id'];
    $table = $_POST['table'];
    if(isset($_POST['priceBtn'])) {
        $regexPrice = '/^(0(?:!\.00)|[1-9]\d{0,6})\.\d{2}$/';

        $price = $_POST['newPrice'];

        if(preg_match($regexPrice, $price)) {
            global $con;
            $insertPrice = $con->prepare("INSERT INTO prices (price,
product_id) VALUES (:price, :product_id)");
            $insertPrice->bindParam(':price', $price);
            $insertPrice->bindParam(":product_id",$id);
            $insert = $insertPrice->execute();
            if($insert){
                header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Successful");
            } else {

```

```

        header("Location:
../adminpanel/editPage.php?table=$table&id=$id&error=Somethink is wrong");
    }

}

} else {
    header("Location:
../adminpanel/editPage.php?table=$table&id=$id");
}

?>

```

UpdateDeleteInsertBrand.php

```

<?php
include '../connection/connection.php';
if(isset($_POST["updateBrand"])) {

    $table = $_POST['table'];
    $id = $_POST['brandId'];
    $brandName = $_POST['brandName'];

    $errors = 0;
    if(empty($brandName)) {
        $errors++;
    }

    if($errors==0){
        global $con;
        $updateBrand = $con->prepare("UPDATE brands set
brand_name=:brand_name WHERE id=:id");
        $updateBrand->bindParam(':brand_name', $brandName);
        $updateBrand->bindParam(':id', $id );
        $update = $updateBrand->execute();

        if($update) {

```

```

        header("Location:
../../adminpanel/editPage.php?table=$table&id=$id&message=Succesful");
    }

    }

    } else if(isset($_POST['type'])) {
        $id = $_POST['id'];
        global $con;
        $removeBrand = $con->prepare("UPDATE brands set is_deleted = 1
WHERE id=:id");
        $removeBrand->bindParam(':id', $id);
        $removeBrand = $removeBrand->execute();
        header("Content-type: appliation/json");
        echo json_encode('USPESNO');
    } else if(isset($_POST['newBrand'])) {
        $brandName = $_POST['newBrand'];
        if(!empty($brandName)) {
            global $con;
            $insertNewBrand = $con->prepare("INSERT INTO
brands(brand_name) VALUES(:brand_name);");
            $insertNewBrand->bindParam(':brand_name', $brandName);
            $insert = $insertNewBrand->execute();
            if($insert) {
                header("Location:
../../adminpanel/addProduct.php?table=brand&message=Succesful");
            } else {
                header("Location:
../../adminpanel/addProduct.php?table=brand&message=Something is wrong");
            }
        }
    }
    }
    else {
        header("Location:
../../adminpanel/editPage.php?table=$table&id=$id&error=Something is wrong,
please try again");
    }
}

?>

```

UpdateDeleteInsertCategory.php

```
<?php
    include '../connection/connection.php';
    if(isset($_POST["updateCategory"])) {

        $table = $_POST['table'];
        $id = $_POST['categoryId'];
        $categoryName = $_POST['productName'];

        $errors = 0;
        if(empty($categoryName)) {
            $errors++;
        }

        if($errors==0){
            global $con;
            $updateCategory = $con->prepare("UPDATE categories set
category_name=:category_name WHERE id=:id");
            $updateCategory->bindParam(':category_name',
$categoryName);
            $updateCategory->bindParam(':id', $id );
            $update = $updateCategory->execute();

            if($update) {
                header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Successful");
            }

        }
    } else if(isset($_POST['type'])) {
        $id = $_POST['id'];
        global $con;
        $removeCategory = $con->prepare("UPDATE categories set
is_deleted = 1 WHERE id=:id");
        $removeCategory->bindParam(':id', $id);
        $removeCategory = $removeCategory->execute();
        header("Content-type: appliation/json");
        echo json_encode('USPESNO');
    } else if(isset($_POST['newCategory'])){
        $categoryName = $_POST['newCategory'];
        if(!empty($categoryName)) {
            global $con;
```

```

        $insertNewCategory = $con->prepare("INSERT INTO
categories(category_name) VALUES(:category_name);");
        $insertNewCategory->bindParam(':category_name',
$categoryName);
        $insert = $insertNewCategory->execute();
        if($insert) {
            header("Location:
../adminpanel/addProduct.php?table=categories&message=Successful");
        } else {
            header("Location:
../adminpanel/addProduct.php?table=categories&message=Something is
wrong");
        }
    }
}
else {
    header("Location:
../adminpanel/editPage.php?table=$table&id=$id&error=Something is wrong,
please try again");
}
?>

```

updateDeleteInsertPoll.php

```

<?php
include '../connection/connection.php';
$table = $_POST['table'];
$id = $_POST['id'];
var_dump($_POST);
if(isset($_POST["removeAnswer"])) {

    $choiceid = $_POST['choiceRemove'];
    echo '<pre>';
    var_dump($choiceid);
    echo '</pre>';

    global $con;
    $remove = $con->prepare("UPDATE poll_choices set is_deleted=1
WHERE choice_id=:id");
    $remove->bindParam(":id", $choiceid);

```

```

        $isRemove = $remove->execute();

        if($isRemove){
            header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Succesful");
        } else {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Something is
wrong");
        }

    } else if(isset($_POST['addAnswer'])) {
        $id = $_POST['id'];
        $choice = $_POST['choice'];
        global $con;
        $addChoice = $con->prepare("INSERT INTO poll_choices(choice,
question_id) VALUES(:choice, :question)");
        $addChoice->bindParam(':choice', $choice);
        $addChoice->bindParam(':question', $id);
        $addChoice = $addChoice->execute();
        if($addChoice) {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Succesful");
        } else {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$id&message=Something is
wrong");
        }

    } else if(isset($_POST['insertQuestion'])) {
        $newQuestion = $_POST['newQuestion'];
        if(!empty($newQuestion)) {
            global $con;
            $insertNewQuestion = $con->prepare("INSERT INTO
poll_questions(question) VALUES(:question);");
            $insertNewQuestion->bindParam(':question', $newQuestion);
            $insert = $insertNewQuestion->execute();

```

```

        if($insert) {
            header("Location:
../adminpanel/addProduct.php?table=$table&message=Successful");
        } else {
            header("Location:
../adminpanel/addProduct.php?table=$table&message=Something is wrong");
        }
    }
} else if(isset($_POST['removeQuestion'])) {
    global $con;
    $idQuestion = $_POST['questionRemove'];
    $remove = $con->prepare("DELETE FROM poll_questions WHERE
question_id=:id");
    $remove->bindParam(":id", $idQuestion);
    $remove->execute();
    header("Location: ../adminpanel/poll.php");
}
else {
    header("Location:
../adminpanel/editPage.php?table=$table&id=$id&error=Something is wrong,
please try again");
}
}

?>

```

UpdateDeleteInsertUser.php

```

<?php
include '../connection/connection.php';
include '../functions/functions.php';
if(isset($_POST['updateUser']) || isset($_POST['insertUser'])) {
    global $con;
    $greske=0;
    $nameRegex = '/^[A-Z][a-z]{2,14}$/';
    $mailRegex = '/^[A-z0-9-\.] {3,30}@[a-z]{2,8}\.(com|rs)$/';
    $passwordRegex = '/^(?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[a-zA-
Z]).{8,}$/';
    $firstname = $_POST['UFName'];
    $lastName = $_POST['ULName'];
    $email = $_POST['UEmail'];
    $password = $_POST['UNPass'];
}

```



```

        $img = empty($_FILES['profileImg']['name']) ? NULL :
$_FILES['profileImg'];
        $gender = $_POST['genders'];
        $role = $_POST['roles'];
        isset($_POST['updateUser']) ? $id = $_POST['userId'] : "";
        function checkValues($value, $regex, $greske) {
            if(!preg_match($regex, $value)) $greske++;
        }
        checkValues($firstname, $nameRegex, $greske);
        checkValues($lastName, $nameRegex, $greske);
        checkValues($email, $mailRegex, $greske);
        checkValues($password, $passwordRegex, $greske);

        $noviNazivFajla = null;
        $putanja = null;
        $tmpFajl = null;
        if($img!=NULL){
            $fileName = $img['name'];
            $tmpFajl = $img['tmp_name'];
            $size = $img['size'];
            $type = $img['type'];

            $noviNazivFajla = time()."_" . $fileName;
            $putanja = "../uploadImg/" . $noviNazivFajla;
        }
        if($greske==0) {

            if(move_uploaded_file($tmpFajl, $putanja) || $img == NULL){
                $upit = '';
                if(isset($_POST['updateUser'])) {
                    $upit = "UPDATE users SET first_name=:fName ,
last_name=:lName , email=:email, gender_id=:gender ,role_id=:role_id";
                    if(!empty($password)) {
                        $password = md5($password);
                        $upit.=" , password=:password";
                    }
                }
                if($img!=NULL) {
                    $upit.=" , profile_img=:profile_img";
                }
            }
        }
    }

```

```

        $upit.= " WHERE user_id = :id";
    } else if(isset($_POST['insertUser'])) {

        $upit = "INSERT INTO `users`(`first_name`,
`last_name`, `email`, `profile_img`, `password`, `role_id`, `gender_id`)
VALUES (:fName, :lName, :email, :profile_img, :password, :role_id,
:gender)";

        $password = md5($password);
    }

    $editUser = $con->prepare($upit);
    isset($_POST['updateUser']) ? $editUser->bindParam(':id',
$id) : '';

    $editUser->bindParam(':fName', $firstname);
    $editUser->bindParam(':lName', $lastName);
    $editUser->bindParam(':email', $email);

    if(isset($_POST['updateUser'])) {
        empty($password) ? '' : $editUser-
>bindParam(':password', $password);
    } else if(isset($_POST['insertUser'])) {

        $editUser->bindParam(':password', $password);
    }
    $editUser->bindParam(':gender', $gender);
    if(isset($_POST['updateUser'])) {
        $img!=NULL ? $editUser->bindParam(':profile_img',
$putanja) : '';
    } else if(isset($_POST['insertUser'])) {
        echo $putanja;
        $editUser->bindParam(':profile_img', $putanja);
    }

    $editUser->bindParam(':role_id', $role);
    $edit = $editUser->execute();

    if($edit){

        header("Location: ../adminpanel/users.php");
    }

```



```

        $greske = 0;
        if(empty($productName)){
            $greske++;
            header("Location:
../adminpanel/editPage.php?table=$table&id=$productId&error=Please enter
product name");
        }

        $update = '';
        if($profileImg==$actualImg) {
            global $con;
            $updateProduct = $con->prepare("UPDATE products SET
name=:name, category_id=:category_id, brand_id=:brand_id,
description=:description WHERE id = :product_id");
            $updateProduct->bindParam(':name', $productName);
            $updateProduct->bindParam(':category_id', $categoryId);
            $updateProduct->bindParam(':brand_id', $brandId);
            $updateProduct->bindParam(':description', $description);
            $updateProduct->bindParam(':product_id', $productId);
            $update = $updateProduct->execute();
        } else {
            $fileName = $img['name'];
            $tmpFajl = $img['tmp_name'];
            $size = $img['size'];
            $type = $img['type'];

            $noviNazivFajla = time()."_" . $fileName;
            $putanja = "../uploadImg/" . $noviNazivFajla;
            if(move_uploaded_file($tmpFajl, $putanja)){
                global $con;
                $updateProduct = $con->prepare("UPDATE products SET
name=:name, category_id=:category_id, brand_id=:brand_id, main_img=:img
,description=:description WHERE id=:product_id");
                $updateProduct->bindParam(':name', $productName);
                $updateProduct->bindParam(':category_id', $categoryId);
                $updateProduct->bindParam(':brand_id', $brandId);
                $updateProduct->bindParam(':img', $noviNazivFajla);
                $updateProduct->bindParam(':description', $description);
                $updateProduct->bindParam(':product_id', $productId);
                $update = $updateProduct->execute();
            }
        }
    }
}

```

```

        if($update) {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$productId&message=Success
Update");
        } else {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$productId&error=Something is
wrong");
        }

    }
    if(isset($_POST['removeProduct'])) {
        $productId = $_POST['id'];
        $table = $_POST['table'];
        // global $con;
        // $remove = $con->prepare("UPDATE products SET is_deleted = 1
WHERE id=:id");
        // $remove->bindParam(":id", $productId);
        // $remove = $remove->execute();
        $remove = removeProduct($productId);
        if($remove) {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$productId&message=You are
successfully remove product");
        } else {
            header("Location:
../adminpanel/editPage.php?table=$table&id=$productId&message=Something is
wrong");
        }
    }
}

?>

```

addProduct.php

```

<?php
include '../functions/functions.php';
include "../connection/connection.php";
session_start();
$user = $_SESSION["user"];
$categories = getCategories();

```

```

$brands = getBrands();
$genders = getGenders();
checkUsers();
?>
<!DOCTYPE html>
<html lang="en">
  <?php include 'includes/head.php'?>

  <body id="page-top">
    <!-- Page Wrapper -->
    <div id="wrapper">
      <!-- Sidebar -->
      <?php include 'includes/sidebar.php'?>
      <!-- End of Sidebar -->

      <!-- Content Wrapper -->
      <div id="content-wrapper" class="d-flex flex-column">
        <!-- Main Content -->
        <div id="content">
          <!-- Topbar -->
          <?php include 'includes/topbar.php'?>
          <!-- End of Topbar -->

          <?php if($_GET['table']=='product'):?>
            <div class="container-fluid">
              <h1 class="h3 mb-2 text-gray-800 my-3">Add product</h1>
              <form class="editFormPage" method="POST"
action="../logic/addProduct.php" enctype="multipart/form-data">
                <?php
                  if(isset($_GET['error'])) {
                    echo "<p class='text-
danger'>".$_GET['error'].</p>";
                  } else if (isset($_GET['message'])) {
                    echo "<p class='text-
success'>".$_GET['message'].</p>";
                  }
                ?>
                <div class="form-group">
                  <label for="productName">Product name</label>
                  <input type="text" class="form-control"
name="productName" id="productName" data-id='<?php echo $_GET['id']?>'>
                </div>
                <div class="form-group">

```

```

        <label for="exampleFormControlSelect1">Choose
category</label>
        <select class="form-control" name="categoryId">
        <?php foreach($categories as $category):?>
        <option value="<?php echo $category['id']?>"><?php
echo $category['category_name'] ?></option>
        <?php endforeach; ?>
        </select>
    </div>
    <div class="form-group">
        <label for="exampleFormControlSelect2">Choose
brand</label>
        <select class="form-control" name="brandId">
        <?php foreach($brands as $brand):?>
        <option value="<?php echo $brand['id']?>"><?php
echo $brand['brand_name'] ?></option>
        <?php endforeach; ?>
        </select>
    </div>
    <div class="form-group">
        <label for="exampleFormControlSelect2">Choose
gender</label>
        <div class="cbgender">
            <input type="checkbox" name="men" value="1">
            <label for="Men">Men</label>
        </div>
        <div class="cbgender">
            <input type="checkbox" name="women" value="2">
            <label for="Women">Women</label>
        </div>
        </select>
    </div>
    <div class="form-group">
        <label for="productName">Set price</label>
        <input type="text" class="form-control"
name="price" id="productName">
    </div>
    <div class="form-group">
        <label for="profileImg">Upload new profile
image</label>
        <div class="d-flex align-items-center">
            <input type="file" class="form-control-file"
name="profileImg">

```

```

        </div>
    </div>
    <div class="form-group">
        <label for="description">Description</label>
        <textarea class="form-control" name="description"
rows="6"></textarea>
    </div>
    <div class="form-group d-flex">
        <input type="submit" value="Add product"
name="addProduct" class="btn btn-primary mr-3">
    </div>
</form>
</div>
<?php elseif($_GET['table']=='categories'):?>
    <div class="container-fluid">
        <!-- Page Heading -->
        <h1 class="h3 mb-2 text-gray-800">Category</h1>
        <div class="row">
            <div class="col-lg-12">
                <form class="editFormPage" method="POST"
action="../logic/UpdateDeleteInsertCategory.php">
                    <?php
                        if(isset($_GET['error'])) {
                            echo "<p class='text-
danger'>".$_GET['error'].</p>";
                        } else if (isset($_GET['message'])) {
                            echo "<p class='text-
success'>".$_GET['message'].</p>";
                        }
                    ?>

                    <div class="form-group">
                        <label for="productName">Category
name</label>
                        <input type="text" class="form-control"
name="newCategory" placeholder="Insert category name">

                    </div>
                    <div class="form-group">
                        <input type="submit" value="Insert new
category" name="insertCategory" class="btn btn-primary mr-3">

                    </div>

```



```

        <div class="form-group">
            <input type="hidden" name="table"
value="<?php echo $_GET['table']?>">
        </div>
    </form>

</div>
</div>
</div>
<?php elseif($_GET['table']=='poll'):?>
<div class="container-fluid">
<!-- Page Heading -->
<h1 class="h3 mb-2 text-gray-800">Poll question</h1>
<div class="row">
    <div class="col-lg-12">
        <form class="editFormPage" method="POST"
action="../logic/UpdateDeleteInsertPoll.php">
            <?php
                if(isset($_GET['error'])) {
                    echo "<p class='text-
danger'>".$_GET['error'].</p>";
                } else if (isset($_GET['message'])) {
                    echo "<p class='text-
success'>".$_GET['message'].</p>";
                }
            ?>

            <div class="form-group">
                <label for="productName">Question</label>
                <input type="text" class="form-control"
name="newQuestion" placeholder="Insert poll question">

            </div>
            <div class="form-group">
                <input type="submit" value="Insert new
question" name="insertQuestion" class="btn btn-primary mr-3">

            </div>
            <div class="form-group">
                <input type="hidden" name="table"
value="<?php echo $_GET['table']?>">
            </div>
        </form>

```

```

        </div>
    </div>
</div>
<?php elseif($_GET['table']=='brand'):?>
<div class="container-fluid">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Brand</h1>
    <div class="row">
        <div class="col-lg-12">
            <form class="editFormPage" method="POST"
action="../logic/UpdateDeleteInsertBrand.php">
                <?php
                    if(isset($_GET['error'])) {
                        echo "<p class='text-
danger'>".$_GET['error']. "</p>";
                    } else if (isset($_GET['message'])) {
                        echo "<p class='text-
success'>".$_GET['message']. "</p>";
                    }
                ?>

                <div class="form-group">
                    <label for="productName">Brand
name</label>
                    <input type="text" class="form-control"
name="newBrand" placeholder="Insert Brand name">

                </div>
                <div class="form-group">
                    <input type="submit" value="Insert new
Brand" name="insertBrand" class="btn btn-primary mr-3">

                </div>
                <div class="form-group">
                    <input type="hidden" name="table"
value="<?php echo $_GET['table']?>">
                </div>
            </form>

        </div>
    </div>
</div>

```

```

        <?php elseif($_GET['table']=='users'):?>
        <div class="container-fluid">
            <!-- Page Heading -->
            <h1 class="h3 mb-2 text-gray-800">Add user</h1>
            <div class="row">
                <div class="col-lg-12">
                    <form class="editFormPage"
enctype="multipart/form-data" method="POST"
action="../logic/UpdateDeleteInsertUser.php">
                        <?php
                            if(isset($_GET['error'])) {
                                echo "<p class='text-
danger'>".$_GET['error'].</p>";
                            } else if (isset($_GET['message'])) {
                                echo "<p class='text-
success'>".$_GET['message'].</p>";
                            }
                        ?>

                            <div class="form-group my-3">
                                <label for="exampleInputEmail1">First
Name</label>

                                <input type="text" class="form-
control" id="UFName" name="UFName" aria-describedby="emailHelp"
placeholder="First name">

                                </div>
                                <div class="form-group my-3">
                                    <label for="ULName">Last Name</label>
                                    <input type="text" class="form-
control" id="ULName" name="ULName" aria-describedby="emailHelp"
placeholder="Last name">

                                </div>
                                <div class="form-group my-3">
                                    <label for="UEmail">Email
address</label>

                                    <input type="text" class="form-
control" id="UEmail" name="UEmail" aria-describedby="emailHelp"
placeholder="Email">

                                </div>
                                <div class="form-group my-3">
                                    <label for="UNPass">New
password</label>

```

```

        <input type="text" class="form-
control" id="pass" name="UNPass" aria-describedby="emailHelp"
placeholder="New password">
    </div>
    <div class="form-group my-3">
        <label for="UNCPass">Confirm new
password</label>
        <input type="text" class="form-
control" id="confPass" name="UNCPass" aria-describedby="emailHelp"
placeholder="Confirm new password">
    </div>
    <div class="form-group my-3">
        <label
for="exampleInputPassword1">Role</label>
        <?php $roles = getRoles();?>
        <select name="roles" id="ddlrole"
class="form-control">
            <?php foreach($roles as $role):?>
                <option
value="<?=$role['id']?>"><?php echo $role['role']?></option>
                <?php endforeach;?>
            </select>
        </div>
        <div class="form-group my-3">
            <label
for="exampleInputPassword1">Gender</label>
            <?php $genders = getGenders();?>
            <select name="genders" id="ddlGenders"
class="form-control">
                <?php foreach($genders as
$gender):?>
                    <option
value="<?=$gender['id']?>" ><?php echo $gender['gender']?></option>
                    <?php endforeach;?>
                </select>
            </div>
            <div class="form-group my-3">
                <label
for="exampleInputPassword1">Upload profile img</label>
                <input type="file" class="form-
control-file" name="profileImg">
            </div>
        </div>
    </div>

```



```

<html lang="en">
  <?php include 'includes/head.php'?>

  <body id="page-top">
    <!-- Page Wrapper -->
    <div id="wrapper">
      <!-- Sidebar -->
      <?php include 'includes/sidebar.php'?>
      <!-- End of Sidebar -->

      <!-- Content Wrapper -->
      <div id="content-wrapper" class="d-flex flex-column">
        <!-- Main Content -->
        <div id="content">
          <!-- Topbar -->
          <?php include 'includes/topbar.php'?>
          <!-- End of Topbar -->

          <!-- Begin Page Content -->
          <div class="container-fluid">
            <h1>WELCOME TO ADMIN PANEL</h1>
            <h3>Now you can manage all data in site</h3>
          </div>
          <!-- /.container-fluid -->
        </div>
        <!-- End of Main Content -->

        <!-- Footer -->
        <?php include 'includes/footer.php'?>
        <!-- End of Footer -->
      </div>
      <!-- End of Content Wrapper -->
    </div>
    <!-- End of Page Wrapper -->

    <?php include 'includes/logout&scripts.php'?>
  </body>
</html>

```

Brands.php

```
<?php
```

```

include '../functions/functions.php';
include "../connection/connection.php";

session_start();
$user = $_SESSION["user"];
checkUsers();

?>
<!DOCTYPE html>
<html lang="en">

<?php include 'includes/head.php'?>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
        <?php include 'includes/sidebar.php'?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
                <?php include 'includes/topbar.php'?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Brands</h1>
                    <a href="addProduct.php?table=brand" class="btn btn-
primary mb-3">Add new brand</a>
                    <!-- Content Row -->
                    <div class="row">

                        <div class="col-lg-12">

```

```

        <table class="table">
            <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Brand name</th>
                </tr>
            </thead>

            <tbody id="brandBody">

                </tbody>
            </table>
        </div>
    </div>
    <!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<?php include 'includes/logout&scripts.php'?>

</body>

</html>

```

Categories.php

```

<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    session_start();

```



```

$user = $_SESSION["user"];
checkUsers();;

?>
<!DOCTYPE html>
<html lang="en">

<?php include 'includes/head.php'?>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
        <?php include 'includes/sidebar.php'?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
                <?php include 'includes/topbar.php'?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Categories</h1>
                    <a href="addProduct.php?table=categories" class="btn
btn-primary mb-3">Add new category</a>
                    <!-- Content Row -->
                    <div class="row">

                        <div class="col-lg-12">
                            <table class="table">
                                <thead>
                                    <tr>
                                        <th scope="col">#</th>

```

```

        <th scope="col">Category name</th>
    </tr>
</thead>

    <tbody id="categoryBody">

        </tbody>
    </table>
</div>
</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<?php include 'includes/logout&scripts.php'?>

</body>

</html>

```

deletedData.php

```

<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    session_start();
    $user = $_SESSION["user"];
    checkUsers();

?>

```

```

<!DOCTYPE html>
<html lang="en">

<?php include 'includes/head.php'?>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
        <?php include 'includes/sidebar.php'?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
                <?php include 'includes/topbar.php'?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <?php if($_GET['table']=='brands'):?>
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Deleted
brands</h1>

                    <!-- Content Row -->
                    <div class="row">

                        <div class="col-lg-12">
                            <table class="table">
                                <thead>
                                    <tr>
                                        <th scope="col">#</th>
                                        <th scope="col">Brand name</th>

                                    </tr>
                                </thead>

```



```

        <!-- Page Heading -->
        <h1 class="h3 mb-2 text-gray-800">Deleted
categories</h1>

        <!-- Content Row -->
        <div class="row">

            <div class="col-lg-12">
                <table class="table">
                    <thead>
                        <tr>
                            <th scope="col">#</th>
                            <th scope="col">Category
name</th>

                            <th scope="col">Return</th>
                        </tr>
                    </thead>

                    <tbody id="categoryDeletedBody">

                        </tbody>
                    </table>
                </div>
            </div>
        </div>

        <?php elseif($_GET['table']=='users'):?>
        <div class="container-fluid">

            <!-- Page Heading -->
            <h1 class="h3 mb-2 text-gray-800">Deleted
users</h1>

            <!-- Content Row -->
            <div class="row">

                <div class="col-lg-12">
                    <table class="table">
                        <thead>
                            <tr>
                                <th scope="col">#</th>

```

```

name</th>                                <th scope="col">Fisrt
name</th>                                <th scope="col">Last
scope="col">Email</th>                    <th
scope="col">Profile image</th>            <th
scope="col">Role</th>                      <th
scope="col">Location</th>                 <th
scope="col">Gender</th>                   <th
scope="col">Return</th>                   <th

</tr>
</thead>
<?php
    $users = getUsers();
    $i=1;
?>
<tbody
id="userDeletedBody">

</tbody>
</table>
</div>
</div>
</div>

<?php endif; ?>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->

```

```

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <?php include 'includes/logout&scripts.php'?>
</body>

</html>

```

editPage.php

```

<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    $categories = getCategories();
    session_start();
    $user = $_SESSION["user"];
    $brands = getBrands();
    checkUsers();
?>
<!DOCTYPE html>
<html lang="en">
    <?php include 'includes/head.php'?>

    <body id="page-top">
        <!-- Page Wrapper -->
        <div id="wrapper">
            <!-- Sidebar -->
            <?php include 'includes/sidebar.php'?>
            <!-- End of Sidebar -->

            <!-- Content Wrapper -->
            <div id="content-wrapper" class="d-flex flex-column">
                <!-- Main Content -->
                <div id="content">
                    <!-- Topbar -->
                    <?php include 'includes/topbar.php'?>
                    <!-- End of Topbar -->

                    <!-- Begin Page Content -->

```

```

<?php if($_GET['table']=='products'):?>
<div class="container-fluid">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Products</h1>
    <div class="row">
        <div class="col-lg-12">
            <form class="editFormPage" method="POST"
action="../logic/updateProduct.php" enctype="multipart/form-data">
                <?php
                    if(isset($_GET['error'])) {
                        echo "<p class='text-danger'>".$_GET['error'].</p>";
                    } else if (isset($_GET['message'])) {
                        echo "<p class='text-success'>".$_GET['message'].</p>";
                    }
                ?>
                <?php $singleProduct = getSingleProdcut($_GET['id']);?>
                <div class="form-group">
                    <label for="productName">Product name</label>
                    <input type="text" class="form-control"
name="productName" id="productName" data-id='<?php echo $_GET['id']?>'
value="<?php echo $singleProduct['name'];?>"
                    </div>
                <div class="form-group">
                    <label for="exampleFormControlSelect1">Choose
category</label>
                    <select class="form-control" name="categoryId">
                        <?php foreach($categories as $category):?>
                            <option value="<?php echo $category['id']?>" <?php
if($category['id']==$singleProduct['category_id']) echo 'selected';
?><?php echo $category['category_name'] ?></option>
                        <?php endforeach; ?>
                    </select>
                </div>
                <div class="form-group">
                    <label for="exampleFormControlSelect2">Choose
brand</label>
                    <select class="form-control" name="brandId">
                        <?php foreach($brands as $brand):?>
                            <option value="<?php echo $brand['id']?>" <?php
if($brand['id']==$singleProduct['brand_id']) echo 'selected' ?><?php echo
$brand['brand_name'] ?></option>
                        <?php endforeach; ?>
                    </select>

```



```

        </div>
        <div class="form-group">
            <label for="profileImg">Upload new profile
image</label>
            <div class="d-flex align-items-center">
                
                <input type="hidden" name="actualImg"
value="<?php echo $singleProduct['main_img']?>">
                <input type="file" class="form-control-file
mx-3" name="profileImg">
            </div>
        </div>
        <div class="form-group">
            <label for="description">Description</label>
            <textarea class="form-control" name="description"
rows="6"><?=$singleProduct['description']?></textarea>
        </div>
        <div class="form-group d-flex">
            <input type="submit" value="Update product"
name="updateProduct" class="btn btn-primary mr-3">
            <input type="submit" value="Remove product"
name="removeProduct" class="btn btn-danger">
        </div>
        <div class="form-group">
            <input type="hidden" name="id" value="<?php
echo $_GET['id'];?>">
            <input type="hidden" name="table" value="<?php
echo $_GET['table']?>">
        </div>
    </form>

</div>
</div>
<h1 class="h3 mb-2 text-gray-800">Price</h1>
<div class="row my-2">

    <div class="col-lg-12">
        <?php $price = getPrice($singleProduct['id'])?>
        <?php
        if(isset($_GET['error'])) {
            echo "<p class='text-danger'>".$_GET['error'].</p>";
        } else if (isset($_GET['message'])) {

```

```

        echo "<p class='text-success'>".$_GET['message']. "</p>";
    }
    ?>

    <form action="../logic/setNewPrice.php" method="POST">
        <label for="">Actual price</label>
        <div class="price-block">
            <h3><?php echo $price['price'];?>$</h3>
            <input type="text" name="newPrice"
placeholder="Enter new price">
            <input type="submit" name="priceBtn"
class="btn btn-primary" value="Update price">
            <input type="hidden" name="id" value="<?php
echo $price['product_id'];?>">
            <input type="hidden" name="table" value="<?php
echo $_GET['table'];?>">

        </div>
    </form>
</div>
</div>

<h1 class="h3 mb-2 text-gray-800 my-3">Sizes</h1>
<div class="row my-2">
    <div class="col-lg-12">

        <form class="editFormPage">
            <?php $allSizes = getAllSizes()?>
            <h4>Available sizes:</h4>
            <div class="sizes">

                </div>
            <div class="form-group">
                <p class="text-success"></p>
                <label for="addSizeDdl">Add size for <?php echo
$product['name'];?></label>
                <select class="form-control" id="addSizeDdl">
                    <?php foreach($allSizes as $size):?>
                        <option value="<?php echo $size['id'];?>"><?php
echo $size['size'];?></option>
                    <?php endforeach; ?>
                </select>
            </div>
        </form>
    </div>
</div>

```

```

        </div>
        <div class="form-group">
            <a href="" id="addSizeBtn" class="btn btn-
primary">Add size</a>
        </div>

    </form>

</div>
</div>

<h1 class="h3 mb-2 text-gray-800 my-3">Product images</h1>
<div class="row my-2">
    <div class="col-lg-12">
        <form action="../logic/addProductImg.php" method="POST"
enctype="multipart/form-data">
            <?php
                if(isset($_GET['error'])) {
                    echo "<p class='text-
danger'>".$_GET['error'].</p>";
                } else if (isset($_GET['message'])) {
                    echo "<p class='text-
success'>".$_GET['message'].</p>";
                }
            ?>
            <div class="form-group">
                <label for="exampleFormControlTextarea1">Upload
new image</label>
                <input type="file" name='images' class="form-
control-file" id="exampleFormControlFile1">
                <input type="submit" name="submitUpload"
value="Upload" class="my-2 btn btn-primary uploadImg">
                <input type="hidden" name="id" value="<?php echo
$singleProduct['id']?>">
                <input type="hidden" name="table" value="<?php
echo $_GET['table']?>">
            </div>
        </form>
        <div class="img-container">

    </div>
</div>
</div>

```

```

        <h1 class="h3 mb-2 text-gray-800 my-3">Specification</h1>
        <div class="row ">
            <div class="col-lg-12">
                <form action="#" method="POST">
                    <div class="specification-container">

                        </div>
                        <div class="addSpecCt my-4">
                            <h5 class="my-2">Add specification</h5>
                            <?php $specifications =
getProductSpecification()?>

                                <select id="specDdl">
                                    <?php foreach($specifications as
$specification):?>
                                        <option value="<?php echo
$specification['id']?>"><?php echo $specification['type']?></option>
                                        <?php endforeach;?>
                                    </select>

                                    <input type="text" name=""
id="specificationValue" placeholder="Enter value">
                                    <input type="button" id="addSpec" class="btn
btn-sm btn-primary" value="Add specification">
                                </div>
                            </form>

                        </div>
                    </div>

                </div>
                <?php elseif($_GET['table']=='categories'):?>
                    <div class="container-fluid">
                        <!-- Page Heading -->
                        <h1 class="h3 mb-2 text-gray-800">Category</h1>
                        <div class="row">
                            <div class="col-lg-12">
                                <form class="editFormPage" method="POST"
action="../logic/UpdateDeleteInsertCategory.php">
                                    <?php
                                        if(isset($_GET['error'])) {
                                            echo "<p class='text-danger'>".$_GET['error']. "</p>";

```

```

        } else if (isset($_GET['message'])) {
            echo "<p class='text-success'>".$_GET['message']. "</p>";
        }
    }
    ?>
    <?php $category = getCategory($_GET['id']);?>
    <div class="form-group">
        <label for="productName">Category name</label>
        <input type="text" class="form-control"
name="productName" id="productName" value="<?php echo
$category['category_name'];?>">
        <input type="hidden" name="categoryId"
value="<?php echo $_GET['id'];?>">
    </div>
    <div class="form-group">
        <input type="submit" value="Update category"
name="updateCategory" class="btn btn-primary mr-3">
    </div>
    <div class="form-group">
        <input type="hidden" name="table" value="<?php
echo $_GET['table'];?>">
    </div>
</form>

</div>
</div>
</div>
<?php elseif($_GET['table']=='brands'):?>
<div class="container-fluid">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Brands</h1>
    <div class="row">
        <div class="col-lg-12">
            <form class="editFormPage" method="POST"
action="../logic/UpdateDeleteInsertBrand.php">
                <?php
                    if(isset($_GET['error'])) {
                        echo "<p class='text-danger'>".$_GET['error']. "</p>";
                    } else if (isset($_GET['message'])) {
                        echo "<p class='text-
success'>".$_GET['message']. "</p>";
                    }
                }
            ?>

```

```

        <?php $brand = getSingleBrand($_GET['id']);
        ?>
        <div class="form-group">
            <label for="productName">Brand name</label>
            <input type="text" class="form-control"
name="brandName" id="brandName" value="<?php echo
$brand['brand_name'];?>">
            <input type="hidden" name="brandId" value="<?php
echo $_GET['id'];?>">
        </div>
        <div class="form-group">
            <input type="submit" value="Update brand"
name="updateBrand" class="btn btn-primary mr-3">
        </div>
        <div class="form-group">
            <input type="hidden" name="table"
value="<?php echo $_GET['table'];?>">
        </div>
    </form>

</div>
</div>

</div>

<?php elseif($_GET['table']=='users'):?>
<div class="container-fluid">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Users</h1>
    <div class="row">
        <div class="col-lg-12">
            <form class="editFormPage" enctype="multipart/form-data"
method="POST" action="../../../logic/UpdateDeleteInsertUser.php">
                <?php
                    if(isset($_GET['error'])) {
                        echo "<p class='text-danger'>".$_GET['error'].</p>";
                    } else if (isset($_GET['message'])) {
                        echo "<p class='text-
success'>".$_GET['message'].</p>";
                    }
                ?>
                <?php $user = getSingleUser($_GET['id']);

```

```

        ?>
        <div class="form-group my-3">
            <label for="exampleInputEmail1">First Name</label>
            <input type="text" class="form-control" id="UFName"
name="UFName" aria-describedby="emailHelp" value="<?php echo
$user['first_name']?>">

        </div>
        <div class="form-group my-3">
            <label for="ULName">Last Name</label>
            <input type="text" class="form-control" id="ULName"
name="ULName" aria-describedby="emailHelp" value="<?php echo
$user['last_name']?>">
        </div>
        <div class="form-group my-3">
            <label for="UEmail">Email address</label>
            <input type="text" class="form-control" id="UEmail"
name="UEmail" aria-describedby="emailHelp" value="<?php echo
$user['email']?>">
        </div>
        <div class="form-group my-3">
            <label for="UNPass">New password</label>
            <input type="text" class="form-control" id="pass"
name="UNPass" aria-describedby="emailHelp" placeholder="New password">
        </div>
        <div class="form-group my-3">
            <label for="UNCPass">Confirm new password</label>
            <input type="text" class="form-control" id="confPass"
name="UNCPass" aria-describedby="emailHelp" placeholder="Confirm new
password">
        </div>
        <div class="form-group my-3">
            <label for="exampleInputPassword1">Role</label>
            <?php $roles = getRoles();?>
            <select name="roles" id="ddlrole" class="form-
control">

                <?php foreach($roles as $role):?>
                    <option value="<?=$role['id']?>" <?php
if($role["id"]==$user['role_id']) echo 'selected'; ?>><?php echo
$role['role']?></option>

                <?php endforeach;?>
            </select>
        </div>

```

```

        <div class="form-group my-3">
            <label for="exampleInputPassword1">Gender</label>
            <?php $genders = getGenders();?>
            <select name="genders" id="ddlGenders" class="form-
control">
                <?php foreach($genders as $gender):?>
                    <option value="<?=$gender['id']?>" <?php
if($gender["id"]==$user['gender_id']) echo 'selected'; ?>><?php echo
$gender['gender']?></option>
                <?php endforeach;?>
            </select>
        </div>
        <div class="form-group my-3">
            <label for="exampleInputPassword1">Upload profile
img</label>
            <input type="file" class="form-control-file"
name="profileImg">
        </div>
        <div class="form-group">
            <input type="submit" value="Update user"
name="updateUser" class="btn btn-primary mr-3">
            <input type="hidden" name="userId" value="<?php
echo $_GET['id']?>">
        </div>

    </form>

</div>
</div>
</div>
<?php elseif($_GET['table']=='poll'):?>
<div class="container-fluid">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Question</h1>
    <div class="row">
        <div class="col-lg-12">
            <form class="editFormPage" method="POST"
action="../../logic/UpdateDeleteInsertPoll.php">
                <?php
                if(isset($_GET['error'])) {
                    echo "<p class='text-danger'>".$_GET['error']. "</p>";
                } else if (isset($_GET['message'])) {

```



```

        echo "<p class='text-
success'>".$_GET['message'].</p>";
    }
    ?>
    <?php $question = getSingleQuestion($_GET['id']);
    ?>
        <div class="form-group my-3">
            <h1 class="h3"><?php echo
$question['question']?></h1>

            </div>
            <div class="form-group my-3">
                <label for="exampleInputEmail1">Choice</label>
                <input type="text" class="form-
control" name="choice" aria-describedby="emailHelp">

            </div>

            <div class="form-group">
                <input type="submit" value="Add new answer"
name="addAnswer" class="btn btn-primary mr-3">
                <input type="hidden" name="table" value="<?php
echo $_GET['table']?>">
                <input type="hidden" name="id" value="<?php echo
$_GET['id']?>">
            </div>
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Answer</th>
                        <th scope="col">Remove</th>

                    </tr>
                </thead>
                <tbody>
                    <?php
                        global $con;
                        $result = $con->prepare("SELECT * FROM
poll_choices WHERE question_id=:qID AND is_deleted = 0");
                        $result->bindParam(":qID", $_GET['id']);
                        $result->execute();

```

```

        $result = $result-
>fetchAll(PDO::FETCH_ASSOC);

        ?>

        <?php $i = 1?>
        <?php foreach($result as $rez):?>
        <tr>
        <th scope="row"><?php echo $i++?></th>
        <td><?php echo $rez["choice"]?></td>

        <td>
            <input type="submit"
value="Remove"   name="removeAnswer" class="btn btn-danger mr-3">
            <input type="hidden" name="choiceRemove"
value="<?php echo $rez["choice_id"]?>">

        </td>
        </tr>
        <?php endforeach;?>

    </tbody>
</table>
</form>

</div>
</div>

</div>
<?php endif; ?>
</div>
</div>
</div>

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->

<!-- End of Content Wrapper -->
</div>
<!-- End of Page Wrapper -->

```

```
<?php include 'includes/logout&scripts.php'?>
</body>
</html>
```

Message.php

```
<?php
    include '../functions/functions.php';
    include "../connection/connection.php";

    session_start();
    $user = $_SESSION["user"];
    checkUsers();

?>
<!DOCTYPE html>
<html lang="en">

<?php include 'includes/head.php'?>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
        <?php include 'includes/sidebar.php'?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
                <?php include 'includes/topbar.php'?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">
```

```

        <!-- Page Heading -->
        <h1 class="h3 mb-2 text-gray-
800">Message</h1>

        <!-- Content Row -->
        <div class="row">

            <div class="col-lg-12">
                <table class="table">
                    <thead>
                        <tr>
                            <th scope="col">#</th>
                            <th scope="col">Name</th>
                            <th scope="col">Email</th>
                            <th scope="col">Subject</th>
                            <th scope="col">Message</th>
                            <th scope="col">Remove</th>
                        </tr>
                    </thead>

                    <tbody id="messageBody">

                        </tbody>
                    </table>
                </div>
            </div>
            <!-- /.container-fluid -->

        </div>
        <!-- End of Main Content -->

        <!-- Footer -->
        <?php include 'includes/footer.php'?>
        <!-- End of Footer -->

    </div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

```

```
<?php include 'includes/logout&scripts.php'?>

</body>

</html>
```

Poll.php

```
<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    $poll = getPoll();
    session_start();
    $user = $_SESSION["user"];
    checkUsers();

?>
<!DOCTYPE html>
<html lang="en">

<?php include 'includes/head.php'?>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
        <?php include 'includes/sidebar.php'?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
                <?php include 'includes/topbar.php'?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">
```



```

                                <td scope="col" data-title="Total
responses"><?php echo $pollChoice[0]['COUNT(pc.choice_id)']?></td>
                                <?php
                                    global $con;
                                    $pollChoice = $con-
>prepare("SELECT * FROM poll_choices WHERE question_id =:id AND
is_deleted=0");
                                    $pollChoice-
>bindParam(":id", $question['question_id']);
                                    $pollChoice->execute();
                                    $pollChoice = $pollChoice-
>fetchAll(PDO::FETCH_ASSOC);

                                ?>

                                <?php foreach($pollChoice
as $choice):?>
                                    <?php
                                        global $con;
                                        $resultForOneChoic
e = $con->prepare("SELECT COUNT(choice_id) FROM poll_results WHERE
choice_id=:cID");
                                        $resultForOneChoic
e->bindParam(":cID", $choice['choice_id']);
                                        $resultForOneChoic
e->execute();
                                        $resultForOneChoic
e = $resultForOneChoice->fetchAll(PDO::FETCH_ASSOC);

                                    ?>
                                    <td scope="col" data-
title="Choice"><?php echo $choice['choice']; echo ' -
'.$resultForOneChoice[0]['COUNT(choice_id)'].' votes';?></td>

                                    <?php endforeach; ?>
                                    <th scope="col"><a
href="editPage.php?table=poll&id=<?php echo $question['question_id']?>"
class="btn btn-warning">Edit</a></th>

```

```

                <th scope="col">
                    <form method="POST"
action="../logic/UpdateDeleteInsertPoll.php">
                        <input type="submit"
value="Remove" name="removeQuestion" class="btn btn-danger mr-3">
                            <input type="hidden"
name="questionRemove" value="<?php echo $question['question_id']?>">
                                </form>
                    </tr>

                <?php endforeach; ?>

            </tbody>
        </table>

    </div>
</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<?php include 'includes/logout&scripts.php'?>
</body>

```



```
</html>
```

Products.php

```
<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    session_start();
    $user = $_SESSION["user"];
    checkUsers();
?>
<!DOCTYPE html>
<html lang="en">
    <?php include 'includes/head.php'?>

    <body id="page-top">
        <!-- Page Wrapper -->
        <div id="wrapper">
            <!-- Sidebar -->
            <?php include 'includes/sidebar.php'?>
            <!-- End of Sidebar -->

            <!-- Content Wrapper -->
            <div id="content-wrapper" class="d-flex flex-column">
                <!-- Main Content -->
                <div id="content">
                    <!-- Topbar -->
                    <?php include 'includes/topbar.php'?>
                    <!-- End of Topbar -->

                    <!-- Begin Page Content -->
                    <div class="container-fluid">
                        <!-- Page Heading -->
                        <h1 class="h3 mb-4 text-gray-800">Products</h1>
                        <a href="addProduct.php?table=product" class="btn btn-primary
mb-3">Add new Product</a>
                        <div class="row">
                            <div class="col-lg-9">
                                <div class="table-responsive-sm">
                                    <form action="">
                                        <div class="row">

                                            <div class="col-md-5 pb-4">
```

```

        <h2 class="h5 mb-2 text-gray-800">Category</h2>
        <div class="d-flex">

            <select class="form-control" id="ddlCat">
                <option value="0">Choose category</option>
                <?php $categories = getCategories();
                foreach($categories as $category){?>
                    <option value='<?php echo
$category['id']?'>'><?php echo $category['category_name']?'></option>
                    <?php } ?>
                </select>
            </div>
        </div>
        <div class="col-md-5 pb-4">
            <h2 class="h5 mb-2 text-gray-800">Brands</h2>
            <div class="d-flex">

                <select class="form-control" id="ddlBrand">
                    <option value="0">Choose brand</option>
                    <?php $brands = getBrands(); foreach($brands
as $brand){ ?>
                        <option value='<?php echo
$brand['id']?'>'><?php echo $brand['brand_name']?'></option>
                        <?php } ?>
                    </select>
                </div>
            </div>
            <div class="col-md-2 d-flex align-items-center">
                <input type="button" value="Filter" class="btn
btn-primary filterBtn">
            </div>
        </div>
    </form>
</div>
</div>
<div class="row">

    <div class="col-lg-12">
        <table class="table">
            <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Product name</th>

```

```

        <th scope="col">Category</th>
        <th scope="col">Brand</th>
        <th scope="col">Price</th>
        <th scope="col">Image</th>
        <th scope="col">Description</th>
    </tr>
</thead>
<tbody id="productBody">

    </tbody>
</table>

    </div>
</div>
</div>
<!-- /.container-fluid -->
</div>
<!-- End of Main Content -->

    <!-- Footer -->
    <?php include 'includes/footer.php'?>
    <!-- End of Footer -->
</div>
<!-- End of Content Wrapper -->
</div>
<!-- End of Page Wrapper -->

    <?php include 'includes/logout&scripts.php'?>
</body>
</html>

```

Users.php

```

<?php
    include '../functions/functions.php';
    include "../connection/connection.php";
    session_start();
    $user = $_SESSION["user"];
    checkUsers();

?>
<!DOCTYPE html>

```

```

<html lang="en">
  <?php include 'includes/head.php'?>

  <body id="page-top">
    <!-- Page Wrapper -->
    <div id="wrapper">
      <!-- Sidebar -->
      <?php include 'includes/sidebar.php'?>
      <!-- End of Sidebar -->

      <!-- Content Wrapper -->
      <div id="content-wrapper" class="d-flex flex-column">
        <!-- Main Content -->
        <div id="content">
          <!-- Topbar -->
          <?php include 'includes/topbar.php'?>
          <!-- End of Topbar -->

          <!-- Begin Page Content -->
          <div class="container-fluid">
            <!-- Page Heading -->
            <h1 class="h3 mb-2 text-gray-800">Users</h1>
            <a href="addProduct.php?table=users" class="btn btn-primary
mb-3">Add new user</a>

            <!-- Content Row -->
            <div class="row">
              <table class="table">
                <thead>
                  <tr>
                    <th scope="col">#</th>
                    <th scope="col">Fisrt name</th>
                    <th scope="col">Last name</th>
                    <th scope="col">Email</th>
                    <th scope="col">Profile image</th>
                    <th scope="col">Role</th>
                    <th scope="col">Location</th>
                    <th scope="col">Gender</th>
                  </tr>
                </thead>
                <?php
                  $users = getUsers();
                  $i=1;

```

```

        ?>
        <tbody id="userBody">

            </tbody>
        </table>
    </div>
</div>
<!-- /.container-fluid -->
</div>
<!-- End of Main Content -->

<!-- Footer -->
<?php include 'includes/footer.php'?>
<!-- End of Footer -->
</div>
<!-- End of Content Wrapper -->
</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<?php include 'includes/logout&scripts.php'?>
</body>
</html>

```

Footer.php

```

<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>

```

Head.php

```

<head>
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta

```

```

        name="viewport"
        content="width=device-width, initial-scale=1, shrink-to-fit=no"
    />
    <meta name="description" content="" />
    <meta name="author" content="" />

    <title>SB Admin 2 - Buttons</title>

    <!-- Custom fonts for this template-->
    <link
        href="vendor/fontawesome-free/css/all.min.css"
        rel="stylesheet"
        type="text/css"
    />
    <link rel="stylesheet" href="css/custom.css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet"
    />

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet" />
</head>

```

Logout&scripts.php

```

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div
    class="modal fade"
    id="logoutModal"
    tabindex="-1"
    role="dialog"
    aria-labelledby="exampleModalLabel"
    aria-hidden="true"
>
    <div class="modal-dialog" role="document">
        <div class="modal-content">

```

```

        <div class="modal-header">
            <h5 class="modal-title" id="exampleModallLabel">Ready to
Leave?</h5>
            <button
                class="close"
                type="button"
                data-dismiss="modal"
                aria-label="Close"
            >
                <span aria-hidden="true">x</span>
            </button>
        </div>
        <div class="modal-body">
            Select "Logout" below if you are ready to end your current
session.
        </div>
        <div class="modal-footer">
            <button
                class="btn btn-secondary"
                type="button"
                data-dismiss="modal"
            >
                Cancel
            </button>
            <a class="btn btn-primary" href="login.html">Logout</a>
        </div>
    </div>
</div>
</div>

<!-- Bootstrap core JavaScript-->

<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->

```

```
<script src="js/sb-admin-2.min.js"></script>
```

```
<script src="MojJsFajl/custom.js"></script>
```

Sidebar.php

```
<ul
    class="navbar-nav bg-gradient-primary sidebar sidebar-dark
accordion"
    id="accordionSidebar"
>
    <!-- Sidebar - Brand -->
    <a
        class="sidebar-brand d-flex align-items-center justify-content-
center"
        href="adminpanel.php"
    >
        <div class="sidebar-brand-icon rotate-n-15">
            <i class="fas fa-laugh-wink"></i>
        </div>
        <div class="sidebar-brand-text mx-3">Admin</div>
    </a>

    <!-- Divider -->
    <hr class="sidebar-divider my-0" />

    <!-- Nav Item - Dashboard -->
    <li class="nav-item">
        <a class="nav-link" href="adminpanel.php">
            <i class="fas fa-fw fa-tachometer-alt"></i>
            <span>Dashboard</span></a>
        >
    </li>
    <li class="nav-item">
        <a class="nav-link" href="../index.php">
            <i class="fas fa-fw fa-tachometer-alt"></i>
            <span>Home page</span></a>
        >
    </li>
    <!-- Divider -->
```



```

<hr class="sidebar-divider" />

<!-- Heading -->
<div class="sidebar-heading">Manage with data</div>

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
  <a
    class="nav-link collapsed"
    href="#"
    data-toggle="collapse"
    data-target="#collapseTwo"
    aria-expanded="true"
    aria-controls="collapseTwo"
  >
    <i class="fas fa-fw fa-cog"></i>
    <span>Shop components</span>
  </a>
  <div
    id="collapseTwo"
    class="collapse"
    aria-labelledby="headingTwo"
    data-parent="#accordionSidebar"
  >
    <div class="bg-white py-2 collapse-inner rounded">
      <h6 class="collapse-header">Manage components</h6>
      <a class="collapse-item" href="products.php">Products</a>
      <a class="collapse-item" href="brands.php">Brands</a>
      <a class="collapse-item"
href="categories.php">Categories</a>
      <a class="collapse-item" href="users.php">Users</a>
    </div>
  </div>
</li>

<!-- Nav Item - Utilities Collapse Menu -->
<li class="nav-item">
  <a
    class="nav-link collapsed"
    href="#"
    data-toggle="collapse"
    data-target="#collapseUtilities"
    aria-expanded="true"
    aria-controls="collapseUtilities"

```

```

    >
    <i class="fas fa-fw fa-wrench"></i>
    <span>Deleted data</span>
  </a>
  <div
    id="collapseUtilities"
    class="collapse"
    aria-labelledby="headingUtilities"
    data-parent="#accordionSidebar"
  >
    <div class="bg-white py-2 collapse-inner rounded">
      <h6 class="collapse-header">Tables</h6>
      <a class="collapse-item"
href="deletedData.php?table=products">Products</a>
      <a class="collapse-item"
href="deletedData.php?table=brands">Brands</a>
      <a class="collapse-item"
href="deletedData.php?table=categories">Categories</a>
      <a class="collapse-item"
href="deletedData.php?table=users">Users</a>
    </div>
  </div>
</li>

<!-- Divider -->
<hr class="sidebar-divider" />

<!-- Heading -->
<div class="sidebar-heading">Poll/message</div>

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
  <a class="nav-link" href="poll.php">
    <i class="fas fa-fw fa-chart-area"></i>
    <span>Poll</span></a>
  >
</li>

<!-- Nav Item - Charts -->
<li class="nav-item">
  <a class="nav-link" href="message.php">
    <i class="fas fa-fw fa-chart-area"></i>
    <span>Message</span></a>

```

```

        >
    </li>

    <!-- Divider -->
    <hr class="sidebar-divider d-none d-md-block" />

    <!-- Sidebar Toggler (Sidebar) -->
    <div class="text-center d-none d-md-inline">
        <button class="rounded-circle border-0"
id="sidebarToggle"></button>
    </div>
</ul>

```

Topbar.php

```

<?php $user = $_SESSION["user"];?>
<nav
    class="navbar navbar-expand navbar-light bg-white topbar mb-4
static-top shadow"
    >
    <!-- Sidebar Toggle (Topbar) -->
    <button
        id="sidebarToggleTop"
        class="btn btn-link d-md-none rounded-circle mr-3"
    >
        <i class="fa fa-bars"></i>
    </button>

    <!-- Topbar Search -->
    <?php
        if(strpos($_SERVER["REQUEST_URI"], 'products.php')):
        ?>
        <form
            class="d-none d-sm-inline-block form-inline mr-auto ml-md-3
my-2 my-md-0 mw-100 navbar-search"
        >
            <div class="input-group">
                <input
                    type="text"
                    class="form-control bg-light border-0 small search"
                    placeholder="Search for..."

```

```

        aria-label="Search"
        aria-describedby="basic-addon2"
    />
    <div class="input-group-append">
        <button class="btn btn-primary filterBtn" type="button">
            <i class="fas fa-search fa-sm"></i>
        </button>
    </div>
</div>
</form>
<?php else:?>
    <h1 class="h3">Admin Panel</h1>
<?php endif;?>
<!-- Topbar Navbar -->
<ul class="navbar-nav ml-auto">
    <!-- Nav Item - Search Dropdown (Visible Only XS) -->
    <li class="nav-item dropdown no-arrow d-sm-none">
        <a
            class="nav-link dropdown-toggle"
            href="#"
            id="searchDropdown"
            role="button"
            data-toggle="dropdown"
            aria-haspopup="true"
            aria-expanded="false"
        >
            <i class="fas fa-search fa-fw"></i>
        </a>
        <!-- Dropdown - Messages -->
        <div
            class="dropdown-menu dropdown-menu-right p-3 shadow
animated--grow-in"
            aria-labelledby="searchDropdown"
        >
            <form class="form-inline mr-auto w-100 navbar-search">
                <div class="input-group">
                    <input
                        type="text"
                        class="form-control bg-light border-0 small"
                        placeholder="Search for..."
                        aria-label="Search"
                        aria-describedby="basic-addon2"
                    />

```

```

        <div class="input-group-append">
            <button class="btn btn-primary" type="button">
                <i class="fas fa-search fa-sm"></i>
            </button>
        </div>
    </div>
</form>
</div>
</li>

<!-- Nav Item - Alerts -->
<li class="nav-item dropdown no-arrow mx-1">
    <a
        class="nav-link dropdown-toggle"
        href="#"
        id="alertsDropdown"
        role="button"
        data-toggle="dropdown"
        aria-haspopup="true"
        aria-expanded="false"
    >
        <i class="fas fa-bell fa-fw"></i>
        <!-- Counter - Alerts -->
        <span class="badge badge-danger badge-counter">3</span>
    </a>
    <!-- Dropdown - Alerts -->
    <div
        class="dropdown-list dropdown-menu dropdown-menu-right
shadow animated--grow-in"
        aria-labelledby="alertsDropdown"
    >
        <h6 class="dropdown-header">Alerts Center</h6>
        <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="mr-3">
                <div class="icon-circle bg-primary">
                    <i class="fas fa-file-alt text-white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December 12,
2019</div>
                <span class="font-weight-bold"

```

```

        >A new monthly report is ready to download!</span>
    >
    </div>
</a>
<a class="dropdown-item d-flex align-items-center"
href="#">
    <div class="mr-3">
        <div class="icon-circle bg-success">
            <i class="fas fa-donate text-white"></i>
        </div>
    </div>
    <div>
        <div class="small text-gray-500">December 7,
2019</div>
        $290.29 has been deposited into your account!
    </div>
</a>
<a class="dropdown-item d-flex align-items-center"
href="#">
    <div class="mr-3">
        <div class="icon-circle bg-warning">
            <i class="fas fa-exclamation-triangle text-
white"></i>
        </div>
    </div>
    <div>
        <div class="small text-gray-500">December 2,
2019</div>
        Spending Alert: We've noticed unusually high
spending for
        your account.
    </div>
</a>
<a
class="dropdown-item text-center small text-gray-500"
href="#"
>Show All Alerts</a>
    >
    </div>
</li>

<!-- Nav Item - Messages -->
<li class="nav-item dropdown no-arrow mx-1">

```

```

        <a
          class="nav-link dropdown-toggle"
          href="#"
          id="messagesDropdown"
          role="button"
          data-toggle="dropdown"
          aria-haspopup="true"
          aria-expanded="false"
        >
          <i class="fas fa-envelope fa-fw"></i>
          <!-- Counter - Messages -->
          <span class="badge badge-danger badge-counter">7</span>
        </a>
        <!-- Dropdown - Messages -->
        <div
          class="dropdown-list dropdown-menu dropdown-menu-right
shadow animated--grow-in"
          aria-labelledby="messagesDropdown"
        >
          <h6 class="dropdown-header">Message Center</h6>
          <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
              
              <div class="status-indicator bg-success"></div>
            </div>
            <div class="font-weight-bold">
              <div class="text-truncate">
                Hi there! I am wondering if you can help me with a
                problem I've been having.
              </div>
              <div class="small text-gray-500">Emily Fowler ·
58m</div>
            </div>
          </a>
          <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
              
    <div class="status-indicator"></div>
</div>
<div>
    <div class="text-truncate">
        I have the photos that you ordered last month, how
would
        you like them sent to you?
    </div>
    <div class="small text-gray-500">Jae Chun · 1d</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-center"
href="#">
    <div class="dropdown-list-image mr-3">
        
        <div class="status-indicator bg-warning"></div>
    </div>
    <div>
        <div class="text-truncate">
            Last month's report looks great, I am very happy
with
            the progress so far, keep up the good work!
        </div>
        <div class="small text-gray-500">Morgan Alvarez ·
2d</div>
    </div>
</a>
<a class="dropdown-item d-flex align-items-center"
href="#">
    <div class="dropdown-list-image mr-3">
        <img
            class="rounded-circle"
            src="https://source.unsplash.com/Mv9hjnEUHR4/60x60"
            alt="..."

```



```

        />
        <div class="status-indicator bg-success"></div>
    </div>
    <div>
        <div class="text-truncate">
            Am I a good boy? The reason I ask is because
someone
            told me that people say this to all dogs, even if
they
            aren't good...
        </div>
        <div class="small text-gray-500">
            Chicken the Dog · 2w
        </div>
    </div>
</a>
<a
    class="dropdown-item text-center small text-gray-500"
    href="#"
    >Read More Messages</a
>
</div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">

    <a
        class="nav-link dropdown-toggle"
        href="#"
        id="userDropdown"
        role="button"
        data-toggle="dropdown"
        aria-haspopup="true"
        aria-expanded="false"
    >
        <span class="mr-2 d-none d-lg-inline text-gray-600
small"
            ><?php echo $user['first_name'];?></span>
    >

```

```

        
        />
    </a>
    <!-- Dropdown - User Information -->

    <div
        class="dropdown-menu dropdown-menu-right shadow
animated--grow-in"
        aria-labelledby="userDropdown"
    >

        <a
            class="dropdown-item"
            href="../logic/logout.php"

        >

            <i
                class="fas fa-sign-out-alt fa-sm fa-fw mr-2 text-
gray-400"

            ></i>
            Logout
        </a>
    </div>
</li>
</ul>
</nav>

```

Custom.js

```

$(document).ready(function () {
    let addSizeBtn = $("#addSizeBtn");
    let sizeDdl = $("#addSizeDdl");
    let productId = $("#productName").attr("data-id");
    if (document.location.pathname.includes("editPage.php")) {
        //add product size
    }

```

```

addSizeBtn.on("click", function (e) {
    e.preventDefault();
    productId = $("#productName").attr("data-id");
    console.log(productId);
    let sizeId = sizeDdl.val();
    data = {
        id: sizeId,
        productId: productId,
    };
    ajaxCallBack(
        "../logic/addSize.php",
        data,
        function (data) {
            $(".successInsertMessage").html(data);
            availableProductSize(productId);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});

//Avalible product size
availableProductSize(productId);
//remove product Size
$(document).on("click", ".removeSize", function (e) {
    e.preventDefault();
    productId = $("#productName").attr("data-id");
    let sizeBtn = e.target;
    let sizeId = sizeBtn.id;
    let data = {
        productId: productId,
        sizeId: sizeId,
    };
    ajaxCallBack(
        "../logic/removeSize.php",
        data,
        function (data) {
            console.log(data);
            availableProductSize(productId);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});

```

```

    }
  );
});

//Product images
getAllProductImages(productId);
$(document).on("click", ".removeProdImg", function (e) {
  e.preventDefault();
  let idImg = e.target.id;
  data = {
    img: idImg,
    productId: productId,
  };
  ajaxCallBack(
    "../logic/removeProductImg.php",
    data,
    function (data) {
      getAllProductImages(productId);
    },
    function (xhr) {
      console.log(xhr);
    }
  );
});

//specification
getProductSpecification(productId);
//update Specification
$(document).on("click", ".specBtn", function (e) {
  e.preventDefault();
  let specId = e.target.getAttribute("data-specID");
  let specValue = document.querySelector(`#spec-value${specId}`);
  specValue = specValue.value;
  data = {
    productId: productId,
    specId: specId,
    value: specValue,
  };
  ajaxCallBack(
    "../logic/editSpec.php",
    data,
    function (data) {
      getProductSpecification(productId);
    }
  );
});

```

```

    },
    function (xhr) {
        console.log(xhr);
    }
);
});
//Remove Specification
$(document).on("click", ".removeSpecBtn", function (e) {
    e.preventDefault();
    let specId = e.target.getAttribute("data-specID");
    data = {
        productId: productId,
        specId: specId,
    };
    ajaxCallBack(
        "../logic/removeSpec.php",
        data,
        function (data) {
            getProductSpecification(productId);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});
//add specification
let addSpecBtn = document.querySelector("#addSpec");
addSpecBtn.addEventListener("click", function (e) {
    e.preventDefault();
    let value = document.querySelector("#specificationValue").value;
    let specDdl = document.querySelector("#specDdl").value;
    data = {
        productId: productId,
        value: value,
        specDdl: specDdl,
    };
    ajaxCallBack(
        "../logic/addSpec.php",
        data,
        function (data) {
            console.log(data);
            getProductSpecification(productId);
        },

```

```

        function (xhr) {
            console.log(xhr);
        }
    );
});
} else if (document.location.pathname.includes("products.php")) {
    //load Products
    loadProduct();

    //Remove product
    $(document).on("click", ".removeProductBtn", function (e) {
        e.preventDefault();
        let id = e.target.getAttribute("data-id");
        data = {
            id: id,
        };
        ajaxCallBack(
            "../logic/removeProduct.php",
            data,
            function (data) {
                loadProduct();
            },
            function (xhr) {
                console.log(xhr);
            }
        );
    });

    //filter product
    let filterBtn = $(".filterBtn");
    filterBtn.on("click", function (e) {
        e.preventDefault();
        let search = $(".search").val();
        let category = $("#ddlCat").val().toLowerCase();
        let brand = $("#ddlBrand").val();
        let data = {};

        if (category != 0) {
            data.categoryId = category;
        }
        if (brand != 0) {
            data.brandId = brand;
        }
    });
}

```

```

    if (search != "") {
        data.search = search;
    }
    ajaxCallBack(
        "../logic/loadProduct.php",
        data,
        function (products) {
            setProducts(products);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});
} else if (document.location.pathname.includes("categories.php")) {
    //Categories
    getCategories();

    $(document).on("click", ".removeCategoryBtn", function (e) {
        e.preventDefault();
        let categoryId = e.target.getAttribute("data-id");
        data = {
            type: "remove",
            id: categoryId,
        };
        ajaxCallBack(
            "../logic/UpdateDeleteInsertCategory.php",
            data,
            function (data) {
                getCategories();
            },
            function (xhr) {
                console.log(xhr);
            }
        );
    });
} else if (document.location.pathname.includes("brands.php")) {
    getBrands();
    $(document).on("click", ".removeBrandBtn", function (e) {
        e.preventDefault();
        let brandId = e.target.getAttribute("data-id");
        data = {
            type: "remove",

```

```

        id: brandId,
    };
    ajaxCallBack(
        "../logic/UpdateDeleteInsertBrand.php",
        data,
        function (data) {
            getBrands();
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});
} else if (document.location.pathname.includes("users.php")) {
    getUsers();
    $(document).on("click", ".removeUserBtn", function (e) {
        e.preventDefault();
        let userId = e.target.getAttribute("data-id");
        console.log(userId);
        data = {
            type: "remove",
            id: userId,
        };
    });
    ajaxCallBack(
        "../logic/UpdateDeleteInsertUser.php",
        data,
        function (data) {
            getUsers();
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});
} else if (document.location.pathname.includes("message.php")) {
    getMessages();
    $(document).on("click", ".checkMessage", function (e) {
        e.preventDefault();
        let messageId = e.target.getAttribute("data-id");
        data = {
            type: "remove",
            id: messageId,
        };
    });
}

```



```

    ajaxCallBack(
        "../logic/get-deleteMessages.php",
        data,
        function () {
            getMessages();
        },
        function (xhr) {
            console.log(xhr);
        }
    );
});
} else if
(document.location.href.includes("deletedData.php?table=users")) {
    //users
    let userBlock = document.querySelector("#userDeletedBody");
    getDeletedRows("users", userBlock);
    returnBack("users", userBlock);
} else if
(document.location.href.includes("deletedData.php?table=brands")) {
    //Brands
    let brandBlock = document.querySelector("#brandDeletedBody");
    getDeletedRows("brands", brandBlock);
    returnBack("brands", brandBlock);
} else if (
    document.location.href.includes("deletedData.php?table=categories")
) {
    //Categories
    let categoryBlock = document.querySelector("#categoryDeletedBody");
    getDeletedRows("categories", categoryBlock);
    returnBack("categories", categoryBlock);
} else if (
    document.location.href.includes("deletedData.php?table=products")
) {
    //Products
    let productBlock = document.querySelector("#productDeletedBody");
    getDeletedRows("products", productBlock);
    returnBack("products", productBlock);
}

function returnBack(table, block) {
    $(document).on("click", ".returnRowBtn", function (e) {
        e.preventDefault();
        let id = e.target.getAttribute("data-id");
    });
}

```

```

        data = {
            type: table,
            id: id,
        };
        ajaxCallBack(
            "../logic/returnBackRow.php",
            data,
            function (data) {
                getDeletedRows(table, block);
            },
            function (xhr) {
                console.log(xhr);
            }
        );
    });
}
});

function availableProductSize(productId) {
    let data = {
        productId: productId,
    };
    ajaxCallBack(
        "../logic/getAllProductSize.php",
        data,
        function (sizes) {
            setAvalibleSize(sizes);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}

//specification
function getProductSpecification(productId) {
    data = {
        id: productId,
    };
    console.log(data);
    ajaxCallBack(
        "../logic/productSpecification.php",
        data,

```

```

    function (specification) {
        setSpec(specification);
    },
    function (xhr) {
        console.log(xhr);
    }
);
}

function setSpec(specification) {
    console.log(specification);
    let specCt = document.querySelector(".specification-container");
    specCt.innerHTML = "";
    specification.forEach((spec) => {
        specCt.innerHTML += `
            <div class="spec mb-3 d-flex align-items-center">
                <h5 class="my-0 mx-2">${spec["type"]}</h5>
                <input type="text" id="spec-value${spec["specification_id"]}"
value="${spec["value"]}">
                <input type="button" data-specID="${spec["specification_id"]}"
class="specBtn ml-2 btn btn-sm btn-primary" value="Update">
                <input type="button" data-specID="${spec["specification_id"]}"
class="removeSpecBtn ml-2 btn btn-sm btn-danger" value="Remove">
            </div>
        `;
    });
}

function getMessages() {
    data = {
        type: "get",
    };
    ajaxCallBack(
        "../logic/get-deleteMessages.php",
        data,
        function (data) {
            setMessages(data);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}

```

```

function setMessages(messages) {
  console.log(messages);
  let messageBlock = document.querySelector("#messageBody");
  messageBlock.innerHTML = "";
  let i = 1;
  messages.forEach((message) => {
    messageBlock.innerHTML += `
      <tr>
        <th scope="row">${i++}</th>
        <td data-title="Name">${message["name"]}</td>
        <td data-title="Email">${message["email"]}</td>
        <td data-title="Subject">${message["subject"]}</td>
        <td data-title="Message" ><p>${
          message["message"]
        }</p></td>
        <td><a href="#" class="btn btn-danger checkMessage"
data-id="${{
          message["message_id"]
        }}">Delete</a></td>
      </tr>
    `;
  });
}

function getDeletedRows(table, block) {
  data = {
    table: table,
  };
  ajaxCallBack(
    "../logic/deletedRows.php",
    data,
    function (data) {
      setDeletedRow(data, block, table);
    },
    function (xhr) {
      block.innerHTML = `<h1 class='text-
danger'>${xhr.responseJSON}</h1>`;
    }
  );
}

function setDeletedRow(data, block, table) {
  let i = 1;

```

```

block.innerHTML = "";
data.forEach((e) => {
  console.log(e);
  if (table == "users") {
    block.innerHTML += `
      <tr>
        <th scope="row">${i++}</th>
        <td data-title="First name">${e["first_name"]}</td>
        <td data-title="Last name">${e["last_name"]}</td>
        <td data-title="Email">${e["email"]}</td>
        <td data-title="Image">${e["profile_img"]}</td>
        <td data-title="Role">${e["role"]}</td>
        <td data-title="Location">${
          e["location"] != undefined ? e["location"] : "Empty"
        }</td>
        <td data-title="Gender">${e["gender"]}</td>
        <td><a href="#" data-id=${
          e["user_id"]
        } class="returnRowBtn btn btn-warning">Return back</a></td>

      </tr>
    `;
  } else if (table == "categories") {
    block.innerHTML += `
      <tr>
        <th scope="row">${i++}</th>
        <td data-title="Category">${e["category_name"]}</td>
        <td><a href="#" data-id=${
          e["id"]
        } class="returnRowBtn btn btn-warning">Return back</a></td>

      </tr>
    `;
  } else if (table == "brands") {
    block.innerHTML += `
      <tr>
        <th scope="row">${i++}</th>
        <td data-title="Brand">${e["brand_name"]}</td>
        <td><a href="#" data-id=${
          e["id"]
        } class="returnRowBtn btn btn-warning">Return back</a></td>
    `;
  }
});

```

```

        </tr>

        `;
    } else if (table == "products") {
        block.innerHTML += `
        <tr>
        <th scope="row">${i++}</th>
        <td data-title="Name">${e["name"]}</td>
        <td data-title="Category">${e["category_name"]}</td>
        <td data-title="Brand">${e["brand_name"]}</td>
        <td data-title="Price">${e["price"]}</td>
        <td data-title="Image"></td>
        <td data-title="Description">${e["description"]}</td>
        <td><a href="#" data-id=${
            e["product_id"]
        } class="returnRowBtn btn btn-warning">Return back</a></td>
        </tr>
        `;
    }
    });
}

function getAllProductImages(productId) {
    let data = {
        productId: productId,
    };
    ajaxCallBack(
        "../logic/getAllImages.php",
        data,
        function (images) {
            console.log(data);
            setimages(images);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}

function getCategories() {
    data = {

```

```

        1: 1,
    };
    ajaxCallBack(
        "../logic/loadCategories.php",
        data,
        function (categories) {
            setCategories(categories);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}
function getUsers() {
    data = {
        1: 1,
    };
    ajaxCallBack(
        "../logic/loadUser.php",
        data,
        function (users) {
            setUsers(users);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}

function getBrands() {
    data = {
        1: 1,
    };
    ajaxCallBack(
        "../logic/loadBrands.php",
        data,
        function (brands) {
            setBrands(brands);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}

```

```

}

function setAvalibleSize(sizes) {
  let sizesBlock = document.querySelector(".sizes");
  sizesBlock.innerHTML = "";
  sizes.forEach((size) => {
    sizesBlock.innerHTML += `
      <div class="size d-flex my-3 align-items-center">
        <h4 class="mr-3 my-0 mx-
0">${size["size"]}</h4>
        <a href="#" id="${size["id"]}" class="btn btn-danger btn-sm
removeSize">Delete</a></div>
      `;
  });
}

function setimages(images) {
  let imgContainer = document.querySelector(".img-container");
  imgContainer.innerHTML = "";
  images.forEach((img) => {
    imgContainer.innerHTML += `
      <div class="img-block my-3">
        
        <a href="#" class="btn btn-danger btn-sm
removeProdImg" id="${img["id"]}">Remove</a>
      </div>
    `;
  });
}

function loadProduct() {
  data = {
    1: 1,
  };
  ajaxCallBack(
    "../logic/loadProduct.php",
    data,
    function (products) {
      console.log(products);
      setProducts(products);
    },
    function (xhr) {

```



```

        console.log(xhr);
    }
    );
}

function setProducts(products) {
    let productBlock = document.querySelector("#productBody");
    productBlock.innerHTML = "";
    let i = 1;
    products.forEach((product) => {
        productBlock.innerHTML += `
            <tr>
                <th scope="row">${i++}</th>
                <td data-title="Name">${product["name"]}</td>
                <td data-
title="Category">${product["category_name"]}</td>
                <td data-title="Brand">${product["brand_name"]}</td>
                <td data-title="Price">${product["price"]}</td>
                <td data-title="Image"></td>
                <td data-
title="Description">${product["description"]}</td>
                <td><a href="editPage.php?table=products&id=${
                    product["product_id"]
                }" class="btn btn-warning">Edit</a></td>
                <td><a href="#" class="btn btn-danger
removeProductBtn" data-id="${
                    product["product_id"]
                }">Delete</a></td>
            </tr>
        `;
    });
}

function setUsers(users) {
    let userBlock = document.querySelector("#userBody");
    userBlock.innerHTML = "";
    let i = 1;
    users.forEach((user) => {
        console.log(user);
        userBlock.innerHTML += `

```

```

        <tr>
            <th scope="row">${i++}</th>
            <td data-title="First
name">${user["first_name"]}</td>
            <td data-title="Last name">${user["last_name"]}</td>
            <td data-title="Email">${user["email"]}</td>
            <td data-title="Image">${user["profile_img"]}</td>
            <td data-title="Role">${user["role"]}</td>
            <td data-title="Location">${
                user["location"] != undefined
                ? user["location"]
                : "Empty"
            }</td>
            <td data-title="Gender">${user["gender"]}</td>
            <td><a href="editPage.php?table=users&id=${
                user["user_id"]
            }" class="btn btn-warning">Edit</a></td>
            <td><a href="#" class="btn btn-danger removeUserBtn"
data-id="${
                user["user_id"]
            }">Delete</a></td>
        </tr>
    `;
    });
}
function setCategories(categories) {
    let categoryBlock = document.querySelector("#categoryBody");
    categoryBlock.innerHTML = "";
    let i = 1;
    categories.forEach((category) => {
        categoryBlock.innerHTML += `
            <tr>
                <th scope="row">${i++}</th>
                <td data-title="Name">${
                    category["category_name"]
                }</td>
                <td><a
href="editPage.php?table=categories&id=${
                    category["id"]
                }" class="btn btn-
warning">Edit</a></td>
                <td><a href="#" class="btn btn-danger
removeCategoryBtn" data-id="${

```

```

        category["id"]
        }">Delete</a></td>
    </tr>

    `;
});
}

function setBrands(brands) {
    let brandBlock = document.querySelector("#brandBody");
    brandBlock.innerHTML = "";
    let i = 1;
    brands.forEach((brand) => {
        brandBlock.innerHTML += `
            <tr>
                <th scope="row">${i++}</th>
                <td data-title="Brand">${
                    brand["brand_name"]
                }</td>
                <td><a
href="editPage.php?table=brands&id=${
                    brand["id"]
                }" class="btn btn-
warning">Edit</a></td>
                <td><a href="#" class="btn btn-danger
removeBrandBtn" data-id="${
                    brand["id"]
                }">Delete</a></td>
            </tr>

        `;
    });
}

function ajaxCallBack(url, data, result, error) {
    $.ajax({
        url: url,
        method: "post",
        data: data,
        dataType: "json",
        success: result,
        error: error,
    });
}

```

Main.js

```
//registracija
let greske;
let greskelogin;
let genderData = [];
let categoryData = [];
let brandData = [];
let sortData;
let strana = 1;
let searchData;
let choicesData = [];

let next = $("#next");
let back = $("#back");

//Regex
let nameRegex = /^[A-Z][a-z]{2,14}$/;
let mailRegex = /^[A-z0-9-\.\.]{3,30}@[a-z]{2,8}\.(com|rs)$/;
let passwordRegex = /^(?=.*\d)(?=.*[a-z])(?=.*[A-Z])(?=.*[a-zA-Z]).{8,}$/;
let addressRegex = /^[A-z]+[0-9]+$/;

$(document).ready(function () {
    //Registracija
    $(document).on("click", "#registerBtn", registracija);

    //Load products

    if (document.location.pathname.includes("shop.php")) {
        loadProducts();
        //Pages

        //Go on next page
        next.on("click", function () {
            strana++;
            localStorage.setItem("strana", strana);
            loadProducts();
        });

        //Go on previous page
        back.on("click", function () {
            strana--;
            if (strana < 1) {
                strana = 1;
            }
        });
    }
});
```

```

    }
    localStorage.setItem("strana", strana);
    loadProducts();
  });

  //filter
  let genders = $(".gender");
  genders.on("change", function (e) {
    checkBoxValidator(e, genderData, "gender");
  });

  let brands = $(".brands");
  brands.on("change", function (e) {
    checkBoxValidator(e, brandData, "brand");
  });

  let categories = $(".category");
  categories.on("change", function (e) {
    checkBoxValidator(e, categoryData, "category");
  });

  // $(".editForma").on("submit", editForma);
  //Sort
  $("#ddlSort").on("change", function () {
    sortData = $(this).val();
    console.log(sortData);
    finallyFilter();
  });

  //Search

  let searchBtn = $(".searchBtn");
  searchBtn.on("click", function () {
    $(".modal").css("display", "block");
    $(".modal-backdrop").addClass("show");
    $("body").addClass("modal-open");
  });

  let search = $(".search");
  $(".submitSearch").on("click", function (e) {
    strana = 1;
    localStorage.setItem("strana", strana);
    searchData = search.val();
  });

```

```

        finallyFilter();
        search.val("");
        $(".modal").css("display", "none");
        $(".modal-backdrop").removeClass();
        $("body").removeClass("modal-open");
        $("body").css("padding", "0");
    });
}
});

//Add to cart

window.addEventListener("load", function () {
    if (document.location.pathname.includes("shop-single.php")) {
        let messageBlock = document.querySelector(".atc");
        let atcBtn = document.querySelector("#addToCart");
        let errors = document.querySelector("#errors");
        atcBtn.addEventListener("click", function (e) {
            e.preventDefault();
            messageBlock.innerHTML = "";

            let productCt = document.querySelector("#product-container");
            let userId = productCt.getAttribute("data-userID");
            let productId = productCt.getAttribute("data-id");
            let quantity = document.querySelector("#var-value").textContent;
            let size = document.querySelectorAll(".btn-size");
            let sizeId;
            size.forEach((btn) => {
                if (btn.classList.contains("btn-secondary")) {
                    sizeId = btn.getAttribute("data-sizeID");
                }
            });

            if (sizeId == undefined) {
                errors.innerHTML =
                    "<h3 class='h3 text-danger fw-bolder'>Choose size</h3>";
            } else {
                data = {
                    productId: productId,
                    quantity: quantity,
                    sizeId: sizeId,
                    userId: userId,

```

```

    });
    ajaxCallBack(
        "logic/addToCart.php",
        data,
        function (data) {
            console.log(data);
            messageBlock.innerHTML = `${data}`;
            messageBlock.classList.remove("atc-hidden");
            setTimeout(function () {
                messageBlock.classList.add("atc-hidden");
            }, 4000);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}
});

//Reviews
let reviewBtn = document.querySelector("#sendReviews");
let courseContent = document.querySelector(".course-content");
let productId = courseContent.getAttribute("data-product");
console.log(productId);
getRecension(productId);
reviewBtn.addEventListener("click", function (e) {
    e.preventDefault();
    let title = document.querySelector("#title").value;
    let message = document.querySelector("#message").value;
    let msgBlock = document.querySelector(".report");
    let userID = reviewBtn.getAttribute("data-id");

    if (title == "" || message == "") {
        msgBlock.innerHTML = `

You must fill
in all fields</p>`;
        return;
    } else {
        msgBlock.innerHTML = "";
        data = {
            productId: productId,
            userID: userID,
            title: title,
            message: message,


```

```

    };
    ajaxCallback(
        "logic/insertRewiew.php",
        data,
        function (data) {
            getRecension(productId);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}
});
} else if (document.location.pathname.includes("cart.php")) {
    getProductForCart();
    let prodCt = document.querySelector(".cart-product-ct");
    let userid = document.querySelector("#user");
    let id = userid.getAttribute("data-id");
    let checkout = document.querySelector(".checkout");

    checkout.addEventListener("click", function (e) {
        let total = 0;
        e.preventDefault();
        let orders = [];
        let allProducts = document.querySelectorAll(".single-product");
        allProducts.forEach((product) => {
            let cartID = product.querySelector(".removeFromCart i");
            cartID = cartID.getAttribute("data-id");
            console.log(cartID);
            let productId = product.getAttribute("data-product");
            let locationId = product.getAttribute("data-location");
            let price = product.querySelector(".price").textContent;
            price = price.substring(1, price.length);
            price = parseFloat(price);
            let qty = product.querySelector(".qty").textContent;
            qty = parseInt(qty);
            let sizeId = product.querySelector(".size").getAttribute("data-
size");
            let order = {
                cart: cartID,
                product: productId,
                location: locationId,
                price: price,

```



```

        qty: qty,
        sizeId: sizeId,
    };
    orders.push(order);
    total += price * qty;
});

total += 20;
let data = {
    user: id,
    total: total,
    products: orders,
};

ajaxCallBack(
    "logic/orders.php",
    data,
    function (data) {
        prodCt.innerHTML = `

### 


```

```

    });

    let userid = document.querySelector(".poll-ct").getAttribute("data-
user");
    data = {
        idUser: userid,
        ids: choicesData,
    };

    ajaxCallBack(
        "logic/insertAnswer.php",
        data,
        function (data) {
            document.querySelector(
                ".msg"
            ).innerHTML = `
```

```

        setRecension(recensions);
    },
    function (xhr) {
        console.log(xhr);
    }
);
}

function setRecension(recensions) {
    let container = document.querySelector(".reviews-block");
    container.innerHTML = "";
    recensions.forEach((recension) => {
        container.innerHTML += `
        <div class="edu-comment">
        <div class="thumbnail">  </div>
        <div class="comment-content">
            <div class="comment-top">
                <h6 class="title">${recension["first_name"]} ${
                    recension["last_name"]
                }</h6>
                <div class="rating"> <i class="fa fa-star" aria-hidden="true"></i>
<i class="fa fa-star" aria-hidden="true"></i><i class="fa fa-star" aria-
hidden="true"></i><i class="fa fa-star" aria-hidden="true"></i><i
class="fa fa-star" aria-hidden="true"></i> </div>
                </div>
                <span class="subtitle">“ ${recension["title"]} ”</span>
                <p>${recension["content"]}</p>
            </div>
        </div>
        `;
    });
}

function getProductForCart() {
    let userid = document.querySelector("#user");
    let id = userid.getAttribute("data-id");
    let prodCt = document.querySelector(".cart-product-ct");
    prodCt.innerHTML = "";

```

```

data = {
  type: "get",
  user: id,
};

ajaxCallBack(
  "logic/get-removeProductsFromCart.php",
  data,
  function (products) {
    console.log(products.length);
    products.forEach((product) => {
      prodCt.innerHTML += `
        <div class="card mb-3">
          <div class="card-body single-product" data-
product='${product["product_id"]}' data-
location='${product["location_id"]}'>
            <div class="d-flex justify-content-between">
              <div class="d-flex flex-row align-items-center">
                <div>
                  
                </div>
                <div class="ms-3">
                  <h5>${product["name"]}</h5>
                  <p class="small mb-0 size" data-
size='${product["size_id"]}'>Size: ${product["size"]}</p>
                </div>
              </div>
              <div class="d-flex flex-row align-items-center">
                <div class='d-flex' style="width: 80px;">
                  <h5 class="fw-normal mr-2">x</h5>
                  <h5 class="fw-normal mb-0 qty">${product["quantity"]}</h5>
                </div>
                <div style="width: 80px;">
                  <h5 class="mb-0 price">${product["price"]}</h5>
                </div>
                <a href="#" style="color: #cecece;"
class="removeFromCart" ><i class="fas fa-trash-alt" data-
id='${product["cart_id"]}'></i></a>
              </div>
            </div>
          </div>
        `
    })
  }
)

```

```

        </div>
    </div>
</div>
`;
});
subtotal();
removeProductFromCart();
},
function (xhr) {
    prodCt.innerHTML = `

### 


```

```

    if (!greske == 0) return false;
    return true;
}
// Edit user
function removeProductFromCart() {
    let removeBtn = document.querySelectorAll(".removeFromCart");
    removeBtn.forEach((remBtn) => {
        remBtn.addEventListener("click", function (e) {
            e.preventDefault();
            let id = e.target.getAttribute("data-id");
            data = {
                type: "remove",
                cartID: id,
            };
            ajaxCallBack(
                "logic/get-removeProductsFromCart.php",
                data,
                function (data) {
                    getProductForCart();
                    subtotal();
                },
                function (xhr) {
                    console.log(xhr);
                }
            );
        });
    });
}
function subtotal() {
    let singleprod = document.querySelectorAll(".single-product");
    let subtotal = document.querySelector(".subtotal");
    let total = document.querySelector(".total");
    let sum = 0;
    singleprod.forEach((prod) => {
        let price = prod.querySelector(".price").textContent;
        price = price.substring(1, price.length);
        price = parseFloat(price);
        let qty = prod.querySelector(".qty").textContent;
        qty = parseInt(qty);
        sum += price * qty;
    });
    subtotal.innerHTML = `$$${sum}`;
}

```

```

    total.innerHTML = `$$${sum + 20}`;
}

function finallyFilter() {
    let data = {
        page: strana,
        genderArray: genderData,
        categoryArray: categoryData,
        brandArray: brandData,
        search: searchData,
        sortType: sortData,
    };
    ajaxCallBack(
        "logic/loadProducts.php",
        data,
        function (products) {
            console.log(products);
            ispisProizvoda(products);
        },
        function (xhr) {
            document.querySelector(
                ".products-container"
            ).innerHTML = `

>${xhr.responseJSON}</p>`;
            next.prop("disabled", true);
            strana--;
            localStorage.setItem("strana", strana);
        }
    );
}

// function sortFunction() {
// }

function checkBoxValidator(e, array, type) {
    let cbValue = e.target.getAttribute("data-category");
    strana = 1;
    localStorage.setItem("strana", strana);
    if (e.target.checked) {
        if (!array.includes(cbValue)) {
            array.push(cbValue);
        }
    } else {


```

```

        if (type == "category")
            categoryData = categoryData.filter((x) => x !== cbValue);
        if (type == "brand") brandData = brandData.filter((x) => x !==
cbValue);
        if (type == "gender") genderData = genderData.filter((x) => x !==
cbValue);
    }

    finallyFilter();
}

function loadProducts() {
    finallyFilter();
}

function ispisProizvoda(products) {
    console.log(products.length);
    if (products.length < 9) {
        next.prop("disabled", true);
        console.log(next);
    } else {
        next.prop("disabled", false);
    }
    document.querySelector(".products-container").innerHTML = "";
    products.forEach((product) => {
        document.querySelector(".products-container").innerHTML += `
<div class="col-md-4">
<div class="card mb-4 product-wap rounded-0">
    <div class="card img-ct rounded-0">
        
        <div class="card-img-overlay rounded-0 product-overlay d-flex
align-items-center justify-content-center">
            <ul class="list-unstyled">

                <li id="${product.product_id}"><a class="btn btn-
success text-white mt-2" href="shop-
single.php?id=${product.product_id}"><i class="far fa-eye"></i></a></li>

            </ul>
        </div>
    </div>
</div>
<div class="card-body card-ct">

```



```

        <a href="shop-single.php" class="h3 text-decoration-
none">${product.name}</a>
        <ul class="w-100 list-unstyled d-flex justify-content-between
mb-0">
            <li class="pt-2">
                <span class="product-color-dot color-dot-red float-
left rounded-circle ml-1"></span>
                <span class="product-color-dot color-dot-blue float-
left rounded-circle ml-1"></span>
                <span class="product-color-dot color-dot-black float-
left rounded-circle ml-1"></span>
                <span class="product-color-dot color-dot-light float-
left rounded-circle ml-1"></span>
                <span class="product-color-dot color-dot-green float-
left rounded-circle ml-1"></span>
            </li>
        </ul>
        <ul class="list-unstyled d-flex justify-content-center mb-1">
            <li>
                <i class="text-warning fa fa-star"></i>
                <i class="text-warning fa fa-star"></i>
                <i class="text-warning fa fa-star"></i>
                <i class="text-muted fa fa-star"></i>
                <i class="text-muted fa fa-star"></i>
            </li>
        </ul>
        <p class="text-center mb-0">${product.price}</p>
    </div>
</div>
`;
});
}

function registracija() {
    greske = 0;
    let firstName, lastName, email, password, confirmPassword, genders;
    firstName = $("#Fname");
    lastName = $("#Lname");
    email = $("#email");
    password = $("#password");
    confirmPassword = $("#confirmPass");

```

```

genders = $("input[name='gender']:checked").val();

console.log(genders);
if (genders == undefined) {
    greske++;
    $(".radioGreske").html("Please choose gender");
}

checkValuesWithRegex(
    firstName,
    nameRegex,
    "Incorrect first name! First letter must be big"
);
checkValuesWithRegex(
    lastName,
    nameRegex,
    "Incorrect last name! First letter must be big"
);
checkValuesWithRegex(
    email,
    mailRegex,
    "Incorrect email! Example(miroslov@gmail.com)"
);
checkValuesWithRegex(
    password,
    passwordRegex,
    "Incorrect password! Password must have one special character, Big
letters, numbers"
);

if (password.val() != confirmPassword.val()) {
    greske++;
    confirmPassword.next().html("Password do not match");
}

if (greske == 0) {
    data = {
        firstname: firstName.val(),
        lastname: lastName.val(),
        email: email.val(),
        password: password.val(),
        gender: genders,
    };
};

```

```

    ajaxCallBack(
        "logic/registracija.php",
        data,
        function (result) {
            $(".hidden").addClass("successRegister");
            setTimeout(function () {
                $(".hidden").removeClass("successRegister");
            }, 3400);
        },
        function (xhr) {
            console.log(xhr);
        }
    );
}
}

function provera() {
    let name = document.querySelector("#name");
    let email = document.querySelector("#email");
    let subject = document.querySelector("#subject");
    let message = document.querySelector("#message");
    let errors = document.querySelector(".errorsContact");

    let mailRegex = /^[A-z0-9-\.] {3,30}@ [a-z] {2,8}\. (com|rs)$/;
    let nameRegex = /^[A-Z] [a-z] {2,14}$/;

    let errorsNum = 0;
    if (
        name.value == "" ||
        email.value == "" ||
        subject.value == "" ||
        message.value == ""
    ) {
        errors.innerHTML +=
            "<p class='alert alert-danger'>All fields are required</p>";
        errorsNum++;
    }
    if (!mailRegex.test(email.value)) {
        errors.innerHTML +=
            "<p class='alert alert-danger'>Incorrect email: name@gmail.com</p>";
        errorsNum++;
    }
}

```

```

    if (!nameRegex.test(name.value)) {
        errors.innerHTML +=
            "<p class='alert alert-danger'>Incorect name:
example(Miroslav)</p>";
        errorsNum++;
    }
    if (errorsNum != 0) return false;
    return true;
}

function checkValuesWithRegex(input, regex, message) {
    if (!regex.test(input.val())) {
        greske++;
        input.css("border-color", "red");
        input.next().html(message);
    } else {
        input.css("border-color", "#2d343f5e");
        input.next().html("");
    }
}

function checkEmptyValues(input, greske) {
    if (input.value == "") {
        // input.next().html("Please enter value in field");
        greskelogin++;
    } else input.next().html("");
}

function ajaxCallBack(url, data, result, error) {
    $.ajax({
        url: url,
        method: "post",
        data: data,
        dataType: "json",
        success: result,
        error: error,
    });
}

```

Custom.css

```
/*
```

```

Custom Css
*/
#templatemo_main_nav .navbar .sign-in-up a {
  text-decoration: none;
}

/* Login/Registration */

.login-registration {
  padding-top: 100px;
  padding-bottom: 60px;
  display: flex;
  /* align-items: center; */
  justify-content: space-between;
}

.login-registration .registration-block,
.login-registration .login-block {
  width: 40%;
}

.login-registration .inputs {
  margin-bottom: 30px;
}

.login-registration form label {
  display: block;
}

.login-registration form input {
  padding: 8px;
  width: 100%;
  border-color: #2d343f5e;
}

.login-registration
  .registration-block
  form
  .registration-input
  .gender-ct
  .gender-form
  input {
  width: auto;
  margin-right: 5px;
}

```

```

.login-registration
  .registration-block
    form
      .registration-input
      .gender-ct
      .gender-form {
        display: flex;
        align-items: center;
        margin-right: 20px;
      }
    .rec-img {
      width: 70px;
      height: 70px;
      object-fit: cover;
    }

.login-registration .registration-block form .registration-input .gender-ct {
  display: flex;
}

.error {
  border-color: red !important;
}

.hidden {
  position: absolute;
  transition: all 0.5s ease-in-out;
  left: 50%;
  top: -100%;
  transform: translate(-50%, 0%);
  width: 30%;
  height: 150px;
}

.successRegister {
  position: absolute;
  transition: all 0.5s ease-in-out;
  left: 50%;
  top: 10%;
  transform: translate(-50%, 0%);
  background-color: #59ab6e;
  color: #fff;
}

```

```

width: 30%;
height: 150px;
display: flex;
justify-content: center;
align-items: center;
}

#templatemo_main_nav a.logoutBtn {
  text-decoration: none;
  font-weight: 500 !important;
  margin-left: 10px;
}

.productMessage {
  font-size: 26px !important;
  margin: 30px;
}

.carousel-container {
  height: 600px !important;
}
.carousel-container img {
  height: 100% !important;
}

.img-ct {
  height: 300px !important;
}
.img-ct img {
  height: 100%;
  object-fit: cover;
}

.card-ct {
  height: 150px !important;
}

nav .preNavText {
  font-size: 16px !important;
}

.editUserCt {
  background-color: #59ab6e;
  display: flex;

```

```

    justify-content: center;
    padding: 30px;
    color: #fff;
}
.editUserCt .successfulEdit p {
    font-weight: 600 !important;
}
.user {
    width: 50px;
    height: 50px;
    border-radius: 50%;
}
.user img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    border-radius: 50%;
}

.img-ct {
    height: 400px !important;
}

.img-ct img {
    height: 100%;
    object-fit: cover;
}
.content-ct {
    height: 160px;
}
.atc {
    color: #fff;
    font-weight: 600 !important;
    background-color: #59ab6e;
    width: auto;
    padding: 10px;
    height: auto;
    position: fixed;
    top: 90%;
    left: 5%;
    transition: all 0.4s ease-in-out;
}
#errors {

```



```

padding: 10px !important;
}
.atc-hidden {
top: 100%;
}

.poll-ct {
display: grid;
grid-template-columns: auto auto;
justify-content: center;
gap: 51px;
}
.poll-form {
padding: 20px;
background: #59ab6e;
color: #fff;
}
.poll-form label {
font-weight: 500 !important;
}
@media (min-width: 1025px) {
.h-custom {
height: 100vh !important;
}
}

/* CSS Document */
* {
-webkit-box-sizing: border-box;
-moz-box-sizing: border-box;
box-sizing: border-box;
}
article,
aside,
details,
figcaption,
figure,
footer,
header,
nav,
section,
summary {
display: block;

```

```

}
audio,
canvas,
video {
    display: inline-block;
}
audio:not([controls]) {
    display: none;
    height: 0;
}
[hidden] {
    display: none;
}
a {
    color: #231f40;
    text-decoration: none;
    outline: none;
}
a:hover,
a:focus,
a:active {
    text-decoration: none;
    outline: none;
    color: #525fe1;
}
a:focus {
    outline: none;
}
address {
    margin: 0 0 24px;
}
abbr[title] {
    border-bottom: 1px dotted;
}
b,
strong {
    font-weight: bold;
}
p {
    font-size: 16px;

    font-weight: 500;
    color: #6f6b80;
}

```

```

}
h5,
.h5 {
  font-weight: 700;
}
.mt--40 {
  margin-top: 40px !important;
}
.mb--20 {
  margin-bottom: 20px !important;
}
.pt--40 {
  padding-top: 40px !important;
}
.mb--25 {
  margin-bottom: 25px !important;
}
.fa-star {
  color: #ffa41b;
}
.course-details-card {
  border-radius: 8px;
  border: 1px solid #eeeeee;
  padding: 30px;
}
.course-details-card .course-details-two-content p:last-child {
  margin-bottom: 0;
}
.row--30 {
  margin-left: -30px;
  margin-right: -30px;
}
@media only screen and (min-width: 1200px) and (max-width: 1599px) {
  .row--30 {
    margin-left: -15px;
    margin-right: -15px;
  }
}
@media only screen and (min-width: 992px) and (max-width: 1199px) {
  .row--30 {
    margin-left: -15px;
    margin-right: -15px;
  }
}

```

```

}
@media only screen and (min-width: 768px) and (max-width: 991px) {
  .row--30 {
    margin-left: -15px;
    margin-right: -15px;
  }
}
@media only screen and (max-width: 767px) {
  .row--30 {
    margin-left: -15px !important;
    margin-right: -15px !important;
  }
}
.row--30 > [class*="col"],
.row--30 > [class*="col-"] {
  padding-left: 30px;
  padding-right: 30px;
}
@media only screen and (min-width: 1200px) and (max-width: 1599px) {
  .row--30 > [class*="col"],
  .row--30 > [class*="col-"] {
    padding-left: 15px;
    padding-right: 15px;
  }
}
@media only screen and (min-width: 992px) and (max-width: 1199px) {
  .row--30 > [class*="col"],
  .row--30 > [class*="col-"] {
    padding-left: 15px;
    padding-right: 15px;
  }
}
@media only screen and (min-width: 768px) and (max-width: 991px) {
  .row--30 > [class*="col"],
  .row--30 > [class*="col-"] {
    padding-left: 15px !important;
    padding-right: 15px !important;
  }
}
@media only screen and (max-width: 767px) {
  .row--30 > [class*="col"],
  .row--30 > [class*="col-"] {
    padding-left: 15px !important;

```

```

        padding-right: 15px !important;
    }
}
.course-details-content .rating-box {
    background: #ffffff;
    box-shadow: 0px 10px 25px rgba(0, 0, 0, 0.07);
    border-radius: 5px;
    text-align: center;
    min-width: 200px;
    padding: 29px 10px;
}
.course-details-content .rating-box .rating-number {
    font-weight: 800;
    font-size: 72px;
    line-height: 90px;
    color: #fff;
}
.course-details-content .rating-box span {
    font-weight: 500;
    font-size: 16px;
    line-height: 26px;
}
.course-details-content .course-tab-content {
    margin-top: 40px;
}
.course-details-content .rating-box {
    background: #ffffff;
    box-shadow: 0px 10px 25px rgba(0, 0, 0, 0.07);
    border-radius: 5px;
    text-align: center;
    min-width: 200px;
    padding: 29px 10px;
}
.course-details-content .rating-box .rating-number {
    font-weight: 800;
    font-size: 72px;
    line-height: 90px;
    color: #fff;
}
.course-details-content .rating-box span {
    font-weight: 500;
    font-size: 16px;
    line-height: 26px;
}

```

```

}
.review-wrapper .single-progress-bar {
  position: relative;
}
.review-wrapper .rating-text {
  display: inline-block;
  position: relative;
  top: 19px;
}
.review-wrapper .progress {
  max-width: 83%;
  margin-left: 38px;
  height: 12px;
  background: #eeeeee;
}
@media only screen and (min-width: 992px) and (max-width: 1199px) {
  .review-wrapper .progress {
    max-width: 80%;
  }
}
.review-wrapper .progress .progress-bar {
  background-color: #ffa41b;
}
.review-wrapper span.rating-value {
  position: absolute;
  right: 0;
  top: 50%;
}
.edu-comment {
  display: flex;
}
@media only screen and (max-width: 575px) {
  .edu-comment {
    flex-direction: column;
  }
}
.edu-comment .thumbnail {
  min-width: 70px;
  width: 70px;
  max-height: 70px;
  border-radius: 100%;
  margin-right: 25px;
}

```

```

.edu-comment .thumbnail img {
  border-radius: 100%;
  width: 100%;
}
.edu-comment .comment-content .comment-top {
  display: flex;
  align-items: center;
}
.edu-comment .comment-content .title {
  font-weight: 700;
  font-size: 20px;
  line-height: 32px;
  margin-bottom: 10px;
  margin-right: 15px;
}
.edu-comment .comment-content .subtitle {
  font-weight: 700;
  font-size: 16px;
  line-height: 26px;
  display: block;
  margin-bottom: 10px;
  color: #fff;
}
@media only screen and (max-width: 575px) {
  .edu-comment .comment-content {
    margin-top: 20px;
  }
}
.edu-comment + .edu-comment {
  border-top: 1px solid #eeeeee;
  padding-top: 30px;
  margin-top: 30px;
}

```

Custom.css/phpMyAdmin

```

.editProductImg {
  width: 10%;
}
.ProductImg {
  width: 30%;
}

```

```

.img-container {
  display: grid;
  grid-template-columns: auto auto auto;
}
.img-profile {
  object-fit: cover !important;
}
.messageWrapper {
  max-width: 300px;
}
.messageWrapper p {
  word-wrap: break-word;
}
@import "bourbon@5.*";
html {
  box-sizing: border-box;
}
*,
*:before,
*:after {
  box-sizing: inherit;
}
body {
  color: rgba(0, 0, 0, 0.87);
}
a {
  color: #4e73df;
}
a:hover,
a:focus {
  color: rgba(4, 106, 56, 1);
}
.container {
  margin: 5% 3%;
}

@media screen and (max-width: 426px) {
  .ProductImg {
    width: 80%;
    margin-bottom: 10px;
  }
}

```



```

@media (min-width: 48em) {
  .container {
    margin: 2%;
  }
}
@media (min-width: 105em) {
  .container {
    margin: 2em auto;
    max-width: 75em;
  }
}
table {
  overflow-x: auto;
  margin-top: 30px;
  width: 100%;
  margin-bottom: 1.5em;
  border-spacing: 0;
}
@media (min-width: 88em) {
  table {
    font-size: 0.9em;
  }
}
@media (min-width: 92em) {
  table {
    font-size: 1em;
  }
}
table thead {
  position: absolute;
  clip: rect(1px 1px 1px 1px);
  /* IE6, IE7 */
  padding: 0;
  border: 0;
  height: 1px;
  width: 1px;
  overflow: hidden;
}
@media (min-width: 88em) {
  table thead {
    position: relative;
    clip: auto;
    height: auto;
  }
}

```

```

        width: auto;
        overflow: auto;
    }
}
table thead th {
    background-color: #4e73df;
    border: 1px solid #4e73df;
    font-weight: normal;
    text-align: center;
    color: white;
}
table thead th:first-of-type {
    text-align: left;
}
table tbody,
table tr,
table th,
table td {
    display: block;
    padding: 0;
    text-align: left;
    white-space: normal;
}
@media (min-width: 88em) {
    table tr {
        display: table-row;
    }
}
table th,
table td {
    padding: 0.5em;
    vertical-align: middle;
}
@media (min-width: 70em) {
    table th,
    table td {
        padding: 0.75em 0.5em;
    }
}
@media (min-width: 88em) {
    table th,
    table td {
        display: table-cell;
    }
}

```

```

        padding: 0.5em;
    }
}
@media (min-width: 122em) {
    table th,
    table td {
        padding: 0.75em 0.5em;
    }
}
@media (min-width: 130em) {
    table th,
    table td {
        padding: 0.75em;
    }
}
table caption {
    margin-bottom: 1em;
    font-size: 1em;
    font-weight: bold;
    text-align: center;
}
@media (min-width: 88em) {
    table caption {
        font-size: 1.5em;
    }
}
table tfoot {
    font-size: 0.8em;
    font-style: italic;
}
@media (min-width: 132em) {
    table tfoot {
        font-size: 0.9em;
    }
}
@media (min-width: 88em) {
    table tbody {
        display: table-row-group;
    }
}
table tbody tr {
    margin-bottom: 1em;
}

```

```

@media (min-width: 88em) {
  table tbody tr {
    display: table-row;
    border-width: 1px;
  }
}
table tbody tr:last-of-type {
  margin-bottom: 0;
}
@media (min-width: 88em) {
  table tbody tr:nth-of-type(even) {
    background-color: rgba(0, 0, 0, 0.12);
  }
}
table tbody th[scope="row"] {
  background-color: #4e73df;
  color: white;
}
@media (min-width: 90em) {
  table tbody th[scope="row"] {
    border-left: 1px solid #4e73df;
    border-bottom: 1px solid #4e73df;
  }
}
@media (min-width: 48em) {
  table tbody th[scope="row"] {
    background-color: transparent;
    color: rgba(0, 0, 1);
    text-align: left;
  }
}
table tbody td {
  text-align: right;
}
@media (min-width: 88em) {
  table tbody td {
    border-left: 1px solid #4e73df;
    border-bottom: 1px solid #4e73df;
    text-align: center;
  }
}
@media (min-width: 88em) {
  table tbody td:last-of-type {

```

```

        border-right: 1px solid #4e73df;
    }
}
table tbody td[data-type="currency"] {
    text-align: right;
}
table tbody td[data-title]:before {
    content: attr(data-title);
    float: left;
    font-size: 0.8em;
    color: rgba(0, 0, 0, 0.54);
}
@media (min-width: 80em) {
    table tbody td[data-title]:before {
        font-size: 0.9em;
    }
}
@media (min-width: 88em) {
    table tbody td[data-title]:before {
        content: none;
    }
}
}

```

Robots.txt

User-agent:*

Disallow:/assets/img/untitled-1.txt

User-agent:Google

Disallow:/assets/img/category_img_03.jpg