Visoka škola za informacione i komunikacione tehnolgije



Online prodavnica patika

https://sneakersshopphp.000webhostapp.com/index.php

Student: Miroslav Jandrić

Broj indeksa: 28/21

Predmet: Praktikum php

Sadržaj

Uvod	3
Korišćene tehnologije:	3
Template	4
Mapa sajta:	4
Struktura fajlova:	6
Slika baze :	7
Opis funkcionalnosti:	7
index.php	8
Login.php	11
Register.php	13
Shop.php	14
Single-shop.php	15
cart.php	16
Edit-user.php	17
Admin.php	17
Kodovi	20
Index.php	21
Views/fixed/nav.php	22
Views/fixed/head.php	25
Views/fixed/footer.php	26
Views/pages/cart.php	28
Views/pages/author.php	30
Views/pages/editUser.php	31
Views/pages/home.php	33
Views/pages/login.php	44
Register.php	46
Views/pages/shop.php	48
Views/pages/single-product.php	51
Views/adminPanel/admin.php	55
Views/adminPanel/partials/additem.php	58
Views/adminpanel/partials/adminHome.php	69
Views/adminpanel/partials/categories.php	72

Views/adminpanel/partials/editItems.php	73
Views/adminpanel/partials/list.php	88
Views/adminpanel/partials/nav.php	89
Views/adminpanel/partials/products.php	91
Views/adminpanel/partials/sidebar.php	92
Models/delete.php	94
Models/filter-sort-products.php	95
Models/functions.php	97
Models/getAllitems.php	102
Models/insert.php	105
Models/logFileFunctions.php	115
Models/login.php	117
Models/registerUser.php	123
Models/removeFromCart.php	124
Models/update_user.php	125
Models/update.php	129
Models/products/insertProduct.php	141
Models/reigsterLogic/logout.php	147
config/.env	147
config/config.php	147
Config/connection.php	148
Assets/js/customJs/custom.js	148
Assets/css/customCss/custom.css	166
Views/adminPanel/is/customIs/custom.is	170

Uvod

Korišćene tehnologije:

- HTML
- CSS
- JavaScript

- PHP
- Jquery
- Ajax
- SQL
- Bootstrap
- PhpMyAdmin

Template

Za izradu sajta korišćen je template https://themewagon.com/themes/free-reponsive-bootstrap-4- httml5-ecommerce-website-template-karma/


Za izradu admin panela korišćen je tamplate https://themewagon.com/themes/free-bootstrap-4-html-5-admin-dashboard-website-template-skydash/

Mapa sajta:


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>daily</changefreq>
<priority>0.9</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=shop</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>daily</changefreq>
<priority>0.95</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/views/adminPanel/admin.php
/loc>
<lastmod>2023.06.06</lastmod>
<changefreq>daily</changefreq>
<priority>0.95</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=single-
product</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>0.8</changefreq>
<priority>weekly</priority>
```

```
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=cart</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>0.6</changefreq>
<priority>montly</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=edit-
user</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>0.58</changefreq>
<priority>montly</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=register</lo</pre>
C>
<lastmod>2023.06.06</lastmod>
<changefreq>0.5</changefreq>
<priority>yearly</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=login</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>0.5</changefreq>
<priority>yearly</priority>
</url>
<url>
<loc>https://sneakersshopphp.000webhostapp.com/index.php?page=author</loc>
<lastmod>2023.06.06</lastmod>
<changefreq>0.49</changefreq>
<priority>yearly</priority>
</url>
</urlset>
```

Struktura fajlova:



Slika baze:




Opis funkcionalnosti:

Zajednicko za sve stranice:

Dinamičko učitavanje navigacije, headera I footera.

index.php



- Učitavanje slidera sa patikama iz kolekcije Nike I Adidas
- Dinamičko učitavanje navigacije, headera I footera.



• Ukoliko je korisnik ulogovan prikazuje se njegova slika I mogućnost menjanje profila, takodje ukoliko je admin imaće link za adminpanel

Latest Products

EXT

Explore our newest arrivals and find the trendiest sneakers of the season. From sleek and minimalistic designs to bold and vibrant styles, our latest collection offers something for every sneaker enthusiast.





\$127.5 \$150.00





ULTRABOOST LIGHT RUNNING SHOES

\$144 \$160.00





UNISEX CURRY UA HOVR SPLASH 2 BASKETBALL SHOES

\$99 \$110.00





GRAND COURT CLOUDFOAM LIFESTYLE COURT COMFORT

570



Top Discounts

Don't miss out on our top discount offers on exclusive sneakers. We're offering unbeatable prices on some of the most coveted styles from renowned brands.



KD15 WHAT THE

\$64.5 \$129.00





NIKE AIR HUARACHE

\$65 \$100.00





NIKE KILLSHOT 2 LEATHER

\$91 \$140.00






UNISEX PROJECT ROCK 5 305 TRAINING SHOES


\$127.5 \$150.00




- Učitavanje najnovijih proizvoda
- Učitavanje proizvoda sa najvećim popustom




Još jedan slajder sa 2 najveća popusta






- Stranica na kojoj se obavlja operacija logovanje, uradjena verifikacija podataka I na klijentu I na server, ispis gresaka ukoliko ih ima.
- Ukoliko se unese pogresna sifra prikazuje preostali broj pokušaja I ukoliko se pogresi 3 puta u roku od 5 minuta nalog se zaključava.
- Ukoliko je prijava uspesna korisnik se redirektuje na index.php.




• Pogresan format podataka




• Pogreska sifra I broj pokušaja

LOG IN TO ENTER



LOG IN TO ENTER




• Blokiranje naloga, nakon koga samo administrator moze da ga odblokira.

CREATE ACCOUNT


First name
Last name
Email
Password
Confirm password
REGISTER

• Forma za registrovanje korisnika, uradjena validacija podataka na klijentu I serveru, ispis gresaka ukoliko ih ima, isto tako ukoliko je registracija uspesna ispisuje poruku.


Shop.php



- Dinamičko učitavanje proizvoda
- Filtriranje sortiranje I pretraga koja je dinamički realizovana
- Odabir broj proizvoda koji će se prikazivati na sajtu
- Paginacija, tasteri se blokiraju ukoliko nema vise proizvoda




- Dinamički ispisivanje izabranog proizvoda kao I sve njegove informacije
- Dodavanje u korpu
- Korisnik mora biti ulogovan da bi izvrsio kupovinu
- Korisniku se prikazuje količina proizvoda u magacinu




• Ispisivanje specifikacija proizvoda

cart.php




- Ispisivanje proizvoda iz korpe, postoji mogućnost uvećavanja količine poučenih proizvoda, kao I uklanjanje iz korpe
- Prikazuje se ukupna cena računa.




- Ispod liste proizvoda iz korpe nalazi se forma za popunjavanje adrese gde će se izvršiti dostava
- Validacija podataka uradjena na klijentu I server
- Posle klika na proceed to checkout korpa se prazni I ispisuje poruka da je korpa prazna

Empty Cart!

Edit-user.php




Stranica na kojoj imate mogućnost menjanja svojih korisničkih podataka neki podaci nisu
obavetni da se unesu kao sto je na primer sifra, u tom slucaju sifra ce ostati ne promenjena,
takodje je slučaj i sa slikom.




- Admin nalozi imaju mogućnost pristupa stranici adminpanel na kojoj se na početku nalazi statistika koja nam prikazuje statistuku posećenosti našim stranicama, kao I broj korisnika koji se logovao u poslenjih 24 casa.
- Svi podaci su isčitani iz txt fajla
- U admin panelu imamo mogućnost manimulisanja svim tabelama tako da je za svaku tabelu omogučeno da admin uradi sve crud operacije na njoj.

- Napravljena je funkcija koja dinamički ispisuje tabelu u odnosu na podatke koje joj prosledimo, tako da je svaka tabela dinamički ispisana
- Takdje je napravljena funkcija koja može da realizuje insert operaciju n abilo kojoj s abilo kojim brojem parametara
- Takodje postoji I update I delete funkcija koja realizuje dinamički operacije


• Izlistavanje proizvoda



• Dodavanje proizvoda



Edit proizvoda



U tabeli koja prikazuje usere postoji red koji prikazuje da li je korisnik blokiran ili nije

First Name		
Bora		
Last Name		
Majstorovic		
Email		
bora@gmail.com		
Password		
•••••		
Role		
user		
Blocked		
Blocked		
Edit		

• Administrator može da odblokira usera odabirom odgovarajuće opcije iz ddl liste.

Kodovi

Index.php

```
session start();
$user = isset($ SESSION['user']) ? $ SESSION['user'] : null;
include 'models/functions.php';
include 'config/connection.php';
include 'models/logFileFunctions.php';
insertIntoLogFile();
ob start();
<!DOCTYPE html>
<html lang="zxx" class="no-js">
  <?php include 'views/fixed/head.php'?>
    <!-- Start Header Area -->
    <?php include 'views/fixed/nav.php' ?>
    <!-- End Header Area -->
    $page = isset($ GET['page']) ? $ GET['page'] : 'home';
    switch ($page) {
      case 'login':
        include 'views/pages/login.php';
        break;
      case 'shop':
        include 'views/pages/shop.php';
        break;
      case 'cart':
        include 'views/pages/cart.php';
        break;
      case 'checkout.php':
        include 'views/pages/checkout.php';
        break;
      case 'confirmation':
        include 'views/pages/confirmation.php';
        break;
      case 'contact':
        include 'views/pages/contact.php';
        break;
      case 'elements':
```

```
include 'views/pages/elements.php';
    break;
case 'single-product':
    include 'views/pages/single-product.php';
    break;
case 'edit-user':
    include 'views/pages/editUser.php';
    break;
case 'register':
    include 'views/pages/register.php';
    break;

    default: include 'views/pages/home.php';
}
?>
    <!-- start footer Area -->
    <?php include 'views/fixed/footer.php'?>
    </body>
    </html>
```

Views/fixed/nav.php

```
<?php $navs = getNavLinks();?>
<header class="header area sticky-header">
      <div class="main menu">
        <nav class="navbar navbar-expand-lg navbar-light main box">
          <div class="container">
            <!-- Brand and toggle get grouped for better mobile display --
            <a class="navbar-brand logo h" href="index.php"</pre>
              ><img src="assets/img/logo.png" alt=""</pre>
            /></a>
              class="navbar-toggler"
              type="button"
              data-toggle="collapse"
              data-target="#navbarSupportedContent"
              aria-controls="navbarSupportedContent"
              aria-expanded="false"
              aria-label="Toggle navigation"
```

```
<span class="icon-bar"></span>
             <span class="icon-bar"></span>
             <span class="icon-bar"></span>
           </button>
           <!-- Collect the nav links, forms, and other content for
toggling -->
             class="collapse navbar-collapse offset"
             id="navbarSupportedContent"
             <?php foreach($navs as $nav):?>
               class="nav-item">
                <a class="nav-link"
href="index.php?page=<?=$nav['path']?>"><?=$nav['text']?></a>
              <?php endforeach;?>
              <?php if(!isset($user)):?>
               class="nav-item">
                    <a class="nav-link"</pre>
href="index.php?page=login">Login</a>
              <?php else:?>
                  <?php if($user['role id']==2):?>
                  class="nav-item">
                    <a href="views/adminPanel/admin.php" class="nav-</pre>
link">Admin Panel</a>
                  <?php endif;?>
                <a class="nav-link"
href="models/RegistrationLogic/logout.php">Log out</a>
                <a class="nav-link user tag" data-id="<?=</pre>
$user['user_id']?>" href="index.php?page=edit-user">My profile</a>
                  <div class="profileImg">
                    <?php if(isset($user['profile_img'])):?>
                      <img class="image"</pre>
src="assets/userImages/<?=$user['profile_img']?>" alt="">
                    <?php else:?>
```

```
<img class="image" src="assets/userImages/man.png"</pre>
alt="">
                     <?php endif; ?>
                   </div>
                    <!-- <span class="nav-tag user tag" data-id="<?=
$user['user id']?>">My profile</span> -->
                 <?php endif;?>
             class="nav-item">
                 <a href="index.php?page=cart" class="cart"><span</pre>
class="ti-bag"></span></a>
               class="nav-item">
                 <button class="search">
                   <span class="lnr lnr-magnifier" id="search"></span>
                 </button>
               </div>
         </div>
       </nav>
     </div>
     <div class="search_input" id="search_input_box">
       <div class="container">
         <form class="d-flex justify-content-between">
           <input</pre>
             type="text"
             class="form-control"
             id="search input"
             placeholder="Search Here"
           <button type="submit" class="btn"></button>
             class="lnr lnr-cross"
             id="close search"
             title="Close Search"
           ></span>
         </form>
       </div>
```

```
</div></header>
```

Views/fixed/head.php

```
<head>
    <!-- Mobile Specific Meta -->
    <meta
      name="viewport"
      content="width=device-width, initial-scale=1, shrink-to-fit=no"
    <!-- Favicon-->
    <link rel="shortcut icon" href="assets/img/fav.png" />
    <!-- Author Meta -->
    <meta name="author" content="CodePixar" />
    <!-- Meta Description -->
    <meta name="description" content="" />
    <!-- Meta Keyword -->
    <meta name="keywords" content="" />
    <!-- meta character set -->
    <meta charset="UTF-8" />
    <!-- Site Title -->
    <title>Karma Shop</title>
    <!--
   CSS
    <link rel="stylesheet" href="assets/css/linearicons.css" />
    <link rel="stylesheet" href="assets/css/font-awesome.min.css" />
    <link rel="stylesheet" href="assets/css/themify-icons.css" />
    <link rel="stylesheet" href="assets/css/bootstrap.css" />
    <link rel="stylesheet" href="assets/css/owl.carousel.css" />
    <link rel="stylesheet" href="assets/css/nice-select.css" />
    <link rel="stylesheet" href="assets/css/nouislider.min.css" />
    <link rel="stylesheet" href="assets/css/ion.rangeSlider.css" />
    <link rel="stylesheet" href="assets/css/ion.rangeSlider.skinFlat.css"</pre>
    <link rel="stylesheet" href="assets/css/magnific-popup.css" />
    <link rel="stylesheet" href="assets/css/main.css" />
    <link rel="stylesheet" href="assets/css/customCss/custom.css" />
  </head>
```

Views/fixed/footer.php

```
<footer class="footer-area section gap">
     <div class="container">
       <div class="row">
         <div class="col-lg-3 col-md-6 col-sm-6">
          <div class="single-footer-widget">
            <h6>About Us</h6>
             As sneaker enthusiasts ourselves, we understand the thrill
of finding that perfect pair. That's why at Karma, we've made it our
mission to bring you a handpicked collection of stylish, high-quality
sneakers that reflect the latest trends, ensuring that you can express
your unique style with confidence.
            </div>
         </div>
         <div class="col-lg-4 col-md-6 col-sm-6">
          <div class="single-footer-widget">
            <h6>Links</h6>
            All documentation
            <div class="" id="mc embed signup">
              <l
                  Documentation
                  <a href="index.php?page=author">Author</a>
                  <a href="sitemap.xml"</a>
target=' blank'>Sitemap</a>
                  <a href="robots.txt"</a>
target=' blank'>Robots</a>
              </div>
          </div>
         </div>
         <div class="col-lg-3 col-md-6 col-sm-6">
           <div class="single-footer-widget mail-chimp">
            <h6 class="mb-20">Instragram Feed</h6>
            <img src="assets/img/i1.jpg" alt="" />
              <img src="assets/img/i2.jpg" alt="" />
              <img src="assets/img/i3.jpg" alt="" />
              <img src="assets/img/i4.jpg" alt="" />
              <img src="assets/img/i5.jpg" alt="" />
              <img src="assets/img/i6.jpg" alt="" />
              <img src="assets/img/i7.jpg" alt="" />
```

```
<img src="assets/img/i8.jpg" alt="" />
             </div>
         </div>
         <div class="col-lg-2 col-md-6 col-sm-6">
           <div class="single-footer-widget">
             <h6>Follow Us</h6>
             Let us be social
             <div class="footer-social d-flex align-items-center">
               <a href="#"><i class="fa fa-facebook"></i></a>
               <a href="#"><i class="fa fa-twitter"></i></a>
               <a href="#"><i class="fa fa-dribbble"></i></a>
               <a href="#"><i class="fa fa-behance"></i></a>
             </div>
           </div>
         </div>
       </div>
         class="footer-bottom d-flex justify-content-center align-items-
center flex-wrap"
         <!-- Link back to Colorlib can't be removed. Template is
licensed under CC BY 3.0. -->
           Copyright ©
           <script>
             document.write(new Date().getFullYear());
           </script>
           All rights reserved | This template is made with
           <i class="fa fa-heart-o" aria-hidden="true"></i> by
           <a href="https://colorlib.com" target=" blank">Colorlib</a>
           <!-- Link back to Colorlib can't be removed. Template is
licensed under CC BY 3.0. -->
         </div>
     </div>
    </footer>
    <!-- End footer Area -->
    <script src="assets/js/vendor/jquery-2.2.4.min.js"></script>
     src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/pop
per.min.js"
```

```
integrity="sha384-
b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4"
      crossorigin="anonymous"
    ></script>
    <script src="assets/js/vendor/bootstrap.min.js"></script>
    <script src="assets/js/jquery.ajaxchimp.min.js"></script>
    <script src="assets/js/jquery.nice-select.min.js"></script>
    <script src="assets/js/jquery.sticky.js"></script>
    <script src="assets/js/nouislider.min.js"></script>
    <script src="assets/js/countdown.js"></script>
    <script src="assets/js/jquery.magnific-popup.min.js"></script>
    <script src="assets/js/owl.carousel.min.js"></script>
    <!--gmaps Js-->
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyCjCGmQ0Uq4exrzdcL6r
vxywDDOvfAu6eE"></script>
    <script src="assets/js/gmaps.min.js"></script>
    <script src="assets/js/main.js"></script>
    <script src="assets/js/customJS/custom.js"></script>
```

Views/pages/cart.php

```
<div class="none popup"></div>
 <!-- Start Banner Area -->
 <section class="banner-area organic-breadcrumb">
       <div class="container">
           <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
               <div class="col-first">
                   <h1>Shopping Cart</h1>
                   <nav class="d-flex align-items-center">
                      <a href="index.html">Home<span class="lnr lnr-</pre>
arrow-right"></span></a>
                      <a href="category.html">Cart</a>
                   </nav>
               </div>
           </div>
       </div>
    </section>
    <!-- End Banner Area -->
```

```
<section class="cart area">
       <div class="container cart-ct">
          <div class="cart inner">
             <div class="table-responsive">
                 <thead>
                        Product
                           Price
                           Size
                           Quantity
                           Total
                        </thead>
                    </div>
          </div>
          <div class="col-12">
             <div class="blk error"></div>
             <h3>Shipping address</h3>
             <form action="logic/addlocation.php" id="editForma"</pre>
method="post" onsubmit="return addLocation()">
                      <div class="form-group my-3">
                         <label</pre>
for="exampleInputEmail1">Country*</label>
                         <input type="text" class="form-control"</pre>
id="country" name="country" placeholder="Serbia">
                         <input type="hidden" name="locId" value="">
                      </div>
                      <div class="form-group my-3">
                         <label for="ULName">City*</label>
                         <input type="text" class="form-control"</pre>
id="city" name="city" placeholder="Belgrade">
                      </div>
                      <div class="form-group my-3">
                         <label for="UEmail">Address</label>
```

```
<input type="text" class="form-control"</pre>
id="address" name="address" placeholder="Zdravka Čelara 11b">
                           </div>
                           <button type="submit" name="addLocationCart"</pre>
class="btn btn-outline-light my-3 editUser">Add location/button>
                    </form>
                    <div class="checkout btn inner d-flex align-items-</pre>
center">
                         <a class="btn gray btn"</pre>
href="index.php?page=shop">Continue Shopping</a>
                         <a class="btn shopBtn ml-3" href="#">Proceed to
checkout</a>
                    </div>
            </div>
        </div>
    </section>
    <!--=========End Cart Area =========>>
```

Views/pages/author.php

```
<!-- Start Banner Area -->
    <section class="banner-area organic-breadcrumb">
        <div class="container">
            <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
                <div class="col-first">
                    <h1>Contact Us</h1>
                    <nav class="d-flex align-items-center">
                        <a href="index.html">Home<span class="lnr lnr-
arrow-right"></span></a>
                        <a href="category.html">Contact</a>
                    </nav>
                </div>
            </div>
        </div>
    </section>
    <!-- End Banner Area -->
    <!--==========Contact Area =========->
    <section class="contact area section gap bottom">
        <div class="container">
```

Views/pages/editUser.php

```
<section class="banner-area organic-breadcrumb">
        <div class="container">
            <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
                <div class="col-first">
                    <h1>Edit Profile</h1>
                    <nav class="d-flex align-items-center">
                        <a href="index.html">Home<span class="lnr lnr-</pre>
arrow-right"></span></a>
                        <a href="category.html">Edit Profile</a>
                    </nav>
                </div>
            </div>
        </div>
    </section>
    <!-- End Banner Area -->
    <!--========Login Box Area =========>>
    <section class="login box area section gap">
        <div class="container">
            <div class="row d-flex justify-content-center">
                <div class="col-lg-10">
                <div class="errors">
                                <l
```

```
if(isset($ SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                              class="text-danger alert">
class="text-danger alert"

alert-danger"><?php echo $error;?>
                                          <?php endforeach;?>
                                     <?php endif;?>
                                 </div>
                             <div class="success">
                                 <?php echo isset($ GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                             </div>
                     <form action="models/update user.php" method="post"</pre>
enctype="multipart/form-data" onSubmit="return validateUserChanges()">
                         <div class="form-group">
                             <label for="exampleInputEmail1">First
Name</label>
                             <input type="text" class="form-control"</pre>
name='fName' id="fName" aria-describedby="emailHelp" placeholder="Enter
First Name" value=<?=$user['first name']?>>
                         </div>
                         <div class="form-group">
                             <label for="exampleInputEmail1">Last
Name</label>
                             <input type="text" class="form-control"</pre>
name="lName" id="lName" aria-describedby="emailHelp" placeholder="Enter
Last Name" value=<?=$user['last name']?>>
                         </div>
                         <div class="form-group">
                             <label for="exampleInputEmail1">Email
address</label>
                             <input type="email" class="form-control"</pre>
name="email" id="email" aria-describedby="emailHelp" placeholder="Enter
email" value=<?=$user['email']?>>
                             <small id="emailHelp" class="form-text text-</pre>
muted">We'll never share your email with anyone else.
                         </div>
                         <div class="form-group">
                                     <label
for="exampleFormControlFile1">Upload <strong>Profile</strong>
image</label>
```

```
<input type="file" name='img'</pre>
class="form-control-file" id="img">
if(isset($user['profile img'])):?>
                                          <img
src="assets/userImages/<?=$user['profile_img']?>" height="100px" alt="">
                                      <?php endif;?>
                         <div class="form-group">
                             <label
for="exampleInputPassword1">Password</label>
                             <input type="password" name="pass"</pre>
class="form-control" id="password" placeholder="Password">
                         </div>
                         <input type="hidden" name="id"</pre>
value="<?=$user['user id']?>">
                         <button type="submit" name="submitBtn" class="btn</pre>
btn-primary mt-3">Edit</button>
                     </form>
                 </div>
            </div>
        </div>
    </section>
```

Views/pages/home.php

```
Step into the world of style and comfort with our
exclusive collection of sneakers, designed to elevate your footwear game
to new heights.
                    <div class="add-bag d-flex align-items-center">
                      <a class="add-btn" href="index.php?page=shop"</pre>
                         ><img class="shopImg"</pre>
src="assets/ProductImages/Downloaded/store.png" alt="store"></a>
                       <span class="add-text text-uppercase">Go
shopping</span>
                    </div>
                  </div>
                </div>
                <div class="col-lg-7">
                  <div class="banner-img">
                    <img
                      class="img-fluid"
                      src="assets/ProductImages/Downloaded/banner2.png"
                      alt="banner2"
                    />
                  </div>
                </div>
              </div>
              <!-- single-slide -->
              <div class="row single-slide align-items-center d-flex">
                <div class="col-lg-5 col-md-6">
                  <div class="banner-content">
                    <h1>Adidas New <br />Collection!</h1>
                      Step into the world of style and comfort with our
exclusive collection of sneakers, designed to elevate your footwear game
to new heights.
                    <div class="add-bag d-flex align-items-center">
                      <a class="add-btn" href="index.php?page=shop"</pre>
                         ><img class="shopImg"</pre>
src="assets/ProductImages/Downloaded/store.png" alt="store1"></a>
                       <span class="add-text text-uppercase">Go
shopping</span>
                    </div>
                  </div>
                </div>
                <div class="col-lg-7">
```

```
<div class="banner-img">
                  class="img-fluid"
                  src="assets/ProductImages/Downloaded/banner1.png"
                  alt="banner11"
                />
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<!-- End banner Area -->
<!-- start features Area -->
<section class="features-area section gap">
  <div class="container">
    <div class="row features-inner">
      <!-- single features -->
      <div class="col-lg-3 col-md-6 col-sm-6">
        <div class="single-features">
          <div class="f-icon">
            <img src="assets/img/features/f-icon1.png" alt="icon" />
          </div>
          <h6>Free Delivery</h6>
          Free Shipping on all order
        </div>
      </div>
      <!-- single features -->
      <div class="col-lg-3 col-md-6 col-sm-6">
        <div class="single-features">
          <div class="f-icon">
            <img src="assets/img/features/f-icon2.png" alt="icon2" />
          </div>
          <h6>Return Policy</h6>
          >Up to 15 days
        </div>
      </div>
      <!-- single features -->
      <div class="col-lg-3 col-md-6 col-sm-6">
        <div class="single-features">
```

```
<div class="f-icon">
            <img src="assets/img/features/f-icon3.png" alt="icnon3" />
          </div>
          <h6>24/7 Support</h6>
          Always online
        </div>
      </div>
      <!-- single features -->
      <div class="col-lg-3 col-md-6 col-sm-6">
        <div class="single-features">
          <div class="f-icon">
            <img src="assets/img/features/f-icon4.png" alt="icon4" />
          </div>
          <h6>Secure Payment</h6>
          Your money is safe
        </div>
      </div>
    </div>
  </div>
</section>
<!-- end features Area -->
<!-- Start category Area -->
<section class="category-area">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-lg-8 col-md-12">
        <div class="row">
          <div class="col-lg-8 col-md-8">
            <div class="single-deal">
              <div class="overlay"></div>
              <img
                class="img-fluid w-100"
                src="assets/img/category/c1.jpg"
               alt="c1"
              />
              <a
                href="assets/img/category/c1.jpg"
                class="img-pop-up"
                target=" blank"
                <div class="deal-details">
                  <h6 class="deal-title">Sneaker for Sports</h6>
```

```
</div>
    </a>
  </div>
</div>
<div class="col-lg-4 col-md-4">
  <div class="single-deal">
    <div class="overlay"></div>
    <img
      class="img-fluid w-100"
      src="assets/img/category/c2.jpg"
      alt="c2"
    />
      href="assets/img/category/c2.jpg"
      class="img-pop-up"
      target=" blank"
      <div class="deal-details">
        <h6 class="deal-title">Sneaker for Sports</h6>
      </div>
    </a>
  </div>
</div>
<div class="col-lg-4 col-md-4">
  <div class="single-deal">
    <div class="overlay"></div>
    <img
      class="img-fluid w-100"
      src="assets/img/category/c3.jpg"
      alt="c3"
    />
      href="assets/img/category/c3.jpg"
      class="img-pop-up"
      target="_blank"
      <div class="deal-details">
        <h6 class="deal-title">Product for Couple</h6>
      </div>
    </a>
  </div>
</div>
<div class="col-lg-8 col-md-8">
```

```
<div class="single-deal">
              <div class="overlay"></div>
                class="img-fluid w-100"
                src="assets/img/category/c4.jpg"
                alt="c4"
              />
                href="assets/img/category/c4.jpg"
                class="img-pop-up"
                target="_blank"
                <div class="deal-details">
                  <h6 class="deal-title">Sneaker for Sports</h6>
                </div>
              </a>
            </div>
          </div>
        </div>
      </div>
      <div class="col-lg-4 col-md-6">
        <div class="single-deal">
          <div class="overlay"></div>
          <img
            class="img-fluid w-100"
            src="assets/img/category/c5.jpg"
            alt="c5"
          />
            href="assets/img/category/c5.jpg"
            class="img-pop-up"
            target="_blank"
            <div class="deal-details">
              <h6 class="deal-title">Sneaker for Sports</h6>
            </div>
          </a>
        </div>
      </div>
   </div>
 </div>
</section>
<!-- End category Area -->
```

```
<!-- start product Area -->
    <section class="owl-carousel active-product-area section gap">
      <!-- single product slide -->
      <div class="single-product-slider">
        <div class="container">
          <div class="row justify-content-center">
            <div class="col-lg-6 text-center">
              <div class="section-title">
                <h1>Latest Products</h1>
                  Explore our newest arrivals and find the trendiest
sneakers of the season. From sleek and minimalistic designs to bold and
vibrant styles, our latest collection offers something for every sneaker
enthusiast.
                </div>
            </div>
          </div>
          <div class="row">
            <!-- single product -->
            <?php foreach($newest as $product):</pre>
                $discount = $product['price']-
($product['price']*$product['percentage'])/100;
              <div class="col-lg-3 col-md-6">
              <div class="single-product">
                <img class="img-fluid thumbnail"</pre>
src="assets/ProductImages/thumbnails/<?=$product['mainImg']?>"
alt="thumbnail" />
                <div class="product-details">
                  <h6 class="productHeading"><?=$product['name']?></h6>
                  <div class="price">
                    <h6>$<?=$discount?></h6>
                    <?php if($product['percentage']!=0):?>
                    <h6 class="l-through">$<?=$product['price']?></h6>
                  </div>
                  <div class="prd-bottom">
                    <a href="index.php?page=single-</pre>
product&prodid=<?=$product['product_id']?>" class="social-info">
                      <span class="lnr lnr-move"></span>
                      view more
```

```
</a>
                  </div>
                </div>
              </div>
            </div>
            <?php endforeach;?>
          </div>
        </div>
      </div>
      <!-- single product slide -->
      <div class="single-product-slider">
        <div class="container">
          <div class="row justify-content-center">
            <div class="col-lg-6 text-center">
              <div class="section-title">
                <h1>Top Discounts</h1>
                 Don't miss out on our top discount offers on exclusive
sneakers. We're offering unbeatable prices on some of the most coveted
styles from renowned brands.
                </div>
            </div>
          </div>
          <div class="row">
            <!-- single product -->
            <?php foreach($topDiscountProducts as $product):</pre>
                $discount = $product['price']-
($product['price']*$product['percentage'])/100;
              <div class="col-lg-3 col-md-6">
              <div class="single-product">
                <img class="img-fluid thumbnail"</pre>
src="assets/ProductImages/thumbnails/<?=$product['mainImg']?>"
alt="thumbnailproduct" />
                <div class="product-details">
                  <h6 class="productHeading"><?=$product['name']?></h6>
                  <div class="price">
                    <h6>$<?=$discount?></h6>
                    <?php if($product['percentage']!=0):?>
                    <h6 class="1-through">$<?=$product['price']?></h6>
```

```
</div>
             <div class="prd-bottom">
               <a href="" class="social-info">
                 <span class="lnr lnr-move"></span>
                 view more
               </a>
             </div>
           </div>
         </div>
       </div>
       <?php endforeach;?>
     </div>
   </div>
 </div>
</section>
<!-- end product Area -->
<!-- Start exclusive deal Area -->
<section class="exclusive-deal-area">
 <div class="container-fluid">
   <div class="row justify-content-center align-items-center">
     <div class="col-lg-6 no-padding exclusive-left">
       <div class="row clock sec clockdiv" id="clockdiv">
         <div class="col-lg-12">
           <h1>Exclusive Hot Deal Ends Soon!</h1>
           Who are in extremely love with eco friendly system.
         </div>
         <div class="col-lg-12">
           <div class="row clock-wrap">
             <div class="col clockinner1 clockinner">
               <h1 class="days">150</h1>
               <span class="smalltext">Days</span>
             </div>
             <div class="col clockinner clockinner1">
               <h1 class="hours">23</h1>
               <span class="smalltext">Hours</span>
             </div>
             <div class="col clockinner clockinner1">
               <h1 class="minutes">47</h1>
               <span class="smalltext">Mins</span>
             </div>
```

```
<div class="col clockinner clockinner1">
                    <h1 class="seconds">59</h1>
                    <span class="smalltext">Secs</span>
                  </div>
                </div>
              </div>
            </div>
            <a href="" class="primary-btn">Shop Now</a>
          </div>
          <div class="col-lg-6 no-padding exclusive-right">
            <div class="active-exclusive-product-slider">
              <!-- single exclusive carousel -->
              <?php for($i=0; $i<3; $i++):</pre>
                $discount = $topDiscountProducts[$i]['price']-
($topDiscountProducts[$i]['price']*$topDiscountProducts[$i]['percentage'])
/100;?>
                <div class="single-exclusive-slider">
                  <img
                    class="img-fluid"
                    src="assets/ProductImages/allProductImages/<?=$topDisc</pre>
ountProducts[$i]['mainImg']?>"
                    alt="topproduct"
                  <div class="product-details">
                    <div class="price">
                      <h6>$<?=$discount?></h6>
if($topDiscountProducts[$i]['percentage']!=0):?>
                      <h6 class="1-
through">$<?=$topDiscountProducts[$i]['price']?></h6>
                      <?php endif;?>
                    </div>
                    <h4><?=$topDiscountProducts[$i]['name']?></h4>
                      class="add-bag d-flex align-items-center justify-
content-center"
                      <a class="add-btn" href="index.php?page=shop"</pre>
                        ><img class="shopImg"</pre>
src="assets/ProductImages/Downloaded/store.png" alt="store"></a>
                       <span class="add-text text-uppercase">Go
shopping
                    </div>
```

```
</div>
                </div>
              <?php endfor;?>
              <!-- single exclusive carousel -->
            </div>
          </div>
        </div>
      </div>
    </section>
    <!-- End exclusive deal Area -->
    <!-- Start brand Area -->
    <section class="brand-area section gap">
      <div class="container">
        <div class="row">
          <a class="col single-img" href="#">
              class="img-fluid d-block mx-auto"
              src="assets/img/brand/1.png"
              alt="brand"
            />
          </a>
          <a class="col single-img" href="#">
            <img
              class="img-fluid d-block mx-auto"
              src="assets/img/brand/2.png"
              alt="brand1"
            />
          </a>
          <a class="col single-img" href="#">
            <img
              class="img-fluid d-block mx-auto"
              src="assets/img/brand/3.png"
              alt="brand2"
            />
          </a>
          <a class="col single-img" href="#">
            <img class="img-fluid d-block mx-auto"</pre>
src="assets/img/brand/4.png"
            alt="brand4" />
          </a>
          <a class="col single-img" href="#">
```

Views/pages/login.php

```
if(isset($user)){
        header("location: index.php");
        ob end flush();
        exit;
    <!-- Start Banner Area -->
    <section class="banner-area organic-breadcrumb">
        <div class="container">
            <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
                <div class="col-first">
                    <h1>Login/Register</h1>
                    <nav class="d-flex align-items-center">
                        <a href="index.html">Home<span class="lnr lnr-
arrow-right"></span></a>
                        <a href="category.html">Login/Register</a>
                    </nav>
                </div>
            </div>
        </div>
    </section>
    <!-- End Banner Area -->
    <!--=======Login Box Area =========>>
```

```
<section class="login box area section gap">
        <div class="container">
            <div class="row">
                <div class="col-lg-6">
                    <div class="login box img">
                         <img class="img-fluid" src="assets/img/login.jpg"</pre>
alt="">
                         <div class="hover">
                             <h4>New to our website?</h4>
                             There are advances being made in science
and technology everyday, and a good example of this is the
                            <a class="primary-btn"</pre>
href="index.php?page=register">Create an Account</a>
                         </div>
                    </div>
                </div>
                <div class="col-lg-6">
                    <div class="login form inner">
                         <h3>Log in to enter</h3>
                         <?php if(isset($ GET['erors'])):?>
                             <div class="container">
                             <div class="alert alert-danger" role="alert">
                                 <?=$ GET['erors']?>
                             </div>
                             </div>
                        <?php endif;?>
                         <div class="container">
                         <div class="error"></div>
                         </div>
                         <form class="row login_form" id="contactForm">
                             <div class="col-md-12 form-group">
                                 <input type="text" class="form-control"</pre>
id="email" name="email" placeholder="Username" onfocus="this.placeholder =
''" onblur="this.placeholder = 'Username'">
                             </div>
                             <div class="col-md-12 form-group">
                                 <input type="password" class="form-</pre>
control" id="password" name="password" placeholder="Password"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Password'">
                             </div>
                             <div class="col-md-12 form-group">
```

Register.php

```
if(isset($user)){
        header("location: index.php");
        ob end flush();
        exit;
    <!-- Start Banner Area -->
    <section class="banner-area organic-breadcrumb">
        <div class="container">
            <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
                <div class="col-first">
                    <h1>Login/Register</h1>
                    <nav class="d-flex align-items-center">
                        <a href="index.html">Home<span class="lnr lnr-</pre>
arrow-right"></span></a>
                        <a href="category.html">Login/Register</a>
                    </nav>
                </div>
            </div>
        </div>
    </section>
    <!-- End Banner Area -->
    <!--=======Login Box Area =========->
    <section class="login box area section gap">
        <div class="container">
```

```
<div class="row">
               <div class="col-lg-6">
                   <div class="login form inner">
                       <h3>Create account</h3>
                       <div class="success"></div>
                       <form class="row login form"</pre>
action="models/registerUser.php" method="post" id="contactForm"
novalidate="novalidate">
                           <div class="col-md-12 form-group">
                               <input type="text" class="form-control"</pre>
id="firstN" name="name" placeholder="First name" onfocus="this.placeholder
= ''" onblur="this.placeholder = 'First name'">
                           </div>
                           <div class="col-md-12 form-group">
                           <input type="text" class="form-control"</pre>
id="lastN" name="name" placeholder="Last name" onfocus="this.placeholder =
''" onblur="this.placeholder = 'Last name'">
                           </div>
                           <div class="col-md-12 form-group">
                           <input type="text" class="form-control"</pre>
id="email" name="name" placeholder="Email" onfocus="this.placeholder = ''"
onblur="this.placeholder = 'Email'">
                           </div>
                           <div class="col-md-12 form-group">
                           <input type="password" class="form-</pre>
control" id="password" name="name" placeholder="Password"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Password'">
                           </div>
                           <div class="col-md-12 form-group">
                           <input type="password" class="form-</pre>
control" id="passwordConfirm" name="name" placeholder="Confirm password"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Confirm
password'">
                           </div>
                           <div class="col-md-12 form-group">
```

```
<button type="submit" value="submit"</pre>
class="primary-btn register-btn">Register
                            </div>
                        </form>
                    </div>
                </div>
                <div class="col-lg-6">
                    <div class="login box img">
                        <img class="img-fluid" src="assets/img/login.jpg"</pre>
alt="">
                        <div class="hover">
                            <h4>You alredy have account?</h4>
                            There are advances being made in science
and technology everyday, and a good example of this is the
                           <a class="primary-btn"</pre>
href="index.php?page=login">Log in</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <!--=========End Login Box Area =========->
```

Views/pages/shop.php

```
<a href="category.html">Fashon Category</a>
                   </nav>
               </div>
           </div>
        </div>
    </section>
    <!-- End Banner Area -->
    <div class="container">
       <div class="row">
           <div class="col-x1-3 col-lg-4 col-md-5">
               <div class="sidebar-filter mt-50">
                   <div class="top-filter-head">Product Filters</div>
                   <div class="common-filter">
                       <div class="head">Brands</div>
                       <form action="#">
                           <l
                               <?php foreach($brands as $brand):?>
                               <input</pre>
class="pixel-checkbox brand" type="checkbox" id="black" data-id="<?php</pre>
echo $brand['brand id']?>"><label for="black"><?php echo
$brand['brand']?></label>
                               <?php endforeach;?>
                           </form>
                   </div>
                   <div class="common-filter">
                       <div class="head">Categories</div>
                       <form action="#">
                           <l
                               <?php foreach($categories as $category):?>
                               <input</pre>
class="pixel-checkbox category" type="checkbox" id="black" data-id="<?php</pre>
echo $category['category_id']?>"><label for="black"><?php echo
$category['category']?></label>
                               <?php endforeach;?>
                           </form>
                   </div>
                   <div class="common-filter">
                       <div class="head">Genders</div>
                       <form action="#">
                           <l
                               <?php foreach($genders as $gender):?>
```

```
<input</pre>
class="pixel-checkbox gender" type="checkbox" id="black" data-id="<?php</pre>
echo $gender['gender id']?>"><label for="black"><?php echo</pre>
$gender['gender']?></label>
                                <?php endforeach;?>
                            </form>
                    </div>
                </div>
            </div>
            <div class="col-xl-9 col-lg-8 col-md-7">
                <!-- Start Filter Bar -->
                <div class="filter-bar d-flex flex-wrap align-items-center</pre>
row">
                    <div class="col-10 d-flex align-items-center">
                        <div class="form-group mr-2">
                            <select class="form-control" id="sort">
                                <option value="desc">Price
Descending</option>
                                <option value="asc">Price
Ascending</option>
                                <option value="newest">Newest</option>
                            </select>
                        </div>
                        <div class="form-group">
                            <select class="perPage form-control"'>
                                <option value="3">Show 3</option>
                                <option value="6" selected>Show 6</option>
                                <option value="9">Show 9</option>
                            </select>
                        </div>
                    </div>
                    <div class="col-2">
                    <div class="pagination">
                        <a href="#" class="prev-arrow"><i class="fa fa-
long-arrow-left" aria-hidden="true"></i></a>
                        <a href="#" class="next-arrow"><i class="fa fa-
long-arrow-right" aria-hidden="true"></i></a>
                    </div>
                    </div>
                </div>
                <!-- End Filter Bar -->
```

```
<!-- Start Best Seller -->
                <section class="lattest-product-area pb-40 category-list">
                    <div class="row product-container">
                    </div>
                </section>
                <!-- End Best Seller -->
                <!-- Start Filter Bar -->
                <div class="filter-bar justify-content-between d-flex</pre>
flex-wrap align-items-center mb-4">
                    <div class="form-group">
                        <select class="perPage form-control"'>
                             <option value="3">Show 3</option>
                             <option value="6" selected>Show 6</option>
                             <option value="9">Show 9</option>
                        </select>
                    </div>
                    <div class="pagination">
                         <a href="#" class="prev-arrow"><i class="fa fa-
long-arrow-left" aria-hidden="true"></i>></a>
                        <a href="#" class="next-arrow"><i class="fa fa-
long-arrow-right" aria-hidden="true"></i></a>
                    </div>
                </div>
                <!-- End Filter Bar -->
            </div>
        </div>
    </div>
```

Views/pages/single-product.php

```
<!-- Start Banner Area -->
<section class="banner-area organic-breadcrumb">
       <div class="container">
            <div class="breadcrumb-banner d-flex flex-wrap align-items-</pre>
center justify-content-end">
                <div class="col-first">
                   <h1>Product Details Page</h1>
                   <nav class="d-flex align-items-center">
                       <a href="index.html">Home<span class="lnr lnr-</pre>
arrow-right"></span></a>
                       <a href="#">Shop<span class="lnr lnr-arrow-
right"></span></a>
                       <a href="single-product.html">product-details</a>
                    </nav>
               </div>
           </div>
       </div>
    </section>
    <!-- End Banner Area -->
    <?php $productImages=getItems('images',$_GET['prodid'])?>
    <div class="product image area">
        <div class="container">
            <div class="row s product inner">
                <div class="col-lg-6">
                   <div class="s Product carousel">
                       <div class="single-prd-item">
                           <img class="img-fluid"</pre>
src="assets/ProductImages/allProductImages/<?php echo</pre>
$product['mainImg']?>" alt="aa">
                       <?php foreach($productImages as $img):?>
                       <div class="single-prd-item">
                           <img class="img-fluid"</pre>
src="assets/ProductImages/allProductImages/<?php echo $img['src']?>"
alt="">
                       </div>
                       <?php endforeach;?>
                   </div>
               </div>
```

```
<div class="col-lg-5 offset-lg-1">
                   <div class="s product text">
                       <h3><?php echo $product['name']?></h3>
                       <h2>$ <?php echo $product['percentage']===null?
number format($product['price'], 2) : number format($product['price']-
($product['price']*$product['percentage']/100), 2) ?></h2>
                       <a class="active"</li>
href="#"><span>Category</span> : <?php echo</pre>
$product['category']?></a>
                           <a href="#"><span>Availibility</span> :
<?php echo $product['quantity']>0 ? " In Stock" : " Out Stock"?></a>
                       <?php echo $product['description']?>
                       <div class="blk error""></div>
                       <div class="sizes">
                           <?php foreach($allSizes as $size):?>
                               <span class="btn</pre>
btn-size btn-custom size" data-id=<?php echo $size['size id']?>><?php echo
$size['size']?></span>
                               <?php endforeach;?>
                           </div>
                       <div class="product count">
                           <label for="qty">Quantity: <?php echo</pre>
$product['quantity']?></label>
                           <input type="number" name="qty" maxlength="12"</pre>
value="1" min="1" max='<?php echo $product['quantity']?>'
title="Quantity:" class="input-text qty">
                       </div>
                       <?php if(isset($ SESSION['user']) &&</pre>
$product['quantity']>0):?>
                       <div class="card area d-flex align-items-center">
                           <a class="primary-btn" id="addToCart" data-uid</pre>
=<?=$ SESSION['user']['user id']?> data-id=<?=$product['product id']?>
href="#">Add to Cart</a>
                           <a class="icon btn" href="#"><i class="lnr lnr</pre>
lnr-heart"></i></a>
                       </div>
                           <div class="card area d-flex align-items-</pre>
center">
```

```
Please log in for
shopping
                   </div>
                   <?php endif;?>
                </div>
             </div>
         </div>
      </div>
   </div>
   <!--============End Single Product Area =============-->
   <section class="product description area">
      <div class="container">
         class="nav-item">
                <a class="nav-link " id="profile-tab" data-</pre>
toggle="tab" href="#profile" role="tab" aria-controls="profile"
                 aria-selected="false">Specification</a>
             <div class="tab-content" id="myTabContent">
             <div class="tab-pane fade tab-pane fade active show"</pre>
id="profile" role="tabpanel" aria-labelledby="profile-tab">
                <div class="table-responsive">
                   <?php $specifications =</pre>
getAllSpecifications($ GET['prodid']);?>
                          <?php foreach($specifications as</pre>
$spec):?>
                             $spec['specification']?></h5>
                             $spec['value']?></h5>
```

Views/adminPanel/admin.php

```
session start();
  include '../../models/functions.php';
  include '../../config/connection.php';
  include '../../models/logFileFunctions.php';
  if(!isset($_SESSION['user']) || $_SESSION['user']['role_id']!==2){
   header('Location: ../../index.php');
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
  <title>Skydash Admin</title>
  <!-- plugins:css -->
  <link rel="stylesheet" href="vendors/feather.css">
  <link rel="stylesheet" href="vendors/ti-icons/css/themify-icons.css">
  <link rel="stylesheet" href="vendors/css/vendor.bundle.base.css">
  <!-- endinject -->
  <!-- Plugin css for this page -->
```

```
<link rel="stylesheet" href="vendors/datatables.net-</pre>
bs4/dataTables.bootstrap4.css">
  <link rel="stylesheet" href="vendors/ti-icons/css/themify-icons.css">
  <link rel="stylesheet" type="text/css"</pre>
href="js/select.dataTables.min.css">
  <!-- End plugin css for this page -->
  <!-- inject:css -->
  <link rel="stylesheet" href="css/vertical-layout-light/style.css">
  <!-- endinject -->
  <link rel="shortcut icon" href="images/favicon.png" />
</head>
<body>
  <div class="container-scroller">
    <!-- partial:partials/ navbar.html -->
    <?php include 'partials/nav.php'?>
    <!-- partial -->
    <div class="container-fluid page-body-wrapper">
      <!-- partial:partials/ settings-panel.html -->
      <div class="theme-setting-wrapper">
        <div id="settings-trigger"><i class="ti-settings"></i></div>
        <div id="theme-settings" class="settings-panel">
          <i class="settings-close ti-close"></i></i>
         SIDEBAR SKINS
          <div class="sidebar-bg-options selected" id="sidebar-light-</pre>
theme"><div class="img-ss rounded-circle bg-light border mr-
3"></div>Light</div>
          <div class="sidebar-bg-options" id="sidebar-dark-theme"><div</pre>
class="img-ss rounded-circle bg-dark border mr-3"></div>Dark</div>
         HEADER SKINS
          <div class="color-tiles mx-0 px-4">
            <div class="tiles success"></div>
            <div class="tiles warning"></div>
           <div class="tiles danger"></div>
            <div class="tiles info"></div>
           <div class="tiles dark"></div>
           <div class="tiles default"></div>
         </div>
        </div>
      </div>
      <!-- partial -->
      <!-- partial:partials/ sidebar.html -->
      <?php include 'partials/sidebar.php'?>
```

```
<!-- partial -->
      <div class="main-panel">
          $page = isset($ GET['page']) ? $ GET['page'] : 'home';
          switch ($page) {
            case 'list':
              include 'partials/list.php';
              break;
            case 'additem':
              include 'partials/additem.php';
              break;
            case 'edit':
              include 'partials/editItems.php';
              break;
            default: include 'partials/adminHome.php';
        <!-- content-wrapper ends -->
        <!-- partial:partials/ footer.html -->
        <footer class="footer">
          <div class="d-sm-flex justify-content-center justify-content-sm-</pre>
between">
            <span class="text-muted text-center text-sm-left d-block d-sm-</pre>
inline-block">Copyright © 2021. Premium <a
href="https://www.bootstrapdash.com/" target="_blank">Bootstrap admin
template</a> from BootstrapDash. All rights reserved./span>
            <span class="float-none float-sm-right d-block mt-1 mt-sm-0"</pre>
text-center">Hand-crafted & made with <i class="ti-heart text-danger ml-
1"></i>></span>
          </div>
          <div class="d-sm-flex justify-content-center justify-content-sm-</pre>
between">
            <span class="text-muted text-center text-sm-left d-block d-sm-</pre>
inline-block">Distributed by <a href="https://www.themewagon.com/"</pre>
target=" blank">Themewagon</a></span>
```

```
</div>
        </footer>
        <!-- partial -->
      </div>
      <!-- main-panel ends -->
    </div>
    <!-- page-body-wrapper ends -->
  <!-- container-scroller -->
  <!-- plugins:js -->
  <script src="vendors/js/vendor.bundle.base.js"></script>
  <!-- endinject -->
  <!-- Plugin js for this page -->
  <script src="vendors/chart.js/Chart.min.js"></script>
  <script src="vendors/datatables.net/jquery.dataTables.js"></script>
  <script src="vendors/datatables.net-</pre>
bs4/dataTables.bootstrap4.js"></script>
  <script src="js/dataTables.select.min.js"></script>
  <!-- End plugin js for this page -->
  <!-- inject:js -->
  <script src="js/off-canvas.js"></script>
  <script src="js/hoverable-collapse.js"></script>
  <script src="js/template.js"></script>
  <script src="js/settings.js"></script>
  <script src="js/todolist.js"></script>
  <!-- endinject -->
  <!-- Custom js for this page-->
  <script src="js/dashboard.js"></script>
  <script src="js/Chart.roundedBarCharts.js"></script>
  <script src="js/customJS/custom.js"></script>
  <!-- End custom js for this page-->
</body>
</html>
```

Views/adminPanel/partials/additem.php

```
<?php
   include '../../config/connection.php';
   $allBrands = getItems('brands');
   $allCategories = getItems('categories');</pre>
```

```
$allGenders = getItems('genders');
    $allSpecification = getItems('specifications');
    $allDiscounts = getItems('discounts');
    $allSizes = getItems('sizes');
    $allRoles = getItems('roles');
    $allProducts = getItems('products');
<div class="main-panel">
        <div class="content-wrapper">
          <div class="row">
            <div class="col-lg-12 grid-margin stretch-card">
              <div class="card">
                <div class="error">
                </div>
                    <?php if($_GET['table']==='products'):?>
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($ SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                            </div>
                            <form
action="../../models/products/insertProduct.php"
method="post" enctype="multipart/form-data" onSubmit="return
validationProduct()">
                                <div class="form-group">
                                    <label
for="exampleInputEmail1">Product name</label>
                                    <input type="text" name='name'</pre>
class="form-control" id="name" aria-describedby="emailHelp"
placeholder="Example (Nike_Invincible_3)">
```

```
</div>
                                  <div class="form-group">
                                  <label
for="exampleInputEmail1">Category</label>
                                     <select name="category" id="category"</pre>
class="form-control">
                                          <option value="0">Choose
category</option>
                                          <?php foreach($allCategories as</pre>
$category):?>
                                              <option value="<?php echo</pre>
$category['category_id']?>"><?php echo $category['category']?></option>
                                          <?php endforeach;?>
                                      </select>
                                  </div>
                                  <div class="form-group">
                                  <label
for="exampleInputEmail1">Brand</label>
                                     <select name="brand" id="brand"</pre>
class="form-control">
                                          <option value="0">Choose
brand
                                          <?php foreach($allBrands as</pre>
$brand):?>
                                              <option value="<?php echo</pre>
$brand['brand_id']?>"><?php echo $brand['brand']?></option>
                                          <?php endforeach;?>
                                      </select>
                                  </div>
                                  <div class="form-group">
                                      <label
for="exampleFormControlFile1">Upload product <strong>MAIN</strong>
image</label>
                                      <input type="file" name='img'</pre>
class="form-control-file" id="exampleFormControlFile1">
                                 </div>
                                 <div class="form-group">
                                      <label
for="exampleFormControlFile1">Upload more product images</label>
                                     <input type="file" multiple="multiple"</pre>
name='imgs[]' class="form-control-file" id="exampleFormControlFile1">
                                 </div>
                                 <div class="form-group">
```

```
<label for="exampleInputEmail1">Add
price</label>
                                      <input type="text" name='price'</pre>
class="form-control" id="price" aria-describedby="emailHelp"
placeholder="$69.99">
                                  </div>
                                  <div class="form-group">
for="exampleInputEmail1">Gender</label>
                                      <div class="genders"> <?php</pre>
foreach($allGenders as $gender):?>
$gender['gender']?></label>
                                              <input type='radio'</pre>
class='gender' name='gender' value="<?php echo $gender['gender_id']?>"/>
                                          <?php endforeach;?></div>
                                  </div>
                                  <div class="form-group">
for="exampleInputEmail1">Quantity</label>
                                      <input type="text" name='qty'</pre>
class="form-control" id="qty" aria-describedby="emailHelp"
placeholder="Quantity">
                                  </div>
                                  <div class="form-group">
                                  <label for="exampleInputEmail1">Choose
discount</label>
                                      <select name="discount" id="discount"</pre>
class="form-control">
                                          <option value="0">Choose
discount</option>
                                          <?php foreach($allDiscounts as</pre>
$discount):?>
                                              <option value="<?php echo</pre>
$discount['discount_id']?>"><?php echo $discount['percentage']?></option>
                                          <?php endforeach;?>
                                      </select>
                                  </div>
                                  <div class="form-group">
                                      <label for="exampleInputEmail1">Add
description</label>
```

```
<input type="text" name='description'</pre>
class="form-control" id="description" aria-describedby="emailHelp"
placeholder="Description">
                                  </div>
                                  <div class="form-group">
                                  <h3 for="exampleInputEmail1"
class="">Choose sizes</h3>
                                      <div class="genders"> <?php</pre>
foreach($allSizes as $size):?>
                                              <label><?php echo
$size['size']?></label>
                                              <input type='checkbox'</pre>
class="sizes" name='sizes[]' value="<?php echo $size['size id']?>"/>
                                          <?php endforeach;?></div>
                                  </div>
                                  <div class="form-group">
for="exampleInputEmail1"><strong>Add Specifications</strong></h4>
                                      <?php foreach($allSpecification as</pre>
$spec):?>
                                          <div class="form-group">
                                          <label
for="exampleInputEmail1"><?php echo $spec['specification']?></label>
                                          <input type="text" name='spec<?php</pre>
echo $spec['specification id']?>' class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="<?php</pre>
echo $spec['specification']?>">
                                          <input type="hidden" name="id<?php</pre>
echo $spec['specification']?>" value="<?php echo</pre>
$spec['specification id']?>">
                                          </div>
                                      <?php endforeach;?>
                                  </div>
                                  <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                                 </form>
                         </div>
                     <?php elseif($_GET['table']==='categories'):?>
                         <div class="card-body">
                             <div class="errors">
                                 <l
if(isset($ SESSION['user']['errors'])):?>
```

```
foreach($ SESSION['user']['errors'] as $error):?>
                                           <?php</pre>
echo $error;?>
                                       <?php endforeach;?>
                                   <?php endif;?>
                               </div>
                           <div class="success">
                               <?php echo isset($ GET['success'])</pre>
  "<strong class='text-success'>".$_GET['success']."</strong>" : ''?>
                           </div>
                           <form
action="../../models/insert.php?table=categories" method="post"
onSubmit="return validateCategory()">
                               <div class="form-group">
                                   <label for="exampleInputEmail1">Add
Category</label>
                                   <input type="text" name='category'</pre>
class="form-control" id="category" aria-describedby="emailHelp"
placeholder="Example (Basketball shoes)">
                               <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                           </form>
                       </div>
                   <?php elseif($_GET['table']==='brands'):?>
                       <div class="card-body">
                           <div class="errors">
                               <111>
if(isset($ SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                           <?php</pre>
echo $error;?>
                                       <?php endforeach;?>
                                   <?php endif;?>
                               </div>
                           <div class="success">
                               <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
```

```
</div>
                            <form
action="../../models/insert.php?table=brands" method="post"
onSubmit="return validateBrand()">
                                <div class="form-group">
                                    <label for="exampleInputEmail1">Add
Brand</label>
                                    <input type="text" name='brand'</pre>
class="form-control" id="brand" aria-describedby="emailHelp"
placeholder="Example (Nike)">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                            </form>
                        </div>
                    <?php elseif($ GET['table']==='sizes'):?>
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($ SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                        <?php endforeach;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                            </div>
                            <form
action="../../models/insert.php?table=sizes" method="post"
onSubmit="return validateSizes()">
                                <div class="form-group">
                                    <label
for="exampleInputEmail1">Size</label>
                                    <input type="text" name='size'</pre>
class="form-control" id="size" aria-describedby="emailHelp"
placeholder="Example (45)">
                                </div>
```

```
<button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                            </form>
                        </div>
                    <?php elseif($_GET['table']==='specifications'):?>
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($ SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                        <?php endforeach;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($ GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                            </div>
                            <form
action="../../models/insert.php?table=specifications" method="post"
onSubmit="return validateSpecification()">
                                <div class="form-group">
                                    <label
for="exampleInputEmail1">Specification</label>
                                    <input type="text"</pre>
name='specification' class="form-control" id="spec" aria-
describedby="emailHelp" placeholder="Example (Material)">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                            </form>
                        </div>
                    <?php elseif($_GET['table']==='genders'):?>
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($ SESSION['user']['errors'])):?>
```

```
foreach($ SESSION['user']['errors'] as $error):?>
                                           <?php</pre>
echo $error;?>
                                       <?php endforeach;?>
                                   <?php endif;?>
                               </div>
                           <div class="success">
                               <?php echo isset($ GET['success'])</pre>
 "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                           </div>
                           <form
action="../../models/insert.php?table=genders" method="post"
onSubmit="return validateGender()">
                               <div class="form-group">
                                   <label
for="exampleInputEmail1">Gender</label>
                                   <input type="text" name='gender'</pre>
class="form-control" id="gender" aria-describedby="emailHelp"
placeholder="Example (Male)">
                               </div>
                               <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                           </form>
                       </div>
                   <?php elseif($_GET['table']==='roles'):?>
                       <div class="card-body">
                           <div class="errors">
                               <111>
if(isset($_SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                           <?php</pre>
echo $error;?>
                                       <?php endforeach;?>
                                   <?php endif;?>
                               </div>
                           <div class="success">
                               <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
```

```
</div>
                            <form
action="../../models/insert.php?table=roles" method="post"
onSubmit="return validateRole()">
                                <div class="form-group">
                                    <label
for="exampleInputEmail1">Role</label>
                                    <input type="text" name='roles'</pre>
class="form-control" id="role" aria-describedby="emailHelp"
placeholder="Example (User)">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                            </form>
                        </div>
                    <?php elseif($ GET['table']==='users'):?>
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($ SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                        <?php endforeach;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                            </div>
                            <form
action="../../models/insert.php?table=users" method="post"
onSubmit="return validateUser()">
                                <div class="form-group">
                                    <label for="exampleInputEmail1">First
Name</label>
                                    <input type="text" name='fName'</pre>
class="form-control" id="fName" aria-describedby="emailHelp"
placeholder="Example (Marko)">
                                </div>
```

```
<div class="form-group">
                                      <label for="exampleInputEmail1">Last
Name</label>
                                      <input type="text" name='LName'</pre>
class="form-control" id="lName" aria-describedby="emailHelp"
placeholder="Example (Markovic)">
                                  </div>
                                  <div class="form-group">
                                      <label</pre>
for="exampleInputEmail1">Email</label>
                                     <input type="text" name='email'</pre>
class="form-control" id="email" aria-describedby="emailHelp"
placeholder="Example (marko@gmail.com)">
                                 </div>
                                  <div class="form-group">
                                      <label
for="exampleInputEmail1">Password</label>
                                     <input type="password" name='password'</pre>
class="form-control" id="password" aria-describedby="emailHelp"
placeholder="password">
                                 </div>
                                  <div class="form-group">
                                      <label
for="exampleInputEmail1">Role</label>
                                          <select name="role" id="role"</pre>
class="form-control">
                                              <option value="0">Choose
Role
                                              <?php foreach($allRoles as</pre>
$role):?>
                                                  <option value="<?php echo</pre>
$role['role_id']?>"><?php echo $role['role']?></option>
                                              <?php endforeach;?>
                                          </select>
                                  </div>
                                 <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                             </form>
                         </div>
                     <?php elseif($_GET['table']==='discounts'):?>
                         <div class="card-body">
                             <div class="errors">
```

```
if(isset($ SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                        <?php endforeach;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$ GET['success']."</strong>" : ''?>
                            </div>
                            <form
action="../../models/insert.php?table=discounts" method="post"
onSubmit="return validateDiscount()">
                                <div class="form-group">
                                    <label
for="exampleInputEmail1">Percentage</label>
                                    <input type="text" id="discount"</pre>
name='percentage' class="form-control" placeholder="Percentage">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Insert</button>
                            </form>
                        </div>
                    <?php endif;?>
              </div>
            </div>
          </div>
        </div>
</div>
      <!-- main-panel ends -->
```

Views/adminpanel/partials/adminHome.php

```
<div class="col-lg-12 grid-margin stretch-card">
       <div class="card">
         <div class="card-body">
          <h4 class="card-title">Page statistic</h4>
          <div class="table-responsive pt-3">
           <thead>
                 Page
                    All visits
                    Today's visit
                    Visit in %
                 </thead>
                 Home
getAllTodayPageViews('home')?>
Shop
<?php echo
getAllTodayPageViews('shop')?>
Login
getAllPageViews('login')?>
getAllTodayPageViews('login')?>
```

```
Register
getAllPageViews('register')?>
getAllTodayPageViews('register')?>
                                                                                                                              <?php echo
Single-Product
getAllPageViews('single-product')?>
                                                                                                                              <enueration control co
getAllTodayPageViews('single-product')?>
Checkout
getAllPageViews('checkout')?>
getAllTodayPageViews('checkout')?>
visitInPercentage('checkout')?>%
                                                                                                                Confirmation
getAllPageViews('confirmation')?>
getAllTodayPageViews('confirmation')?>
visitInPercentage('confirmation')?>%
                                                                                                               </div>
                                                        </div>
                                                 </div>
                                          </div>
                                          <div class="col-lg-6 grid-margin stretch-card">
                                                 <div class="card">
```

```
<div class="card-body">
            <h4 class="card-title">User statistic</h4>
            <div class="table-responsive pt-3">
              <thead>
                      Number of today logged users
                         Date
                      </thead>
                      >
<?php echo date('Y/m/d');?>
                       </div>
           </div>
          </div>
        </div>
       </div>
     </div>
</div>
    <!-- main-panel ends -->
```

Views/adminpanel/partials/categories.php

Views/adminpanel/partials/editItems.php

```
include '../../config/connection.php';
    $allBrands = getItems('brands');
   $allCategories = getItems('categories');
   $allGenders = getItems('genders');
   $allSpecification = getItems('specifications');
   $allDiscounts = getItems('discounts');
   $allSizes = getItems('sizes');
   $allRoles = getItems('roles');
   $allProducts = getItems('products');
   $allProductSizes = getItems('product size')
<div class="main-panel">
        <div class="content-wrapper">
          <div class="row">
            <div class="col-lg-12 grid-margin stretch-card">
              <div class="card">
                <div class="error">
                </div>
                <?php if($_GET['table']==='products'):?>
                    <?php $product = getSingleProduct($ GET['id'])?>
                    <div class="card-body">
```

```
<div class="errors">
                             <l
if(isset($_SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                         class="text-danger"><?php echo</li>
$error;?>
                                     <?php endforeach;?>
                                 <?php endif;?>
                             </div>
                         <div class="success">
                            <?php echo isset($ GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                         <form
action="../../models/update.php?table=products"
method="post" enctype="multipart/form-data" onSubmit="return
validationUptProduct()">
                             <div class="form-group">
                                 <label for="exampleInputEmail1">Product
name</label>
                                 <input type="text" name='name' id='name'</pre>
class="form-control" value="<?php echo $product['name']?>">
                             </div>
                             <div class="form-group">
                             <label</pre>
for="exampleInputEmail1">Category</label>
                                <select name="category" id="category"</pre>
class="form-control">
                                     <option value="0">Choose
category</option>
                                     <?php foreach($allCategories as</pre>
$category):?>
if($category['category_id']==$product['category_id']) echo 'selected'?>
value="<?php echo $category['category_id']?>"><?php echo</pre>
$category['category']?></option>
                                     <?php endforeach;?>
                                 </select>
                             </div>
                             <div class="form-group">
```

```
<label for="exampleInputEmail1">Brand</label>
                                  <select name="brand" id="brand"</pre>
class="form-control">
                                      <option value="0">Choose
brand</option>
                                      <?php foreach($allBrands as $brand):?>
if($brand['brand id']==$product['brand id']) echo 'selected'?>
value="<?php echo $brand['brand_id']?>"><?php echo</pre>
$brand['brand']?></option>
                                      <?php endforeach;?>
                                  </select>
                              </div>
                              <div class="form-group">
                                  <label
for="exampleFormControlFile1">Upload product <strong>MAIN</strong>
image</label>
                                  <input type="file" name='img' class="form-</pre>
control-file" id="exampleFormControlFile1">
                              </div>
                              <div class="form-group">
                                  <label for="exampleInputEmail1">Add
description</label>
                                  <input type="text" name='description'</pre>
id="description" class="form-control" value="<?php echo</pre>
$product['description']?>">
                              </div>
                              <div class="form-group">
                              <label for="exampleInputEmail1">Gender</label>
                                  <div class="genders"> <?php</pre>
foreach($allGenders as $gender):?>
                                          <label><?php echo</pre>
$gender['gender']?></label>
if($gender['gender_id']==$product['gender_id']) echo 'checked'?>
type='radio' name='gender' class="gender" value="<?php echo</pre>
$gender['gender_id']?>"/>
                                      <?php endforeach;?></div>
                              </div>
                              <input type="hidden" name="id" value=<?php</pre>
echo $_GET['id']?>>
                              <button type="submit" name="submitBtn"</pre>
class="btn btn-primary mb-3">Edit</button>
```

```
</form>
                         <form
action="../../models/insert.php?table=images&id=<?php echo $ GET['id']?>"
method="post" enctype="multipart/form-data">
                             <div class="form-group">
                                 <label
for="exampleFormControlFile1">Upload more product images</label>
                                 <input type="file" multiple="multiple"</pre>
name='imgs[]' class="form-control-file" id="exampleFormControlFile1">
                                 <button type="submit" name="submitBtn"</pre>
class="btn btn-primary mt-3">Upload</button>
                             <div class="img-container">
                             </div>
                         </form>
action="../../models/update.php?table=prices&id=<?php echo $_GET['id']?>"
method="post" onSubmit="return validatePrice()">
                             <div class="form-group">
                                 <label for="exampleInputEmail1">Edit
price</label>
                                 <input type="text" name='price' id="price"</pre>
class="form-control" value="<?php echo $product['price']?>">
                                 <input type="hidden" name="id" value=<?php</pre>
echo $product['price_id']?>>
                                 <button type="submit" name="submitBtn"</pre>
class="btn btn-primary mt-3">Edit</button>
                             </div>
                         </form>
                         <form
action="../../models/update.php?table=product inventory&id=<?php echo</pre>
$ GET['id']?>" method="post" onSubmit="return valdiateQty()">
                             <div class="form-group">
                                     global $conn;
                                     $inventory = $conn->prepare("SELECT *
FROM product_inventory WHERE product_id =".$_GET['id']);
                                     $inventory->execute();
```

```
$inventory = $inventory-
>fetch(PDO::FETCH ASSOC);
                                 <label
for="exampleInputEmail1">Quantity</label>
                                 <input type="text" id="qty" name='qty'</pre>
class="form-control" value="<?php echo $product['quantity']?>">
                                 <input type="hidden" name="id"</pre>
value="<?php echo $inventory['inventory id']?>">
                                 <button type="submit" name="submitBtn"</pre>
class="btn btn-primary mt-3">Edit</button>
                             </div>
                         </form>
                         <form
action="../../models/update.php?table=productdiscounts&id=<?php echo</pre>
$ GET['id']?>" method="post" onSubmit="return validateDiscount()">
                                     global $conn;
                                     $singleDiscount = $conn-
>prepare("SELECT * FROM prices WHERE product id=".$ GET['id']." ORDER BY
date DESC LIMIT 1;" );
                                     $singleDiscount->execute();
                                     $singleDiscount = $singleDiscount-
>fetch(PD0::FETCH ASSOC);
                                 <div class="form-group">
                                      <label for="exampleInputEmail1">Choose
discount</label>
                                     <select name="discount" id="discount"</pre>
class="form-control">
                                          <option value="">Choose
discount
                                          <?php foreach($allDiscounts as</pre>
$discount):?>
if($singleDiscount['discount id']==$discount['discount id']) echo
'selected'?> value="<?php echo $discount['discount_id']?>"><?php echo</pre>
$discount['percentage']?></option>
                                          <?php endforeach;?>
                                     </select>
                                      <input type="hidden" name="priceID"</pre>
value="<?php echo $singleDiscount['price id']?>">
```

```
<button type="submit" name="submitBtn"</pre>
class="btn btn-primary mt-3">Edit</button>
                                </div>
                        </form>
                        <form class="product sizes">
                            <div class="form-group">
                            <h3 for="exampleInputEmail1" class="">Choose
sizes</h3>
                                <!-- <?php
                                    global $conn;
                                    $productSizes = $conn->prepare("SELECT
size id FROM product size WHERE product id=:id");
                                    $productSizes->bindParam(":id",
$_GET['id']);
                                    $productSizes->execute();
                                    $productSizes = $productSizes-
>fetchAll(PDO::FETCH ASSOC);
                                    $sizesId = [];
                                    foreach($productSizes as $s){
                                        array push($sizesId,
$s['size id']);
                                <h4>Available sizes:</h4>
                                <div class="sizes">
                                </div>
                                <div class="form-group">
                                    <label for="addSizeDdl">Add size for
Product</label>
                                    <select class="form-control"</pre>
id="addSizeDdl">
                                            <?php foreach($allSizes as</pre>
$size):?>
                                                <option value="<?php echo</pre>
$size['size_id']?>"><?php echo $size['size']?></option>
endforeach;?>
                                    </select>
                                </div>
```

```
<div class="form-group">
                                     <a href="" id="addSizeBtn" class="btn
btn-primary">Add size</a>
                                 </div>
                         </form>
                         <form class="form-spec">
                                     global $conn;
                                     $productSpec = $conn->prepare("SELECT
 FROM product specification WHERE prod id=:id");
                                     $productSpec->bindParam(":id",
$ GET['id']);
                                     $productSpec->execute();
                                     $productSpec = $productSpec-
>fetchAll(PDO::FETCH ASSOC);
                             <div class="form-group">
                                 <h4 for="exampleInputEmail1"><strong>Add
Specifications</strong></h4>
                                 <div class="success-spec"></div>
                                 <div class="specification-container">
                                     <!-- <div class="spec mb-3 d-flex
align-items-center">
                                         <h5 class="my-0 mx-2">Colour</h5>
                                         <input type="text" id="spec-</pre>
value1" value="">
                                         <input type="button" data-</pre>
specid="1" class="specBtn ml-2 btn btn-sm btn-primary" value="Update">
                                         <input type="button" data-</pre>
specid="1" class="removeSpecBtn ml-2 btn btn-sm btn-danger"
value="Remove">
                                     </div> -->
                                 </div>
                                 <div class="addSpecCt my-4">
                                 <h5 class="my-2">Add specification</h5>
                                     <select id="specDdl">
```

```
<?php foreach($allSpecification as</pre>
$spec):?>
                                         <option value="<?php echo</pre>
$spec['specification id']?>"><?php echo $spec['specification']?></option>
                                         <?php endforeach; ?>
                                     </select>
                                     <input type="text" name=""</pre>
id="specificationValue" placeholder="Enter value">
                                    <input type="button" id="addSpec"</pre>
class="btn btn-sm btn-primary" value="Add specification">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary mt-3">Edit</button>
                        </form>
                    </div>
                <?php elseif($ GET['table']==='categories'):?>
                    $id = $ GET['id'];
                    $table = $ GET['table'];
                    $item = getSingleItem($id,$table, 'category_id');
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($_SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                             <?php</pre>
echo $error;?>
                                         <?php endforeach;?>
                                     <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($ GET['success'])</pre>
   "<strong class='text-success'>".$_GET['success']."</strong>" : ''?>
                            </div>
```

```
<form
action="../../models/update.php?table=categories" method="post"
onSubmit="return validateCategory()">
                                <input type="hidden"</pre>
name="id" value="<?php echo $ GET['id']?>">
                                <div class="form-group">
                                    <label for="exampleInputEmail1">Edit
Category</label>
                                    <input type="text" id="category"</pre>
name='category' class="form-control" value="<?php echo</pre>
$item['category']?>">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                            </form>
                        </div>
                <?php elseif($ GET['table']==='brands'):?>
                        $id = $ GET['id'];
                        $table = $ GET['table'];
                        $item = getSingleItem($id,$table, 'brand id');
                        <div class="card-body">
                            <div class="errors">
                                <l
if(isset($_SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                            <?php</pre>
echo $error;?>
                                        <?php endforeach;?>
                                    <?php endif;?>
                                </div>
                            <div class="success">
                                <?php echo isset($_GET['success'])</pre>
  "<strong class='text-success'>".$_GET['success']."</strong>" : ''?>
                            </div>
action="../../models/update.php?table=brands" method="post"
onSubmit="return validateGender()">
```

```
<input type="hidden"</pre>
name="id" value="<?php echo $ GET['id']?>">
                                <div class="form-group">
                                    <label for="exampleInputEmail1">Add
Brand</label>
                                    <input type="text" name='brand'</pre>
id="gender" class="form-control" value="<?php echo $item['brand']?>">
                                </div>
                                <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                            </form>
                        </div>
                <?php elseif($ GET['table']==='sizes'):?>
                    $id = $ GET['id'];
                    $table = $ GET['table'];
                    $item = getSingleItem($id,$table, 'size id');
                    <div class="card-body">
                        <div class="errors">
                            <l
if(isset($_SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                        <?php echo</pre>
$error;?>
                                    <?php endforeach;?>
                                <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($_GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                        <form action="../../models/update.php?table=sizes"</pre>
method="post" onSubmit="return validateSizes()">
                            <input type="hidden" name="id" value="<?php</pre>
echo $ GET['id']?>">
                            <div class="form-group">
                                <label for="exampleInputEmail1">Edit
Size</label>
```

```
<input type="text" name='size' id="size"</pre>
class="form-control" value="<?php echo $item['size']?>">
                            </div>
                            <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                        </form>
                    </div>
                <?php elseif($ GET['table']==='specifications'):?>
                    $id = $ GET['id'];
                    $table = $_GET['table'];
                    $item = getSingleItem($id,$table, 'specification_id');
                    <div class="card-body">
                        <div class="errors">
                            <l
if(isset($ SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                         <?php echo</pre>
$error;?>
                                    <?php endforeach;?>
                                <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($_GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                        <form
action="../../models/update.php?table=specifications" method="post"
onSubmit="return validateSpecification()">
                        <input type="hidden" name="id" value="<?php echo</pre>
$ GET['id']?>">
                            <div class="form-group">
                                <label for="exampleInputEmail1">Edit
Specification</label>
                                <input type="text" id="spec"</pre>
name='specification' class="form-control" value="<?php echo</pre>
$item['specification']?>">
                            </div>
```

```
<button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                        </form>
                    </div>
                <?php elseif($_GET['table']==='genders'):?>
                    $id = $ GET['id'];
                    $table = $_GET['table'];
                    $item = getSingleItem($id,$table, 'gender_id');
                    <div class="card-body">
                        <div class="errors">
                            <l
if(isset($_SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                        <?php echo</pre>
$error;?>
                                    <?php endforeach;?>
                                <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($_GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                        <form
action="../../models/update.php?table=genders" method="post"
onSubmit="return validateGender()">
                            <input type="hidden" name="id" value="<?php</pre>
echo $_GET['id']?>">
                            <div class="form-group">
                                <label
for="exampleInputEmail1">Gender</label>
                                <input type="text" id="gender"</pre>
name='gender' class="form-control" value="<?php echo $item['gender']?>">
                            </div>
                            <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                        </form>
                    </div>
                <?php elseif($ GET['table']==='roles'):?>
```

```
$id = $ GET['id'];
                    $table = $ GET['table'];
                    $item = getSingleItem($id,$table, 'role_id');
                    <div class="card-body">
                        <div class="errors">
                            <l
if(isset($_SESSION['user']['errors'])):?>
foreach($_SESSION['user']['errors'] as $error):?>
                                        <?php echo</pre>
$error;?>
                                    <?php endforeach;?>
                                <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($ GET['success']) ? "<strong</pre>
class='text-success'>".$ GET['success']."</strong>" : ''?>
                        </div>
                        <form action="../../models/update.php?table=roles"</pre>
method="post" onSubmit="return validateRole()">
                            <input type="hidden" name="id" value="<?php</pre>
echo $_GET['id']?>">
                            <div class="form-group">
                                <label</pre>
for="exampleInputEmail1">Role</label>
                                <input type="text" id="role" name='roles'</pre>
class="form-control" value="<?php echo $item['role']?>">
                            </div>
                            <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                        </form>
                    </div>
                <?php elseif($_GET['table']==='users'):?>
                    $id = $_GET['id'];
                    $table = $_GET['table'];
                    $item = getSingleItem($id,$table, 'user_id');
                    <div class="card-body">
```

```
<div class="errors">
                            <l
if(isset($_SESSION['user']['errors'])):?>
foreach($ SESSION['user']['errors'] as $error):?>
                                         <?php echo</pre>
$error;?>
                                     <?php endforeach;?>
                                 <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($ GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                        <form action="../../models/update.php?table=users"</pre>
method="post" onSubmit="return validateUser()">
                            <input type="hidden" name="id" value="<?php</pre>
echo $ GET['id']?>">
                            <div class="form-group">
                                 <label for="exampleInputEmail1">First
Name</label>
                                 <input type="text" name='fName' id="fName"</pre>
class="form-control" value="<?php echo $item['first name']?>">
                            </div>
                            <div class="form-group">
                                 <label for="exampleInputEmail1">Last
Name</label>
                                 <input type="text" name='LName' id="lName"</pre>
class="form-control" value="<?php echo $item['last name']?>")">
                            </div>
                            <div class="form-group">
                                 <label
for="exampleInputEmail1">Email</label>
                                <input type="text" name='email' id="email"</pre>
class="form-control" value="<?php echo $item['email']?>")">
                            </div>
                            <div class="form-group">
for="exampleInputEmail1">Password</label>
                                 <input type="password" id="password"</pre>
name='password' class="form-control" placeholder="enter new password">
```

```
</div>
                             <div class="form-group">
                                 <label
for="exampleInputEmail1">Role</label>
                                     <select name="role" id="role"</pre>
class="form-control">
                                          <option value="0">Choose
Role
                                         <?php foreach($allRoles as</pre>
$role):?>
if($role['role id']==$item['role id']) echo "selected" ?> value="<?php</pre>
echo $role['role id']?>"><?php echo $role['role']?></option>
                                         <?php endforeach;?>
                                     </select>
                             </div>
                             <div class="form-group">
                                 <label
for="exampleInputEmail1">Blocked</label>
                                     <select name="blockOption" id="role"</pre>
class="form-control">
                                         <option value="0" <?php</pre>
if($item['is_blocked']==0) echo 'selected'; ?>>Legit</option>
                                         <option value="1" <?php</pre>
if($item['is blocked']==1) echo 'selected'; ?>>Blocked</option>
                                     </select>
                             </div>
                             <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                         </form>
                     </div>
                <?php elseif($ GET['table']==='discounts'):?>
                         $id = $_GET['id'];
                         $table = $ GET['table'];
                         $item = getSingleItem($id,$table,'discount id');
                     <div class="card-body">
                         <div class="errors">
                             <l
if(isset($ SESSION['user']['errors'])):?>
```

```
foreach($ SESSION['user']['errors'] as $error):?>
                                         <?php echo</pre>
$error;?>
                                     <?php endforeach;?>
                                 <?php endif;?>
                            </div>
                        <div class="success">
                            <?php echo isset($_GET['success']) ? "<strong</pre>
class='text-success'>".$_GET['success']."</strong>" : ''?>
                        </div>
                        <form
action="../../models/update.php?table=discounts" method="post"
onSubmit="return validateDiscount()">
                            <input type="hidden" name="id" value="<?php</pre>
echo $ GET['id']?>">
                             <div class="form-group">
                                 <label</pre>
for="exampleInputEmail1">Percentage</label>
                                 <input type="text" id="discount"</pre>
name='percentage' class="form-control" value="<?php echo</pre>
$item['percentage']?>">
                            </div>
                            <button type="submit" name="submitBtn"</pre>
class="btn btn-primary">Edit</button>
                        </form>
                    </div>
                <?php endif;?>
              </div>
            </div>
          </div>
        </div>
</div>
      <!-- main-panel ends -->
```

Views/adminpanel/partials/list.php

```
<!--POPRAVITI OVAJ IF-->
<!php if($_GET['type']==='products' || $_GET['type']==='categories' ||
$_GET['type']==='brands' || $_GET['type']==='discounts' ||
$_GET['type']==='sizes' || $_GET['type']==='specifications' ||
```

```
$ GET['type']==='genders' || $ GET['type']==='users' ||
$ GET['type']==='roles'):?>
    <div class="main-panel">
        <div class="content-wrapper">
          <div class="row">
            <div class="col-lg-12 grid-margin stretch-card">
              <div class="card">
                <div class="card-body">
                  <h4 class="card-title">Bordered table</h4>
                  <div class="btn-container">
                     <a href="admin.php?page=additem&table=<?php echo</pre>
$ GET['type']?>" class='btn btn-primary'>Add <?php echo</pre>
$ GET['type']?></a>
                  </div>
                  <div class="table-responsive pt-3">
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
</div>
<?php endif;?>
```

Views/adminpanel/partials/nav.php

```
</button>
       <div class="input-group">
            <div class="input-group-prepend hover-cursor" id="navbar-</pre>
search-icon">
              <span class="input-group-text" id="search">
                <i class="icon-search"></i>
              </span>
            </div>
            <input type="text" class="form-control" id="navbar-search-</pre>
input" placeholder="Search now" aria-label="search" aria-
describedby="search">
          </div>
         <a class="nav-link dropdown-toggle" href="#" data-</pre>
toggle="dropdown" id="profileDropdown">
            <?php if(isset($ SESSION['user']['profile img'])):?>
              <img class="profileImg"</pre>
src="../../assets/userImages/<?=$_SESSION['user']['profile_img']?>"
alt="profile"/>
            <?php else:?>
              <img class="profileImg"</pre>
src="../../assets/userImages/man.png" alt="profile"/>
           </a>
           <div class="dropdown-menu dropdown-menu-right navbar-dropdown"</pre>
aria-labelledby="profileDropdown">
            <a href="../../models/RegistrationLogic/logout.php"</pre>
class="dropdown-item">
              <i class="ti-power-off text-primary"></i></i>
              Logout
            </a>
          </div>
         <button class="navbar-toggler navbar-toggler-right d-lg-none"</pre>
align-self-center" type="button" data-toggle="offcanvas">
         <span class="icon-menu"></span>
       </button>
```

```
</div>
</nav>
```

Views/adminpanel/partials/products.php

```
<div class="main-panel">
      <div class="content-wrapper">
        <div class="row">
         <div class="col-lg-12 grid-margin stretch-card">
           <div class="card">
             <div class="card-body">
              <h4 class="card-title">Bordered table</h4>
              <div class="btn-container">
                <a href="admin.php?page=addProduct" class='btn btn-</pre>
primary'>Add product</a>
              </div>
              <div class="table-responsive pt-3">
                <thead>
                   >
                     #
                     Image
                     Product Name
                     Brand
                     Category
                     Price
                     Discount
                     Edit
```

```
Remove
               </thead>
             </div>
         </div>
        </div>
       </div>
     </div>
    </div>
</div>
   <!-- main-panel ends -->
```

Views/adminpanel/partials/sidebar.php

```
<nav class="sidebar sidebar-offcanvas" id="sidebar">
       class="nav-item">
          <a class="nav-link" href="../../index.php">
            <i class="icon-grid menu-icon"></i></i></or>
            <span class="menu-title">Home Page</span>
          </a>
         <a class="nav-link" href="admin.php">
            <i class="icon-grid menu-icon"></i></i>
            <span class="menu-title">Dashboard</span>
          </a>
         <a class="nav-link" data-toggle="collapse" href="#tables"</pre>
aria-expanded="false" aria-controls="tables">
```

```
<i class="icon-grid-2 menu-icon"></i></i></or>
           <span class="menu-title mr-2">Product Tables</span>
           <i class="menu-arrow"></i></i>
          </a>
          <div class="collapse" id="tables">
            <a class="nav-link"</pre>
href="admin.php?page=list&type=products">Products</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=categories">Categories</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=brands">Brands</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=discounts">Discounts</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=sizes">Sizes</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=specifications">Specifications</a>
              <a class="nav-link"</pre>
href="admin.php?page=list&type=genders">Genders</a>
           </div>
        class="nav-item">
          <a class="nav-link" data-toggle="collapse" href="#auth" aria-</pre>
expanded="false" aria-controls="auth">
           <i class="icon-head menu-icon"></i></i></or>
           <span class="menu-title mr-2">User Tables</span>
           <i class="menu-arrow"></i></i>
          </a>
          <div class="collapse" id="auth">
            <a class="nav-link"</pre>
href="admin.php?page=list&type=users">Users</a>
            <a class="nav-link"</pre>
href="admin.php?page=list&type=roles">Roles</a>
           </div>
```

```
</nav>
```

Models/delete.php

```
include 'functions.php';
    include '../config/connection.php';
    header('Content-type: application/json');
    //ELEMENTS FOR HIDING
    if($ SERVER['REQUEST METHOD']=="POST"){
        try{
            $id = $ POST['id'];
            $idName = $_POST['idName'];
            $table = $ POST['table'];
            $hiddenItems = ['products', 'categories', 'brands',
'discounts'];
            if (in_array($table, $hiddenItems))
                global $conn;
                $update = $conn->prepare("UPDATE $table SET is deleted=1
WHERE $idName=:id");
                $update->bindParam(':id', $id);
                $update->execute();
            else {
                global $conn;
                $remove = $conn->prepare("DELETE FROM $table WHERE
$idName=:id");
                $remove->bindParam(':id', $id);
                $remove->execute();
```

```
http_response_code(204);
    echo json_encode('success');

} catch(PDOException $e) {
    http_response_code(500);
    echo json_encode("Error with database connection");

}
} else {
    echo json_encode('You dont have permission for this page');
    http_response_code(401);
}
```

Models/filter-sort-products.php

```
header("content-type: appliation/json");
    include '../config/connection.php';
    if($ SERVER['REQUEST METHOD']=="POST"){
        global $conn;
        $upit = 'SELECT * FROM products prod INNER JOIN prices price ON
prod.product_id = price.product_id INNER JOIN discounts d ON
price.discount id=d.discount id INNER JOIN categories c ON
prod.category_id = c.category_id INNER JOIN brands b ON prod.brand_id =
b.brand_id WHERE prod.is_deleted=0';
        if(isset($_POST['categories']) && $_POST['categories']!='') {
            $upit.= " AND prod.category_id IN ('".implode("','",
$_POST['categories'])."')";
        if(isset($_POST['brands']) && $_POST['brands']!='') {
            $upit.= " AND prod.brand_id IN ('".implode("','",
$_POST['brands'])."')";
        if(isset($_POST['genders']) && $_POST['genders']!='') {
            $upit.= " AND prod.gender_id IN ('".implode("','",
$_POST['genders'])."')";
        if(isset($_POST['search']) && $_POST['search']!='') {
            $upit .= " AND prod.name LIKE('%".$ POST['search']."%')";
```

```
if(isset($ POST['sort']) && $ POST['sort']!='') {
            if($_POST['sort']=='asc'){
                $upit.= " ORDER BY (price.price - (price.price *
d.percentage) / 100) ASC";
            if($ POST['sort']=='desc'){
                $upit.= " ORDER BY (price.price - (price.price *
d.percentage) / 100) DESC";
            if($ POST['sort']=='newest'){
                $upit.= " ORDER BY prod.created_at DESC";
        //Number of products
        $products = $conn->prepare($upit);
        $products->execute();
        $products = $products->fetchAll(PDO::FETCH ASSOC);
        $finallNumber = count($products);
        $showPerPage = isset($_POST['showPerPage']) ?
$_POST['showPerPage'] : 6;
        $page = $_POST['page'];
        $page = $page*$showPerPage;
        $upit.= " LIMIT $page, $showPerPage";
        $products = $conn->prepare($upit);
        $products->execute();
        $products = $products->fetchAll(PDO::FETCH_ASSOC);
        $data = array(
            'products' => $products,
            'number' => $finallNumber
        );
        if($products){
            echo json_encode($data);
            http_response_code(200);
        } else {
            echo json_encode("Sorry, we currently do not have this
product.");
            http response code(204);
```

```
}
}else {

    echo json_encode('You dont have permission for this page');
    http_response_code(401);
    redirect("location: ../index.php");
}
```

Models/functions.php

```
// include '../config/connection.php';
function getNavLinks(){
    global $conn;
   $nav = $conn->prepare("SELECT * FROM navigation");
    $nav->execute();
    $nav = $nav->fetchAll(PDO::FETCH ASSOC);
    return $nav;
function checkFieldWithRegex($field, $regex){
    if(!preg match($regex, $field)) {
        return false;
        return true;
function selectOperation($table) {
    global $conn;
    $select = $conn->prepare("SELECT * FROM $table");
    $select->execute();
    $select = $select->fetchAll(PDO::FETCH ASSOC);
    return $select;
function redirect($page) {
    header('Location: $page');
```

```
function checkSession() {
    session start();
    if(!isset($ SESSION['user'])) {
        header('location: ../index.php');
function getSingleProduct($id) {
    global $conn;
    $singleProduct = $conn->prepare("SELECT * FROM products prod INNER
JOIN prices price ON prod.product id = price.product id INNER JOIN
discounts d ON price.discount id=d.discount id INNER JOIN categories c ON
prod.category id = c.category id INNER JOIN brands b ON prod.brand id =
b.brand id INNER JOIN product inventory pi ON prod.product_id =
pi.product id WHERE prod.product id=:id");
    $singleProduct->bindParam(":id", $id);
    $singleProduct->execute();
    $singleProduct = $singleProduct->fetch(PDO::FETCH ASSOC);
    return $singleProduct;
function getItems($item, $id = null){
    global $conn;
    if($id!==null){
        $allItems = $conn->prepare("SELECT * FROM $item WHERE
product id=:id");
        $allItems->bindParam(":id", $id);
        $allItems->execute();
        $allItems = $allItems->fetchAll(PDO::FETCH_ASSOC);
        return $allItems;
    $hiddenItems = ['products', 'categories', 'brands', 'discounts'];
    if (in_array($item, $hiddenItems))
        $allItems = $conn->prepare("SELECT * FROM $item WHERE
is deleted=0");
        $allItems->execute();
        $allItems = $allItems->fetchAll(PDO::FETCH ASSOC);
        return $allItems;
        $allItems = $conn->prepare("SELECT * FROM $item");
        $allItems->execute();
```

```
$allItems = $allItems->fetchAll(PDO::FETCH ASSOC);
        return $allItems;
function getProductSizes($id){
    global $conn;
        $allItems = $conn->prepare("SELECT * FROM sizes s INNER JOIN
product size ps ON s.size id = ps.size id WHERE ps.product id=:id");
        $allItems->bindParam(":id", $id);
        $allItems->execute();
        $allItems = $allItems->fetchAll(PDO::FETCH ASSOC);
        return $allItems;
function getSingleItem($id, $table, $table_id) {
    if($table=='users') {
        global $conn;
        $singleItem = $conn->prepare("SELECT * FROM users u INNER JOIN
roles r ON u.role id=r.role id WHERE $table id=:id");
        $singleItem->bindParam(':id', $id);
        $singleItem->execute();
        $singleItem = $singleItem->fetch(PDO::FETCH ASSOC);
        return $singleItem;
        global $conn;
    $singleItem = $conn->prepare("SELECT * FROM $table WHERE
$table id=:id");
    $singleItem->bindParam(':id', $id);
    $singleItem->execute();
    $singleItem = $singleItem->fetch(PDO::FETCH_ASSOC);
    return $singleItem;
function getAllSpecifications($productId){
    global $conn;
    $allSpecs = $conn->prepare("SELECT * FROM specifications s INNER JOIN
product specification ps ON s.specification id = ps.spec id WHERE
ps.prod id=:id");
```

```
$allSpecs->bindParam(":id", $productId);
    $allSpecs->execute();
    $allSpecs = $allSpecs->fetchAll(PDO::FETCH ASSOC);
    return $allSpecs;
function insert($params, $table, $data) {
    global $conn;
    $coloumNames = array_keys($data);
    $coloumnNamesString = implode(", ",$coloumNames);
    $values = array values($data);
    $param = explode(",", $params);
        $insert = $conn->prepare("INSERT INTO $table ($coloumnNamesString)
VALUES ($params)");
        foreach($param as $key => $value) {
            $insert->bindParam("$value", $values[$key]);
        $insert->execute();
        http response code(204);
        header("Location:
../views/adminPanel/admin.php?page=additem&table=$table&success=Success");
        unset($ SESSION["user"]['errors']);
    }catch(PDOException $e){
        echo 'Nesto nije u redu';
function update($table, $id, $data, $idColoum) {
    try{
        $updateParams='';
        $interations = count($data);
        $i = 0;
        foreach($data as $key => $value) {
            $updateParams .= "$key=:$key";
            $i++;
            if($i<$interations) $updateParams .=', ';</pre>
        global $conn;
```

```
$update = $conn->prepare("UPDATE $table SET $updateParams WHERE
$idColoum=$id");
        foreach($data as $key => $value) {
            $update->bindParam(":$key", $value);
        $update->execute();
        http response code(204);
        header("Location:
../views/adminPanel/admin.php?page=edit&table=$table&id=$id&success=Succes
s");
    } catch(PDOException $e){
        echo $e;
    }
function issetVariable($name) {
    if(isset($name)) {
        return true;
    return false;
function getUserCartId($user id) {
    global $conn;
    $cart id = $conn->prepare("SELECT cart id FROM cart WHERE
user_id=:user_id AND is_purchased=0");
    $cart_id->bindParam(":user_id", $user id);
    $cart id->execute();
    $cart id = $cart id->fetch(PDO::FETCH ASSOC);
    return $cart id;
function newestProducts(){
    global $conn;
    $allProducts = $conn->prepare("SELECT * FROM products prod INNER JOIN
prices price ON prod.product_id = price.product_id INNER JOIN discounts d
ON price.discount id=d.discount id INNER JOIN categories c ON
prod.category id = c.category id INNER JOIN brands b ON prod.brand id =
b.brand id WHERE prod.is deleted=0 ORDER BY prod.created at DESC LIMIT 0,
8");
    $allProducts->execute();
    $allProducts = $allProducts->fetchAll(PDO::FETCH ASSOC);
```

```
return $allProducts;
function topDiscountProducts(){
    global $conn;
    $allProducts = $conn->prepare("SELECT * FROM products prod INNER JOIN
prices price ON prod.product id = price.product id INNER JOIN discounts d
ON price.discount id=d.discount id INNER JOIN categories c ON
prod.category id = c.category id INNER JOIN brands b ON prod.brand id =
b.brand id WHERE prod.is deleted=0 ORDER BY d.percentage DESC LIMIT 0,
8");
    $allProducts->execute();
    $allProducts = $allProducts->fetchAll(PDO::FETCH ASSOC);
    return $allProducts;
// function getAllFromCart($user id){
       global $conn;
       $allItems = $conn->prepare("SELECT * FROM cart c INNER JOIN
products p ON c.product id=p.product id INNER JOIN sizes s ON
c.size id=s.size id INNER JOIN prices pr ON p.product id=pr.product id
INNER JOIN discounts d ON d.discount id=pr.discount id WHERE
c.user id=:id");
       $allItems->bindParam(":id", $user id);
       $allItems->execute();
       $allItems = $allItems->fetchAll(PDO::FETCH ASSOC);
       return $allItems;
```

Models/getAllitems.php

```
price.discount id=d.discount id INNER JOIN categories c ON
prod.category id = c.category id INNER JOIN brands b ON prod.brand id =
b.brand id WHERE prod.is deleted=0 LIMIT 0, 6';
                $upit = "SELECT * FROM products prod INNER JOIN prices
price ON prod.product id = price.product id INNER JOIN discounts d ON
price.discount id=d.discount id INNER JOIN categories c ON
prod.category id = c.category id INNER JOIN brands b ON prod.brand id =
b.brand id WHERE prod.is deleted=0";
            $allProducts = $conn->prepare($upit);
            $allProducts->execute();
            $allProducts = $allProducts->fetchAll(PDO::FETCH ASSOC);
            echo json encode($allProducts);
            http response code(200);
        }else if(isset($ GET['item']) && $ GET['item'] === 'users'){
            global $conn;
            $allusers = $conn->prepare("SELECT * FROM users u INNER JOIN
roles r ON u.role id = r.role id");
            $allusers->execute();
            $allusers=$allusers->fetchAll(PDO::FETCH ASSOC);
            echo json_encode($allusers);
            http response code(200);
        }else if(isset($ GET['item']) && $ GET['item'] === 'discounts'){
            global $conn;
            $allDiscounts = $conn->prepare("SELECT * FROM discounts WHERE
is deleted = 0");
            $allDiscounts->execute();
            $allDiscounts=$allDiscounts->fetchAll(PDO::FETCH ASSOC);
            echo json encode($allDiscounts);
            http response code(200);
        }else if (isset($ GET['item']) && $ GET['item'] ===
 product_size'){
            global $conn;
            $id = $_GET['id'];
            $allPsizes = $conn->prepare("SELECT * FROM product_size ps
INNER JOIN sizes s ON ps.size_id=s.size_id WHERE product_id = $id");
            $allPsizes->execute();
            $allPsizes=$allPsizes->fetchAll(PDO::FETCH ASSOC);
            echo json encode($allPsizes);
            http_response_code(200);
        }else if(isset($_GET['item']) && $_GET['item'] ===
'product specification'){
```

```
global $conn;
            $id = $ GET['id'];
            $allPspecifications = $conn->prepare("SELECT * FROM")
product specification ps INNER JOIN specifications s ON
ps.spec id=s.specification id WHERE prod id = $id");
            $allPspecifications->execute();
            $allPspecifications=$allPspecifications-
>fetchAll(PDO::FETCH ASSOC);
            echo json encode($allPspecifications);
            http response code(200);
        }else if(isset($ GET['item']) && $ GET['item'] === 'images'){
            try{
                $item = $ GET['item'];
                $id = $ GET['id'];
                $data = getItems($item, $id);
                echo json encode($data);
                http response code(200);
               } catch(Exception $e){echo 'nesto nije u redu';}
        }else if(isset($ GET['item']) && $ GET['item'] === 'cart'){
            try{
                global $conn;
                $user_id = $_GET['id'];
                $allCartItems = $conn->prepare("SELECT c.cart_id,
mainImg, p.product_id, p.name,price_id, percentage, price, s.size_id,
size, pi.quantity as lagetQty, ci.quantity as quantity, ci.cart_item_id
FROM cart c INNER JOIN cart item ci ON c.cart id = ci.cart id INNER JOIN
products p ON ci.product_id=p.product_id INNER JOIN sizes s ON
ci.size_id=s.size_id INNER JOIN prices pr ON p.product_id=pr.product_id
INNER JOIN discounts d ON d.discount_id=pr.discount_id INNER JOIN
product_inventory pi ON p.product_id=pi.product_id WHERE c.user_id=:id AND
c.is purchased=0");
                $allCartItems->bindParam(":id", $user id);
                $allCartItems->execute();
                $allCartItems = $allCartItems->fetchAll(PDO::FETCH ASSOC);
                echo json_encode($allCartItems);
                http response code(200);
            }catch(PDOException $e){
                http_response_code(500);
                 echo json encode("Error with database connection");
            }
```

```
}else {
    try{
        $item = $_GET['item'];
        $data = getItems($item);
        echo json_encode($data);
        http_response_code(200);
     } catch(Exception $e){echo 'nesto nije u redu';}
}
} else {
    redirect('../index.php');
}
```

Models/insert.php

```
include 'functions.php';
    include '../config/connection.php';
    header('Content-Type: application/JSON');
    session start();
    if($ SERVER['REQUEST METHOD']=="POST") {
        if(isset($ GET['table']) && $ GET['table']=='users'){
            //DATA
            $firstName = $ POST['fName'];
            $lastName = $ POST['LName'];
            $pass = $ POST['password'];
            $email =$ POST['email'];
            $role = $ POST['role'];
            //VALIDATION
            $allErrors = [];
            $errors = 0;
            $mailRegex = '/^[A-Za-z0-9._-]+@[A-Za-z0-9.-]+.[A-Za-
z]{2,}$/';
            passwordRegex = '/^(?=.*[a-zA-Z])(?=.*[!@#$%^&*() -
])[A-Za-z\d!@#$%^&*() -]{8,}$/';
            if(empty($firstName) || strlen($firstName)<2){</pre>
                $errors++;
                $allErrors[] = 'First Name is required and must be at
least 2 characters long';
```

```
if(empty($lastName) || strlen($lastName)<2){</pre>
                $errors;
                $allErrors[] = 'Last Name is required and must be at least
2 characters long';
            if(!preg match($mailRegex, $email)) {
                $errors++;
                $allErrors[]='Incorect email address!
example(user@gmail.com)';
            if(!preg match($passwordRegex, $pass)) {
                $errors++;
                $allErrors[]='Invalid password! Must be at least 8
characters long. At least one uppercase letter, one lowercase letter, one
number, and one special character';
            if($role==0) {
                $errors++;
                $allErrors[] = 'Select user role';
            if($errors>0){
                $_SESSION['user']['errors'] = $allErrors;
                header('Location:
../views/adminPanel/admin.php?page=additem&table=users');
            } else {
                $pass = md5($pass);
                $data = array(
                    'first name' => $firstName,
                    'last_name' => $lastName,
                    'email' => $email,
                    'password' => $pass,
                    'role_id' => $role,
                );
                $params=":first name,:last name,:email,:password,:role id"
                $table = "users";
                insert($params, $table, $data);
        }else if(isset($_GET['table']) && $_GET['table']=='categories'){
            $category = $_POST['category'];
            $errors = 0;
```

```
$allErrors = [];
           if(empty($category)) {
                $errors++;
                $allErrors[]= "Category input is required";
           if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
                header('Location:
../views/adminPanel/admin.php?page=additem&table=categories');
            } else {
                $data = array(
                    'category' => $category
                );
                $params = ':category';
                $table = 'categories';
               insert($params, $table, $data);
               header('Location:
../views/adminPanel/admin.php?page=list&type=categories');
       }else if(isset($_GET['table']) && $_GET['table']=='brands'){
           $brands = $_POST['brand'];
           errors = 0;
           $allErrors = [];
           if(empty($brands)) {
                $errors++;
                $allErrors[]= "Brands input is required";
           if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
               header('Location:
../views/adminPanel/admin.php?page=additem&table=brands');
                $data = array(
                    'brand' => $brands
                );
                $params = ':brand';
                $table = 'brands';
                insert($params, $table, $data);
```

```
}else if(isset($ GET['table']) && $ GET['table']=='discounts'){
           $percentage = $ POST['percentage'];
           $errors = 0;
           $allErrors = [];
           if(empty($percentage)) {
                $errors++;
                $allErrors[]= "Percentage is required";
           if($errors>0) {
                $ SESSION['user']['errors'] = $allErrors;
               header('Location:
.../views/adminPanel/admin.php?page=additem&table=discounts');
           } else {
                $data = array(
                    'percentage' => $percentage
                );
                $params = ':percentage';
                $table = 'discounts';
                insert($params, $table, $data);
       }else if(isset($ GET['table']) && $ GET['table']=='sizes'){
           $size = $_POST['size'];
           errors = 0;
           $allErrors = [];
           if(empty($size)) {
                $errors++;
                $allErrors[]= "Size input is required";
           if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
               header('Location:
../views/adminPanel/admin.php?page=additem&table=sizes');
            } else {
                $data = array(
                    'size' => $size
                );
                $params = ':size';
                $table = 'sizes';
               insert($params, $table, $data);
            }
```

```
}else if(isset($ GET['table']) &&
$ GET['table']=='specifications'){
            $spec = $_POST['specification'];
            $errors = 0;
            $allErrors = [];
            if(empty($spec)) {
                $errors++;
                $allErrors[]= "Specification input is required";
            if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
                header('Location:
../views/adminPanel/admin.php?page=additem&table=specifications');
                $data = array(
                    'specification' => $spec
                );
                $params = ':specification';
                $table = 'specifications';
                insert($params, $table, $data);
        }else if(isset($_GET['table']) && $_GET['table']=='genders'){
            $gender = $_POST['gender'];
            errors = 0;
            $allErrors = [];
            if(empty($gender)) {
                $errors++;
                $allErrors[]= "Gender input is required";
            if($errors>0) {
                $ SESSION['user']['errors'] = $allErrors;
                header('Location:
../views/adminPanel/admin.php?page=additem&table=genders');
            } else {
                $data = array(
                    'gender' => $gender
                );
                $params = ':gender';
                $table = 'genders';
                insert($params, $table, $data);
```

```
}else if(isset($ GET['table']) && $ GET['table']=='roles'){
           $roles = $ POST['roles'];
           $errors = 0;
           $allErrors = [];
           if(empty($roles)) {
                $errors++;
                $allErrors[]= "Role input is required";
           if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
               header('Location:
../views/adminPanel/admin.php?page=additem&table=roles');
                $data = array(
                    'role' => $roles
                );
                $params = ':role';
               $table = 'roles';
               insert($params, $table, $data);
       }else if(isset($_GET['table']) && $_GET['table']=='product_size'){
           $sizeId = $_POST['size_id'];
           $productId = $_POST['product_id'];
           $errors = 0;
           $allErrors = [];
           if(empty($sizeId)) {
                $errors++;
                $allErrors[]= "size input is required";
           if(empty($productId)) {
                $errors++;
                $allErrors[]= "product input is required";
           if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
               header('Location:
../views/adminPanel/admin.php?page=additem&table=roles');
            } else {
                $data = array(
                    'size_id' => $sizeId,
                    'product id' => $productId
```

```
$params = ':size id,:product id';
                $table = 'product size';
                insert($params, $table, $data);
                echo json encode('Success');
                http response code(201);
        }else if(isset($ GET['table']) &&
$_GET['table']=='product_specification'){
            $spec_id = $_POST['spec_id'];
            $value = $ POST['value'];
            $prod id = $ POST['prod id'];
            $errors = 0;
            $allErrors = [];
            if(empty($spec id)) {
                $errors++;
                $allErrors[]= "specification input is required";
            if(empty($value)) {
                $errors++;
                $allErrors[]= "Specification value is required";
            if($errors>0) {
                $_SESSION['user']['errors'] = $allErrors;
                header('Location:
../views/adminPanel/admin.php?page=additem&table=roles');
                $data = array(
                    'spec_id' => $spec_id,
                    'value' => $value,
                    'prod id' => $prod_id
                );
                $params = ':spec_id,:prod_id,:value';
                $table = 'product specification';
                insert($params, $table, $data);
                http_response_code(201);
                echo json encode("success");
        }else if(isset($_GET['table']) && $_GET['table']=='images') {
            $images = $_FILES['imgs'];
            $id = $ GET['id'];
```

```
if($images["size"][0]>0) {
                for($i = 0; $i < count($ FILES['imgs']['name']); $i++) {</pre>
                    $fileName = $images['name'][$i];
                    $tmpFile = $images['tmp name'][$i];
                    $size = $images['size'][$i];
                    $type = $images['type'][$i];
                    $newName = time()." ".$fileName;
                    $path =
"../assets/ProductImages/allProductImages/".$newName;
                    if(move uploaded file($tmpFile, $path)) {
                        echo 'usao';
                        $insertImage = $conn->prepare("INSERT INTO images
(src, product id) VALUES(:src, :product id)");
                        $insertImage->bindParam(":src", $newName);
                        $insertImage->bindParam(":product id", $id);
                        $insertImage->execute();
                        http response code(204);
                        header("location:
../views/adminPanel/admin.php?page=edit&table=products&id=$id");
                }
            }else {
                header("location:
../views/adminPanel/admin.php?page=edit&table=products&id=$id");
        }else if(isset($_GET['table']) && $_GET['table']=='cart') {
            $product_id = $_POST['product_id'];
            $size id = $ POST['size id'];
            $qty = $ POST['qty'];
            $user_id = $_POST['user_id'];
            //GET USER CART ID
            $uid = issetVariable($user id);
            $cart_id = getUserCartId($user_id);
            $cart_id = $cart_id['cart_id'];
            if(!$cart id) {
                $data = array (
                    "user id" => $user id
                );
                $params = ':user id';
```

```
$table = 'cart';
                insert($params, $table, $data);
                echo json encode('Success');
                http response code(201);
                $cart id = $conn->lastInsertId();
            // INSERT INTO CART ITEM TABLE
            $pid = issetVariable($product id);
            $isSetOty = issetVariable($qty);
            $size = issetVariable($size id);
            if($pid && $uid && $isSetQty && $size) {
                $data = array (
                    'product_id' => $product_id,
                    'size_id' => $size id,
                    'quantity' => $qty,
                    'cart id' => $cart id,
                );
                $params = ':product id,:cart id,:qty,:size id';
                $table = 'cart item';
                insert($params, $table, $data);
                echo json_encode('Success');
                http_response_code(201);
            } else {
                header('Location: ../index.php?page=shop&error=Something
is wrong');
        }else if(isset($_GET['table']) && $_GET['table']=='order') {
            //Data
            $orders = $ POST['orders'];
            $location = $ POST['location'];
            $user_id = $_POST['user_id'];
            $total = $ POST['total'];
            //Location Data
            $country = $location['country'];
            $city = $location['city'];
            $address = $location['address'];
```

```
global $conn;
            $insertLocation = $conn->prepare("INSERT INTO locations
(country, city, address) VALUES(:country, :city, :address)");
            $insertLocation->bindParam(":country", $country);
            $insertLocation->bindParam(":city", $city);
            $insertLocation->bindParam(":address", $address);
            if($insertLocation->execute()) {
                $location id = $conn->lastInsertId();
                $makeOrder = $conn->prepare("INSERT INTO orders (user id,
total) VALUES(:user id, :total)");
                $makeOrder->bindParam(":user_id", $user_id);
                $makeOrder->bindParam(":total", $total);
                if($makeOrder->execute()){
                    $order id = $conn->lastInsertId();
                    foreach($orders as $order) {
                        $product id = $order['product id'];
                        $size id = $order['size id'];
                        $price id = $order['price id'];
                        $qty = $order['qty'];
                        $cart id = $order['cart id'];
                        $insertProductOrder = $conn->prepare("INSERT INTO
product_order (product_id, price_id, quantity, location_id, size_id,
order id) VALUES (:product_id, :price_id, :qty, :location_id, :size_id,
:order id)");
                        $insertProductOrder->bindParam(":product_id",
$product_id);
                        $insertProductOrder->bindParam(":price id",
$price_id);
                        $insertProductOrder->bindParam(":qty", $qty);
                        $insertProductOrder->bindParam(":location id",
$location_id);
                        $insertProductOrder->bindParam(":size_id",
$size id);
                        $insertProductOrder->bindParam(":order id",
$order id);
                        if($insertProductOrder->execute()){
                            //UPDATE PRODUCT QUANTITY
                            $updateProductQuantity = $conn-
>prepare("UPDATE product inventory SET quantity = quantity - :qty WHERE
product id =:product id");
                            $updateProductQuantity->bindParam(":qty",
$atv);
```

```
$updateProductQuantity-
>bindParam(":product_id", $product_id);
                            //UPDATE CART
                            $updateCart = $conn->prepare("UPDATE cart SET
is purchased=1 WHERE cart id = :cart id");
                            $updateCart->bindParam(":cart id", $cart id);
                            if($updateProductQuantity->execute() &&
$updateCart->execute()){
                                echo json_encode('success');
                                http_response_code(204);
        header('location: ../index.php');
```

Models/logFileFunctions.php

```
$role = $role === 2 ? 'Administrator' : 'User';
        }else {
            $ime = 'Unknown';
            $prezime = 'Unknown';
            $role = 'Unregistered-visitor';
        $date = date("Y/m/d");
        $page = '';
        if(isset($_GET['page'])) {
            $page = $_GET['page'];
            $page = 'home';
        $string =
$ime."\t".$prezime."\t".$role."\t".$page."\t".$date."\n";
        $write = fwrite($open, $string);
        fclose($open);
    function getAllPageViews($page){
        $otvori = file('.../.../data/log.txt');
        $posete = 0;
        for($i=0; $i<count($otvori); $i++){</pre>
            $singleLog = explode("\t", $otvori[$i]);
            if($singleLog[3]==$page) $posete++;
        return $posete;
    function getAllTodayPageViews($page){
        $otvori = file('.../.../data/log.txt', FILE_IGNORE_NEW_LINES);
        $posete = 0;
        $date = date("Y/m/d");
        for($i=0; $i<count($otvori); $i++){</pre>
            $singleLog = explode("\t", $otvori[$i]);
            if($singleLog[3]==$page && $date==$singleLog[4]) $posete++;
        return $posete;
    function visitInPercentage($page){
        $otvori = file('.../.../data/log.txt', FILE_IGNORE_NEW_LINES);
        $ukupanPristup = count($otvori);
        $posete = 0;
        for($i=0; $i<count($otvori); $i++){</pre>
```

```
$singleLog = explode("\t", $otvori[$i]);
           if($singleLog[3]==$page) $posete++;
       $finallResult = (100*$posete)/$ukupanPristup;
       return number format((float)$finallResult, 2, '.', '');
   function loggedInUsers($user){
       $otvori = fopen('../data/loggedInUsers.txt', 'ab');
       $email= $user['email'];
       $date = date("Y/m/d");
       $string = $email."\t".$date."\n";
       $upis = fwrite($otvori, $string);
       fclose($otvori);
   function loggedUsersCount(){
       $users = file('.../.../data/loggedInUsers.txt',
FILE IGNORE NEW LINES);
       $date = date("Y/m/d");
       $count = 0;
       foreach($users as $user){
           $user = explode("\t", $user);
           if($user[1]==$date) $count++;
       return $count;
```

Models/login.php

```
$email = $ POST['email'];
        $password = $ POST['password'];
        if(!checkFieldWithRegex($password, $passwordRegex)) {
            $num++;
            $errors[] = "Password is incorect, please enter correct
password":
        if(!checkFieldWithRegex($email, $emailRegex)) {
            $num++;
            $errors[] = "Invalid email";
        if($num!==0) {
            http response code(401);
            echo json_encode("Invalid parametars");
        } else {
            $password = md5($password);
            global $conn;
            //Da li postoji mail
            $queryEmail = "SELECT * FROM users WHERE email=:emailNovi";
            $stmtEmail = $conn->prepare($queryEmail);
            $stmtEmail->bindParam(':emailNovi', $email);
            $stmtEmail->execute();
            $userForEmail = $stmtEmail->fetch();
            max tries = 3;
            if($userForEmail->role id == 1){
                //Nije admin
                if(!$userForEmail->is_blocked){
                    //Ako nije blokiran
                    $select = $conn->prepare("SELECT * FROM users WHERE
email=:email AND password=:password");
                    $select->bindParam(":email",$email);
                    $select->bindParam(":password",$password);
                    $select->execute();
                    $user=$select->fetch(PDO::FETCH_ASSOC);
                    if($user){
                        //Ulogovan korisnik
                        loggedInUsers($user);
                        $ SESSION['user'] = $user;
```

```
echo json encode(true);
                        http response code(200);
                    }else {
                        //Login fail
                        $file_name = "../data/wrong-credentials-log.txt";
                        $loginMistake = file($file name,
FILE IGNORE NEW LINES);
                        $userEmail = $userForEmail->email;
                        $user from file = [];
                        foreach($loginMistake as $index => $w){
                            list($email,$datum,$number of tries) =
explode("\t", $w);
                            if($userEmail == $email){
                                // Pronalazimo bas tog usera iz fajla, za
taj email koji je uneo
                                $user from file = [$index, $email, $datum,
$number of tries];
                           }
                        $triesNum= 1;
                        //User ne postoji u fajlu
                        if($user_from_file == []){
                            // Kada user ne postoji u fajlu
                            $wrong login = fopen($file name, "a");
                            $string = $userEmail . "\t" . time() . "\t"
$triesNum. "\n";
                            fwrite($wrong_login, $string);
                            if(fclose($wrong login)){
                                http_response_code(401);
                                echo json_encode("Login credentials are
incorrect. You have " . ($max tries - $tries number) . " more tries.");
                        }else {
                            //Kada user postoji u fajlu
                            time for reset = 5 * 60;
```

```
$time difference = time() -
$user from file[2];
                            if($time difference > $time for reset){
                                //Kad je vreme vece od 5 min
                                $id = $user from file[0];
                                $loginMistake new = explode("\t",
$loginMistake[$id]);
                                $loginMistake new[1] = time();
                                $loginMistake new[2] = $tries number;
                                $wrong login = fopen($file name, "w");
                                $loginMistake[$id] =
implode("\t",$loginMistake_new);
                                $string for wr = implode("\n",
$loginMistake);
                                fwrite($wrong login, $string for wr);
                                if(fclose($wrong_login)){
                                    http response code(401);
                                    echo json_encode("Login credentials
are incorrect. You have " . ($max_tries - $tries_number) . " more
tries.");
                            }else {
                                // Kada vreme nije vece od 5 min
                                if($user_from_file[3] == ($max_tries-1)){
                                    //Kada user ima 2 pokusaja
                                    blockUser($user_from_file[1]);
                                    //salje se mejl
                                    $id = $user_from_file[0];
                                    unset($loginMistake[$id]);
                                    $wrong_login = fopen($file_name, "w");
```

```
$string_for_wr = implode("\n",
$loginMistake);
                                    fwrite($wrong login, $string for wr);
                                    if(fclose($wrong login)){
                                        http response code(401);
                                        echo json_encode("Login
credentials are incorrect. Your account is blocked.");
                                }else{
                                    // Ako nema 2 pokusaja nego manje
                                    $id = $user from file[0];
                                    $loginMistake new = explode("\t",
$loginMistake[$id]);
                                    $loginMistake_new[1] = time();
                                    $number wrong now =
$loginMistake new[2];
                                    $number_wrong_now =
intval($number wrong now);
                                    $loginMistake_new[2] =
++$number_wrong_now;
                                    $loginMistake[$id] =
implode("\t",$loginMistake_new);
                                    $wrong login = fopen($file name, "w");
                                    $string_for_wr = implode("\n",
$loginMistake);
                                    fwrite($wrong_login, $string_for_wr);
                                    if(fclose($wrong login)){
                                        http_response_code(401);
                                        echo json_encode("Login
credentials are incorrect. You have " . ($max_tries -
$loginMistake new[2]) . " more tries.");
```

```
http response code(401);
                    echo json_encode("Your account is blocked. Contact
your administrator.");
                $select = $conn->prepare("SELECT * FROM users WHERE
email=:email AND password=:password");
                $select->bindParam(":email",$email);
                $select->bindParam(":password",$password);
                $select->execute();
                $user=$select->fetch(PDO::FETCH ASSOC);
                if($user) {
                    loggedInUsers($user);
                    $ SESSION['user'] = $user;
                    echo json_encode(true);
                    http_response_code(200);
                }else {
                    echo json encode("Your login credentials are
incorrect.");
                    http_response_code(401);
                }
        header("location: ../index.php");
    function blockUser($email) {
        global $conn;
        $queryEmail = "UPDATE users SET is blocked=1 WHERE
email=:emailNovi";
        $stmtEmail = $conn->prepare($queryEmail);
        $stmtEmail->bindParam(':emailNovi', $email);
```

```
$stmtEmail->execute();
}
```

Models/registerUser.php

```
include 'functions.php';
    include '../config/connection.php';
    header("content-type: application/json");
    if($ SERVER['REQUEST METHOD']==="POST") {
        try{
            $firstName = $ POST['firstName'];
            $lastName = $ POST['lastName'];
            $email = $ POST['email'];
            $password = $_POST['password'];
            $errors = [];
            $num=0;
            next{$nameRegex = "/^[A-Za-z]{2,}$/";}
            = ''/^[A-Za-z0-9. -]+@[A-Za-z0-9.-]+.[A-Za-z0-9.-]+
z]{2,}$/";
            passwordRegex = "/^(?=.*[a-zA-Z])(?=.*[!@#$%^&*()_-
])[A-Za-z\d!@#$%^&*() -]{8,}$/";
            if(!checkFieldWithRegex($password, $passwordRegex)) {
                $errors[] = "Password is incorect, please enter correct
password";
            if(!checkFieldWithRegex($firstName, $nameRegex)) {
                $num++;
                $errors[] = "Invalid first name";
            if(!checkFieldWithRegex($lastName, $nameRegex)) {
                $num++;
                $errors[] = "Invalid last name";
            if(!checkFieldWithRegex($email, $emailRegex)) {
                $num++;
                $errors[] = "Invalid email";
            if($num!==0) {
                http response code(422);
                echo json encode($errors);
```

```
global $conn;
                $password = md5($password);
                $insert = $conn->prepare("INSERT INTO users (first name,
last name, email, password) VALUES(:first name, :last name, :email,
:password)");
                $insert->bindParam(":first name", $firstName);
                $insert->bindParam(":last_name", $lastName);
                $insert->bindParam(":email", $email);
                $insert->bindParam(":password", $password);
                $insert->execute();
                http response code(201);
                echo json_encode("Successfully registered!");
        } catch(PDOException $e){
            http response code(500);
            echo json encode("Error with database connection");
        echo json_encode('You dont have permission for this page');
        http_response_code(401);
        header('location: ../index.php');
```

Models/removeFromCart.php

```
include 'functions.php';
include '../config/connection.php';
header('Content-type: application/json');

if($_SERVER['REQUEST_METHOD']==="POST"){

    try{

        $cart_id = $_POST['cart_item_id'];
        global $conn;
        $remove= $conn->prepare("DELETE from cart_item WHERE cart_item_id=:cart_id");
```

```
$remove->bindParam(":cart_id",$cart_id);
$remove->execute();
http_response_code(204);
echo json_encode('success');

} catch(PDOException $e) {
   echo $e->getMessage();
}
} else {
   echo json_encode('You dont have permission for this page');
   http_response_code(401);
}
```

Models/update user.php

```
session_start();
    include '../config/connection.php';
    if(isset($ POST['submitBtn'])) {
        $firstName = $ POST['fName'];
        $lastName = $ POST['lName'];
        $email = $_POST['email'];
        $pass = $_POST['pass'];
        $id = $ POST['id'];
        errors = 0;
        $allErrors = [];
        mailRegex = '/^{[A-Za-z0-9._-]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/';
        passwordRegex = '/^(?=.*[a-zA-Z])(?=.*[!@#$%^&*()_-])[A-y]
Za-z\d!@#$%^&*()_-]{8,}$/';
        if(empty($firstName) || strlen($firstName)<2){</pre>
            $errors++;
            $allErrors[] = 'First Name is required and must be at least 2
characters long';
        if(empty($lastName) || strlen($lastName)<2){</pre>
            $errors++;
            $allErrors[] = 'Last Name is required and must be at least 2
characters long';
        if(!preg match($mailRegex, $email)) {
```

```
$errors++;
            $allErrors[]='Incorect email address!
example(user@gmail.com)';
        if(!empty($pass)){
            if(!preg match($passwordRegex, $pass)) {
                $errors++;
                $allErrors[]='Invalid password! Must be at least 8
characters long. At least one uppercase letter, one lowercase letter, one
number, and one special character';
        if($errors>0){
            $_SESSION['user']['errors'] = $allErrors;
            header("Location: ../index.php?page=edit-user");
        }else {
            unset($ SESSION['user']['errors']);
            if($ FILES['img']['size']>0){
                $newImg = $ FILES['img'];
                $fileName = $newImg['name'];
                $tmpFajl = $newImg['tmp_name'];
                $size = $newImg['size'];
                $type = $newImg['type'];
                $noviNazivFajla = time()."_".$fileName;
                $putanja = "../assets/userImages/".$noviNazivFajla;
                if(move_uploaded_file($tmpFajl, $putanja)){
                    if(!empty($pass)){
                        $pass= md5($pass);
                        global $conn;
                        $update = $conn->prepare("UPDATE users SET
first name=:first, last name=:last, email=:email, password=:pass,
profile img=:image WHERE user id=:id");
                        $update->bindParam(':first',$firstName);
                        $update->bindParam(':last',$lastName);
                        $update->bindParam(':email',$email);
                        $update->bindParam(':pass', $pass);
                        $update->bindParam(':image',$noviNazivFajla);
                        $update->bindParam(":id",$id);
```

```
$update->execute();
                        $ SESSION['user']['first name'] = $firstName;
                        $ SESSION['user']['last name'] = $lastName;
                        $ SESSION['user']['email'] = $email;
                        $ SESSION['user']['password'] = $pass;
                        $ SESSION['user']['profile img'] =
$noviNazivFajla;
                        http response code(204);
                        header("Location: ../index.php?page=edit-
user&success=Success");
                    }else{
                        global $conn;
                        $update = $conn->prepare("UPDATE users SET
first name=:first, last name=:last, email=:email, profile img=:image WHERE
user id=:id");
                        $update->bindParam(':first',$firstName);
                        $update->bindParam(':last',$lastName);
                        $update->bindParam(':email',$email);
                        $update->bindParam(':image',$noviNazivFajla);
                        $update->bindParam(":id",$id);
                        $update->execute();
                        $ SESSION['user']['first name'] = $firstName;
                        $_SESSION['user']['last_name'] = $lastName;
                        $_SESSION['user']['email'] = $email;
                        $_SESSION['user']['password'] = $pass;
                        $ SESSION['user']['profile img'] =
$noviNazivFajla;
                        http response code(204);
                        header("Location: ../index.php?page=edit-
user&success=Success");
                if(!empty($pass)){
                    $pass= md5($pass);
                    global $conn;
```

```
$update = $conn->prepare("UPDATE users SET
first_name=:first, last_name=:last, email=:email, password=:pass WHERE
user id=:id");
                    $update->bindParam(':first',$firstName);
                    $update->bindParam(':last',$lastName);
                    $update->bindParam(':email',$email);
                    $update->bindParam(':pass', $pass);
                    $update->bindParam(":id",$id);
                    $update->execute();
                    $ SESSION['user']['first name'] = $firstName;
                    $ SESSION['user']['last name'] = $lastName;
                    $ SESSION['user']['email'] = $email;
                    $ SESSION['user']['password'] = $pass;
                    http response code(204);
                    header("Location: ../index.php?page=edit-
user&success=Success");
                }else {
                    global $conn;
                    $update = $conn->prepare("UPDATE users SET
first name=:first, last name=:last, email=:email WHERE user id=:id");
                    $update->bindParam(':first',$firstName);
                    $update->bindParam(':last',$lastName);
                    $update->bindParam(':email',$email);
                    $update->bindParam(":id",$id);
                    $update->execute();
                    $ SESSION['user']['first name'] = $firstName;
                    $_SESSION['user']['last_name'] = $lastName;
                    $_SESSION['user']['email'] = $email;
                    $ SESSION['user']['password'] = $pass;
                    http response_code(204);
                    header("Location: ../index.php?page=edit-
user&success=Success");
    } else {
```

```
header("location: ../index.php");
}
```

Models/update.php

```
include 'functions.php';
    header('content-type: application/json');
    if($ SERVER['REQUEST METHOD']=='POST'){
    include '../config/connection.php';
    session start();
    if(isset($ GET['table']) && $ GET['table']=='users'){
        //DATA
        $firstName = $ POST['fName'];
        $lastName = $ POST['LName'];
        $pass = $ POST['password'];
        $email =$ POST['email'];
        $role = $ POST['role'];
        $blocked = $ POST['blockOption'];
        $blocked = intval($blocked);
        echo $blocked;
        $id = $ POST['id'];
        //VALIDATION
        $allErrors = [];
        \$errors = 0;
        \text{smailRegex} = \frac{1}{n} A-Za-z0-9. - \frac{1}{n} A-Za-z0-9. - \frac{1}{n} A-Za-z \frac{1}{2}, \frac{1}{3}
        passwordRegex = '/^(?=.*[a-zA-Z])(?=.*[!@#$%^&*() -])[A-y]
Za-z\d!@\#$%^&*() - 1{8,}$/';
        if(empty($firstName) || strlen($firstName)<2){</pre>
             $errors++;
             $allErrors[] = 'First Name is required and must be at least 2
characters long';
        if(empty($lastName) || strlen($lastName)<2){</pre>
             $errors++;
             $allErrors[] = 'Last Name is required and must be at least 2
characters long';
```

```
if(!empty($pass)){
            if(!preg match($passwordRegex, $pass)) {
                $errors++;
                $allErrors[]='Invalid password! Must be at least 8
characters long. At least one uppercase letter, one lowercase letter, one
number, and one special character';
        if(!preg match($mailRegex, $email)) {
            $errors++;
            $allErrors[]='Incorect email address!
example(user@gmail.com)';
        if($role==0) {
            $errors++;
            $allErrors[] = 'Select user role';
        if($errors>0){
            $ SESSION['user']['errors'] = $allErrors;
            header("Location:
../views/adminPanel/admin.php?page=edit&table=users&id=$id");
        } else {
            unset($ SESSION['user']['errors']);
            if(!empty($pass)){
                pass = md5(pass);
                global $conn;
                $update = $conn->prepare("UPDATE users SET
first name=:first, last name=:last, email=:email, password=:pass,
role id=:role id, is blocked=$blocked WHERE user id=$id");
                $update->bindParam(':first',$firstName);
                $update->bindParam(':last',$lastName);
                $update->bindParam(':email',$email);
                $update->bindParam(':pass', $pass);
                $update->bindParam(':role_id',$role);
                $update->execute();
                http response code(204);
                header("Location:
../views/adminPanel/admin.php?page=edit&table=users&id=$id&success=Success
```

```
pass = md5(pass);
                global $conn;
                $update = $conn->prepare("UPDATE users SET
first name=:first, last name=:last, email=:email, role id=:role id,
is blocked=$blocked WHERE user id=$id");
                $update->bindParam(':first',$firstName);
                $update->bindParam(':last',$lastName);
                $update->bindParam(':email',$email);
                $update->bindParam(':role id',$role);
                $update->execute();
                http response code(204);
                header("Location:
../views/adminPanel/admin.php?page=edit&table=users&id=$id&success=Success
");
            }
            // update($table, $id, $data, $idColoum);
    }else if(isset($_GET['table']) && $_GET['table']=='categories'){
        $id = $_POST['id'];
        $category = $_POST['category'];
        $errors = 0;
        $allErrors = [];
        if(empty($category)) {
            $errors++;
            $allErrors[]= "Category input is required";
        if($errors>0) {
            $_SESSION['user']['errors'] = $allErrors;
            header("Location:
../views/adminPanel/admin.php?page=edit&table=categories&id=$id");
        } else {
            unset($_SESSION['user']['errors']);
            $data = array(
                'category' => $category,
```

```
);
           $idColoum = 'category_id';
           $table = 'categories';
           update($table, $id, $data, $idColoum);
   }else if(isset($_GET['table']) && $_GET['table']=='brands'){
       id = post['id'];
       $brands = $_POST['brand'];
       $errors = 0;
       $allErrors = [];
       if(empty($brands)) {
           $errors++;
           $allErrors[]= "Brands input is required";
       if($errors>0) {
           $_SESSION['user']['errors'] = $allErrors;
           header("Location:
../views/adminPanel/admin.php?page=edit&table=brands&id=$id");
       } else {
           unset($_SESSION['user']['errors']);
           $data = array(
               'brand' => $brands
           );
           $idColoum = 'brand_id';
           $table = 'brands';
           update($table, $id, $data, $idColoum);;
   }else if(isset($_GET['table']) && $_GET['table']=='discounts'){
       $id = $_POST['id'];
       $percentage = $_POST['percentage'];
       errors = 0;
       $allErrors = [];
       if(empty($percentage)) {
           $errors++;
           $allErrors[]= "Percentage is required";
       if($errors>0) {
```

```
$ SESSION['user']['errors'] = $allErrors;
           header("Location:
../views/adminPanel/admin.php?page=edit&table=discounts&id=$id");
           unset($_SESSION['user']['errors']);
           $data = array(
                'percentage' => $percentage
           );
           $idColoum = 'discount_id';
           $table = 'discounts';
           update($table, $id, $data, $idColoum);
   }else if(isset($ GET['table']) && $ GET['table']=='sizes'){
       $id = $ POST['id'];
       $size = $_POST['size'];
       $errors = 0;
       $allErrors = [];
       if(empty($size)) {
           $errors++;
           $allErrors[]= "Size input is required";
       if($errors>0) {
           $_SESSION['user']['errors'] = $allErrors;
           header("Location:
../views/adminPanel/admin.php?page=edit&table=sizes&id=$id");
       } else {
           unset($_SESSION['user']['errors']);
           $data = array(
                'size' => $size
           );
           $idColoum = 'size_id';
           $table = 'sizes';
           update($table, $id, $data, $idColoum);
   }else if(isset($_GET['table']) && $_GET['table']=='specifications'){
       $spec = $_POST['specification'];
       errors = 0;
       $allErrors = [];
       $id = $_POST['id'];
       if(empty($spec)) {
```

```
$errors++;
           $allErrors[]= "Specification input is required";
       if($errors>0) {
           $_SESSION['user']['errors'] = $allErrors;
           header("Location:
../views/adminPanel/admin.php?page=edit&table=specifications&id=$id");
           unset($ SESSION['user']['errors']);
           $data = array(
                'specification' => $spec
           );
           $idColoum = 'specification id';
           $table = 'specifications';
           update($table, $id, $data, $idColoum);
   }else if(isset($ GET['table']) && $ GET['table']=='genders'){
       $gender = $ POST['gender'];
       $errors = 0;
       $allErrors = [];
       $id = $ POST['id'];
       if(empty($gender)) {
           $errors++;
           $allErrors[]= "Gender input is required";
       if($errors>0) {
           $_SESSION['user']['errors'] = $allErrors;
           header("Location:
./views/adminPanel/admin.php?page=edit&table=genders&id=$id");
       } else {
           unset($_SESSION['user']['errors']);
           $data = array(
                'gender' => $gender
           );
           $idColoum = 'gender_id';
           $table = 'genders';
           update($table, $id, $data, $idColoum);
   }else if(isset($_GET['table']) && $_GET['table']=='roles'){
       $roles = $_POST['roles'];
       errors = 0;
       $allErrors = [];
```

```
$id = $ POST['id'];
       if(empty($roles)) {
           $errors++;
           $allErrors[]= "Role input is required";
       if($errors>0) {
           $_SESSION['user']['errors'] = $allErrors;
           header("Location:
../views/adminPanel/admin.php?page=edit&table=roles&id=$id");
           unset($_SESSION['user']['errors']);
           $data = array(
                'role' => $roles
           );
           $idColoum = 'role_id';
           $table = 'roles';
           update($table, $id, $data, $idColoum);
   }else if(isset($ GET['table']) && $ GET['table']=='products'){
       $id = $ POST['id'];
       $name = $_POST['name'];
       $category = $_POST['category'];
       $brand = $ POST['brand'];
       $description = $_POST['description'];
       $newImg = $_FILES['img'];
       $gender = $_POST['gender'];
       $allErrors = [];
       $regexCode = '/^[a-zA-Z0-9\.\"\s]+$/';
       $errors=0;
       if(!preg_match($regexCode, $name)) {
           $errors++;
           $allErrors[]= "Please enter product name";
       if(empty($description)) {
           $errors++;
           $allErrors[]= "Please enter description";
       if(empty($gender)) {
           $errors++;
           $allErrors[]= "Please select gender";
```

```
if($errors>0) {
            $ SESSION['user']['errors']= $allErrors;
            header("Location:
../views/adminPanel/admin.php?page=edit&table=products&id=$id");
            unset($ SESSION['user']['errors']);
            try{
                if($newImg['size']>0) {
                        $fileName = $newImg['name'];
                        $tmpFajl = $newImg['tmp name'];
                        $size = $newImg['size'];
                        $type = $newImg['type'];
                        $noviNazivFajla = time()." ".$fileName;
                        $putanja =
"../assets/ProductImages/allProductImages/".$noviNazivFajla;
                        if(move uploaded file($tmpFajl, $putanja)){
                            list($width, $height) =
getimagesize($putanja);
                            $ext = strtolower(pathinfo($putanja,
PATHINFO_EXTENSION));
                            $newWidth = 255;
                            $newHeight = $height / ($width/$newWidth);
                            $ext = $ext =='jpg' ? 'jpeg' : $ext;
                            $slika = "imagecreatefrom".$ext;
                            if(function_exists($slika)){
                                echo 'usao';
                                $newCustomImg = call_user_func($slika,
$putanja);
                            $background = imagecreatetruecolor($newWidth,
$newHeight);
                            imagecopyresampled($background,
$newCustomImg,0,0,0,0,$newWidth,$newHeight,$width,$height);
```

```
$fun = "image".$ext;
                            $thumbnailPath =
"../assets/ProductImages/thumbnails/".$noviNazivFajla;
                            if(function exists($fun)){
                                $finall = call user func($fun,
$background, $thumbnailPath);
                            global $conn;
                            $id = $ POST['id'];
                            $idColoum = 'product_id';
                            $table = 'products';
                            $update = $conn->prepare("UPDATE products SET
name=:name, category id=:category, brand id=:brand, mainImg=:mainImg,
description=:description, gender id = :gender WHERE product id=:id");
                            $update->bindParam(':name', $name);
                            $update->bindParam(':category', $category);
                            $update->bindParam(':brand', $brand);
                            $update->bindParam(':mainImg',
$noviNazivFajla);
                            $update->bindParam(':description',
$description);
                            $update->bindParam(':gender', $gender);
                            $update->bindParam(':id', $id);
                            $update->execute();
                            header("Location:
../views/adminPanel/admin.php?page=edit&table=$table&id=$id&success=Succes
s");
                    }else {
                        global $conn;
                            $idColoum = 'product_id';
                            $table = 'products';
                            $update = $conn->prepare("UPDATE products SET
name=:name, category_id=:category, brand_id=:brand,
description=:description, gender_id = :gender WHERE product_id=:id");
                            $update->bindParam(':name', $name);
```

```
$update->bindParam(':category', $category);
                            $update->bindParam(':brand', $brand);
                            $update->bindParam(':description',
$description);
                            $update->bindParam(':gender', $gender);
                            $update->bindParam(':id', $id);
                            $update->execute();
                            header("Location:
../views/adminPanel/admin.php?page=edit&table=$table&id=$id&success=Succes
s");
            } catch(PDOException $e) {
                echo $e;
    }else if(isset($ GET['table']) && $ GET['table']=='prices') {
        $price = $ POST['price'];
        $errors = 0;
        $allErrors = [];
        regexPrice = '/^[0-9]+$/';
        if(!preg_match($regexPrice, $price)) {
            $errors++;
            $allErrors[]= "Please enter number for price";
        if($errors>0) {
            $_SESSION['user']['errors'] = $allErrors;
            header("Location:
../views/adminPanel/admin.php?page=edit&table=products&id=$id");
        } else {
            unset($_SESSION['user']['errors']);
            $data = array(
                'price' => $price
            );
            $id = $_POST['id'];
            $idColoum = 'price id';
            $table = 'prices';
            update($table, $id, $data, $idColoum);
            header("Location:
../views/adminPanel/admin.php?page=edit&table=products&id=".$ GET['id']."&
success=Success");
```

```
}else if(isset($ GET['table']) && $ GET['table']=='product inventory')
        $qty = $_POST['qty'];
        $errors = 0;
        $allErrors = [];
        regexQty = '/^[0-9]+$/';
        if(!preg_match($regexQty, $qty)) {
            $errors++;
            $allErrors[]= "Please enter quantity";
        if($errors>0) {
            $ SESSION['user']['errors'] = $allErrors;
            header('Location:
../views/adminPanel/admin.php?page=edit&table=products&id='.$_GET['id']);
        } else {
            // global $conn;
            // $update = $conn->prepare("UPDATE product inventory SET
quantity=:qty WHERE id=:id");
            // $update->bindParam(':qty', $qty);
            // $update->bindParam(':id', $id);
            // $update->execute();
            unset($_SESSION['user']['errors']);
            $data = array(
                'quantity' => $qty,
            );
            $id = $_POST['id'];
            $idColoum = 'inventory_id';
            $table = 'product inventory';
            update($table, $id, $data, $idColoum);
            header("Location:
../views/adminPanel/admin.php?page=edit&table=products&id=".$ GET['id']."&
success=Success");
    }else if(isset($_GET['table']) && $_GET['table']=='productdiscounts')
        $discount = $_POST['discount'];
        $errors = 0;
        $allErrors = [];
        if(empty($discount)) {
            $errors++;
            $allErrors[]= "Please enter discount";
```

```
if($errors>0) {
            $_SESSION['user']['errors'] = $allErrors;
            header('Location:
../views/adminPanel/admin.php?page=edit&table=products&id='.$ GET['id']);
        } else {
            unset($ SESSION['user']['errors']);
            $data = array(
                'discount id' => $discount,
            );
            $id = $ POST['priceID'];
            $idColoum = 'price_id';
            $table = 'prices';
            update($table, $id, $data, $idColoum);
            header("Location:
../views/adminPanel/admin.php?page=edit&table=products&id=".$ GET['id']."&
success=Success");
    }else if(isset($ GET['table']) && $ GET['table']=='productsizes'){
        $size = $ POST['size'];
        $errors = 0;
        $allErrors = [];
        if(empty($size)) {
            $errors++;
            $allErrors[]= "Size input is required";
        if($errors>0) {
            $_SESSION['user']['errors'] = $allErrors;
            header('Location:
./views/adminPanel/admin.php?page=additem&table=sizes');
        } else {
            unset($_SESSION['user']['errors']);
            $data = array(
                'size' => $size
            );
            $id = $ POST['id'];
            $idColoum = 'size_id';
            $table = 'sizes';
            update($table, $id, $data, $idColoum);
    }else if(isset($_GET['table']) &&
$_GET['table']=='productSpecifications'){
        $spec = $ POST['specification'];
```

```
$id = $ POST['id'];
       $errors = 0;
       $allErrors = [];
       if(empty($spec)) {
           $errors++;
           $allErrors[]= "Specification input is required";
       if($errors>0) {
           $ SESSION['user']['errors'] = $allErrors;
           header('Location:
../views/adminPanel/admin.php?page=edit&table=product&id='.$id);
       } else {
           unset($ SESSION['user']['errors']);
           $data = array(
                'value' => $spec
            );
           $idColoum = 'prod spec id';
           $table = 'product specification';
           update($table, $id, $data, $idColoum);
           echo json encode('Successfully updated');
           http response code(204);
       }
       echo json_encode('You dont have permission for this page');
       http_response_code(401);
       header("location: ../index.php");
```

Models/products/insertProduct.php

```
    session_start();
    include '../../config/connection.php';
    include "../functions.php";
    $specs = getItems("specifications");

if(isset($_POST['submitBtn'])) {
        $name = $_POST['name'];
        $category = $_POST['category'];
        $brand = $ POST['brand'];
}
```

```
$description = $ POST['description'];
        $gender = $ POST['gender'];
        $price = $ POST['price'];
        $qty = $_POST['qty'];
        $discount = $ POST['discount'];
        $newImg = $ FILES['img'];
        $images = $ FILES['imgs'];
        $sizes = $ POST['sizes'];
        $allErrors = [];
        regexCode = '/^[a-zA-Z0-9\s]+$/';
        regexQty = '/^[0-9]+$/';
        $errors=0;
        if(!preg match($regexCode, $name)) {
            $errors++;
            $allErrors[]= "Please enter product name";
        if(!isset($description)) {
            $errors++;
            $allErrors[]= "Please enter description";
        if(!preg_match($regexQty, $qty)) {
            $errors++;
            $allErrors[]= "Please enter product quantity";
        if(!preg_match($regexQty, $price)) {
            $errors++;
            $allErrors[]= "Please enter number for price";
        if(!isset($gender)) {
            $errors++;
            $allErrors[]= "Please select gender";
        if(!isset($sizes)) {
            $errors++;
            $allErrors[]= "Please select product size";
        if($newImg['size']===0) {
            $allErrors[]= "Please insert product image";
            header("location:
../../views/adminPanel/admin.php?page=addProduct&error=Insert product
image");
```

```
if($errors>0) {
            $ SESSION['user']['errors']= $allErrors;
            header("location:
../.../views/adminPanel/admin.php?page=additem&table=products");
            $fileName = $newImg['name'];
            $tmpFajl = $newImg['tmp name'];
            $size = $newImg['size'];
            $type = $newImg['type'];
            $noviNazivFajla = time()."_".$fileName;
            $putanja =
"../../assets/ProductImages/allProductImages/".$noviNazivFajla;
            if(move uploaded file($tmpFajl, $putanja)){
                try{
                    //MAKE THUMBNAIL IMAGE
                    list($width, $height) = getimagesize($putanja);
                    $ext = strtolower(pathinfo($putanja,
PATHINFO_EXTENSION));
                    $newWidth = 255;
                    $newHeight = $height / ($width/$newWidth);
                    $slika = "imagecreatefrom".$ext;
                    if(function exists($slika)){
                        echo 'usao';
                        $newCustomImg = call user func($slika, $putanja);
                    $background = imagecreatetruecolor($newWidth,
$newHeight);
                    imagecopyresampled($background,
$newCustomImg,0,0,0,0,$newWidth,$newHeight,$width,$height);
                    $fun = "image".$ext;
                    $thumbnailPath =
"../../assets/ProductImages/thumbnails/".$noviNazivFajla;
                    if(function exists($fun)){
                        $finall = call_user_func($fun, $background,
$thumbnailPath);
```

```
//INSERTING PRODUCT
                    global $conn;
                    $conn->beginTransaction();
                    $insertProduct = $conn->prepare("INSERT INTO products
(name, brand id, category id, mainImg, description, gender id) VALUES
(:name, :brand id, :category id, :mainImg, :description, :gender id)");
                    $insertProduct->bindParam(":name", $name);
                    $insertProduct->bindParam(":brand id", $brand);
                    $insertProduct->bindParam(":category_id", $category);
                    $insertProduct->bindParam(":mainImg",
$noviNazivFajla);
                    $insertProduct->bindParam(":description",
$description);
                    $insertProduct->bindParam(":gender id", $gender);
                    $isSuccess = $insertProduct->execute();
                    if($isSuccess) {
                        //INSERTING PRODUCT PRICE
                        $lastInsertedId = $conn->lastInsertId();
                        $insertPrice = $conn->prepare("INSERT INTO prices
(price, product id, discount id) VALUES(:price, :product id,
:discount id)");
                        $insertPrice->bindParam(":price", $price);
                        $insertPrice->bindParam(":product id",
$lastInsertedId);
                        $insertPrice->bindParam(":discount_id",
$discount);
                        $insertPrice->execute();
                        //INSERTING PRODUCT QUANTITY
                        $insertQty = $conn->prepare("INSERT INTO
product_inventory(product_id, quantity, status) VALUES(:product_id,
:quantity, :status)");
                        $insertQty->bindParam(":product_id",
$lastInsertedId);
                        $insertQty->bindParam(":quantity", $qty);
                        $status = $qty>0 ? 1 : 0;
                        $insertQty->bindParam(":status", $status);
                        $insertQty->execute();
                        //INSERTING PRODUCT GENDER
```

```
// $insertGender = $conn->prepare("INSERT INTO
prod gender (prod id, gend id) VALUES(:prod id, :gender id)");
                        // $insertGender->bindParam(":gender id",
$gender);
                        // $insertGender->bindParam(":prod id",
$lastInsertedId);
                        // $insertGender->execute();
                        //INSERTING PRODUCT IMAGES
                        if(count($images)>0) {
                            for($i = 0; $i <
count($ FILES['imgs']['name']); $i++) {
                                $fileName = $images['name'][$i];
                                $tmpFile = $images['tmp_name'][$i];
                                $size = $images['size'][$i];
                                $type = $images['type'][$i];
                                $newName = time()."_".$fileName;
                                $path =
"../../assets/ProductImages/".$newName;
                                if(move uploaded file($tmpFile, $path)) {
                                    $insertImage = $conn->prepare("INSERT
INTO images (src, product_id) VALUES(:src, :product_id)");
                                    $insertImage->bindParam(":src",
$newName);
                                    $insertImage->bindParam(":product id",
$lastInsertedId);
                                    $insertImage->execute();
                        //INSERTING PRODUCT SPECIFICATION
                        foreach($specs as $spec){
                            $specification_id=$spec["specification_id"];
                            $vrednost =
$ POST["spec".$spec['specification id'].""];
                            if(!empty($vrednost)) {
                                $insertSpecifications = $conn-
>prepare("INSERT INTO product specification (prod id, spec id, value)
VALUES(:prod id, :spec id, :value)");
```

```
$insertSpecifications-
>bindParam(":prod id", $lastInsertedId);
                                $insertSpecifications-
>bindParam(":spec id", $specification id);
                                $insertSpecifications->bindParam(":value",
$vrednost);
                                $insertSpecifications->execute();
                        // INSERTING PRODUCT SIZES
                        foreach($sizes as $size){
                            echo $size;
                            $insertSizes = $conn->prepare("INSERT INTO
product_size (product_id, size_id) VALUES(:product_id, :size_id)");
                            $insertSizes->bindParam(":product id",
$lastInsertedId);
                            $insertSizes->bindParam(":size id", $size);
                            $insertSizes->execute();
                        //IS SUCCESS
                        if($insertPrice && $insertQty) {
                            header("location:
../../views/adminPanel/admin.php?page=additem&table=products&success=Succe
ss");
                            unset($_SESSION["user"]['errors']);
                        $conn->commit();
                }
                catch(PDOException $e){
                    $conn->rollBack();
                    echo "nesto nije u redu";
        } else {
            header("location:
../../views/adminPanel/admin.php?page=addProduct&error=Doslo je do greske
prilikom uploada");
```

```
} else {
    header('location: ../../index.php');
}
```

Models/reigsterLogic/logout.php

```
<?php
    session_start();
    if(isset($_SESSION['user'])) {
        unset($_SESSION['user']);
        header('Location: ../../index.php');
    }
}</pre>
```

config/.env

```
DBNAME=sneakersshop
SERVER=localhost
USERNAME=root
PASSWORD=
```

config/config.php

```
// Podesavanja za bazu
// define("SERVER", "localhost");
// define("DATABASE", "sneakersshop");
// define("USERNAME", "root");
// define("PASSWORD", "");

define("envPath", __DIR__."/.env");

define("SERVER", env("SERVER"));

define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($marker){
```

```
$niz = file(envPath);
$dbParametar = "";
foreach($niz as $red){
$red = trim($red);
list($identifikator, $vrednost) = explode("=", $red);
if($identifikator == $marker){
$dbParametar = $vrednost;
break;
}
}
return $dbParametar;
}
```

Config/connection.php

Assets/js/customJs/custom.js

```
let genderData = [];
let categoryData = [];
let brandData = [];
let string = "";
```

```
let sortValue = "";
let showPerPage = 6;
let allItems;
let subTotal = 0;
let page = 0;
let user id;
if (document.querySelector(".user tag") != null) {
  user_id = document.querySelector(".user_tag").dataset.id;
//BLOKS
let productContainer = document.querySelector(".product-container");
let cartListContainer = document.querySelector(".cart list");
let blockError = document.querySelector(".blk error");
//Pagination buttons
let next = document.querySelectorAll(".next-arrow");
let back = document.querySelectorAll(".prev-arrow");
function ValidateLogin() {
  //Elements
  let email = document.querySelector("#email");
  let password = document.querySelector("#password");
  //Regex
 let emailRegex = /^[A-Za-z0-9. -]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/;
  let passwordRegex =
    /^(?=.*[a-zA-Z])(?=.*\d)(?=.*[!@#$%^&*()_-])[A-Za-z\d!@#$%^&*()_-
]{8,}$/;
  //Error div
  let error = document.querySelector(".error");
  let numErrors = 0;
  //Validation
  if (!emailRegex.test(email.value)) {
    numErrors++;
    error.classList.add("alert");
    error.classList.add("alert-danger");
    error.innerHTML += `Invalid email address! example:
yourname@gmail.com`;
    error.classList.remove("alert");
    error.classList.remove("alert-danger");
    error.innerHTML = ``;
```

```
if (!passwordRegex.test(password.value)) {
    numErrors++;
    error.classList.add("alert");
    error.classList.add("alert-danger");
    error.innerHTML += `Invalid password! example: P@ssword02`;
    error.classList.remove("alert");
    error.classList.remove("alert-danger");
    error.innerHTML = ``;
  if (numErrors > 0) {
   return false;
  return true;
function validateUserChanges() {
  let errorBlock = document.querySelector(".errors");
  errorBlock.innerHTML = "";
  let fisrt name = document.querySelector("#fName");
  let last name = document.querySelector("#1Name");
  let email = document.querySelector("#email");
  let password = document.querySelector("#password");
  let emailRegex = /^[A-Za-z0-9. -]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/;
  let passwordRegex =
    /^(?=.*[a-zA-Z])(?=.*\d)(?=.*[!@#$%^&*()_-])[A-Za-z\d!@#$%^&*()_-
]{8,}$/;
  let greske = 0;
  if (!emailRegex.test(email.value)) {
    greske++;
    errorBlock.classList.add("alert-danger");
    errorBlock.classList.add("alert");
    errorBlock.innerHTML += "Please insert correct email";
  if (password.value != "") {
   if (!passwordRegex.test(password.value)) {
      greske++;
      errorBlock.classList.add("alert-danger");
      errorBlock.classList.add("alert");
      errorBlock.innerHTML +=
```

```
"Please insert correct password! example: P@ssword02";
 if (fisrt name.value == "") {
   greske++;
   errorBlock.classList.add("alert-danger");
   errorBlock.classList.add("alert");
   errorBlock.innerHTML += "Please insert first name";
 if (last name.value == "") {
   greske++;
   errorBlock.classList.add("alert-danger");
   errorBlock.classList.add("alert");
   errorBlock.innerHTML += "Please insert last name";
 if (greske > 0) return false;
 return true;
window.addEventListener("load", function () {
 if (window.location.search.includes("register")) {
   //Elements
   let registerBtn = document.querySelector(".register-btn");
   //Events
   registerBtn.addEventListener("click", function (e) {
     validateForm(e);
   });
  } else if (window.location.search.includes("login")) {
   let error = document.querySelector(".error");
   error.innerHTML = ``;
   let login_btn = document.querySelector("#loginBtn");
    login_btn.addEventListener("click", function (e) {
      e.preventDefault();
     let email = document.querySelector("#email");
     let password = document.querySelector("#password");
     let emailRegex = /^[A-Za-z0-9._-]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/;
     let passwordRegex =
       /^(?=.*[a-zA-Z])(?=.*|d)(?=.*[!@#$%^&*() -])[A-Za-z|d!@#$%^&*() -
]{8,}$/;
     let numErrors = 0;
```

```
if (!emailRegex.test(email.value)) {
       numErrors++;
        error.classList.add("alert");
       error.classList.add("alert-danger");
       error.innerHTML += `Invalid email address! example:
yourname@gmail.com`;
       error.classList.remove("alert");
       error.classList.remove("alert-danger");
       error.innerHTML = ``;
     if (!passwordRegex.test(password.value)) {
       numErrors++;
       error.classList.add("alert");
       error.classList.add("alert-danger");
       error.innerHTML += `Invalid password! example: P@ssword02`;
      } else {
       error.classList.remove("alert");
       error.classList.remove("alert-danger");
       error.innerHTML = ``;
      if (numErrors === 0) {
       data = {
         email: email.value,
         password: password.value,
       };
        ajaxCallBack(
          "models/login.php",
         "POST",
         data.
         function (result) {
            if (result) window.location.href = "index.php?page=home";
         },
         function (xhr) {
            error.classList.add("alert");
            error.classList.add("alert-danger");
            error.innerHTML += `${xhr.responseJSON}`;
       );
    });
   else if (window.location.search.includes("shop")) {
```

```
ajaxCallBack(
  "models/getAllItems.php?item=product&limit=true",
  "GET",
  null,
  function (data) {
    ispisProizvoda(data);
  },
 function (xhr) {
    console.log(xhr);
);
//FILTER
let genders = $(".gender");
genders.on("change", function (e) {
  page = 0;
  validateFilters(e, genderData, "gender");
});
let brands = $(".brand");
brands.on("change", function (e) {
  page = 0;
  validateFilters(e, brandData, "brand");
});
let categories = $(".category");
categories.on("change", function (e) {
  page = 0;
  validateFilters(e, categoryData, "category");
});
//SORT
let sort = $("#sort");
sort.on("change", function (e) {
  page = 0;
  sortValue = e.target.value;
 finallyFilter();
});
//Search
let search = $("#search_input");
search.on("keyup", function (e) {
  string = e.target.value;
  string = string.toLowerCase();
```

```
finallyFilter();
 });
  //SHOW PER PAGE
 let perPagesDDL = $(".perPage");
 $.each(perPagesDDL, function (perPage) {
    perPagesDDL[perPage].addEventListener("change", function (e) {
      page = 0;
      showPerPage = e.target.value;
      finallyFilter();
   });
 });
  //Next Page
 $(".next-arrow").on("click", function (e) {
   e.preventDefault();
   page++;
   finallyFilter();
 $(".prev-arrow").on("click", function (e) {
   e.preventDefault();
   if (page < 1) {
      page = 0;
   page--;
   finallyFilter();
 });
} else if (window.location.search.includes("single-product")) {
 //Elements
 let sizes = document.querySelectorAll(".size");
 let addToCart = document.querySelector("#addToCart");
 //Display sizes and choose one
  sizes.forEach(function (size) {
   size.addEventListener("click", function (e) {
      let size = e.target;
      removeClasses();
      size.classList.remove("btn-custom");
      size.classList.add("btn-secondary");
   });
 });
 function removeClasses() {
```

```
sizes.forEach(function (size) {
    size.classList.remove("btn-secondary");
    size.classList.add("btn-custom");
 });
//Add To Cart
addToCart.addEventListener("click", function (e) {
  e.preventDefault();
 let productId = e.target.dataset.id;
 let qty = $(".qty").val();
  let sizeId;
  sizes.forEach(function (size) {
    if (size.classList.contains("btn-secondary")) {
      sizeId = size.dataset.id;
  });
  if (sizeId == undefined) {
    //Uraditi upozorenje
    blockError.innerHTML = `
    <div class="alert alert-danger" role="alert">
    Please select size!
   </div>`;
  } else {
    blockError.innerHTML = "";
    data = {
      product_id: productId,
      user_id: user_id,
      qty: qty,
      size_id: sizeId,
    };
    ajaxCallBack(
      "models/insert.php?table=cart",
      "POST",
      data,
      function (response) {
        popUpWindow("Product added to cart!", "popUpAdd", "noneAdd");
      },
      function (xhr) {
        console.log(xhr);
    );
```

```
});
 } else if (window.location.search.includes("cart")) {
    //Load product in cart
    ajaxCallBack(
      "models/getAllItems.php?item=cart&id=" + user id,
      "GET",
     null,
     function (response) {
        displayAllItemsFromCart(response);
     },
     function (xhr) {
        console.log(xhr);
    );
    //Proceed to checkout
   let checkout = $(".shopBtn");
    checkout.on("click", function (e) {
      e.preventDefault();
     let orders = [];
     //Get orders
     $.each(allItems, function (i) {
       let product id =
allItems[i].querySelector(".item_name").dataset.id;
       let size_id = allItems[i].querySelector(".size").dataset.id;
        let price_id = allItems[i].querySelector(".price").dataset.id;
        let qty = allItems[i].querySelector(".qty").value;
        let cart_id = allItems[i].dataset.cart;
        order = {
          product id: product id,
          size_id: size_id,
          price_id: price_id,
          qty: qty,
          cart id: cart id,
        };
        orders.push(order);
      });
      //Get location
     let country = $("#country").val();
     let city = $("#city").val();
```

```
let address = $("#address").val();
let location = {
  country: country,
  city: city,
 address: address,
};
let finallOrder = {
  orders: orders,
  location: location,
 user id: user id,
 total: subTotal,
};
console.log(finallOrder);
if (country == "" || city == "" || address == "") {
 //Ispisati gresku
 blockError.innerHTML = `
  <div class="alert alert-danger" role="alert">
  Please insert your shipping address!
 </div>`;
} else {
  blockError.innerHTML = "";
  ajaxCallBack(
    "models/insert.php?table=order",
    "POST",
    finallOrder,
    function (data) {
      ajaxCallBack(
        "models/getAllItems.php?item=cart&id=" + user id,
        "GET",
        null,
        function (response) {
          displayAllItemsFromCart(response);
        },
        function (xhr) {
          console.log(xhr);
      );
      popUpWindow("Purchase completed!", "popUpWindow", "none");
    function (xhr) {
      console.log(xhr);
```

```
);
    });
    //REMOVE PRODUCT FROM CART
    $(document).on("click", ".removeProdFromCart", function (e) {
      let cart id = e.target.dataset.cart;
      data = {
        cart_item_id: cart_id,
      };
      ajaxCallBack(
        "models/removeFromCart.php",
        "POST",
        data,
        function (data) {
          ajaxCallBack(
            "models/getAllItems.php?item=cart&id=" + user_id,
            "GET",
            null,
            function (response) {
              displayAllItemsFromCart(response);
            },
            function (xhr) {
              console.log(xhr);
          );
        },
        function (error) {
          console.log(error);
      );
    });
});
function validateForm(e) {
 e.preventDefault();
  //Errors number
  let errorsNumber = 0;
  //input fields
  let firstName = document.querySelector("#firstN");
  let lastName = document.querySelector("#lastN");
  let email = document.guerySelector("#email");
```

```
let password = document.querySelector("#password");
 let confirmPassword = document.querySelector("#passwordConfirm");
 //Regex
 let nameRegex = /^[A-Za-z]{2,}$/;
 let emailRegex = /^[A-Za-z0-9._-]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/;
 let passwordRegex =
   /^(?=.*[a-zA-Z])(?=.*[!@#$%^&*() -])[A-Za-z\d!@#$%^&*() -
]{8,}$/;
 //validate input fields
 validateInputFields(
   firstName,
   nameRegex,
    "Please enter a First name",
   errorsNumber
  );
 validateInputFields(
   lastName,
   nameRegex,
    "Please enter a Last name",
   errorsNumber
  );
 validateInputFields(
   email,
   emailRegex,
    "Invalid email! example (name@example.com)",
   errorsNumber
 validateInputFields(
   password,
   passwordRegex,
    "Invalid password! Must be at least 8 characters long. At least one
uppercase letter, one lowercase letter, one number, and one special
character",
   errorsNumber
  );
 //Confirm password matching
 let cp = confirmPassword.parentElement.querySelector(".error");
   confirmPassword.value !== password.value ||
   confirmPassword.value.length === 0
```

```
cp.textContent = "Password does not match";
    confirmPassword.classList.add("warrning");
   errorsNumber++;
   cp.textContent = "";
   confirmPassword.classList.remove("warrning");
 if (errorsNumber === 0) {
   data = {
     firstName: firstName.value,
     lastName: lastName.value,
     email: email.value,
     password: password.value,
   };
    ajaxCallBack(
      "models/registerUser.php",
      "POST",
     data,
     function (data) {
       document.querySelector(
          ".success"
        ).innerHTML = `${data}`;
      },
     function (xhr) {
       console.log(xhr);
   );
function validateInputFields(field, regex, message, errorsNumber) {
 let errorBlock = field.parentElement.querySelector(".error");
 if (!regex.test(field.value)) {
   errorsNumber++;
   errorBlock.innerHTML = message;
   field.classList.add("warrning");
   errorBlock.innerHTML = "";
   field.classList.remove("warrning");
function ajaxCallBack(url, method, data, result, error) {
```

```
$.ajax({
    url: url,
    method: method,
    dataType: "json",
    data: data,
    success: result,
    error: error,
  });
function ispisProizvoda(products, productsNumber = null) {
  //Max page number
  let pages;
  let currentPage = page + 1;
  if (productsNumber !== null) {
    pages = productsNumber / showPerPage;
    pages = Math.ceil(pages);
  //Pagination settings
  if (productsNumber != null && currentPage == pages) {
    next.forEach((btn) => {
      btn.classList.add("disabled");
    });
    next.forEach((btn) => {
      btn.classList.remove("disabled");
    });
  if (page === 0) {
    back.forEach((btn) => {
      btn.classList.add("disabled");
    });
    back.forEach((btn) => {
      btn.classList.remove("disabled");
    });
  productContainer.innerHTML = ``;
  products.forEach((prod) => {
    let discount =
      prod.percentage !== null
        ? prod.price - (prod.price * prod.percentage) / 100
```

```
: prod.price;
    discount = Number(discount);
    productContainer.innerHTML += `<div class="col-lg-4 col-md-6">
    <div class="single-product">
      <img class="img-fluid thumbnail"</pre>
src="assets/Productimages/thumbnails/${
       prod.mainImg
     }" alt="">
      <div class="product-details">
        <h6 class='productNameBlock'>${prod.name}</h6>
        <div class="price">
          <h6>$${discount.toFixed(2)}</h6>
            prod.percentage !== 0
              ? `<h6 class="l-through">${prod.price}</h6>`
        </div>
        <div class="prd-bottom">
          <a href="index.php?page=single-product&prodid=${</pre>
            prod.product id
          }" class="social-info" >
          <span class="lnr lnr-move" data-id='${prod.product id}'></span>
            view more
          </a>
       </div>
      </div>
   </div>
  </div>`;
  });
function displayAllItemsFromCart(response) {
  cartListContainer.innerHTML = "";
 console.log(response.length);
 if (response.length > 0) {
   response.forEach(function (item) {
     let discount =
        item.percentage !== null
          ? item.price - (item.price * item.percentage) / 100
         : item.price;
```

```
discount = Number(discount);
     discount = discount.toFixed(2);
     cartListContainer.innerHTML += `
          <div class="media">
                 <div class="d-flex">
                     <img src="assets/ProductImages/thumbnails/${</pre>
                       item.mainImg
                     }" height='80' alt="">
                 </div>
                 <div class="media-body">
                     id="${item.product id}">${
       item.name
     }
                 </div>
              </div>
          >
              <h5 class="price" data-
id="${item.price_id}">$${discount}</h5>
          <h5 class="size" data-
id="${item.size_id}">${item.size}</h5>
          <div class="product count">
                     <input type="number" name="qty" value="${</pre>
                       item.quantity
                     }" min="1" max='${
       item.lagetQty
     }' title="Quantity:" class="input-text qty">
              </div>
          <h5>$${(discount * item.quantity).toFixed(2)}</h5>
          <img src="assets/img/close.png" class='removeProdFromCart'</pre>
alt='close img' data-cart='${
              item.cart item id
```

```
subTotal += discount * item.quantity;
   });
   cartListContainer.innerHTML += `
            >
                <h5>Subtotal</h5>
                <h5>$${subTotal.toFixed(2)}</h5>
                document.querySelector(".cart-ct").innerHTML = `
       <div class="alert alert-danger" role="alert">
         Empty Cart!
       </div>
 allItems = document.querySelectorAll(".single-item");
function validateFilters(e, array, type) {
 let cbValue = e.target.dataset.id;
 if (e.target.checked) {
   if (!array.includes(cbValue)) array.push(cbValue);
   if (type == "category")
     categoryData = categoryData.filter((x) => x != cbValue);
   if (type == "brand") brandData = brandData.filter((x) => x !==
cbValue);
```

```
if (type == "gender") genderData = genderData.filter((x) => x !==
cbValue);
  finallyFilter();
function finallyFilter() {
  let data = {
    genders: genderData,
    categories: categoryData,
    brands: brandData,
    sort: sortValue,
    showPerPage: showPerPage,
    search: string,
    page: page,
  };
  console.log(data);
  ajaxCallBack(
    "models/filter-sort-products.php",
    "POST",
    data,
    function (data) {
      ispisProizvoda(data.products, data.number);
    },
    function (xhr) {
      productContainer.innerHTML = `<h3 class="text-danger pt-3 pb-</pre>
3">${xhr.responseText}</h3>`;
      next.forEach((btn) => {
        btn.classList.add("disabled");
      });
  );
function popUpWindow(message, className, none) {
  console.log("usao");
  let popUpWindow = document.querySelector(".popup");
  popUpWindow.innerHTML = "";
  popUpWindow.classList.remove(none);
  popUpWindow.classList.add(className);
  popUpWindow.innerHTML = `${message}`;
  setTimeout(function () {
```

```
popUpWindow.classList.add(none);
  popUpWindow.classList.remove(className);
}, 3000);
}
```

Assets/css/customCss/custom.css

```
.error {
 color: red;
 margin: 0px;
.warrning {
 border-color: red !important;
.success p {
 font-size: 24px;
.nav-tag {
 display: flex;
 align-items: center;
 color: #828bb2;
 font-weight: 500;
.btn-custom {
 background: linear-gradient(90deg, #ffba00 0%, #ff6c00 100%);
 border: none;
 color: #fff;
.pixel-checkbox {
 height: 17px;
 width: 17px;
.show-per-page {
 margin-top: 10px;
.perPage,
.nice-select {
 border-radius: 0px;
```

```
.form-group {
 margin-bottom: Opx !important;
.shopBtn {
 line-height: 38px;
 background: linear-gradient(90deg, #ffba00 0%, #ff6c00 100%);
 border: 1px solid #eeeeee;
 border-radius: 3px;
 padding: 0px 40px;
 display: inline-block;
 color: #fff;
 text-transform: uppercase;
 font-weight: 500;
.shopBtn:hover {
 color: #000;
 background: linear-gradient(90deg, #ffba00 0%, #ff6c00 80%);
.popUpWindow {
 position: fixed;
 transition: all 0.5s ease-in-out;
 left: 50%;
 top: 0%;
 transform: translate(-50%, 0%);
 background-color: #ff6c00;
 color: #fff;
 width: 100%;
 height: 150px;
 display: flex;
 justify-content: center;
 align-items: center;
 z-index: 999;
 font-size: 1.8rem;
.popUpAdd {
 position: fixed;
 transition: all 0.5s ease-in-out;
 left: 93%;
 bottom: 3%;
```

```
transform: translate(-50%, 0%);
 background-color: #ffb900;
 color: #fff;
 width: max-content;
 height: 35px;
 display: flex;
 justify-content: center;
 align-items: center;
 z-index: 999;
 font-size: 1.2rem;
 padding: 10px;
.noneAdd {
 position: fixed;
 left: 93%;
 bottom: -100%;
 transform: translate(-50%, 0%);
.none {
 position: fixed;
 transition: all 0.5s ease-in-out;
 left: 50%;
 top: -100%;
 transform: translate(-50%, 0%);
 width: 30%;
 height: 150px;
.removeProdFromCart {
 cursor: pointer;
.disabled {
 pointer-events: none;
 color: gray;
 text-decoration: none;
 cursor: default;
 background-color: transparent !important;
.productHeading {
 min-height: 60px;
.thumbnail {
```

```
height: 255px;
 object-fit: cover;
.productNameBlock {
 min-height: 50px;
.shopImg {
 width: 55% !important;
 display: unset !important;
.profileImg {
 width: 40px;
 height: 40px;
 border-radius: 50%;
 margin-left: 10px;
.profileImg .image {
 width: 100%;
 height: 100%;
 object-fit: cover;
 border-radius: 50%;
.autor-red {
 display: flex;
 justify-content: space-between;
 align-items: center;
 flex-wrap: wrap;
.slika-blok {
 display: flex;
 justify-content: center;
 align-items: center;
.content-auror {
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
.slika {
 width: 80%;
```

```
@media screen and (max-width: 515px) {
    .content-auror h1 {
        font-size: 25px;
    }
}
@media screen and (max-width: 365px) {
    .content-auror h1 {
        font-size: 22px;
    }
}
```

Views/adminPanel/js/customJs/custom.js

```
if (window.location.search.includes("type=products")) {
  let headers = {
    Image: "mainImg",
    "Poduct Name": "name",
    Brand: "brand",
    Category: "category",
    Price: "price",
    Discount: "percentage",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=product",
    "GET",
    null,
    function (data) {
      console.log(data);
     // console.log(data);
     // let ct = document.querySelector(".productTable");
      let ct = document.guerySelector(".table-responsive");
      ct.innerHTML = ``;
      let num = 1;
      let table = createHTMLTable(data, headers, "product id",
'products");
      ct.innerHTML = table;
      // data.forEach((prod) => {
        ct.innerHTML += `
      //
      //
         //
             ${num++}
      //
```

```
//
         >
     //
           <img src=../../assets/ProductImages/${prod.mainImg}>
     //
         //
           ${prod.name}
     //
        //
         ${prod.brand}
        //
        ${prod.category}
        //
        //
        ${prod.price}
        //
        ${prod.percentage === null ? "No discount" : prod.percentage}
     //
        //
             <a class="btn btn-warning">Edit</a>
        //
        //
        <a class="btn btn-danger">Delete</a>
     // 
     // `;
     // });
   },
   function (xhr) {
     console.log(xhr);
 );
 deleteItem("products", "product_id", headers);
} else if (window.location.search.includes("categories")) {
 let headers = {
   Category: "category",
 };
 ajaxCallBack(
   "../../models/getAllItems.php?item=categories",
   "GET",
   null,
   function (data) {
     // console.log(data);
     // let ct = document.querySelector(".productTable");
```

```
let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "category id",
"categories");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("categories", "category_id", headers);
} else if (window.location.search.includes("brands")) {
  let headers = {
    Brand: "brand",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=brands",
    "GET",
    null,
    function (data) {
      // console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "brand_id", "brands");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("brands", "brand_id", headers);
} else if (window.location.search.includes("sizes")) {
  let headers = {
    Size: "size",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=sizes",
    "GET",
    null,
    function (data) {
```

```
console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "size id", "sizes");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("sizes", "size id", headers);
} else if (window.location.search.includes("specifications")) {
  let headers = {
    Specification: "specification",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=specifications",
    "GET",
    null,
    function (data) {
      console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(
        data,
        headers,
        "specification id",
        "specifications"
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("specifications", "specification id", headers);
} else if (window.location.search.includes("genders")) {
  let headers = {
    Gender: "gender",
```

```
};
  ajaxCallBack(
    "../../models/getAllItems.php?item=genders",
    "GET",
    null,
    function (data) {
      console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "gender_id", "genders");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("genders", "gender_id", headers);
} else if (window.location.search.includes("users")) {
  let headers = {
    "First Name": "first name",
    "Last Name": "last_name",
    Email: "email",
    Role: "role",
    "Is Blocked": "is_blocked",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=users",
    "GET",
    null.
    function (data) {
      console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "user_id", "users");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
```

```
);
  deleteItem("users", "user id", headers);
} else if (window.location.search.includes("roles")) {
  let headers = {
    Role: "role",
  };
  ajaxCallBack(
    "../../models/getAllItems.php?item=roles",
    null,
    function (data) {
      console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "role id", "roles");
      ct.innerHTML = table;
    },
    function (xhr) {
      console.log(xhr);
  );
  deleteItem("roles", "role id", headers);
} else if (window.location.search.includes("discounts")) {
  let headers = {
    "Discounts percentage": "percentage",
    Active: "is_active",
  ajaxCallBack(
    "../../models/getAllItems.php?item=discounts",
    "GET",
    null,
    function (data) {
      console.log(data);
      // let ct = document.querySelector(".productTable");
      let ct = document.querySelector(".table-responsive");
      ct.innerHTML = ``;
      let table = createHTMLTable(data, headers, "discount id",
"discounts");
      ct.innerHTML = table;
```

```
function (xhr) {
      console.log(xhr);
  );
  deleteItem("discounts", "discount id", headers);
if (window.location.search.includes("page=edit&table=products")) {
  const urlParams = new URLSearchParams(window.location.search);
  const myParam = urlParams.get("id");
  //LOAD AVALIBLE SIZES
  ajaxCallBack(
    "../../models/getAllItems.php?item=product size&id=" + myParam,
    "GET",
    null,
    function (data) {
      console.log(data);
      let block = document.querySelector(".sizes");
      data.forEach((size) => {
        block.innerHTML += `
          <div class="size d-flex my-3 align-items-center">
                <h4 class="mr-3 my-0 mx-0">${size.size}</h4>
                <a href="#" data-id="${size.ps id}" class="btn btn-danger</pre>
btn-sm removeSize">Delete</a>
          </div>
      });
    },
    function (xhr) {
      console.log(xhr);
  );
  let addSize = document.querySelector("#addSizeBtn");
  //ADD SIZE
  addSize.addEventListener("click", function (e) {
    e.preventDefault();
    let sizeId = document.querySelector("#addSizeDdl");
    let data = {
      size id: sizeId.value,
      product id: myParam,
```

```
ajaxCallBack(
      "../../models/insert.php?table=product size",
      "POST",
      data,
      function (data) {
        ajaxCallBack(
          "../../models/getAllItems.php?item=product size&id=" + myParam,
          "GET",
          null,
          function (data) {
            console.log(data);
            let block = document.querySelector(".sizes");
            block.innerHTML = ``;
            data.forEach((size) => {
              block.innerHTML += `
                <div class="size d-flex my-3 align-items-center">
                      <h4 class="mr-3 my-0 mx-0">${size.size}</h4>
                      <a href="#" data-id="${size.ps id}" class="btn btn-</pre>
danger btn-sm removeSize">Delete</a>
                </div>
            });
          },
          function (xhr) {
            console.log(xhr);
        );
      },
      function (xhr) {
        console.log(xhr);
    );
  });
  //REMOVE SIZE
  $(document).on("click", ".removeSize", function (e) {
    let id = e.target.dataset.id;
    e.preventDefault();
    let data = {
      table: "product size",
      id: id,
      idName: "ps_id",
```

```
ajaxCallBack(
      "../../models/delete.php",
      "POST",
      data,
      function (data) {
        ajaxCallBack(
          "../../models/getAllItems.php?item=product size&id=" + myParam,
          "GET",
          null,
          function (data) {
            let block = document.querySelector(".sizes");
            block.innerHTML = ``;
            data.forEach((size) => {
              block.innerHTML += `
                <div class="size d-flex my-3 align-items-center">
                       <h4 class="mr-3 my-0 mx-0">${size.size}</h4>
                      <a href="#" data-id="${size.ps id}" class="btn btn-</pre>
danger btn-sm removeSize">Delete</a>
                </div>
            });
          },
          function (xhr) {
            console.log(xhr);
        );
      },
      function (xhr) {
        console.log(xhr);
    );
  });
  //LOAD SPECIFICATIONS
  let specificationBlock = document.querySelector(".specification-
container");
  ajaxCallBack(
    "../../models/getAllItems.php?item=product specification&id=" +
myParam,
    "GET",
    null,
    function (data) {
```

```
specificationBlock.innerHTML = "";
      data.forEach((spec) => {
        specificationBlock.innerHTML += `
            <div class="spec mb-3 d-flex align-items-center">
                <h5 class="my-0 mx-2">${spec.specification}</h5>
                <input type="text" id="spec-value${spec.prod spec id}"</pre>
value="${spec.value}">
                <a data-id="${spec.prod spec id}" class="updateSpec ml-2</pre>
btn btn-sm btn-primary">Update</a>
                <input type="button" data-id="${spec.prod spec id}"</pre>
class="removeSpec ml-2 btn btn-sm btn-danger" value="Remove">
            </div>
      });
  );
  //UPDATE SPECIFICATION
  $(document).on("click", ".updateSpec", function (e) {
    let id = e.target.dataset.id;
    let spec value = document.querySelector(`#spec-value${id}`).value;
    console.log(spec value);
    data = {
      id: id,
      specification: spec value,
    };
    ajaxCallBack(
      "../../models/update.php?table=productSpecifications",
      "POST",
      data,
      function (data) {
        let success = document.querySelector(".success-spec");
        success.innerHTML = "Successfully
updated";
      },
      function (xhr) {
        console.log(xhr);
    );
  });
  //REMOVE SPECIFICATION
  $(document).on("click", ".removeSpec", function (e) {
```

```
let id = e.target.dataset.id;
    data = {
      id: id,
      table: "product specification",
      idName: "prod spec id",
    };
    ajaxCallBack(
      "../../models/delete.php",
      "POST",
      data,
      function (data) {
        ajaxCallBack(
          "../../models/getAllItems.php?item=product specification&id=" +
            myParam,
          "GET",
          null,
          function (data) {
            console.log(data);
            console.log(data);
            specificationBlock.innerHTML = "";
            data.forEach((spec) => {
              specificationBlock.innerHTML += `
                  <div class="spec mb-3 d-flex align-items-center">
                       <h5 class="my-0 mx-2">${spec.specification}</h5>
                       <input type="text" id="spec-</pre>
value${spec.prod_spec_id}" value="${spec.value}">
                       <a data-id="${spec.prod_spec_id}" class="updateSpec</pre>
ml-2 btn btn-sm btn-primary">Update</a>
                       <input type="button" data-id="${spec.prod spec id}"</pre>
class="removeSpec ml-2 btn btn-sm btn-danger" value="Remove">
                  </div>
            });
        );
      function (xhr) {
        console.log(xhr);
    );
  });
  //INSERT SPCIFICATION
```

```
$(document).on("click", "#addSpec", function (e) {
    let specificationId = document.querySelector("#specDdl").value;
    let value = document.querySelector("#specificationValue").value;
    data = {
      spec id: specificationId,
      value: value,
      prod id: myParam,
    };
    ajaxCallBack(
      "../../models/insert.php?table=product specification",
      "POST",
      data,
      function (data) {
        ajaxCallBack(
          "../../models/getAllItems.php?item=product specification&id=" +
          "GET",
          null,
          function (data) {
            console.log(data);
            console.log(data);
            specificationBlock.innerHTML = "";
            data.forEach((spec) => {
              specificationBlock.innerHTML += `
                   <div class="spec mb-3 d-flex align-items-center">
                       <h5 class="my-0 mx-2">${spec.specification}</h5>
                       <input type="text" id="spec-</pre>
value${spec.prod_spec_id}" value="${spec.value}">
                       <a data-id="${spec.prod_spec_id}" class="updateSpec</pre>
ml-2 btn btn-sm btn-primary">Update</a>
                       <input type="button" data-id="${spec.prod_spec_id}"</pre>
class="removeSpec ml-2 btn btn-sm btn-danger" value="Remove">
                  </div>
            });
        );
      },
      function (xhr) {
        console.log(xhr);
```

```
//LOAD IMAGES
  let imagesBlock = document.querySelector(".img-container");
  ajaxCallBack(
    ".../.../models/getAllItems.php?item=images&id=" + myParam,
    "GET",
    null,
    function (data) {
      console.log(data);
      imagesBlock.innerHTML = "";
      data.forEach((img) => {
        imagesBlock.innerHTML += `
          <div class="img-block my-3">
src="../../assets/ProductImages/allProductImages/${img.src}"
alt="productImage7" class="ProductImg">
            <a href="#" class="btn btn-danger btn-sm removeProdImg" data-</pre>
id="${img.image id}">Remove</a>
          </div>
      });
  );
  //REMOVE IMAGE
  $(document).on("click", ".removeProdImg", function (e) {
    e.preventDefault();
    let id = e.target.dataset.id;
    data = {
      id: id,
      table: "images",
      idName: "image_id",
    };
    ajaxCallBack(
      "../../models/delete.php",
      "POST",
      data,
      function (data) {
        ajaxCallBack(
          "../../models/getAllItems.php?item=images&id=" + myParam,
          "GET",
          null.
```

```
function (data) {
           console.log(data);
           imagesBlock.innerHTML = "";
           data.forEach((img) => {
            imagesBlock.innerHTML += `
              <div class="img-block my-3">
                <img
src="../../assets/ProductImages/allProductImages/${img.src}"
alt="productImage7" class="ProductImg">
                <a href="#" class="btn btn-danger btn-sm removeProdImg"</pre>
id="${img.image_id}">Remove</a>
              </div>
          });
       );
     function (xhr) {
       console.log(xhr);
   );
 });
function createHTMLTable(data, properties, id, table) {
 var html = "";
 // Generate table headers
 html += "<thead>";
 html += "#";
 Object.keys(properties).forEach(function (property) {
   html += "" + property + "";
 });
 html += "Edit";
 html += "Delete";
 html += "</thead>";
 // Generate table rows
 html += "";
 let count = 1;
 data.forEach(function (item) {
   html += "";
   html += `${count++}`;
```

```
Object.values(properties).forEach(function (property) {
     if (property == "is blocked") {
       html +=
         "" + (item[property] == "0" ? `Legit` : `Blocked`) +
"";
       html +=
         "" +
         (property === "mainImg"
           ? `<img</pre>
src=../../assets/ProductImages/thumbnails/${item[property]}>`
           : item[property]) +
         "";
    });
   html += `
               <a
href="admin.php?page=edit&table=${table}&id=${item[id]}" class="btn btn-
warning editPage" >Edit</a>
               <a class="btn btn-danger removeItem" data-</pre>
id='${item[id]}'>Delete</a>
             `;
   html += "";
 });
 html += "";
 html += "";
 return html;
function ajaxCallBack(url, method, data, result, error) {
 $.ajax({
   url: url,
   method: method,
   dataType: "json",
   data: data,
   success: result,
   error: error,
  });
```

```
function deleteItem(table, idName, headers) {
  $(document).on("click", ".removeItem", function (e) {
    e.preventDefault();
    let id = e.target.dataset.id;
    ajaxCallBack(
      "../../models/delete.php",
      "POST",
      { id: id, table: table, idName: idName },
      function (data) {
        ajaxCallBack(
          `../../models/getAllItems.php?item=${table}`,
          "GET",
          null,
          function (data) {
            // console.log(data);
            // let ct = document.querySelector(".productTable");
            let ct = document.querySelector(".table-responsive");
            ct.innerHTML = ``;
            let table = createHTMLTable(data, headers, idName);
            ct.innerHTML = table;
          },
          function (xhr) {
            console.log(xhr);
        );
      },
      function (error) {
        console.log(error);
    );
  });
let textRegex = /^[A-Za-z0-9\s\'\.]+$/;
let errorBlock = document.querySelector(".error");
let priceRegex = /^[0-9]+$/;
function validationProduct() {
  let productName = document.querySelector("#name");
  let category = document.querySelector("#category");
  let brand = document.querySelector("#brand");
  let price = document.guerySelector("#price");
```

```
let gender = document.querySelectorAll(".gender");
let qty = document.querySelector("#qty");
let discount = document.querySelector("#discount");
let description = document.querySelector("#description");
let sizes = document.querySelectorAll(".sizes");
errorBlock.innerHTML = "";
let errorNumber = 0;
// validate(price, priceRegex, "Insert Price!");
if (!priceRegex.test(price.value)) {
 errorNumber++;
 errorBlock.classList.add("alert");
 errorBlock.classList.add("alert-danger");
 errorBlock.innerHTML += "Insert price !";
if (!priceRegex.test(qty.value)) {
 errorNumber++;
 errorBlock.classList.add("alert");
 errorBlock.classList.add("alert-danger");
 errorBlock.innerHTML += "Insert quantity !";
if (!textRegex.test(productName.value)) {
 errorNumber++;
 errorBlock.classList.add("alert");
 errorBlock.classList.add("alert-danger");
 errorBlock.innerHTML += "Insert product name !";
if (!textRegex.test(description.value)) {
 errorNumber++;
 errorBlock.classList.add("alert");
 errorBlock.classList.add("alert-danger");
 errorBlock.innerHTML += "Insert product description !";
if (category.selectedIndex == 0) {
 errorNumber++;
 errorBlock.classList.add("alert");
 errorBlock.classList.add("alert-danger");
 errorBlock.innerHTML += "Select product category!";";
```

```
if (brand.selectedIndex == 0) {
  errorNumber++;
  errorBlock.classList.add("alert");
  errorBlock.classList.add("alert-danger");
  errorBlock.innerHTML += "Select product category!";";
for (let i = 0; i < gender.length; i++) {</pre>
  if (gender[i].checked) {
    break;
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Select gender !";
    break;
for (let i = 0; i < discount.length; i++) {</pre>
 if (discount[i].checked) {
    break;
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Select discount !";
    break;
for (let i = 0; i < sizes.length; i++) {
 if (sizes[i].checked) {
   break:
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Select sizes !";
    break;
if (errorNumber > 0) {
 return false;
```

```
errorBlock.classList.remove("alert");
  errorBlock.classList.remove("alert-danger");
  return true;
function validationUptProduct() {
  let productName = document.querySelector("#name");
  let category = document.querySelector("#category");
  let brand = document.querySelector("#brand");
  let gender = document.querySelectorAll(".gender");
  let description = document.querySelector("#description");
  errorBlock.innerHTML = "";
  let errorNumber = 0;
  // validate(price, priceRegex, "Insert Price!");
  if (!textRegex.test(productName.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert product name !";
  console.log(description.value);
  if (description.value == "") {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert product description !";
  if (category.selectedIndex == 0) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Select product category!";";
  if (brand.selectedIndex == 0) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Select product category!";";
```

```
for (let i = 0; i < gender.length; i++) {</pre>
    if (gender[i].checked) {
      break;
      errorNumber++;
      errorBlock.classList.add("alert");
      errorBlock.classList.add("alert-danger");
      errorBlock.innerHTML += "Select gender !";
      break;
  if (errorNumber > 0) {
    return false;
  errorBlock.classList.remove("alert");
  errorBlock.classList.remove("alert-danger");
  return true;
function validateCategory() {
  let category = document.querySelector("#category");
  let errorNumber = 0;
  if (!textRegex.test(category.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert category name!";
  } else {
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
    return false;
  return true;
function validateBrand() {
  let brand = document.querySelector("#brand");
  let errorNumber = 0;
  if (!textRegex.test(brand.value)) {
   errorNumber++;
```

```
errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert brand name !";
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
    return false;
  return true;
function validateDiscount() {
  errorBlock.innerHTML = "";
  let discount = document.querySelector("#discount");
  let errorNumber = 0;
  if (!priceRegex.test(discount.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert discount !";
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
    return false;
  return true;
function validateSizes() {
  let sizes = document.querySelector("#size");
  let errorNumber = 0;
  if (!priceRegex.test(sizes.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert size !";
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
```

```
return false;
  return true;
function validateSpecification() {
  let spec = document.querySelector("#spec");
  let errorNumber = 0;
  if (!textRegex.test(spec.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert specification !";
  } else {
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
   return false;
  return true;
function validateGender() {
  let gender = document.querySelector("#gender");
  let errorNumber = 0;
  if (!textRegex.test(gender.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert gender !";
  if (errorNumber > 0) {
    return false;
  errorBlock.classList.remove("alert");
  errorBlock.classList.remove("alert-danger");
  return true;
function validateUser() {
  errorBlock.innerHTML = "";
  let first_name = document.querySelector("#fName");
  let last_name = document.querySelector("#1Name");
  let email = document.guerySelector("#email");
```

```
let password = document.guerySelector("#password");
 let role = document.guerySelector("#role");
 let emailRegex = /^[A-Za-z0-9. -]+@[A-Za-z0-9.-]+.[A-Za-z]{2,}$/;
 let passwordRegex =
   /^(?=.*[a-zA-Z])(?=.*|d)(?=.*[!@#$%^&*() -])[A-Za-z|d!@#$%^&*() -
]{8,}$/;
 let errorNumber = 0;
 if (!textRegex.test(first name.value)) {
   errorNumber++;
   errorBlock.classList.add("alert");
   errorBlock.classList.add("alert-danger");
   errorBlock.innerHTML += "Insert First Name !";
 if (!textRegex.test(last name.value)) {
   errorNumber++;
   errorBlock.classList.add("alert");
   errorBlock.classList.add("alert-danger");
   errorBlock.innerHTML += "Insert Last Name !";
 if (!emailRegex.test(email.value)) {
   errorNumber++;
   errorBlock.classList.add("alert");
   errorBlock.classList.add("alert-danger");
   errorBlock.innerHTML += "Insert email !";
 if (password.value != "") {
   if (!passwordRegex.test(password.value)) {
     errorNumber++;
     errorBlock.classList.add("alert");
     errorBlock.classList.add("alert-danger");
     errorBlock.innerHTML += "Insert password !";
 if (role.selectedIndex == 0) {
   errorNumber++;
   errorBlock.classList.add("alert");
   errorBlock.classList.add("alert-danger");
   errorBlock.innerHTML += "Select role !";
```

```
if (errorNumber > 0) {
   return false;
  errorBlock.classList.remove("alert");
  errorBlock.classList.remove("alert-danger");
  return true;
function validateRole() {
  let role = document.querySelector("#role");
  let errorNumber = 0;
  if (!textRegex.test(role.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert role !";
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
    return false;
  return true;
function validatePrice() {
  errorBlock.innerHTML = "";
  let price = document.querySelector("#price");
  let errorNumber = 0;
  if (!priceRegex.test(price.value)) {
    errorNumber++;
    errorBlock.classList.add("alert");
    errorBlock.classList.add("alert-danger");
    errorBlock.innerHTML += "Insert product price !";
    errorBlock.classList.remove("alert");
    errorBlock.classList.remove("alert-danger");
  if (errorNumber > 0) {
    return false;
  return true;
```

```
function valdiateQty() {
    errorBlock.innerHTML = "";
    let qty = document.querySelector("#qty");
    let errorNumber = 0;
    if (!priceRegex.test(qty.value)) {
        errorNumber++;
        errorBlock.classList.add("alert");
        errorBlock.classList.add("alert-danger");
        errorBlock.innerHTML += "Insert product quantity !";
    } else {
        errorBlock.classList.remove("alert");
        errorBlock.classList.remove("alert-danger");
    }
    if (errorNumber > 0) {
        return false;
    }
    return true;
}
```