



ASSIGNMENT 4 : Create a private bucket in AWS. Upload a file and check by presigned URL whether you can access the file or not.


Step 1: After login into the account, search for S3 in the search bar and click on it.



Step 2: Click on Create Bucket.



Step 3: Give the Name of the bucket as per the naming rules and click on ACLs enabled option. Block the public access and click on Create Bucket.



Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags - optional (0)

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

Add tag

Default encryption

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the [Amazon S3 pricing page](#)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

Advanced settings

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel

Create bucket

Step 5: The Private Bucket is created successfully.

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

06_Subham

Amazon S3

Buckets

Successfully created bucket "sg-mckvie"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

Account snapshot - updated every 24 hours

All AWS Regions

Storage lens provides visibility into storage usage and activity trends. Metrics don't include directory buckets. [Learn more](#)

[View Storage Lens dashboard](#)

General purpose buckets

Directory buckets

General purpose buckets (1)

Info

All AWS Regions

Buckets are containers for data stored in S3.

Find buckets by name

Name

▲

AWS Region

▼

IAM Access Analyzer

Creation date

▼

☐ sg-mckvie

Asia Pacific (Mumbai) ap-south-1

[View analyzer for ap-south-1](#)

February 24, 2025, 07:22:12 (UTC+05:30)

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Step 6: Click on the bucket and select the upload option to upload a file.

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

06_Subham

Amazon S3

Buckets

sg-mckvie

sg-mckvie

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (0)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name

▲

Type

▼

Last modified

▼

Size

▼

Storage class

▼

No objects

You don't have any objects in this bucket.

Upload

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Step 7: Click on Add Files.

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

06_Subham

Amazon S3

Buckets

sg-mckvie

Upload

Upload

Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (0)

All files and folders in this table will be uploaded.

Find by name

Name

▼

Folder

▼

Type

▼

Size

▼

No files or folders

You have not chosen any files or folders to upload.

Remove

Add files

Add folder

CloudShell

Feedback


© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy


Terms

Cookie preferences


Step 8: This will browse into the files and folders of the PC, select the file to be uploaded and click on Open.




Step 9: Then click on Upload.




Step 10: The file is uploaded successfully and the status and details of the uploaded file is also visible.




Step 11: Now click on the uploaded file and then click on Object Actions and select Share with Presigned URL.




Step 12: A dialogue box appears, give the access time and click on Create Presigned URL.



Step 13: Select the Copy Presigned URL from the top right corner of the appeared box.



Step 14: Open a new Window and paste the URL. The file is visible and accessible.



Step 15: After the Access time gets over, again try to access the file but it will not be accessible.

