



ASSIGNMENT 5 : Create a public Bucket in AWS. Upload a file and give the necessary permission to check whether the file URL is working.


Step 1: After login into the account, search for S3 in the search bar and click on it.



Step 2: Click on Create Bucket.



Step 3: Give the Name of the bucket as per the naming rules and click on ACLs enabled option. Unblock the public access and tick the acknowledgement checkbox and click on Create Bucket.



Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags - optional (0)

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type info

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the [Storage](#) tab of the [Amazon S3 pricing page](#).

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

► **Advanced settings**

ⓘ After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel

Create bucket

Successfully created bucket "sg-mckvie"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

► **Account snapshot - updated every 24 hours** All AWS Regions [View Storage Lens dashboard](#)

Storage lens provides visibility into storage usage and activity trends. Metrics don't include directory buckets. [Learn more](#)

General purpose buckets | Directory buckets

General purpose buckets (1) All AWS Regions

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
sg-mckvie	Asia Pacific (Mumbai) ap-south-1	View analyzer for ap-south-1	February 24, 2025, 21:58:09 (UTC+05:30)

aws

Search

06 Subham

Amazon S3

Buckets

sg-mckvie

sg-mckvie

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (0)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

< 1 >

Name

Type

Last modified

Size

Storage class

No objects

You don't have any objects in this bucket.

Upload

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

06_Subham

Amazon S3

>

Buckets

>

sg-mckvie

>

Upload

Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (0)

All files and folders in this table will be uploaded.

Find by name


	Name	Folder	Type	Size
No files or folders				
You have not chosen any files or folders to upload.				

Remove


Add files

Add folder


Step 8: This will browse into the files and folders of the PC, select the file to be uploaded and click on Open.




Step 9: Then click on Upload.



Step 10: The file is uploaded successfully and the status of the file is also visible.



Step 11: Now, click on the uploaded file then click on Permissions.



Step 12: Here, click on Edit.

The screenshot shows the AWS IAM console interface for the object **SM_Globsyn_Certificate.pdf**. The **Permissions** tab is selected, displaying the **Access control list (ACL)**. The ACL is currently empty, showing only the default permissions for the Object owner (your AWS account) and Everyone (public access). The Object owner (your AWS account) has Read and Write permissions. The Everyone (public access) group has Read and Write permissions. The ACL is currently empty, showing only the default permissions for the Object owner (your AWS account) and Everyone (public access). The Object owner (your AWS account) has Read and Write permissions. The Everyone (public access) group has Read and Write permissions.

Step 13: Allow the Read Public Access of Objects and Object ACL for Everyone and click on Saves Changes.

The screenshot shows the AWS IAM console interface for the object **SM_Globsyn_Certificate.pdf**. The **Edit access control list** tab is selected, displaying the **Access control list (ACL)**. The ACL is being edited, and the 'Everyone (public access)' group is being granted Read and Write permissions. The Object owner (your AWS account) has Read and Write permissions. The Everyone (public access) group has Read and Write permissions. The ACL is being edited, and the 'Everyone (public access)' group is being granted Read and Write permissions. The Object owner (your AWS account) has Read and Write permissions. The Everyone (public access) group has Read and Write permissions.

Step 14: Copy the Object URL and paste on a new Window. The file is visible and accessible.

The screenshot shows a web browser displaying the **SM_Globsyn_Certificate.pdf** file. The certificate is from **globsyn finishing school** and certifies that **Subham Mondal** has successfully completed the internship training program in **Full Stack Web Development Using React/Mern (module)**. The certificate is dated **25.08.2024** and is signed by an **Authorised Signatory**. The certificate is displayed in a preview window, and the URL in the address bar is **sg-mckvie.s3.ap-south-1.amazonaws.com/SM_Globsyn_Certificate.pdf**.