CSS Introduction(2)

國立屏東大學電腦科學與人工智慧學系

在照貨例....

先來張迷因

IF WEB BROUSERS WERE GUNS


#10 YEARSCHALLENGE








2009 2019

















Colors & Units

Colors

- color_name(tomato, gold, sky-blue)
- Hexadecimal color
 - without transparency
 - with transparency
- RGB function: rgb(red, green, blue)
- RGBA function: rgba(red, green, blue, alpha)
- HSL / HSLA function

Units

- px, vw, vh, vmin, vmax
- em, rem, %, ch
- cm, mm, in, pt, pc

CSS Selector

Select id or class

```
#id-name { }
.class-name { }
```

Select children element

```
partent children { }
partent > children { }
```

Select the same level element

```
elementA + elementB { }
elementA ~ elementB { }
```

Common CSS Style

Background

- background-color
- background-image
- background-position
- background-repeat
- background-attachment

Font Style

- font-family: "Times New Roman" | monospace | "sans-serif"
- font-size: <size>
- font-style: normal | italic | oblique
- font-weight: normal | bold | 100 ~ 900

Text Style

- text-shadow
- text-decoration
- text-transform
- text-align
- word-spacing
- letter-spacing

List Style

- list-style-type: square | circle
- list-style-image: url("/your/path")
- list-style-position: inside | outside

Table Style

- border-collapse: separate | collapse
- border-spacing: <size>
- empty-cells: hide | show

Cursor style

- cursor
 - auto
 - pointer
 - help
 - move


Display

- Display
 - inline
 - block
 - flex
 - grid

Box Mode

Box Model

- width / height
- background
- margin
- border
- padding



Position & Layout

Position

- Position: static | relative | fixed | absolute | sticky
- top
- bottom
- left
- right

Float

- float: none | right | left
- clear: right | left | both

Z-index

z-index: <number>

Overflow

overflow: visible | hidden | scroll | auto overflow-x overflow-y