Fitting Follow-Up

·
Follow-Up Date: June 3rd, 2025
Audiologist: Husain
Provider Number: 42691211
Review
Device Usage: Patient reports using hearing aid more than 5 hours daily
COSI Outcomes: None
Reprogramming at Follow-Up: None
HSP Compliance Checklist Prior to Follow-Up
Degree of Change: None
Device Verification & Validation: None
Real Ear Measurements (Live Speech Mapping / Insertion Gain): None
Aided Speech Testing (SPIN / AB Words): None
Unaided Score: None
Aided Score: None
Patient Information
Patient Name: None
Date of Birth: None
Referring Physician: None
Patient Type: None
Final Ability with Hearing Aid: None

Fitting Details

SHA Test Date:

None				
HSP Quote Agre None	ement Signed:			
Client's Impress None	ion of Fitting:			
Datalogging (hrs	s/day):			
Comfort: None				
Sound Quality: None				
Reviews &	Education			
Insertion & Rem	oval Reviewed:			
Battery Change None	& On/Off Reviewed:			
VC/PB Usage Ro None	eviewed:			
Cleaning & Mair None	tenance Reviewed:			
App & Audio Str None	eaming via Bluetootl	h:		
Hearing Loss Ed None	ducation Reviewed:			
Communication None	Strategies Reviewed	i :		
Frequency				
OccasionHalf the 3Most of the	ver (10%): None nally (25%): None Time (50%): None ne Time (75%): None lways (100%): None			
Specific No	eeds (in order	of importa	nce)	
1. None 2. None		-		

- 3. None
- 4. None5. None

Outcomes

Better / Worse / No Difference:

None

Targets Met:

None

Verification & Validation Performed:

None

None
Plan of Action & Claims
Plan of Action: None
HSP Claim: None
Future Recall: None
Private Fitting Complete: None

Device Models

If Not, To Do Today:

Appointment Summary Notes

None

None

None

Second Follow-Up Appointment

Rehabilitation + FTC Appointment:

HSP Fitting Complete (Activate Claim):

None