

Medical Abbreviations

Lista completa de abreviaturas médicas · *Medical Terminology: A Living Language* · MedCore · EnLex

461 abreviaturas · orden alfabético

131I	radioactive iodine	BDT	bone density testing	Cx	cervix
133Xe	radioactive xenon	BE	below elbow	CXR	chest X-ray
201TI	radioactive thallium	bid	twice a day	cysto	cystoscopy
5-FU	5-fluorouracil	BK	below knee	D	diopter (lens strength) iOP
67Ga	radioactive gallium	BM	bowel movement	D & C	dilation and curettage
99mTc	radioactive technetium	BMR	basal metabolic rate	d/c, DISC	discontinue
@	at	BMT	bone marrow transplant	Db	decibel
AAROM	active assistive range of motion	BNO	bladder neck obstruction	DC, disc	discontinue
AB	abortion	BP	blood pressure	DEA	Drug Enforcement Agency
ABGs	arterial blood gases	BPD	bipolar disorder	decub	decubitus ulcer
ac	before meals	bpm	beats per minute	Derm, dermat	dermatology
ACTH	adrenocorticotrophic hormone	Bronch	bronchoscopy syndrome	DI	diabetes insipidus
AD	right ear	BS	bowel sounds	diff	differential
ad lib	as desired	BSE	breast self-examination	dil	dilute
ADD	attention-deficit disorder	BUN	blood urea nitrogen	disp	dispense
ADH	antidiuretic hormone	BX, bx	biopsy	DJD	degenerative joint disease
ADHD	attention-deficit/hyperactivity	c	with	DM	diabetes mellitus
ADL	activities of daily living	C&S	culture and sensitivity	DOE	dyspnea on exertion
ADLs	activities of daily living	c.gl.	correction with glasses	DPT	diphtheria, pertussis, tetanus injection
AE	above elbow	Ca	calcium	DRE	digital rectal exam
AED	automated external defibrillator	CAD	coronary artery disease	DSA	digital subtraction angiography
AF	atrial fibrillation	cap(s)	capsule(s)	dtd	give of such a dose
AGN	acute glomerulonephritis	CAT	computerized axial tomography	DTR	deep tendon reflex
AI	artificial insemination	cath	catheterization	DVA	distance visual acuity
AIDS	acquired immunodeficiency	CBC	complete blood count	DVT	deep vein thrombosis
AK	above knee	CBD	common bile duct	Dx	diagnosis
ALL	acute lymphocytic leukemia	CC	cardiac catheterization, chief complaint, clean catch urine specimen	DXA	dual-energy absorptiometry
ALS	amyotrophic lateral sclerosis	CCU	coronary care unit	e-stim	electrical stimulation
ALT	alanine transaminase	CF	cystic fibrosis	ECC	extracorporeal circulation
AMI	acute myocardial infarction	chemo	chemotherapy	ECCE	extracapsular cataract extraction
AML	acute myelogenous leukemia	CHF	congestive heart failure	ECG, EKG	electrocardiogram
ANS	autonomic nervous system vertebra, etc.	Ci	curie	ECHO	echocardiogram
ante	before	CIS	carcinoma in situ	ED	erectile dysfunction
AP	anteroposterior	CLL	chronic lymphocytic leukemia	EDC	estimated date of confinement
APAP	acetaminophen (Tylenol™)	Cl-	chloride	EEG	electroencephalogram
aq	aqueous (water)	Cl-	chloride	EENT	eye, ear, nose, and throat Ophth.
ARC	AIDS-related complex	CML	chronic myelogenous leukemia	EGD	esophagogastroduodenoscopy
ARF	acute renal failure	CNS	central nervous system	EM	emmetropia
ARMD	age-related macular degeneration	CO	carbon dioxide	EMB	endometrial biopsy
AROM	active range of motion	CoA	coarctation of the aorta	EMG	electromyogram
AS	arteriosclerosis	COPD	chronic obstructive pulmonary disease	Endo	endoscopy
ASA	aspirin	CP	chest pain	ENT	ear, nose, and throat
ASD	atrial septal defect	CPK	creatine phosphokinase	eosins, eos	eosinophils
ASHD	arteriosclerotic heart disease	CPR	cardiopulmonary resuscitation	ERCP	endoscopic retrograde
ASL	American Sign Language	CRF	chronic renal failure	ERT	estrogen replacement therapy
AST	aspartate transaminase	CS,	cesarean section	ERV	expiratory reserve volume
Astigm	astigmatism	CS, C-section	cesarean section	ESRD	end-stage renal disease
ATN	acute tubular necrosis	CSD	congenital septal defect	et	and
AU	both ears	CSF	cerebrospinal fluid	EU	excretory urography
AV, A-V	atrioventricular	CT	calcitonin	EUA	exam under anesthesia
Ba	barium	CTA	clear to auscultation	FBS	fasting blood sugar
BaE	barium enema	CTS	carpal tunnel syndrome	FDA	Federal Drug Administration
basos	basophils	CV	cardiovascular	FEKG	fetal electrocardiogram
BBB	bundle branch block (L for left; R for right)	CVD	cerebrovascular disease	FHR	fetal heart rate
BC	bone conduction	CVS	chorionic villus sampling	FHT	fetal heart tone
BCC	basal cell carcinoma			flu	influenza
				FOBT	fecal occult blood test

FRC	functional residual capacity
FS	frozen section
FSH	follicle-stimulating hormone
FTM	female to male
FTND	full-term normal delivery
Fx, FX	fracture
GA	general anesthesia
GB	gallbladder
GC	gonorrhea
GERD	gastroesophageal reflux disease
GH	growth hormone
GI	gastrointestinal
GI, grav I	first pregnancy
gm	gram
GOT	glutamic oxaloacetic transaminase
gr	grain
gt	drop
GTT	glucose tolerance test
GU	genitourinary
GVHD	graft versus host disease
GYN	gynecology
H O	water
HAV	hepatitis A virus
HBV	hepatitis B virus
HCG, hCG	human chorionic gonadotropin
HCl	hydrochloric acid
HCO –	bicarbonate
HCT, Hct, crit	hematocrit
HCV	hepatitis C virus
HD	Hodgkin's disease, hemodialysis
HDN	hemolytic disease of the newborn
HDV	hepatitis D virus
HEENT	head, ear, eye, nose, throat
HEV	hepatitis E virus
Hgb, Hb, HGB	hemoglobin
HIV	human immunodeficiency virus
HMD	hyaline membrane disease
HNP	herniated nucleus pulposus
HPV	human papilloma virus
HRT	hormone replacement therapy
hs	at bedtime
HSG	hysterosalpingography
HSV-1	herpes simplex virus type 1
HTN	hypertension
Hz	hertz
I	one
I&D	incision and drainage
I&O	intake and output
IBD	inflammatory bowel disease
IBS	irritable bowel syndrome
IC	inspiratory capacity
ICCE	intracapsular cataract extraction
ICP	intracranial pressure
ICU	intensive care unit
ID	intradermal
IDDM	insulin-dependent diabetes mellitus
Ig	immunoglobulins (IgA, IgD, IgE, IgG)
II	two

III	three
IM	intramuscular
inj	injection
IPD	intermittent peritoneal dialysis multiple sclerosis
IRDS	infant respiratory distress syndrome
IRV	inspiratory reserve volume
IUD	intrauterine device
IV	intravenous
IVC	intravenous cholangiography
IVF	in vitro fertilization
IVP	intravenous pyelogram
JRA	juvenile rheumatoid arthritis
K+	potassium
kg	kilogram
KS	Kaposi's sarcoma
KUB	kidneys, ureters, bladder
L	liter
lat	lateral
LBW	low birth weight
LE	lower extremity
LGI	lower gastrointestinal series
LH	luteinizing hormone
LL	left lateral
LLE	left lower extremity
LLL	left lower lobe
LLQ	left lower quadrant
LMP	last menstrual period
LP	lumbar puncture
LUE	left upper extremity
LUL	left upper lobe
LUQ	left upper quadrant
LVH	left ventricular hypertrophy
lymphs	lymphocytes
MA	mental age
mcg	microgram
mCi	millicurie
MD	muscular dystrophy
MDI	metered-dose inhaler
mEq	milliequivalent
mets	metastases
mg	milligram
mL	milliliter
MM	malignant melanoma
mm Hg	millimeters of mercury
mono	mononucleosis
monos	monocytes
MR	mitral regurgitation
MRA	magnetic resonance angiography
MRI	magnetic resonance imaging
MS	musculoskeletal
MTF	male to female
MTX	methotrexate
MVP	mitral valve prolapse accommodation
n&v	nausea and vomiting
Na+	sodium
NB	newborn
NG	nasogastric (tube)
NHL	non-Hodgkin's lymphoma
NK	natural killer cells
NMR	nuclear magnetic resonance
no sub	no substitute

noc	night
non rep	do not repeat
NPH	neutral protamine Hagedorn
NPO	nothing by mouth
NPO, npo	nothing by mouth
NS	nephrotic syndrome
NSAID	nonsteroidal anti-inflammatory drug
O	oxygen
O&P	ova and parasites
OA	osteoarthritis
OB	obstetrics
 OCD	obsessive—compulsive disorder
OCPs	oral contraceptive pills
od	overdose
OE	otitis externa
oint	ointment
OM	otitis media
OR	operating room
Orth, ortho	orthopedics
OS	left eye
OT	occupational therapy
OTC	over-the-counter
Oto	otology
OU	each eye/both eyes
oz	ounce
P	phosphorus
PA	posteroanterior
Pap	Papanicolaou test
PBI	protein-bound iodine
pc	after meals
PCA	patient-controlled administration
PCP	pneumocystis pneumonia
PCV	packed cell volume
PDA	patent ductus arteriosus
PDR	Physician's Desk Reference
PE tube	pressure equalizing tube
per	with
PERRLA	pupils equal, round, react to light and
PET	positron emission tomography
PFT	pulmonary function test
pH	acidity or alkalinity of urine
PI, para I	first delivery
PID	pelvic inflammatory disease mellitus
PMN, polys	polymorphonuclear neutrophil
PMS	premenstrual syndrome
PNS	peripheral nervous system
PO	by mouth
PORP	partial ossicular replacement prosthesis
post-op	postoperative
pp	postprandial
PPD	purified protein derivative
preop,	preoperative
prep	preparation, prepared
PRK	photorefractive keratectomy
PRL	prolactin
prn	as needed
PROM	passive range of motion
prot	protocol
PSA	prostate-specific antigen
pt	patient

PT, pro-time	prothrombin time
PTC	percutaneous transhepatic
PTSD	posttraumatic stress disorder
PUD	peptic ulcer disease
q	every
qam	every morning
qh	every hour
qhs	at bedtime
qid	four times a day
qs	quantity sufficient
R	respiration
RA	room air
RAI	radioactive iodine
RBC	red blood cell
RDS	respiratory distress syndrome
REM	rapid eye movement
Rh+	Rh-positive
Rh-	Rh-negative
RIA	radioimmunoassay
RK	radial keratotomy
RL	right lateral
RLE	right lower extremity
RLL	right lower lobe
RLQ	right lower quadrant
RML	right middle lobe
ROM	range of motion
RP	retrograde pyelogram
RPR	rapid plasma reagin (test for syphilis)
RUE	right upper extremity
RUL	right upper lobe
RUQ	right upper quadrant
RV	reserve volume
Rx	take
s	without
s.gl.	without correction or glasses
S1	first heart sound
S2	second heart sound
SA, S-A	sinoatrial
SAD	seasonal affective disorder

SARS	severe acute respiratory syndrome
SCC	squamous cell carcinoma
SG	skin graft
SG, sp. gr.	specific gravity
SIDS	sudden infant death syndrome
Sig	label as follows/directions
SK	streptokinase
sl	under the tongue
SLE	systemic lupus erythematosus
SMD	senile macular degeneration
SOB	shortness of breath
sol	solution
SOM	serous otitis media
SPP	suprapubic prostatectomy
ss	one-half
SSD	somatic symptom disorder
ST	esotropia
stat	at once/immediately
STD	sexually transmitted disease
STI	sexually transmitted infection
STSG	split-thickness skin graft
Subc, Subq	subcutaneous
suppos, supp	suppository
susp	suspension
syr	syrup
T	triiodothyronine
T & A	tonsillectomy and adenoidectomy
T, tbsp	tablespoon
t, tsp	teaspoon
tab	tablet
TAH	total abdominal hysterectomy registered radiologic technologist
TB	tuberculosis
TBI	traumatic brain injury
TENS	transcutaneous electrical nerve
TFT	thyroid function test
THA	total hip arthroplasty

THR	total hip replacement
TIA	transient ischemic attack
tid	three times a day
TKA	total knee arthroplasty
TKR	total knee replacement
TLC	total lung capacity
TNM	tumor, nodes, metastases
TO	telephone order
top	apply topically
TPN	total parenteral nutrition
TSH	thyroid-stimulating hormone
TSS	toxic shock syndrome
TUR	transurethral resection
TURP	transurethral resection of prostate
TV	tidal volume
U/A, UA	urinalysis
UC	urine culture
UE	upper extremity
UGI	upper gastrointestinal series
URI	upper respiratory infection
US	ultrasound
UTi	urinary tract infection
UV	ultraviolet
V fib	ventricular fibrillation
VA	visual acuity
VC	vital capacity
VCUG	voiding cystourethrography
VD	venereal disease
VF	visual field
VO	verbal order
VSD	ventricular septal defect
VT	ventricular tachycardia
WBC	white blood cell
wt	weight
x	times
XT	exotropia
ā	before
α	alpha
β	beta