Page 5 / Cascading Style Sheets (CSS)

INTRODUCTION TO WEB APPLICATIONS

Cascading Style Sheets (CSS)

CSS (Cascading Style Sheets) is the stylesheet language used alongside HTML to format and set the style of HTML elements. Like HTML, there are several versions of CSS, and each subsequent version introduces a new set of capabilities that can be used for formatting HTML elements. Browsers are updated alongside it to support these new features.

Example

At a fundamental level, CSS is used to define the style of each class or type of HTML elements (i.e., body or h1), such that any element within that page would be represented as defined in the CSS file. This could include the font family, font size, background color, text color and

```
Code: css
background-color: black;
color: white;
text-align: center:
font-family: helvetica;
```

within CSS or JavaScript when needed.

Syntax

CSS defines the style of each HTML element or class between curly brackets 🛟, within which the properties are defined with their values (i.e. element { property : value; }).


 $Each \ HTML \ element \ has \ many \ properties \ that \ can \ be \ set \ through \ CSS, such \ as \ height, \ position, \ border, \ margin, \ padding, \ color, \ text-lement \ properties \ that \ can \ be \ set \ through \ CSS, such \ as \ height, \ position, \ border, \ margin, \ padding, \ color, \ text-lement \ properties \ that \ can \ be \ set \ through \ CSS, \ such \ as \ height, \ position, \ border, \ margin, \ padding, \ color, \ text-lement \ properties \ that \ can \ be \ set \ through \ CSS, \ such \ as \ height, \ position, \ border, \ margin, \ padding, \ color, \ text-lement \ properties \ that \ can \ be \ set \ through \ CSS, \ such \ as \ height, \ position, \ border, \ margin, \ padding, \ color, \ text-lement \ properties \ through \ properties \ prop$ align, font-size, and hundreds of other properties. All of these can be combined and used to design visually appealing web pages.

properties are available for animations, like @keyframes, animation, animation-duration, animation-direction, and many others. You can

Usage


CSS is often used alongside JavaScript to make quick calculations, dynamically adjust the style properties of certain HTML elements, or achieve advanced animations based on keystrokes or the mouse cursor location.

The following example beautifully illustrates such capabilities of CSS when used with HTML and JavaScript *Parallax Depth Cards - by Andy Merskin on CodePen":



This shows that even though HTML and CSS are among the most basic cornerstones of web development when used properly, they can be used to build visually stunning web pages, which can make interacting with web applications a much easier and more user-friendly experience.

Furthermore, CSS can be used alongside other languages to implement their styles, like XML or within SVG items, and can also be used in modern mobile development platforms to design entire mobile application User Interfaces (UI).





Many may consider CSS to be difficult to develop. In contrast, others may argue that it is inefficient to manually set the style and design of all HTML elements in each web page. This is why many CSS frameworks have been introduced, which contain a collection of CSS style-sheets and designs, to make it much faster and easier to create beautiful HTML elements.

Furthermore, these frameworks are optimized for web application usage. They are designed to be used with JavaScript and for wide use within a web application and contain elements usually required within modern web applications. Some of the most common CSS frameworks are:

- Bootstrag
- 0.400
- Parinage and a
- D. 2 ---
- Pupe



Powered by ACKTHEBOX

