

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 1

Compilation date: 04/02/2021

Revision No: 14

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830

OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

**REACH registered number(s):** 01-2119527766-29-0001

**CAS number:** 7085-85-0 **Index number:** 607-236-00-9

Product code: C,CW,EA,EP,EI,ES,ET,FL,FP,FS

Synonyms: SUPERGLUE, INSTANT ADHESIVE, KRAZY GLUE

INCI name: ETHYL CYANOACRYLATE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

## 1.3. Details of the supplier of the safety data sheet

Company name: Xtraloc Limited

Unit 1b Zip56

Aston Fields Road

Runcorn WA7 3FZ

United Kingdom

**Tel:** +44 (0) 1928750275

**Fax:** +44 (0) 1928717403

Email: sales@xtraloc.com

## 1.4. Emergency telephone number

Manufacturer: Xtraloc Limited

Unit 1b Zip56

Aston Fields Road

Runcorn

WA7 3FZ

United Kingdom

**Tel:** +44 (0) 1928750275

Fax: +44 (0) 1928717403

Email: sales@xtraloc.com

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 2

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH202

Most important adverse effects: Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

#### 2.2. Label elements

Label elements:

UFI: UM30-40NU-W007-6N70

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.H335: May cause respiratory irritation.

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the

reach of children.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P501: Dispose of contents/container to Registered Disposal Company in conjunction

with local and national regulations.

P405: Store locked up.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P312: Call a POISON CENTRE or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical advice/attention.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands, forearms and face thoroughly after handling.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label)

P362+P364: Take off contaminated clothing and wash it before reuse.

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 3

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

ETHYL-2-CYANOACRYLATE - REACH registered number(s): 01-2119527766-29-0001

EINECS	CAS	PBT / WEL	CLP Classification	Percent
230-391-5	7085-85-0	-	Eye Irrit. 2: H319; STOT SE 3: H335;	70-90%
			Skin Irrit. 2: H315	

#### Non-classified ingredients:

HYDROQUINONE - REACH registered number(s): 01-2119524016-51-0003

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-617-8	123-31-9	-	Carc. 2: H351; Muta. 2: H341; Acute	<0.1%
			Tox. 4: H302; Eye Dam. 1: H318; Skin	
			Sens. 1: H317; Aquatic Acute 1: H400	

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 4

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 5

### **Hazardous ingredients:**

#### **ETHYL-2-CYANOACRYLATE**

## Workplace exposure limits:

#### Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	1.5 mg/m3	-	-

### Non-classified ingredients:

#### **HYDROQUINONE**

## Workplace exposure limits:

## Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.5 mg/m3	-	-	-

#### **DNEL/PNEC Values**

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Polyethylene or polypropylene gloves are recommended when using large volumes.

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection

index 2, corresponding to > 30 minutes permeation time as per EN 374):nitrile rubber

(NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6,

corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Irritating odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Insoluble

Also soluble in: Acetone.

Viscosity: No data available.

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 6

Boiling point/range°C: 150 Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 87 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: 500 Vapour pressure: No data available.

**Relative density:** 1.05g/cm3 **pH:** No data available.

VOC g/I: 20

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

## 11.1. Information on toxicological effects

# **Toxicity values:**

Route	Species	Test	Value	Units
DERMAL	RBT	LD50	2000	mg/kg
ORAL	RAT	LD50	5000	mg/kg
DERMAL	RBT	OECD Test Guideline	24	h
Eyes	RBT	OECD Test Guideline	72	h

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 7

## Hazardous ingredients:

### **ETHYL-2-CYANOACRYLATE**

ORL	RAT	LD50	>5	ml/kg
-----	-----	------	----	-------

### Non-classified ingredients:

### **HYDROQUINONE**

ORL	MUS	LD50	150	mg/kg
ORL	RAT	LD50	720	mg/kg
SCU	RAT	LDLO	300	mg/kg

## \* Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

### **Excluded hazards for substance:**

Hazard	Route	Basis
Respiratory/skin sensitisation	-	Classified as non-hazardous because of lack of data
Germ cell mutagenicity	-	Based on available data the classification criteria are not met
Reproductive toxicity	-	Classified as non-hazardous because of lack of data
STOT-repeated exposure	-	Classified as non-hazardous because of lack of data
Aspiration hazard	-	Classified as non-hazardous because of lack of data

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 8

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

**Section 14: Transport information** 

Transport class: This product does not require a classification for transport.

**Section 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Safety data sheet in accordance with Regulation (EC) No. 2015/830 of the European

Parliament in the current version

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

**Section 16: Other information** 

Other information

Phrases used in s.2 and s.3: EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the

reach of children.

H302: Harmful if swallowed.

H315: Causes skin irritation.

ETHYL CYANOACRYLATE - IN ACCORDANCE WITH REGULATION (EC) NO. 2015/830 OF THE EUROPEAN PARLIAMENT IN THE CURRENT VERSION

Page: 9

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.