



Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 04/09/2019

Revision date: 02/15/2021

Version: 3.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Clean & Fresh R-10353
Product code : R-10353

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

1.3. Supplier

Nevitt Fragrances, Inc.
10466 Brockwood Rd.
Dallas, TX 75238 - USA
T 214-348-3003 - F 214-348-3863
info@nevitt.com - www.nevitt.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Reproductive toxicity Category 2	H361	Suspected of damaging fertility or the unborn child
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Combustible liquid
Harmful if swallowed
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause respiratory irritation
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) :

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not breathe mist, vapors and spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye and face protection
If swallowed: Immediately call a poison center or doctor.
If on skin: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical attention.
Call a poison center or doctor if you feel unwell.

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Get medical attention if you feel unwell.
Rinse mouth.
Do NOT induce vomiting.
If skin irritation or rash occurs: Get medical attention.
If eye irritation persists: Get medical attention.
Take off contaminated clothing and wash it before reuse.
In case of fire: Use media other than water to extinguish.
Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents and container in accordance with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%*	GHS US classification
benzyl acetate	(CAS-No.) 140-11-4	5 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
alpha-terpineol	(CAS-No.) 98-55-5	5 – 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,6-dimethyl-7-octen-2-ol	(CAS-No.) 18479-58-8	5 – 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
oils, clove	(CAS-No.) 8000-34-8	5 – 20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401
linalol	(CAS-No.) 78-70-6	5 – 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H336 Aquatic Acute 3, H402
Orange terpenes	(CAS-No.) 8028-48-6	5 – 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
coumarin	(CAS-No.) 91-64-5	5 – 20	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373
amyl salicylate	(CAS-No.) 2050-08-0	5 – 20	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-p-cumenyl-2-methylpropionaldehyde	(CAS-No.) 103-95-7	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate, 4-t-Butylcyclohexyl acetate	(CAS-No.) 32210-23-4	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%*	GHS US classification
(+/-)-beta-citronellol	(CAS-No.) 106-22-9	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Phenyl Ethyl Alcohol	(CAS-No.) 60-12-8	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Eye Irrit. 2A, H319

*Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.
- Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

- Fire hazard : Combustible liquid.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist, vapors and spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapors and spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

benzyl acetate (140-11-4)		
ACGIH	Local name	Benzyl acetate
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	Remark (ACGIH)	URT irr

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colorless to light yellow
Odor : Characteristic – Clean & Fresh
Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : > 95 °F
Flash point : 164 °F
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Specific gravity : 0.982 g/l
Relative density : No data available
Solubility : Insoluble in water. Soluble in oil. Soluble in organic solvents.
Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : < 100 mm²/s
Viscosity, dynamic : < 100 cP
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Clean & Fresh R-10353	
ATE US (oral)	1983.572 mg/kg body weight
amyl salicylate (2050-08-0)	
ATE US (oral)	2000 mg/kg body weight
benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2490 mg/kg body weight
(+/-)-beta-citronellol (106-22-9)	
LD50 oral rat	3450 mg/kg (Rat; Inconclusive, insufficient data)
LD50 dermal rabbit	2650 mg/kg (Rabbit; Inconclusive, insufficient data)
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
coumarin (91-64-5)	
LD50 oral rat	300 – 900 mg/kg (Rat)
ATE US (oral)	300 mg/kg body weight
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
LD50 oral rat	3810 mg/kg (Rat)
LD50 dermal rat	> 5000 mg/kg (Rat)
ATE US (oral)	3810 mg/kg body weight
2,6-dimethyl-7-octen-2-ol (18479-58-8)	
LD50 oral rat	3600 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	3600 mg/kg body weight
2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)	
LD50 oral rat	1390 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1390 mg/kg body weight
linalol (78-70-6)	
LD50 oral rat	2790 mg/kg (Rat)
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Phenyl Ethyl Alcohol (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat)
LD50 dermal rabbit	> 808 mg/kg (Rabbit)
LC50 Inhalation - Rat	> 1.4 mg/l/4h (Rat)
ATE US (oral)	1610 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
alpha-terpineol (98-55-5)	
LD50 oral rat	4300 mg/kg (Rat)
ATE US (oral)	4300 mg/kg body weight
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate, 4-t-Butylcyclohexyl acetate (32210-23-4)	
LD50 oral rat	5000 mg/kg (Rat)

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate, 4-t-Butylcyclohexyl acetate (32210-23-4)	
ATE US (oral)	3370 mg/kg body weight
oils, clove (8000-34-8)	
LD50 oral rat	1370 mg/kg (Rat)
LD50 dermal rabbit	1200 mg/kg (Rabbit)
ATE US (oral)	1370 mg/kg body weight
ATE US (dermal)	1200 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
coumarin (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause respiratory irritation.
benzyl acetate (140-11-4)	
STOT-single exposure	May cause respiratory irritation.
linalol (78-70-6)	
STOT-single exposure	May cause drowsiness or dizziness.
Orange terpenes (8028-48-6)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
coumarin (91-64-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: < 100 mm²/s
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

benzyl acetate (140-11-4)	
LC50 fish 1	68 mg/l (LC50; 96 h)
(+/-)-beta-citronellol (106-22-9)	
LC50 fish 1	> >10 <22, LC50; 96 h
EC50 Daphnia 1	17 mg/l (EC50; 48 h)
Threshold limit algae 1	2.4 mg/l (EC50; 72 h)
coumarin (91-64-5)	
LC50 fish 1	56 mg/l (LC50; 96 h)
EC50 Daphnia 1	135 mg/l (EC50; 48 h)
2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)	
LC50 fish 1	> >2.2/4.6, LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio
EC50 Daphnia 1	10.7 mg/l (EC50; 48 h)
linalol (78-70-6)	
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

linalol (78-70-6)	
EC50 other aquatic organisms 1	≥ 100 mg/l (3 h; Activated sludge)
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)
Phenyl Ethyl Alcohol (60-12-8)	
LC50 fish 1	220 – 260 mg/l (LC50; 96 h)
EC50 Daphnia 1	287.17 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
alpha-terpineol (98-55-5)	
LC50 fish 1	10 – 100 mg/l (LC50; 96 h)
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate, 4-t-Butylcyclohexyl acetate (32210-23-4)	
LC50 fish 1	15.5 mg/l (48 h; Leuciscus idus; Static system)
EC50 Daphnia 1	9.6 mg/l (24 h; Daphnia magna)
12.2. Persistence and degradability	
benzyl acetate (140-11-4)	
Persistence and degradability	Readily biodegradable in water.
(+/-)-beta-citronellol (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance
coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Persistence and degradability	Biodegradability in water: no data available.
2,6-dimethyl-7-octen-2-ol (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.
2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)	
Persistence and degradability	Readily biodegradable in water.
linalol (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance
Orange terpenes (8028-48-6)	
Persistence and degradability	Biodegradability in water: no data available.
Phenyl Ethyl Alcohol (60-12-8)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance
ThOD	2.6 g O ₂ /g substance
BOD (% of ThOD)	0.558
alpha-terpineol (98-55-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
ThOD	2.9 g O ₂ /g substance
oils, clove (8000-34-8)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 – 2 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
(+/-)-beta-citronellol (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91
coumarin (91-64-5)	
BCF fish 1	< 10 (BCF; 72 h)

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

coumarin (91-64-5)	
BCF other aquatic organisms 1	42 (BCF; 24 h; Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	1.39
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)	
Bioaccumulative potential	No bioaccumulation data available.
2,6-dimethyl-7-octen-2-ol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.47 (Estimated value)
2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	4.3
linalol (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.145
Bioaccumulative potential	Bioaccumable.
Orange terpenes (8028-48-6)	
Bioaccumulative potential	No bioaccumulation data available.
Phenyl Ethyl Alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alpha-terpineol (98-55-5)	
Partition coefficient n-octanol/water (Log Pow)	2.57 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate, 4-t-Butylcyclohexyl acetate (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8
oils, clove (8000-34-8)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Non-hazardous; not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
benzyl acetate(140-11-4)	U.S. - New Jersey - Right to Know Hazardous Substance List

Clean & Fresh R-10353

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Revision date : 02/15/2021

Full text of H-phrases:

H226	Flammable liquid and vapor.
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.