pH Adjust - *ADVANCED FORMULA (AF)*

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Date of Issue: 1/16/2019 Version: 2.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: pH Adjust & Sludge Conditioner - ***AF***

Intended Use of the Product

Municipal and industrial water and wastewater treatment for pH, alkalinity, and calcium hardness adjustment. Sludge conditioning, compaction and volume reduction.

Name, Address, and Telephone of the Responsible Party

Manufacturer

Walla Wallla Environmental, Inc.
4 West Rees Avenue
Walla Walla, WA 99362

For SDS Info: (509) 522-0490
www.wwenvironmental.com

Emergency Telephone Number

Emergency Number :

Walla Walla Environmental, Inc. 1-800-247-9011
Walla Walla Environmental Emergency Contact: (509) 522-0490
For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call Walla Walla Environmental – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification

Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT SE 3	H335
Aquatic Acute 3	H402

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS Labeling

Hazard Pictograms :

GHS05

GHS07

Signal Word : Warning

Hazard Statements : H315 - Causes skin irritation
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H402 - Harmful to aquatic life

Precautionary Statements	:	P261 - Avoid breathing mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER, a doctor.
P312 - Call a poison center or doctor if you feel unwell.
P321 - Specific treatment (see Section 4 on this SDS).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P362 - Take off contaminated clothing and wash before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container in accordance with local, regional, and national regulations.

Other Hazards
Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown acute toxicity
No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	%*	GHS Ingredient Classification
Water	(CAS-No.) 7732-18-5	65 - 95	Not classified
Calcium hydroxide	(CAS-No.) 1305-62-0	5 - 35	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. Ventilate the area.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. May be corrosive to the respiratory tract.

Inhalation: May cause respiratory irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva. May cause blindness.

Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Product is not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Contact with metals may evolve flammable hydrogen gas.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water sources.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Oxides of calcium.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing vapor, mist, or spray.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Contact competent authorities after a spill.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Absorb and/or contain spill with inert material, then place in suitable container. Dispose in a safe manner in accordance with local/national regulations. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Metals.

Specific End Use(s)

Municipal and industrial water and wastewater treatment for pH, alkalinity, and calcium hardness adjustment. Sludge conditioning, compaction and volume reduction.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Calcium hydroxide (1305-62-0)		
Mexico	OEL TWA (mg/m³)	5 mg/m³
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
Alberta	OEL TWA (mg/m³)	5 mg/m³
British Columbia	OEL TWA (mg/m³)	5 mg/m³
Manitoba	OEL TWA (mg/m³)	5 mg/m³
New Brunswick	OEL TWA (mg/m³)	5 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	5 mg/m³
Nova Scotia	OEL TWA (mg/m³)	5 mg/m³
Nunavut	OEL STEL (mg/m³)	10 mg/m³
Nunavut	OEL TWA (mg/m³)	5 mg/m³
Northwest Territories	OEL STEL (mg/m³)	10 mg/m³
Northwest Territories	OEL TWA (mg/m³)	5 mg/m³
Ontario	OEL TWA (mg/m³)	5 mg/m³
Prince Edward Island	OEL TWA (mg/m³)	5 mg/m³
Québec	VEMP (mg/m³)	5 mg/m³
Saskatchewan	OEL STEL (mg/m³)	10 mg/m³
Saskatchewan	OEL TWA (mg/m³)	5 mg/m³
Yukon	OEL STEL (mg/m³)	10 mg/m³
Yukon	OEL TWA (mg/m³)	5 mg/m³

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Wear a Dust mask.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	:	Liquid
Appearance	:	White
Odor	:	Odorless
Odor Threshold	:	Not available
pH	:	12.44
Evaporation Rate	:	Not available
Melting Point	:	Not applicable
Freezing Point	:	0 °C (32 °F)
Boiling Point	:	Not available
Flash Point	:	Not applicable
Auto-ignition Temperature	:	Not applicable
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not applicable
Lower Flammable Limit	:	Not applicable

Upper Flammable Limit	:	Not applicable
Vapor Pressure	:	Not available
Relative Vapor Density at 20°C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	1.03 - 1.24
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Contact with metals may evolve flammable hydrogen gas.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Metal.

Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.

pH: 12.44

Eye Damage/Irritation: Causes serious eye damage.

pH: 12.44

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not a carcinogen!

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Aspiration Hazard: Not classified

Symptoms/Effects After Inhalation: May cause respiratory irritation.

Symptoms/Effects After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Effects After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Effects After Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Calcium hydroxide (1305-62-0)	
LD50 Oral Rat	7340 mg/kg
Water (7732-18-5)	
LD50 Oral Rat	> 90000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

Persistence and Degradability

pH Adjust & Sludge Conditioner – Advance Formula (AF)

Persistence and Degradability	Not established.

Bioaccumulative Potential

pH Adjust & Sludge Conditioner – Advance Formula (AF)	
Bioaccumulative Potential	Not established.
Calcium hydroxide (1305-62-0)	
BCF Fish 1	(no bioaccumulation)

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: This material its raw form is hazardous to the aquatic environment. Keep out of sewers and waterways. **Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, and national, regulations.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.
Not regulated for transport according to: US DOT, IMDG, IATA, and Canada's TDG

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Chemical Name (CAS No.)	CERCLA RQ	EPCRA 304 RQ	SARA 302 TPQ	SARA 313
Calcium hydroxide (1305-62-0)	Not applicable	Not applicable	Not applicable	No

SARA 311/312

pH Adjust & Sludge Conditioner – Advance Formula (AF)
Immediate (acute) health hazard

US TSCA Flags Not present

US State Regulations

California Proposition 65

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Calcium hydroxide (1305-62-0)	No	No	No	No

State Right-To-Know Lists

Calcium hydroxide (1305-62-0)
U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

International Inventories/Lists

Chemical Name (CAS No.)	Australia AICS	Turkey CICR	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EU NLP	Mexico INSQ
Calcium hydroxide (1305-62-0)	Yes	Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS No.)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR	Philippines PICCS	New Zealand NZIOC	US TSCA
Calcium hydroxide (1305-62-0)	Yes	Yes	No	No	No	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/26/2018

Revision Summary

Section	Change	Date Changed
Header, 1, 12, 15	Language (product name) modified	10/10/2018
9	Data modified	10/10/2018

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
HHNOC 1	Health hazard not otherwise classified, category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA 704

NFPA Health Hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA Fire Hazard : 0 - Materials that will not burn under typical dire conditions.

NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard

Physical : 0 Minimal Hazard

PPE See Section 8

Abbreviations and Acronyms

AICS – Australian Inventory of Chemical Substances
ACGIH – American Conference of Governmental Industrial Hygienists
AIHA – American Industrial Hygiene Association
ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor
BEI - Biological Exposure Indices (BEI)
CAS No. - Chemical Abstracts Service number
CERCLA RQ - Comprehensive Environmental Response, Compensation, and Liability Act - Reportable Quantity
CICR - Turkish Inventory and Control of Chemicals
DOT – 49 CFR – US Department of Transportation – Code of Federal Regulations Title 49 – Transportation.
EC50 - Median effective concentration
ECL - Korea Existing Chemicals List
EINECS - European Inventory of Existing Commercial Chemical Substances
ELINCS - European List of Notified Chemical Substances
EmS - IMDG Emergency Schedule Fire & Spillage
ENCS - Japanese Existing and New Chemical Substances Inventory
LC50 - Median Lethal Concentration
LD50 - Median Lethal Dose
LOAEL - Lowest Observed Adverse Effect Level
LOEC - Lowest-observed-effect Concentration
Log Pow - Octanol/water Partition Coefficient
NFPA 704 – National Fire Protection Association - Standard System for the Identification of the Hazards of Materials for Emergency Response
NIOSH - National Institute for Occupational Safety and Health
NLP - Europe No Longer Polymers List
NOAEL - No-Observed Adverse Effect Level
NOEC - No-Observed Effect Concentration
NZIOC - New Zealand Inventory of Chemicals
OEL - Occupational Exposure Limits
OSHA – Occupational Safety and Health Administration
PEL - Permissible Exposure Limits
PICCS - Philippine Inventory of Chemicals and Chemical Substances
PDSCL - Japan Poisonous and Deleterious Substances Control Law
PPE – Personal Protective Equipment

EPA – Environmental Protection Agency
EPCRA 304 RQ – EPCRA 304 Extremely Hazardous Substance Emergency Planning and Community Right-to-Know-Act – Reportable Quantity
ERAP Index – Emergency Response Assistance Plan Quantity Limit
ErC50 - EC50 in Terms of Reduction Growth Rate
ERG code (IATA) - Emergency Response Drill Code as found in the International Civil Aviation Organization (ICAO)
ERG No. - Emergency Response Guide Number
HCCL - Hazard Communication Carcinogen List
HMIS – Hazardous Materials Information System
IARC - International Agency for Research on Cancer
IATA - International Air Transport Association – Dangerous Goods Regulations
IDLH - Immediately Dangerous to Life or Health
IECSC - Inventory of Existing Chemical Substances Produced or Imported in China
IMDG - International Maritime Dangerous Goods Code
INSQ - Mexican National Inventory of Chemical Substances
ISHL - Japan Industrial Safety and Health Law
PRTR - Japan Pollutant Release and Transfer Register
REL - Recommended Exposure Limit
SADT - Self Accelerating Decomposition Temperature
SARA - Superfund Amendments and Reauthorization Act
SARA 302 - Section 302, 40 CFR Part 355
SARA 311/312 - Sections 311 and 312, 40 CFR Part 370 Hazard Categories
SARA 313 - Section 313, 40 CFR Part 372
SRCL - Specifically Regulated Carcinogen List
STEL - Short Term Exposure Limit
SVHC – European Candidate List of Substance of Very High Concern
TDG – Transport Canada Transport of Dangerous Goods Regulations
TLM - Median Tolerance Limit
TLV - Threshold Limit Value
TPQ - Threshold Planning Quantity
TSCA – United StatesToxic Substances Control Act
TWA - Time Weighted Average
WEEL - Workplace Environmental Exposure Levels

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Walla Walla Environmental and its affiliates assume no responsibility.