SAFETY DATA SHEET

Section 1: Product Identification

Product Name Russo Power Melt Blue Identified Uses Melt Snow and Ice Supplier's Details Russo Hardware Inc.

9525 W Irving Park Road, Schiller Park, IL USA 60176

Phone Number (847) 678-9525

Emergency Contact (24 Hrs) (888) 226-8832 CANUTEC

Section 2: Hazard Identification

Classification (GHS) Not Classified

GHS Labelling No Labelling applicable

Percentage Not applicable

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Other Hazards When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged

contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	90.0-95.0%	7647-14-5	Not Classified
Calcium Chloride	5.0-10.0%	10043-52-4	Eye Irrit. 2A, H319
Product may contain color indicator			

Section 4: First-Aid Measures

Description of First Aid Measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and

Inhalation keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty

persists.

Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at

Skin Contact least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing

before reuse.

Eye Contact

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs

Inhalation Prolonged contact with large amounts of dust may cause mechanical irritation.

Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Contact may cause irritation due to mechanical abrasion Ingestion Ingestion is not likely to be harmful or have adverse effects

Other Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and

lungs.

Chronic Symptoms Not available

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Do not use a heavy water stream. Use of heavy stream of water may spread **Unsuitable Extinguishing Media:**

fire.

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Hazardous Combustion Products: Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine.

Other Information: Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental Release Measures

Personal Precautions Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Environmental Precautions Prevent entry to sewers and public waters. Avoid release to the environment.

Clear up spills immediately and dispose of waste safely. Recover the product by **Methods for Cleaning Up** vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

When heated to decomposition, emits toxic fumes. Contact with water causes an

Additional Hazards exothermic heat reaction, which may cause significant temperature rise. Corrosive to When Processed

metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.

Handle in accordance with good industrial hygiene and safety procedures. Wash hands

and other exposed areas with mild soap and water before eating, drinking, or smoking **Hygiene Measures**

and again when leaving work. Do not eat, drink or smoke when using this product.

Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Conditions Keep/Store away from extremely high or low temperatures, direct sunlight, heat,

ignition sources, and incompatible materials.

Incompatible Materials Strong acids. Strong bases. Strong oxidizers.

Section 8: Exposure Controls/Personal Protection

No Occupational Exposure Limits (OELs) have been established for this **Control Parameters**

product or its chemical components.

Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure all national/local

Appropriate Engineering Controls regulations are observed. Ensure adequate ventilation, especially in confined

areas

Protective goggles. Protective clothing. Insufficient ventilation: wear **Personal Protective Equipment**

respiratory protection. Gloves.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield. **Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Appearance/ Physical StateBlue Solid Pellets. Odorless.

Vapour Pressure (mm Hg at 20°C) 0.009

Vapour Density (Air = 1.0)Not availableBulk DensityNot availableSolubility in WaterWater Soluble

Specific Gravity (gm/cc, Water = 1.0) 2.2

% Volatile by Volume

Boiling Point

Melting Point

Not available

Coefficient of Water/Oil Distribution
pH

Not available
Not available

Section 10: Stability And Reactivity

Chemical Stability: Stable under normal conditions.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions:

Polymerization occurs with calcium chloride when mixed with methyl vinyl

ether.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of

Products: magnesium. Oxides of calcium.

Section 11: Toxicological Information

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation:Not classified pH: 10Serious Eye Damage/Irritation:Not classified pH: 10

Respiratory or Skin Sensitization:

Germ Cell Mutagenicity:

Teratogenicity:

Carcinogenicity:

Not available

Not classified

Not classified

Not classified

Not classified

Not classified

Specific Target Organ Toxicity (Repeated Exposure):

Not classified

Specific Target Organ Toxicity (Single Exposure):

Not classified

Aspiration Hazard:

Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chlorido (7647 14 E)	LD50 Oral Rat	3 g/kg
Sodium chloride (7647-14-5)	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Calaium Chlarida (10043 F3 4)	LD50 Oral Rat	1455-2781 mg/kg
Calcium Chloride (10043-52-4)	LD50 Dermal Rabbit	> 5000 mg/kg

Section 12: Ecological Information

Toxicity

No additional information available

Sodium chloride (7647-14-5)

·	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Calcium Chloride (10043-52-4)

LC50 Fish 1	10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	2400 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and degradability

Not available

Bio accumulative potential

Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)
Calcium chloride (10043-52-4)	BCF Fish 1	(no bioaccumulation)

Mobility in Soil

Not available

Other Information Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Recommendations Dispose of waste material in accordance with all local, regional, national, provincial,

territorial and international regulations.

Section 14: Transport Information

In Accordance with DOT

In Accordance with IMDG

In Accordance with IATA

In Accordance with IATA

Not regulated for transport

Not regulated for transport

Not regulated for transport

Not regulated for transport

Section 15: Regulatory Information

US Federal Regulations

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Calcium chloride (10043-52-4)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

Russo Power Melt Red		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	fication Uncontrolled product according to WHMIS classification criteria	
Calcium chloride (10043-52-4)	Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic	
WHIVIIS Classification	effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date: April 6, 2017

Version

1

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Russo Hardware Inc. does not accept responsibility for any loss or damage, which may occur from the use of this information.