

Delta Lake Assignment Report – ShopEZ E-commerce Data Engineering

Step 1 — Ingest Sample Order Data into DataFrame

A random data generator was created to simulate **10,000 e-commerce orders**.
The script generates random timestamps, countries, customer IDs, amounts, and statuses.

`df_orders.show()`

	order_id	order_timestamp	customer_id	country	amount	currency	status
1	469d36fd-25a4-4a3e-85c0-147a90a46cbd	2025-11-07T00:44:41.000+00:00	CUST-4618	DE	470.48	EUR	CANCELLED
2	6148b846-b335-4003-a8a7-9953cb437e54	2025-10-11T21:26:54.000+00:00	CUST-3598	DE	723.55	EUR	PAID
3	7ab49dbb-30ab-4539-9bea-713c0f023fca	2025-10-07T03:19:44.000+00:00	CUST-9955	US	524.63	USD	PAID
4	8f1cb5d0-ac34-4ee3-9b60-c881d8ed6f51	2025-11-02T23:16:30.000+00:00	CUST-9601	IN	149.15	INR	PAID
5							

Schema view

```
df_orders.printSchema()

root
|-- order_id: string (nullable = true)
|-- order_timestamp: timestamp (nullable = true)
|-- customer_id: string (nullable = true)
|-- country: string (nullable = true)
|-- amount: double (nullable = true)
|-- currency: string (nullable = true)
|-- status: string (nullable = true)
```

Step 2 — Add Derived Column order_date

To support partitioning, the date part of the timestamp was extracted:

Table

+

🔍 🔍 📄 📄

		📅 order_timestamp	👤 customer_id	🌐 country	1.2 amount	🌐 currency	📄 status	📅 order_date
1	46cbd	2025-11-07T00:44:41.000+00:00...	CUST-4618	DE	470.48	EUR	CANCELLED	2025-11-07
2	437e54	2025-10-11T21:26:54.000+00:00...	CUST-3598	DE	723.55	EUR	PAID	2025-10-11
3	123fca	2025-10-07T03:19:44.000+00:00...	CUST-9955	US	524.63	USD	PAID	2025-10-07
4	d6f51	2025-11-02T23:16:30.000+00:00...	CUST-9601	IN	149.15	INR	PAID	2025-11-02
5								

⬇

⌵

5 rows | 1.03s runtime

Refreshed 1 hour ago


root

```
-- order_id: string (nullable = true)
-- order_timestamp: timestamp (nullable = true)
-- customer_id: string (nullable = true)
-- country: string (nullable = true)
-- amount: double (nullable = true)
-- currency: string (nullable = true)
-- status: string (nullable = true)
-- order_date: date (nullable = true)
```



Step 3 — Write as Delta Table Partitioned by Country + Order Date

The table was stored in Delta format in a Databricks Volume:

`output_path = "/Volumes/main/default/orders_delta"`



Step 4 — Verification of Partition Structure



58 minutes ago (2s)

10

```
display(dbutils.fs.ls("/Volumes/main/default/orders_delta"))
```

See performance (2)

Table

	path	name	size	modificationTime
1	dbfs:/Volumes/main/default/orders_delta/_delta_log/	_delta_log/	0	1764611782988
2	dbfs:/Volumes/main/default/orders_delta/country=AU/	country=AU/	0	1764611782988
3	dbfs:/Volumes/main/default/orders_delta/country=DE/	country=DE/	0	1764611782988
4	dbfs:/Volumes/main/default/orders_delta/country=IN/	country=IN/	0	1764611782988
5	dbfs:/Volumes/main/default/orders_delta/country=JP/	country=JP/	0	1764611782988
6	dbfs:/Volumes/main/default/orders_delta/country=SG/	country=SG/	0	1764611782988
7	dbfs:/Volumes/main/default/orders_delta/country=UK/	country=UK/	0	1764611782988
8	dbfs:/Volumes/main/default/orders_delta/country=US/	country=US/	0	1764611782988

58 minutes ago (1s)

11

Python

```
display(dbutils.fs.ls("/Volumes/main/default/orders_delta/country=US"))
```

See performance (2)

Table

	path	name	size	modificationTime
1	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-01/	order_date=2025-10-0...	0	1764611793205
2	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-02/	order_date=2025-10-0...	0	1764611793205
3	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-03/	order_date=2025-10-0...	0	1764611793205
4	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-04/	order_date=2025-10-0...	0	1764611793205
5	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-05/	order_date=2025-10-0...	0	1764611793205
6	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-06/	order_date=2025-10-0...	0	1764611793205
7	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-07/	order_date=2025-10-0...	0	1764611793205
8	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-08/	order_date=2025-10-0...	0	1764611793205
9	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-09/	order_date=2025-10-0...	0	1764611793205
10	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-10/	order_date=2025-10-1...	0	1764611793205
11	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-11/	order_date=2025-10-1...	0	1764611793205
12	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-12/	order_date=2025-10-1...	0	1764611793205
13	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-13/	order_date=2025-10-1...	0	1764611793205
14	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-14/	order_date=2025-10-1...	0	1764611793205
15	dbfs:/Volumes/main/default/orders_delta/country=US/order_date=2025-10-15/	order_date=2025-10-1...	0	1764611793205

45 rows | 1.09s runtime

Refreshed 58 minutes ago

Step 5 — Partition Pruning Demonstration

Partition pruning automatically reduces the scanned data.

Query by Country (prunes to only US partitions)

The screenshot shows a Databricks notebook interface. At the top, it says "56 minutes ago (2s)" and "13". The code cell contains the following Python code:

```
#Query by Country
df_us = spark.read.format("delta").load("/Volumes/main/default/orders_delta") \
    .filter("country = 'US'")

df_us.show(5)
```

Below the code, there is a performance summary table:

Statement	Started At	Duration	Rows read	Bytes read	Bytes written
L5 > df_us.show(5)	Dec 01, 2025, 11:30 PM	1 s 409 ms	22	3.18 KB	0 B

Below the table, the output of the query is shown as a table with 7 columns: order_id, order_timestamp, customer_id, country, amount, currency, and status. The output shows 5 rows of data, all with country 'US'.

```
> df_us: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 6 more fields]
+-----+-----+-----+-----+-----+-----+-----+
| order_id | order_timestamp | customer_id | country | amount | currency | status | order_date |
+-----+-----+-----+-----+-----+-----+-----+
| 0ce692f2-13ca-46f... | 2025-11-08 11:59:52 | CUST-9506 | US | 757.76 | USD | CANCELLED | 2025-11-08 |
| d2916319-771d-40e... | 2025-11-08 14:31:23 | CUST-8980 | US | 124.97 | USD | PAID | 2025-11-08 |
| 9b05daae-6fc3-45a... | 2025-11-08 18:33:42 | CUST-5230 | US | 436.96 | USD | PAID | 2025-11-08 |
| 035eaa3c-2aa2-4cb... | 2025-11-08 09:11:25 | CUST-1073 | US | 652.49 | USD | PAID | 2025-11-08 |
| 20002243-fbae-4b3... | 2025-11-08 05:23:42 | CUST-8488 | US | 292.48 | USD | CREATED | 2025-11-08 |
+-----+-----+-----+-----+-----+-----+-----+
only showing top 5 rows
```

Query by Country + Date (prunes to a single folder)

The screenshot shows a Databricks notebook interface. At the top, it says "56 minutes ago (1s)" and "14". The code cell contains the following Python code:

```
#Query by Country + Date
df_us_date = (
    spark.read.format("delta")
    .load("/Volumes/main/default/orders_delta")
    .filter("country = 'IN' AND order_date = '2025-10-10'")
)

df_us_date.show()
```

Below the code, there is a performance summary table:

Statement	Started At	Tasks	Duration	Rows read	Bytes read	Bytes written
L8 > df_us_date.show()	Dec 01, 2025, 11:30 PM	1/1 completed	837 ms	39	4.17 KB	0 B

Below the table, the output of the query is shown as a table with 7 columns: order_id, order_timestamp, customer_id, country, amount, currency, and status. The output shows 39 rows of data, all with country 'IN' and order_date '2025-10-10'.

```
> df_us_date: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 6 more fields]
+-----+-----+-----+-----+-----+-----+-----+
| order_id | order_timestamp | customer_id | country | amount | currency | status | order_date |
+-----+-----+-----+-----+-----+-----+-----+
| 703c528f-3bf0-484... | 2025-10-10 15:17:25 | CUST-3598 | IN | 456.43 | INR | PAID | 2025-10-10 |
| 7467e181-bfd3-479... | 2025-10-10 23:02:24 | CUST-8274 | IN | 255.83 | INR | PAID | 2025-10-10 |
| 9bc4a721-f336-401... | 2025-10-10 17:10:09 | CUST-7420 | IN | 609.29 | INR | PAID | 2025-10-10 |
| 963060c2-0bcb-442... | 2025-10-10 13:28:44 | CUST-8437 | IN | 231.88 | INR | PAID | 2025-10-10 |
| 1103b7e3-43e7-461... | 2025-10-10 23:16:53 | CUST-4890 | IN | 204.29 | INR | CREATED | 2025-10-10 |
| b8e5e288-8354-46b... | 2025-10-10 12:16:03 | CUST-8921 | IN | 674.83 | INR | PAID | 2025-10-10 |
| ef71b7ad-36a5-4c7... | 2025-10-10 17:56:13 | CUST-6524 | IN | 518.05 | INR | PAID | 2025-10-10 |
| b08a28f1-44bd-412... | 2025-10-10 10:41:44 | CUST-4892 | IN | 166.74 | INR | PAID | 2025-10-10 |
| 82eea817-8e68-4f3... | 2025-10-10 03:27:33 | CUST-2337 | IN | 266.73 | INR | PAID | 2025-10-10 |
| ee9219e6-b0b7-4bc... | 2025-10-10 02:11:19 | CUST-1007 | IN | 790.17 | INR | PAID | 2025-10-10 |
| 332a0316-7b75-407... | 2025-10-10 01:32:39 | CUST-8255 | IN | 337.17 | INR | PAID | 2025-10-10 |
| 04652935-f20d-420... | 2025-10-10 08:06:46 | CUST-4751 | IN | 363.69 | INR | PAID | 2025-10-10 |
| bd68b923-15d9-444... | 2025-10-10 12:36:10 | CUST-7228 | IN | 635.84 | INR | PAID | 2025-10-10 |
| 97ba46fc-18fc-4e6... | 2025-10-10 15:58:52 | CUST-8803 | IN | 261.07 | INR | PAID | 2025-10-10 |
+-----+-----+-----+-----+-----+-----+-----+
only showing top 14 rows
```


Step 6 — Delta Lake Time Travel

```
53 minutes ago (3s) 21

#View Delta Table History
history_df = delta_tbl.history()
history_df.show(truncate=False)

> See performance (1) Optimize

> history_df: pyspark.sql.connect.dataframe.DataFrame = [version: long, timestamp: timestamp ... 13 more fields]

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|version|timestamp|userId|userName|operation|operationParameters|job|
|notebook|clusterId|readVersion|isolationLevel|isBlindAppend|operationMetrics|
|userMetadata|engineInfo|
+-----+-----+-----+-----+-----+-----+-----+
|1|2025-12-01 18:04:55|72297342688245|mishamanmai2004@gmail.com|UPDATE|[(predicate -> ["(country#11599 = US)"])]|NULL| |
|[3549743875246401]|1201-174827-5wy9p9nu-v2n|0|WriteSerializable|false|[{numRemovedFiles -> 45, numRemovedBytes -> 170798, numCopiedRows -> 0, numDeletionVectorsAdded -> 0, executionTimeMs -> 2219, numDeletionVectorsUpdated -> 0, scanTimeMs -> 29, numAddedFiles -> 45, numUpdatedRows -> 1405, numDeletionVectorsRemoved -> 0, numAddedChangeFiles -> 0, numAddedBytes -> 170083, rewriteTimeMs -> 2148}]|NULL|Databricks-Runtime/17.2.x-aarch64-photon-scala2.13|
|0|2025-12-01 17:53:42|72297342688245|mishamanmai2004@gmail.com|WRITE|(mode -> Overwrite, statsOnLoad -> false, partitionBy -> ["country", "order_date"])|NULL|
|[3549743875246401]|1201-174827-5wy9p9nu-v2n|NULL|WriteSerializable|false|[{numFiles -> 315, numRemovedFiles -> 0, numRemovedBytes -> 0, numDeletionVectorsRemoved -> 0, numOutputRows -> 10000, numOutputBytes -> 1205154}]|
|NULL|Databricks-Runtime/17.2.x-aarch64-photon-scala2.13|
+-----+-----+-----+-----+-----+-----+-----+
|only showing top 5 rows|
```

```
53 minutes ago (1s)

#Time Travel: Read Version 0 (Before Update)
df_old = spark.read.format("delta").option("versionAsOf", 0).load(table_path)
df_old.filter("country = 'US']").show(5)

> See performance (1)

> df_old: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 6 more fields]

+-----+-----+-----+-----+-----+-----+-----+-----+
|order_id|order_timestamp|customer_id|country|amount|currency|status|order_date|
+-----+-----+-----+-----+-----+-----+-----+
|0ce692f2-13ca-46f...|2025-11-08 11:59:52|CUST-9506|US|757.76|USD|CANCELLED|2025-11-08|
|d2916319-771d-40e...|2025-11-08 14:31:23|CUST-8980|US|124.97|USD|PAID|2025-11-08|
|9b05daae-6fc3-45a...|2025-11-08 18:33:42|CUST-5230|US|436.96|USD|PAID|2025-11-08|
|035eaa3c-2aa2-4cb...|2025-11-08 09:11:25|CUST-1073|US|652.49|USD|PAID|2025-11-08|
|20002243-fbae-4b3...|2025-11-08 05:23:42|CUST-8488|US|292.48|USD|CREATED|2025-11-08|
+-----+-----+-----+-----+-----+-----+-----+
only showing top 5 rows

53 minutes ago (1s)

#Read Latest Version (after update)
df_latest = spark.read.format("delta").load(table_path)
df_latest.filter("country = 'US']").show(5)

> See performance (1)

> df_latest: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 6 more fields]

+-----+-----+-----+-----+-----+-----+-----+-----+
|order_id|order_timestamp|customer_id|country|amount|currency|status|order_date|
+-----+-----+-----+-----+-----+-----+-----+
|0ce692f2-13ca-46f...|2025-11-08 11:59:52|CUST-9506|US|757.76|USD|CANCELLED|2025-11-08|
|d2916319-771d-40e...|2025-11-08 14:31:23|CUST-8980|US|124.97|USD|CANCELLED|2025-11-08|
|9b05daae-6fc3-45a...|2025-11-08 18:33:42|CUST-5230|US|436.96|USD|CANCELLED|2025-11-08|
|035eaa3c-2aa2-4cb...|2025-11-08 09:11:25|CUST-1073|US|652.49|USD|CANCELLED|2025-11-08|
|20002243-fbae-4b3...|2025-11-08 05:23:42|CUST-8488|US|292.48|USD|CANCELLED|2025-11-08|
+-----+-----+-----+-----+-----+-----+-----+
only showing top 5 rows
```

Step 7 — Schema Evolution

New fields were added:

- payment_method
- coupon_code

```
▶ 49 minutes ago (1s) 28

df_check = spark.read.format("delta").load(output_path)
df_check.printSchema()
df_check.show(10, truncate=False)
> See performance \(1\)

> df_check: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 8 more fields]

root
|-- order_id: string (nullable = true)
|-- order_timestamp: timestamp (nullable = true)
|-- customer_id: string (nullable = true)
|-- country: string (nullable = true)
|-- amount: double (nullable = true)
|-- currency: string (nullable = true)
|-- status: string (nullable = true)
|-- order_date: date (nullable = true)
|-- payment_method: string (nullable = true)
|-- coupon_code: string (nullable = true)

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|order_id|order_timestamp|customer_id|country|amount|currency|status|order_date|payment_method|coupon_code|
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|9e27c3b1-dc1d-4f33-a2d0-3f0580e99fc0|2025-10-09 13:52:06|CUST-8880|JP|[296.96]|JPY|[CREATED]|2025-10-09|NULL|NULL|
|ac735668-de5b-42e2-89de-0e6eb631045a|2025-10-09 07:23:55|CUST-4858|JP|[482.66]|JPY|[PAID]|2025-10-09|NULL|NULL|
|c01deb20-3ad2-42f2-ac4a-11d18e9ba8fc|2025-10-09 13:38:08|CUST-5267|JP|[609.6]|JPY|[CREATED]|2025-10-09|NULL|NULL|
|822b4a19-882e-4dd4-bf74-db8022158b2a|2025-10-09 05:46:01|CUST-1636|JP|[354.24]|JPY|[CANCELLED]|2025-10-09|NULL|NULL|
|bd489906-c3c9-43ad-af07-96cf6ed29fce|2025-10-09 02:04:53|CUST-9847|JP|[44.7]|JPY|[PAID]|2025-10-09|NULL|NULL|
|2773d043-7142-400b-83ea-35868077e8d7|2025-10-09 02:11:11|CUST-6274|JP|[525.81]|JPY|[PAID]|2025-10-09|NULL|NULL|
```

Step 8 — Updates & Deletes

Mark Orders as CANCELLED

Delete small test orders

```
▶ 49 minutes ago (1s) 28

df_check = spark.read.format("delta").load(output_path)
df_check.printSchema()
df_check.show(10, truncate=False)
> See performance \(1\)

> df_check: pyspark.sql.connect.dataframe.DataFrame = [order_id: string, order_timestamp: timestamp ... 8 more fields]

root
|-- order_id: string (nullable = true)
|-- order_timestamp: timestamp (nullable = true)
|-- customer_id: string (nullable = true)
|-- country: string (nullable = true)
|-- amount: double (nullable = true)
|-- currency: string (nullable = true)
|-- status: string (nullable = true)
|-- order_date: date (nullable = true)
|-- payment_method: string (nullable = true)
|-- coupon_code: string (nullable = true)

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|order_id|order_timestamp|customer_id|country|amount|currency|status|order_date|payment_method|coupon_code|
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|9e27c3b1-dc1d-4f33-a2d0-3f0580e99fc0|2025-10-09 13:52:06|CUST-8880|JP|[296.96]|JPY|[CREATED]|2025-10-09|NULL|NULL|
|ac735668-de5b-42e2-89de-0e6eb631045a|2025-10-09 07:23:55|CUST-4858|JP|[482.66]|JPY|[PAID]|2025-10-09|NULL|NULL|
|c01deb20-3ad2-42f2-ac4a-11d18e9ba8fc|2025-10-09 13:38:08|CUST-5267|JP|[609.6]|JPY|[CREATED]|2025-10-09|NULL|NULL|
|822b4a19-882e-4dd4-bf74-db8022158b2a|2025-10-09 05:46:01|CUST-1636|JP|[354.24]|JPY|[CANCELLED]|2025-10-09|NULL|NULL|
|bd489906-c3c9-43ad-af07-96cf6ed29fce|2025-10-09 02:04:53|CUST-9847|JP|[44.7]|JPY|[PAID]|2025-10-09|NULL|NULL|
|2773d043-7142-400b-83ea-35868077e8d7|2025-10-09 02:11:11|CUST-6274|JP|[525.81]|JPY|[PAID]|2025-10-09|NULL|NULL|
```

Step 9 — OPTIMIZE + ZORDER

To compact files and speed up reads:

OPTIMIZE delta.`/Volumes/main/default/orders\_delta` ZORDER BY (customer_id);

```
45 minutes ago (1s) 38

#File Count Before & After OPTIMIZE
dbutils.fs.ls("/Volumes/main/default/orders_delta")


> See performance (1) Optimize

[FileInfo(path='dbfs:/Volumes/main/default/orders_delta/_delta_log/', name='_delta_log/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-AU/', name='country-AU/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-DE/', name='country-DE/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-IN/', name='country-IN/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-JP/', name='country-JP/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-SG/', name='country-SG/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/country-US/', name='country-US/', size=0, modificationTime=1764613111540),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/deletion_vector_8ab37f69-3c5d-41e1-a2b0-fef6fe6451cb.bin', name='deletion_vector_8ab37f69-3c5d-41e1-a2b0-fef6fe6451cb.bin', size=14809, modificationTime=1764612889000),
FileInfo(path='dbfs:/Volumes/main/default/orders_delta/deletion_vector_ce39e998-9f96-4b69-afed-86967968532e.bin', name='deletion_vector_ce39e998-9f96-4b69-afed-86967968532e.bin', size=11776, modificationTime=1764612927000)]
```

Step 10 — Small File Problem

Show how small file problems can occur with too many partitions and how OPTIMIZE helps.

output_path = "/Volumes/main/default/orders_smallfiles"



12:13 AM (4s) 44

SQL

DESCRIBE HISTORY delta.`/Volumes/main/default/orders\_smallfiles`;

> See performance (1)

> _sqlidf: pyspark.sql.connect.dataframe.DataFrame = [version: long, timestamp: timestamp ... 13 more fields]

	version	timestamp	userid	userName	operation	operationParameters	
1	120	2025-12-01T18:35:27.000+00...	722973426882...	mishamanmai2004@gmail.co...	OPTIMIZE	> ["clusterBy":"[]","xOrderBy":"[]","batchId":"0","predicate":"[]","auto":"f...	no11
2	119	2025-12-01T18:34:26.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
3	118	2025-12-01T18:34:25.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
4	117	2025-12-01T18:34:24.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
5	116	2025-12-01T18:34:23.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
6	115	2025-12-01T18:34:21.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
7	114	2025-12-01T18:34:20.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
8	113	2025-12-01T18:34:19.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
9	112	2025-12-01T18:34:18.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
10	111	2025-12-01T18:34:16.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
11	110	2025-12-01T18:34:15.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
12	109	2025-12-01T18:34:14.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
13	108	2025-12-01T18:34:13.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
14	107	2025-12-01T18:34:12.000+00...	722973426882...	mishamanmai2004@gmail.co...	WRITE	> ["mode":"Append","statsOnLoad":"false","partitionBy":"[]"]	no11
15							

121 rows | 3.92s runtime

Refreshed 20 minutes ago

This result is stored as _sqlidf and can be used in other Python and SQL cells.