





Title		
Size	Number	Revision
A4		
Date:	2021/2/5	Sheet of
File:	F:\PCB设计\LED点阵时钟\LED_clock_SchDocBy:	



Title		
Size	Number	Revision
A4		
Date:	2021/2/5	Sheet of
File:	F:\PCB设计\LED点阵时钟\PERIPH.Sch	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
Battery	Multicell Battery	BT1	CR2032_B	Battery	1
Cap POL		C1, C2	LC-CASE-B_3528	Cap POL	2
Cap		C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16	C-0603	Cap	14
Diode 1N4148	High Conductance Fast Diode	D1, D2	SOD-123/1206	Diode 1N4148	2
LED		D3	LED-0603-Red	LED	1
Header 4	Header, 4-Pin	P1	HDR2.54-WI-4P	Header 4	1
DC-005		P2	DC-005	DC-005	1
Header 2	Header, 2-Pin	P3	HDR2.54-WI-2P	Header 2	1
Res		R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14	R-0603-M	Res	14
SW-PB	Switch	S1, S2, S3, S4	SB-6*6*5 90°	SW-PB	4
AMS1117		U1	SOT-223	AMS1117	1
DS18B20		U2	HDR2.54-M-WS-3P	DS18B20	1
STM32F103RE	32位STM单片机	U3	LQFP64	STM32F103RE	1
ROW5		U4, U6, U7	LED 8*8-38	LED8*8_16	3
74HC138		U5	SOP-16-M	74HC138	1
XTAL	Crystal Oscillator	Y1, Y2	49S	XTAL	2