Patient-Level Prediction Installation Guide

Jenna Reps, Peter R. Rijnbeek, Egill Fridgeirsson

2023-04-28

Contents

| 1 | Introduction | 1 |
|---|---|---|
| 2 | Software Prerequisites | 1 |
| | 2.1 Windows Users | 1 |
| | 2.2 Mac/Linux Users | 2 |
| 3 | Installing the Package | 2 |
| | 3.1 Installing PatientLevelPrediction using remotes | 2 |
| 4 | Creating Python Reticulate Environment | 2 |
| 5 | Installation issues | 2 |
| | 5.1 Common issues | 3 |
| 6 | Acknowledgments | 3 |

1 Introduction

This vignette describes how you need to install the Observational Health Data Sciencs and Informatics (OHDSI) PatientLevelPrediction package under Windows, Mac, and Linux.

2 Software Prerequisites

2.1 Windows Users

Under Windows the OHDSI Patient Level Prediction (PLP) package requires installing:

- R (https://cran.cnr.berkeley.edu/) (R >= 4.0.0, but latest is recommended)
- Rstudio (https://www.rstudio.com/)
- Java (http://www.java.com)
- RTools (https://cran.r-project.org/bin/windows/Rtools/)

2.2 Mac/Linux Users

Under Mac and Linux the OHDSI Patient Level Prediction (PLP) package requires installing:

- R (https://cran.cnr.berkeley.edu/) (R >= 4.0.0, but latest is recommended)
- Rstudio (https://www.rstudio.com/)
- Java (http://www.java.com)
- Xcode command line tools(run in terminal: xcode-select –install) [MAC USERS ONLY]

3 Installing the Package

The preferred way to install the package is by using remotes, which will automatically install the latest release and all the latest dependencies.

If you do not want the official release you could install the bleeding edge version of the package (latest develop branch).

Note that the latest develop branch could contain bugs, please report them to us if you experience problems.

3.1 Installing PatientLevelPrediction using remotes

To install using remotes run:

```
install.packages("remotes")
remotes::install_github("OHDSI/PatientLevelPrediction")
```

When installing make sure to close any other Rstudio sessions that are using PatientLevelPrediction or any dependency. Keeping Rstudio sessions open can cause locks that prevent the package installing.

4 Creating Python Reticulate Environment

Many of the classifiers in the PatientLevelPrediction use a Python backend. To set up a python environment run:

```
library(PatientLevelPrediction)
reticulate::install_miniconda()
configurePython(envname='r-reticulate', envtype='conda')
```

5 Installation issues

 $In stallation issues need to be posted in our issue tracker: \ http://github.com/OHDSI/PatientLevelPrediction/issues$

The list below provides solutions for some common issues:

- 1. If you have an error when trying to install a package in R saying 'Dependancy X not available ...' then this can sometimes be fixed by running install.packages('X') and then once that completes trying to reinstall the package that had the error.
- 2. I have found that using the github 'remotes" to install packages can be impacted if you have **multiple R** sessions open as one session with a library open can cause the library to be locked and this can prevent an install of a package that depends on that library.

5.1 Common issues

5.1.1 python environment Mac/linux users:

to make sure R uses the r-reticulate python environment you may need to edit your .Rprofile with the location of the python binary for the PLP environment. Edit the .Rprofile by running:

```
usethis::edit_r_profile()
and add

Sys.setenv(PATH = paste("your python bin location", Sys.getenv("PATH"), sep=":"))

to the file then save. Where your python bin location is the location returned by

reticulate::conda_list()

e.g., My PLP virtual environment location was /anaconda3/envs/PLP/bin/python so I added:
Sys.setenv(PATH = paste("/anaconda3/envs/PLP/bin", Sys.getenv("PATH"), sep=":"))
```

6 Acknowledgments

##

}

Considerable work has been dedicated to provide the PatientLevelPrediction package.

```
citation("PatientLevelPrediction")
```

```
##
## To cite PatientLevelPrediction in publications use:
##
     Reps JM, Schuemie MJ, Suchard MA, Ryan PB, Rijnbeek P (2018). "Design and implementation of a standard MA, Ryan PB, Rijnbeek P (2018)."
##
##
     framework to generate and evaluate patient-level prediction models using observational healthcare
     _Journal of the American Medical Informatics Association_, *25*(8), 969-975.
##
     <a href="https://doi.org/10.1093/jamia/ocy032">https://doi.org/10.1093/jamia/ocy032</a>.
##
##
## A BibTeX entry for LaTeX users is
##
##
     @Article{,
##
        author = {J. M. Reps and M. J. Schuemie and M. A. Suchard and P. B. Ryan and P. Rijnbeek},
##
        title = {Design and implementation of a standardized framework to generate and evaluate patient-
        journal = {Journal of the American Medical Informatics Association},
##
##
        volume = \{25\},
##
       number = \{8\},
##
       pages = \{969-975\},
       year = \{2018\},\
##
        url = {https://doi.org/10.1093/jamia/ocy032},
##
```

Please reference this paper if you use the PLP Package in your work:

Reps JM, Schuemie MJ, Suchard MA, Ryan PB, Rijnbeek PR. Design and implementation of a standardized framework to generate and evaluate patient-level prediction models using observational healthcare data. J Am Med Inform Assoc. 2018;25(8):969-975.

This work is supported in part through the National Science Foundation grant IIS 1251151.