Add:

Add device:

- Parameters:
 - o (String) device: d_name
- ENDPOINT:
 - add device?device=d_name
- Return Values:
 - (Message string) 'Device added successfully.'
 - Status: SUCCESS
 - **Action**: None
 - (Message string) 'Missing device name.'
 - Status: ERROR
 - Action: None
 - Cause: d name was not set
 - o (Message string) 'Device already exists in database.'
 - Status: ERROR
 - Action: list_devices
 - Cause: a device with d_name is already present in the database
 - (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

add manufacturer:

- Parameters:
 - o (String) manufacturer: m name
- ENDPOINT:
 - add_manufacturer?manufacturer=m_name
- Return Values:
 - (Message string) 'Manufacturer added successfully.'
 - Status: SUCCESS
 - Action: None
 - (Message string) 'Missing manufacturer name.'
 - Status: ERROR
 - Action: None
 - Cause: m_name was not set
 - o (Message string) 'Manufacturer already exists in database.'
 - Status: ERROR
 - Action: list manufacturers
 - Cause: a manufacturer with m_name is already present in the database
 - (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR

■ Action: None

■ Cause: SQL query failed

add_equipment:

• Parameters:

(Int) did: device_id

(Int) mid: manufacturer_id(String) sn: serial number

- ENDPOINT:
 - add equipment?did=device_id&mid=manufacturer_id&sn=serial_number
- Return Values:
 - o (Message string) 'Equipment added successfully.'

■ Status: SUCCESS

■ Action: None

(Message string) 'Missing device id.'

Status: ERRORAction: None

■ Cause: device id was not set

o (Message string) 'Missing manufacturer id.'

Status: ERRORAction: None

■ Cause: manufacturer_id was not set

o (Message string) 'Missing serial number.'

Status: ERRORAction: None

■ Cause: serial_number was not set

(Message string) 'Invalid device id.'

■ Status: ERROR

■ Action: query device

■ Cause: device id was set but not an integer

(Message string) 'Invalid manufacturer id.'

■ Status: ERROR

■ Action: None

■ Cause: manufacturer_id was set but not an integer

o (Message string) 'Equipment already exists in database.'

■ Status: ERROR

■ Action: query serial

- Cause: equipment with serial_number is already present in the database
- (Message string) 'QUERY FAILED: \$message.'

■ Status: ERROR

■ Action: None

■ Cause: SQL query failed

List:

list_devices:

- Parameters: None
- ENDPOINT:
 - list devices
- Return Values:
 - (JSON) Array [device_id, device_name, status]
 - Status: SUCCESS
 - Action: None
 - o (Message string) 'No devices found.'
 - Status: SUCCESS
 - **Action**: None
 - Cause: Query was successful but returned no results
 - (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

list manufacturers:

- Parameters: None
- ENDPOINT:
 - list manufacturers
- Return Values:
 - (JSON) Array [manufacturer_id, manufacturer_name, status]
 - Status: SUCCESS
 - Action: None
 - (Message string) 'No manufacturers found.'
 - Status: SUCCESS
 - Action: None
 - Cause: Query was successful but returned no results
 - (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

Modify:

modify_device:

- Parameters:
 - (Int) did: device_id
 (String) device: d_name
 (String) status: status
- ENDPOINT:
 - modify device?did=device_id&device=d_name&status=status
- Return Values:
 - (Message string) 'Device modified successfully.'
 - Status: SUCCESS
 - Action: None
 - o (Message string) 'Missing device id.'
 - Status: ERROR
 - Action: None
 - Cause: device_id was not set
 - o (Message string) 'Missing device name.'
 - Status: ERROR
 - Action: None
 - Cause: d_name was not set
 - (Message string) 'Missing status.'
 - Status: ERROR
 - Action: None
 - Cause: status was not set
 - (Message string) Invalid device id.'
 - Status: ERROR
 - Action: query device
 - Cause: device_id was set but not an integer
 - (Message string) 'Device already exists in database.'
 - Status: ERROR
 - Action: list devices
 - Cause: a device with d_name is already present in the database
 - (Message string) 'QUERY FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

modify manufacturer:

- Parameters:
 - o (Int) mid: manufacturer_id
 - (String) manufacturer: m_name
 - (String) status: status
- ENDPOINT:
 - modify_device?mid=manufacturer_id&manufacturer=m_name&status=status

Return Values:

(Message string) 'Manufacturer modified successfully.'

■ Status: SUCCESS

■ Action: None

(Message string) 'Missing manufacturer id.'

■ Status: ERROR

- Action: None
- Cause: manufacturer_id was not set
- (Message string) 'Missing manufacturer name.'

■ Status: ERROR

- Action: None
- Cause: m name was not set
- o (Message string) 'Missing status.'

■ Status: ERROR

- Action: None
- Cause: status was not set
- (Message string) Invalid manufacturer id.'
 - Status: ERROR
 - **Action**: query_manufacturers
 - Cause: manufacturer_id was set but not an integer
- o (Message string) 'Manufacturer already exists in database.'
 - Status: ERROR
 - Action: list manufacturers
 - Cause: a manufacturer with m name is already present in the database
- (Message string) 'QUERY_FAILED: \$message.'

■ Status: ERROR

■ Action: None

■ Cause: SQL query failed

modify_equipment:

• Parameters:

(Int) eid: equipment_id

o (Int) did: device id

o (Int) mid: manufacturer_id

(String) sn: serial_number

o (String) status: status

ENDPOINT:

 modify_device?eid=equipment_id&did=device_id&mid=manufacturer_id&sn =serial_number&status=status

Return Values:

(Message string) Equipment modified successfully."

■ Status: SUCCESS

Action: None

- (Message string) 'Missing equipment id.'
 - Status: ERROR

■ Action: None

■ Cause: equipment_id was not set

(Message string) 'Missing device id.'

Status: ERRORAction: None

■ Cause: device_id was not set

(Message string) 'Missing manufacturer id.'

Status: ERRORAction: None

- Cause: manufacturer_id was not set
- o (Message string) 'Missing serial number.'

Status: ERRORAction: None

- Cause: serial_number was not set
- (Message string) 'Missing status.'

Status: ERRORAction: None

■ Cause: status was not set

(Message string) Invalid equipment id.'

Status: ERRORAction: query_id

- Cause: equipment_id was set but not an integer
- (Message string) Invalid device id.'

■ Status: ERROR

■ Action: query_device

- Cause: device_id was set but not an integer
- (Message string) Invalid manufacturer id.'

■ Status: ERROR

■ **Action**: query_manufacturer

■ Cause: manufacturer_id was set but not an integer

(Message string) Equipment already exists in database.'

■ Status: ERROR

■ Action: query_serial

- Cause: equipment with serial_number is already present in the database
- (Message string) 'QUERY_FAILED: \$message.'

Status: ERRORAction: None

■ Cause: SQL query failed

Query:

query_device:

- Parameters:
 - (Int) did: device_id
- ENDPOINT:
 - query_device?did=device_id
- Return Values:
 - (JSON) Single {device id, device name, status}
 - Status: SUCCESS
 - Action: None
 - o (Message string) 'Device not found.'
 - Status: SUCCESS
 - Action: None
 - Cause: Query was successful but returned no results
 - o (Message string) 'Missing device id.'
 - Status: ERROR
 - Action: None
 - Cause: device_id was not set
 - o (Message string) 'Invalid device id.'
 - Status: ERROR
 - Action: None
 - Cause: device id was set but not an integer
 - o (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

query_manufacturer:

- Parameters:
 - (Int) mid: manufacturer_id
- ENDPOINT:
 - query_manufacturer?mid=manufacturer_id
- Return Values:
 - (JSON) Single {manufacturer id, manufacturer name, status}
 - Status: SUCCESS
 - Action: None
 - (Message string) 'Manufacturer not found.'
 - Status: SUCCESS
 - Action: None
 - Cause: Query was successful but returned no results
 - (Message string) 'Missing manufacturer id.'
 - Status: ERROR
 - Action: None
 - Cause: manufacturer_id was not set

- o (Message string) 'Invalid manufacturer id.'
 - Status: ERROR
 - Action: None
 - Cause: manufacturer_id was set but not an integer
- (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

query_id:

- Parameters:
 - (Int) eid: equipment_id
- ENDPOINT:
 - query_id?eid=equipment_id
- Return Values:
 - (JSON) Single {equipment_id, device_id, manufacturer_id, serial_number, status}
 - Status: SUCCESS
 - Action: None
 - o (Message string) 'Equipment not found.'
 - Status: SUCCESS
 - **Action**: None
 - Cause: Query was successful but returned no results
 - o (Message string) 'Missing equipment id.'
 - Status: ERROR
 - Action: None
 - Cause: equipment_id was not set
 - (Message string) 'Invalid equipment id.'
 - Status: ERROR
 - Action: None
 - Cause: equipment_id was set but not an integer
 - (Message string) 'QUERY_FAILED: \$message.'
 - Status: ERROR
 - Action: None
 - Cause: SQL query failed

query_serial:

- Parameters:
 - (Int) sn: serial_number
- ENDPOINT:
 - query_id?sn=serial_number
- Return Values:
 - (JSON) Single {equipment_id, device_id, manufacturer_id, serial_number, status}
 - Status: SUCCESS
 - Action: None
 - (Message string) 'Equipment not found.'
 - Status: SUCCESS

■ Action: None

■ Cause: Query was successful but returned no results

(Message string) 'Missing serial number.'

Status: ERRORAction: None

■ Cause: serial_number was not set

(Message string) 'QUERY_FAILED: \$message.'

Status: ERRORAction: None

■ Cause: SQL query failed

Search:

search_devices:

- Parameters:
 - (Optional int) did: device_id
 - (Optional int) mid: manufacturer_id(Optional string) sn: serial_number
 - o (Optional string) include inactive: include inactive
- ENDPOINT:
 - add_equipment?did=device_id&mid=manufacturer_id&sn=serial_number&in clude inactive=include inactive
- Return Values:
 - (JSON) Array [equipment_id, device_id, manufacturer_id, serial_number, status]

Status: SUCCESSAction: None

(Message string) 'No equipment found.'

Status: SUCCESSAction: None

■ Cause: Query was successful but returned no results

o (Message string) 'Invalid device id.'

■ Status: ERROR

■ Action: query device

■ Cause: device_id was set but not an integer

(Message string) 'Invalid manufacturer id.'

Status: ERRORAction: None

- Action: None

- Cause: manufacturer_id was set but not an integer
- (Message string) 'QUERY_FAILED: \$message.'

■ Status: ERROR

Action: None

■ Cause: SQL query failed