

# Cucumber Report

Mar 18, 2025, 10:36:39 AM

Start : Mar 18, 10:35:39.504 AM

End : Mar 18, 10:36:38.362 AM

Duration : 58.858 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 1  
FAILED - 3  
SKIPPED - 0

PASSED - 36  
FAILED - 2  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Language Fucntionality	2	0	2	0	39.234 s
2	Skills Fucntionality	2	1	1	0	19.614 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Language Fucntionality</u>	<u>Verify User able to add new Language</u>	9	8	1	0	20.182 s
2	<u>Language Fucntionality</u>	<u>Verify User able to add new Language</u>	9	8	1	0	19.035 s
3	<u>Skills Fucntionality</u>	<u>Verify User able to add new Skills</u>	10	10	0	0	9.670 s
4	<u>Skills Fucntionality</u>	<u>Verify User able to add new Skills</u>	10	10	0	0	9.941 s


**(F)- Language Fucntionality**

<b>FAILED</b>	<b>DURATION - 39.234 s</b>	Scenarios		Steps	
/ 10:35:39.504 AM // 10:36:18.738 AM /		Total - 2		Total - 18	
		Pass - 0		Pass - 16	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	



**(S)- Verify User able to add new Language**

<div>FAILED</div> <div>DURATION - 20.182 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:35:39.512 AM // 10:35:59.694 AM /				
Language Fucntionality				
@release1.5 @smoke @regression @sprint15				


#	Step / Hook Details	Status	Duration								
1	Given User sets up environment for test automation execution   executionSetUp	PASSED	0.326 s								
	<table border="1"> <tr> <td>project_name</td><td>sprint_number</td><td>userstory_number</td><td>testcase_type</td></tr> <tr> <td>solidProfessor</td><td>55</td><td>US555</td><td>UI</td></tr> </table>	project_name	sprint_number	userstory_number	testcase_type	solidProfessor	55	US555	UI		
project_name	sprint_number	userstory_number	testcase_type								
solidProfessor	55	US555	UI								
2	Given User logs into OrangHRM application   loginToApp "edge" "scrum"	PASSED	2.469 s								
3	When User clicks Admin from menu   clickElement "menu.admin"	PASSED	1.310 s								
4	And User clicks qualifications dropdown   clickElement "admin.qualification"	PASSED	0.201 s								
5	And User choose language from dropdown   clickElement "qualification.languages"	PASSED	0.772 s								
6	And User clicks add button   clickElement "languages.add"	PASSED	0.334 s								
7	And User enters name   enterValue "languages.name" "Soccer1"	PASSED	0.221 s								
8	And User clicks save button   clickElement "languages.save"	PASSED	0.061 s								
9	Then System displays success message   messageVerify "languages.message.success" "Successfully Saved"	FAILED	10.233 s								
	Screenshot										
	<pre>java.util.NoSuchElementException: Element languages.message.success not found within 10 seconds at com.solidprofessor.qa.utils.CommonUI.waitForElement(CommonUI.java:118) at com.solidprofessor.qa.utils.CommonUI.getText(CommonUI.java:165) at com.solidprofessor.qa.steps.UIVerifySteps.verifyMessage(UIVerifySteps.java:28)</pre>										

#	Step / Hook Details	Status	Duration
	at ?.System displays success message   messageVerify "languages.message.success" "Successfully Saved"(file:///C:/Users/noort/OneDrive%20-%20glbtechexperts.com/Desktop/NoorTeck/Batch%2012/B12-eclipse/SolidProfessor-Automation-Framework/src/test/resources/features/ui/US-LanguageFunctionality.feature:17) * Not displayable characters are replaced by '?'.		
			



**(S)- Verify User able to add new Language**

<div>FAILED</div> <div>DURATION - 19.035 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:35:59.703 AM // 10:36:18.738 AM /</div>				
<div>Language Fucntionality</div>				
<div>@release1.5 @smoke @regression @sprint15</div>				



#	Step / Hook Details	Status	Duration								
1	Given User sets up environment for test automation execution   executionSetUp <table border="1"> <tr> <td>project_name</td><td>sprint_number</td><td>userstory_number</td><td>testcase_type</td></tr> <tr> <td>solidProfessor</td><td>55</td><td>US555</td><td>UI</td></tr> </table>	project_name	sprint_number	userstory_number	testcase_type	solidProfessor	55	US555	UI	PASSED	0.001 s
project_name	sprint_number	userstory_number	testcase_type								
solidProfessor	55	US555	UI								
2	Given User logs into OrangHRM application   loginToApp "edge" "scrum"	PASSED	2.459 s								
3	When User clicks Admin from menu   clickElement "menu.admin"	PASSED	0.602 s								
4	And User clicks qualifications dropdown   clickElement "admin.qualification"	PASSED	0.181 s								
5	And User choose language from dropdown   clickElement "qualification.languages"	PASSED	0.724 s								
6	And User clicks add button   clickElement "languages.add"	PASSED	0.379 s								
7	And User enters name   enterValue "languages.name" "Soccer12"	PASSED	0.204 s								
8	And User clicks save button   clickElement "languages.save"	PASSED	0.061 s								
9	Then System displays success message   messageVerify "languages.message.success" "Bad Data" Screenshot java.util.NoSuchElementException: Element languages.message.success not found within 10 seconds at com.solidprofessor.qa.utils.CommonUI.waitForElement(CommonUI.java:118)	FAILED	10.170 s								

#	Step / Hook Details	Status	Duration
	at com.solidprofessor.qa.utils.CommonUI.getText(CommonUI.java:165) at com.solidprofessor.qa.steps.UIVerifySteps.verifyMessage(UIVerifySteps.java:28) at ?.System displays success message   messageVerify "languages.message.success" "Bad Data"(file:///C:/Users/noort/OneDrive%20-%20glbtechexperts.com/Desktop/NoorTeck/Batch%2012/B12-eclipse/SolidProfessor-Automation-Framework/src/test/resources/features/ui/US-LanguageFunctionality.feature:17) * Not displayable characters are replaced by '?'.		
			

**(F)- Skills Fucntionality**

<b>FAILED</b>	<b>DURATION - 19.614 s</b>	Scenarios		Steps	
/ 10:36:18.748 AM // 10:36:38.362 AM /		Total - 2		Total - 20	
		Pass - 1		Pass - 20	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 0	



**(S)- Verify User able to add new Skills**

<div>PASSED</div> <div>DURATION - 9.670 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
<div>/ 10:36:18.748 AM // 10:36:28.418 AM /</div>					
<div>Skills Fucntionality</div>					
<div>@release1.5 @smoke @regression @sprint15</div>					


#	Step / Hook Details	Status	Duration								
1	Given User sets up environment for test automation execution   executionSetUp	PASSED	0.000 s								
	<table border="1"> <tr> <td>project_name</td><td>sprint_number</td><td>userstory_number</td><td>testcase_type</td></tr> <tr> <td>solidProfessor</td><td>55</td><td>US555</td><td>UI</td></tr> </table>	project_name	sprint_number	userstory_number	testcase_type	solidProfessor	55	US555	UI		
project_name	sprint_number	userstory_number	testcase_type								
solidProfessor	55	US555	UI								
2	Given User logs into OrangHRM application   loginToApp "edge" "scrum"	PASSED	1.893 s								

#	Step / Hook Details	Status	Duration
3	When User clicks Admin from menu   clickElement "menu.admin"	PASSED	1.196 s
4	And User clicks qualifications dropdown   clickElement "admin.qualification"	PASSED	0.190 s
5	And User choose skills from dropdown   clickElement "qualification.skills"	PASSED	0.732 s
6	And User clicks add button   clickElement "skills.add"	PASSED	0.318 s
7	And User enters name   enterValue "skills.name" "Football"	PASSED	0.201 s
8	And User enters Description   enterValue "skills.description" "demo101"	PASSED	0.078 s
9	And User clicks save button   clickElement "skills.save"	PASSED	0.054 s
10	Then System displays success message   messageVerify "skills.message.success" "Successfully Saved"	PASSED	0.768 s

**(S)- Verify User able to add new Skills**

<div>FAILED</div> <div>DURATION - 9.941 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:36:28.421 AM // 10:36:38.362 AM /</div>				
<div>Skills Fucntionality</div>				
<div>@release1.5 @smoke @regression @sprint15</div>				

#	Step / Hook Details	Status	Duration					
1	Given User sets up environment for test automation execution   executionSetUp	PASSED	0.000 s					
	<table border="1"> <tr> <td>project_name</td><td>sprint_number</td><td>userstory_number</td><td>testcase_type</td></tr> <tr> <td>solidProfessor</td><td>55</td><td>US555</td><td>UI</td></tr> </table>			project_name	sprint_number	userstory_number	testcase_type	solidProfessor
project_name	sprint_number	userstory_number	testcase_type					
solidProfessor	55	US555	UI					
2	Given User logs into OrangHRM application   loginToApp "edge" "scrum"	PASSED	2.491 s					
3	When User clicks Admin from menu   clickElement "menu.admin"	PASSED	0.611 s					
4	And User clicks qualifications dropdown   clickElement "admin.qualification"	PASSED	0.196 s					
5	And User choose skills from dropdown   clickElement "qualification.skills"	PASSED	0.733 s					
6	And User clicks add button   clickElement "skills.add"	PASSED	0.338 s					
7	And User enters name   enterValue "skills.name" "Volleyball"	PASSED	0.228 s					
8	And User enters Description   enterValue "skills.description" "demo101"	PASSED	0.085 s					
9	And User clicks save button   clickElement "skills.save"	PASSED	0.064 s					
10	Then System displays success message   messageVerify "skills.message.success" "bad_message"	PASSED	0.931 s					
	Screenshot							

#	Step / Hook Details	Status	Duration
			
	<p><b>AFTER - com.solidprofessor.qa.steps.Hooks.tearDown()</b></p> <p>java.lang.AssertionError: The following asserts failed: expected [bad_message] but found [Successfully Saved]  at com.solidprofessor.qa.steps.Hooks.tearDown(Hooks.java:43)  Caused by: java.lang.AssertionError: The following asserts failed: expected [bad_message] but found [Successfully Saved]  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47)  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31)  at com.solidprofessor.qa.steps.Hooks.tearDown(Hooks.java:34)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:44)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:44)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:63)  at io.cucumber.core.runner.TestCase.run(TestCase.java:103)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:198)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p>	FAILED	4.263 s




#	Step / Hook Details	Status	Duration
	<pre>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:233) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)</pre>		

(Step) Then System displays success message | messageVerify "languages. message.success" "Successfully Saved"

(S) Verify User able to add new Language


(F) Language Fucntionality



(Step) Then System displays success message | messageVerify "languages. message.success" "Bad Data"

(S) Verify User able to add new Language

(F) Language Fucntionality



(Step) Then System displays success message | messageVerify "skills.message.success" "bad\_message"

(S) Verify User able to add new Skills

(F) Skills Fucntionality

