11/07/2023, 10:06 Static Analysis



#### FILE INFORMATION

**SHA256** 

File Name facebook\_lite\_v359.0.0.11.81.apk

Size 2.33MB

MD5 e406dd3cc50a13e88b7f8fcfdb29dd20

SHA1 e4c1a94a589608c7776b298b24c572419876d0f1

7b3ce80f969214d3bf4b81cd2e89810dd35369da3037944cb985a1f50 c68a5a7

## **i** APP INFORMATION

App Name Lite

Package Name com.facebook.lite

Main Activity com.facebook.lite.MainActivity

Target SDK 33 Min SDK 15 Max SDK

Android Version Name 359.0.0.11.81

Android Version Code 483443682

### **▶ PLAYSTORE INFORMATION**

Title Facebook Lite

Score 4.047654 Installs 1,000,000,000+ Price 0 Android Version Support Category Social Play Store URL Com.facebook.lite

Developer Meta Platforms, Inc., Developer ID Meta+Platforms,+Inc.

Developer Address 1 Hacker Way Menlo Park, CA 94025

Developer Website https://www.facebook.com/facebook

Developer Email lite-android-support@fb.com

Release Date Mar 15, 2018 Privacy Policy Privacy link

Description

11/07/2023, 10:06 Static Analysis

Keeping up with friends is faster and easier than ever with the Facebook Lite app! Use Facebook Lite as a friends app to connect and keep up with your social network. The Facebook Lite app is small, allowing you to save space on your phone and use Facebook in 2G conditions. Many of the classic features of Facebook are available on the app, such as sharing to a Timeline, liking photos, searching for people, and editing your profile and groups. Specific features include:


- Find friends and family
- Post status updates & use Facebook emoji to help relay what's going on in your world
- Share photos and your favorite memes
- Get notified when friends like and comment on your posts
- Find local social events, RSVP, and make plans to meet up with friends
- Interact with your friends by adding your own comments or reactions to their Facebook posts
- Save photos by adding them to photo albums
- Follow people to get their latest news
- Look up local businesses to see reviews, operation hours, and pictures
- Buy and sell locally on Facebook Marketplace

The Facebook app does more than help you stay connected with your friends and interests. It's also your personal organizer for storing, saving and sharing photos. It's easy to share photos straight from your Android camera, and you have full control over your photos and privacy settings. You can choose when to keep individual photos private or even set up a secret photo album to control who sees it.

Facebook Lite also helps you keep up with the latest news and current events around the world. Subscribe to your favorite celebrities, brands, websites, artists, or sports teams to follow their News Feeds from the convenience of your Facebook Lite app!

Problems with downloading or installing the app? See https://www.facebook.com/help/fblite Still need help? Please tell us more about the issue: https://www.facebook.com/help/contact/640732869364975 Facebook is only available to people aged 13 and over.

Terms of Service: http://m.facebook.com/terms.php



## **\*** SIGNER CERTIFICATE

APK is signed

11/07/2023, 10:06

v1 signature: True
v2 signature: True
v3 signature: False

Found 1 unique certificates

Subject: C=US, ST=CA, L=Palo Alto, O=Facebook Mobile, OU=Facebook, CN=Facebook Corporation

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2009-08-31 21:52:16+00:00 Valid To: 2050-09-25 21:52:16+00:00

Issuer: C=US, ST=CA, L=Palo Alto, O=Facebook Mobile, OU=Facebook, CN=Facebook Corporation

Serial Number: 0x4a9c4610

Hash Algorithm: md5

md5: 3fad024f2dcbe3ee693c96f350f8e376

sha1: 8a3c4b262d721acd49a4bf97d5213199c86fa2b9

sha256: e3f9e1e0cf99d0e56a055ba65e241b3399f7cea524326b0cdd6ec1327ed0fdc1

sha512:

cd0c5bea15efd4c2620b5632a2d7618bc1cffb2edfc0f70e2f03ce593c162a93f655771bb2e222238889d4a5740f3dcbcd5b14b8a26660204850

0c67b0f07d14

PublicKey Algorithm: rsa

Bit Size: 1024

Fingerprint: f399a11f1d0ba109236e9b0cd20c7384a55d02042ba6c2500cec5a0001e165a1

#### **EAPPLICATION PERMISSIONS**

Search:	Sea
---------	-----

PERMISSION	Λψ	STATUS ↑↓	INFO ↑↓	DESCRIPTION ↑↓
android.permission.ACCESS_COARSE_LOCATION		dangerous	coarse (network- based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION		dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_NETWORK_STATE		normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE		normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.

PERMISSION	<b>↑</b> ↓	STATUS ↑↓	INFO ↑↓	DESCRIPTION
android.permission.AUTHENTICATE_ACCOUNTS		dangerous	act as an account authenticator	Allows an application to use the account authenticator capabilities of the Account Manager, including creating accounts as well as obtaining and setting their passwords.
android.permission.BATTERY_STATS		signature	modify battery statistics	Allows the modification of collected battery statistics. Not for use by common applications.
android.permission.BLUETOOTH		normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BROADCAST_STICKY		normal	send sticky broadcast	Allows an application to send sticky broadcasts, which remain after the broadcast ends. Malicious applications can make the phone slow or unstable by causing it to use too much memory.

PERMISSION ↑	STATUS ↑↓	INFO ↑↓	<b>DESCRIPTION</b> $\uparrow \downarrow$
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.

Showing 1 to 10 of 55 entries


<u>Previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>Next</u>

ANDROID API

Search:

API	FILES ↑↓
Base64 Decode	X/AnonymousClass096.java X/C004401v.java X/C007303d.java X/C009704d.java
Base64 Encode	X/AnonymousClass096.java X/C000700h.java X/C002601c.java X/C007303d.java X/C009704d.java
Content Provider	<u>X/C003901p.java</u> <u>X/C00I.java</u>
Execute OS Command	X/AnonymousClass032.java X/AnonymousClass073.java
Get System Service	X/C00600g.java X/C00H.java X/C01X.java X/C020308y.java X/C03O.java X/C03Y.java X/C07S.java

API	FILES	₩
HTTP Connection	X/C03G.java X/C03N.java	
	X/C030.java	
HTTPS Connection	X/C03G.java X/C03N.java	
Inter Process Communication	X/AbstractC009404a.java X/C002000w.java	
	X/C004401v.java X/C009704d.java	
	<u>X/C01X.java</u> <u>X/C020509a.java</u>	
	X/C02F.java	
	X/C02M.java X/C02N.java	
	X/C02P.java X/C07S.java	
	X/C09A.java X/C09M.java	
	X/C09N.java X/C09O.java	
	X/C09P.java X/C09R.java	
	X/C09Z.java	



Showing 1 to 10 of 16 entries

# **■** BROWSABLE ACTIVITIES


Search:	

ACTIVITY	Ψ	INTENT ↑↓
com.facebook.lite.deeplinking.activities.CommunityChatsMDotMePrefixAlias		Schemes: http://, https://, Hosts: m.me, Path Patterns: /.*,
com.facebook.lite.deeplinking.activities.PermalinkBuddylistAlias		Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, Paths: /buddylist.php,

ACTIVITY	ΦΨ	INTENT
com.facebook.lite.deeplinking.activities.PermalinkExtraFacebookHostsAlias		Schemes: http://, https://,
		Hosts: facebook.com, fb.com,
		free.facebook.com, m.alpha.facebook.com,
		m.beta.facebook.com,
		mbasic.alpha.facebook.com,
		mbasic.beta.facebook.com,
		mbasic.facebook.com, mobile.facebook.com,
		mtouch.facebook.com, p.facebook.com,
		touch.facebook.com, web.facebook.com,
		www.alpha.facebook.com,
		www.beta.facebook.com, x.facebook.com,
		<b>Paths:</b> /permalink.php, /story.php, /home.php,
		/photo.php, /video.php, /n/, /nd/,
		Path Prefixes: /events, /groups, /watch,
		/marketplace, /coronavirus_info,
		/mobile_center, /pages, /uiqr/.*, /fbrdr/2048/,
		/fbrdr/274/, /profile.php,
		Path Patterns: /.*/videos/.*, /reel/.*,
		/places/*/*, /.*/posts/.*, /.*/photos/.*,
		/.*/photos, /.*/media_set, /.*/about,
		/.*/photos_of, /.*/photos_albums, /.*/friends,
		/inter_app/redirect/.*, /privacy_access_hub/.*,
		/contact_upload_settings/.*,/pg/.*/home,
		/pg/.*/home/, /pg/.*/about, /pg/.*/about/,
		/pg/.*/photos, /pg/.*/photos/,
		/pages/whatsapp, /pages,
		/fblite_transfer_your_information/.*,
		/dogfooding_assistant,

<b>ACTIVITY</b> ↑	INTENT ↑↓
com.facebook.lite.deeplinking.activities.PermalinkFBLinksAlias	Schemes: fb://,
com.facebook.lite.deeplinking.activities.PermalinkFbliteMessagingFbMePrefixAlias	Schemes: http://, https://, Hosts: fb.me, Path Patterns: /.*,
com.facebook.lite.deeplinking.activities.PermalinkHomeAlias	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, Paths: /,
com.facebook.lite.deeplinking.activities.PermalinkLiteActivityAlias	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, fb.com, Path Prefixes: /lite, /fblite/launch, /ema/install,
com.facebook.lite.deeplinking.activities.PermalinkMessagingAlias	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, Path Patterns: /messages, /messages/read, /messages/t/.*,
com.facebook.lite.deeplinking.activities.PermalinkNotificationsAlias	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, Path Prefixes: /notifications,

11/07/2023, 10:06 Static Analysis



Showing 1 to 10 of 19 entries

Previous 1 2 Next



HIGH WARNING INFO SECURE

1

1

		_

_				
Sea	rc	h	•	
Jea	ľ		•	

NO ↑↓	SCOPE ↑↓	SEVERITY ↑↓	DESCRIPTION	₩
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.	
2	*	warning	Base config is configured to trust system certificates.	
3	*	high	Base config is configured to trust user installed certificates.	
4	*	high	Base config is configured to bypass certificate pinning.	

NO ↑↓	SCOPE ↑↓	SEVERITY ↑↓	DESCRIPTION
5	facebook.com	secure	Domain config is securely configured to disallow clear text traffic to these
	fbcdn.net		domains in scope.
	fbsbx.com		
	facebookcorewwwi.onion		
	fbcdn23dssr3jqnq.onion		
	fbsbx2q4mvcl63pw.onion		
	instagram.com		
	cdninstagram.com		
	workplace.com		
	oculus.com		
	facebookvirtualassistant.com		
	discoverapp.com		
	freebasics.com		
	internet.org		
	viewpointsfromfacebook.com		
	h.facebook.com		
	l.facebook.com		
	l.alpha.facebook.com		
	lm.facebook.com		
	l.instagram.com		

NO <b>↑</b> ↓	SCOPE ↑↓	SEVERITY ↑↓	DESCRIPTION
6	facebook.com	info	Certificate pinning expires on 2024-06-07. After this date pinning will be
	fbcdn.net		disabled. [Pin: lCppFqbkrlJ3EcVFAkeip0+44VaoJUymbnOaEUk7tEU=
	fbsbx.com		Digest: SHA-256,Pin:
	facebookcorewwwi.onion		grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvprLg5yRME= Digest: SHA-
	fbcdn23dssr3jqnq.onion		256,Pin: I/Lt/z7ekCWanjD0Cvj5EqXls2lOaThEA0H2Bg4BT/o= Digest: SHA-
	fbsbx2q4mvcl63pw.onion		256,Pin: 8ca6Zwz8iOTfUpc8rkIPCgid1HQUT+WAbEIAZOFZEik= Digest:
	instagram.com		SHA-256,Pin: Fe7TOVlLME+M+Ee0dzcdjW/sYfTbKwGvWJ58U7Ncrkw=
	cdninstagram.com		Digest: SHA-256,Pin: r/mlkG3eEpVdm+u/ko/cwxzOMo1bk4TyHllByibiA5E=
	workplace.com		Digest: SHA-256,Pin: i7WTqTvh0OioIruIfFR4kMPnBqrS2rdiVPl/s2uC/CY=
	oculus.com		Digest: SHA-256,Pin:
	facebookvirtualassistant.com		uUwZgwDOxcBXrQcntwu+kYFpkiVkOaezL0WYEZ3anJc= Digest: SHA-
	discoverapp.com		256,Pin: PZXN3lRAy+8tBKk2Ox6F7jllnzr2Yzmwqc3JnyfXoCw= Digest: SHA
	freebasics.com		256,Pin: WoiWRyIOVNa9ihaBciRSC7XHjliYS9VwUGOIud4PB18= Digest:
	internet.org		SHA-256,Pin: Wd8xe/qfTwq3ylFNd3IpaqLHZbh2ZNCLluVzmeNkcpw=
	viewpointsfromfacebook.com		Digest: SHA-256,Pin:
	h.facebook.com		K87oWBWM9UZfyddvDfoxL+8lpNyoUB2ptGtn0fv6G2Q= Digest: SHA-
	l.facebook.com		256,Pin: iie1VXtL7HzAMF+/PVPR9xzT80kQxdZeJ+zduCB3uj0= Digest: SHA
	l.alpha.facebook.com		256,Pin: cGuxAXyFXFkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest:
	lm.facebook.com		SHA-256,Pin: q4PO2G2cbkZhZ82+JgmRUyGMoAeozA+BSXVXQWB8XWQ=
	l.instagram.com		Digest: SHA-256]
7	h.facebook.com	high	Domain config is insecurely configured to permit clear text traffic to these
	l.facebook.com		domains in scope.
	l.alpha.facebook.com		
	lm.facebook.com		
	l.instagram.com		

NO ↑↓	SCOPE ↑↓	SEVERITY ↑↓	DESCRIPTION ↑
8	h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. []

Showing 1 to 8 of 8 entries

Previous 1 Next

# **E** CERTIFICATE ANALYSIS

HIGH WARNING INFO
1 1 1

Search:

TITLE ↑↓	SEVERITY 1	DESCRIPTION	₩
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.	

TITLE ↑	SEVERITY 1	DESCRIPTION	₩
Certificate algorithm vulnerable to hash collision	high	Application is signed with MD5. MD5 hash algorithm is known to have collision issues.	
Signed Application	info	Application is signed with a code signing certificate	

Showing 1 to 3 of 3 entries

<u>Previous</u>	1	<u>Next</u>
-----------------	---	-------------

# **Q** MANIFEST ANALYSIS

HIGH	WARNING	INFO	SUPPRESSED
5	9	0	0
			Search:

NO ↑↓	ISSUE ↑	SEVERITY 1	DESCRIPTION ↑↓	OPTIO
1	App can be installed on a vulnerable Android version [minSdk=15]	warning	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. Support an Android version > 8, API 26 to receive reasonable security updates.	
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/fb_network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.	

NO ↑↓	ISSUE	SEVERITY 1	<b>→</b> DESCRIPTION ↑	ОРТ
3	Launch Mode of activity (com.facebook.lite.MainActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.	
4	TaskAffinity is set for activity (com.facebook.lite.ShortcutLauncherActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.	

NO <b>↑</b> ↓	ISSUE	₩	SEVERITY 1	DESCRIPTION ↑↓	OPTI
5	Launch Mode of activity (com.facebook.lite.ShortcutLauncherActivity) is not standard.		high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.	
6	TaskAffinity is set for activity (com.facebook.lite.ShortcutActivity)		warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.	

NO ↑↓	ISSUE ↑	SEVERITY ↑↓	DESCRIPTION ↑↓	ОРТ
7	TaskAffinity is set for activity (com.facebook.lite.rtc.RTCActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.	
8	Launch Mode of activity (com.facebook.lite.rtc.RTCActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.	

NO <b>↑</b> ↓	ISSUE ↑	SEVERITY 1	DESCRIPTION ↑↓	OPTI
9	Launch Mode of activity (com.facebook.lite.webviewrtc.RTCIncomingCallActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.	
10	Launch Mode of activity (com.facebook.lite.nativeRtc.NativeRtcCallActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.	

Showing 1 to 10 of 15 entries

<u>Previous</u>	1	<u>2</u>	<u>Next</u>

<b></b>	CO	DE	AN	AL	.YS	IS

HIGH	WARNING	INFO	SECURE	SUPPRESSED	
0	5	1	1	0	
				Search:	

NO <b>↑</b> ↓	ISSUE ↑↓	SEVERITY ↑↓	STANDARDS ↑↓	FILES ↑↓	OPTIONS 1
1	The App logs information.	info	<b>CWE:</b> CWE-532:	X/AnonymousClass000.java	
	Sensitive information should		Insertion of Sensitive	X/AnonymousClass032.java	
	never be logged.		Information into Log	X/AnonymousClass082.java	
			File	<u>X/C013405x.java</u>	
			OWASP MASVS: MSTG-	<u>X/C019108m.java</u>	
			STORAGE-3	X/C01B.java	
				X/C01V.java	
				X/C01X.java	
				<u>X/C020909e.java</u>	
				<u>X/C023009z.java</u>	
				X/C05C.java	
				X/C05v.java	
				X/C06H.java	
				X/C06S.java	
				X/C07N.java	
				X/C09M.java	
				X/C0AF.java	
				X/C0AJ.java	
				X/C0AS.java	

NO ↑↓	ISSUE ↑↓	SEVERITY 1	STANDARDS ↑↓	FILES ↑↓	OPTIONS 1
2	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG- CRYPTO-4	<u>X/C0AF.java</u>	
3	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	X/AnonymousClass091.java X/AnonymousClass093.java X/C03C.java X/C03D.java	
4	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG- STORAGE-2	X/C01D.java	

NO <b>↑</b> ↓	ISSUE ↑↓	SEVERITY 1	STANDARDS ↑↓	FILES ↑↓	OPTIONS 1
5	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG- CRYPTO-4	X/C002601c.java	
6	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	<b>OWASP MASVS:</b> MSTG- NETWORK-4	X/AnonymousClass097.java X/C03G.java	
7	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG- CODE-2	X/AnonymousClass073.java X/C00T.java	

Showing 1 to 7 of 7 entries

Previous 1 Next

Search:		

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY ↑↓
1	lib/armeabi- v7a/libbreakpad_cpp_helper.so	True info The shared object has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	False high This shared object does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack-protectorall to enable	None info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  Warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓	SHARED OBJECT	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	<b>↑</b> ↓
			stack canaries.				

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY ↑↓
2	lib/armeabi-v7a/libc++_shared.so	True info The shared object has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	True info This shared object has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before	None Info The shared object does not have run- time search path or RPATH set.	None Info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓	SHARED OBJECT 1	NX া	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	ᠰ
			function return.				

NO ↑↓	SHARED OBJECT ↑↓	NX া	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
3	lib/armeabi- v7a/libfb_xzdecoder.so	True info The shared object has NX bit set. This marks a memory page nonexecutable making attacker injected shellcode nonexecutable.	True info This shared object has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before	None info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓ S	SHARED OBJECT $\uparrow \downarrow$	NX ↑↓	STACK CANARY ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY N
			function return.			

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
4	lib/armeabi-v7a/libmemalign16.so	True info The shared object has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This shared object does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack- protector- all to enable	None info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO <b>↑</b> ↓	SHARED OBJECT	NX 💠	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	<b>↑</b> ↓
			stack canaries.				

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
5	lib/armeabi-v7a/libsigmux.so	True info The shared object has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This shared object does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack-protectorall to enable	None Info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓	SHARED OBJECT	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	₩
			stack canaries.				

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
6	lib/armeabi-v7a/libsuperpack- jni.so	True info The shared object has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This shared object has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before	None Info The shared object does not have run- time search path or RPATH set.	None Info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓	SHARED OBJECT ↑↓	NX া	STACK CANARY ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	₩
			function				
			return.				

NO ↑↓	SHARED OBJECT ↑↓	NX 1	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY
7	lib/x86/libbreakpad_cpp_helper.so	True info The shared object has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This shared object does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack-protectorall to enable	None Info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓	SHARED OBJECT	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	₩
			stack canaries.				

NO <b>↑</b> ↓	SHARED OBJECT ↑↓	NX া	STACK CANARY	RPATH ↑↓	RUNPATH ↑↓	FORTIFY
8	lib/x86/libc++_shared.so	True info The shared object has NX bit set. This marks a memory page nonexecutable making attacker injected shellcode nonexecutable.	True info This shared object has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before	None info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO <b>↑</b> ↓	SHARED OBJECT	NX ↑↓	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	<b>↑</b> ↓
			function return.				

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
9	lib/x86/libfb_xzdecoder.so	True info The shared object has NX bit set. This marks a memory page nonexecutable making attacker injected shellcode nonexecutable.	True info This shared object has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before	None info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO ↑↓ SHA	RED OBJECT ↑↓	NX 💠	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1	₩.
			function return.				

NO <b>↑</b> ↓	SHARED OBJECT ↑↓	NX ↑↓	STACK CANARY ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY 1
10	lib/x86/libmemalign16.so	True info The shared object has NX bit set. This marks a memory page non- executable making attacker injected shellcode non- executable.	False high This shared object does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option - fstack-protectorall to enable	None Info The shared object does not have run- time search path or RPATH set.	None info The shared object does not have RUNPATH set.	False  warning  The shared object does not have any fortified functions.  Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions.

NO <b>↑</b> ↓	SHARED OBJECT ↑↓	NX 💠	STACK CANARY 1	RPATH ↑↓	RUNPATH ↑↓	FORTIFY	↑↓
			stack canaries.				

Showing 1 to 10 of 12 entries


<u>Previous</u>	1	<u>2</u>	<u>Next</u>

#### NIAP ANALYSIS v1.3

Search:

NO ↑↓	IDENTIFIER	REQUIREMENT 1	<b>FEATURE</b> ↑↓	DESCRIPTION
1	FCS_RBG_EXT.1.1	Security Functional Requirements	Random Bit Generation Services	The application invoke platform-provided DRBG functionality for its cryptographic operations.
2	FCS_STO_EXT.1.1	Security Functional Requirements	Storage of Credentials	The application does not store any credentials to non-volatile memory.
3	FCS_CKM_EXT.1.1	Security Functional Requirements	Cryptographic Key Generation Services	The application generate no asymmetric cryptographic keys.

NO ↑↓	IDENTIFIER	REQUIREMENT 1	FEATURE $\uparrow \downarrow$	DESCRIPTION ↑↓
4	FDP_DEC_EXT.1.1	Security Functional Requirements	Access to Platform Resources	The application has access to ['network connectivity', 'microphone', 'location', 'camera', 'bluetooth'].
5	FDP_DEC_EXT.1.2	Security Functional Requirements	Access to Platform Resources	The application has access to ['address book', 'calendar', 'call lists'].
6	FDP_NET_EXT.1.1	Security Functional Requirements	Network Communications	The application has user/application initiated network communications.
7	FDP_DAR_EXT.1.1	Security Functional Requirements	Encryption Of Sensitive Application Data	The application does not encrypt files in non-volatile memory.
8	FMT_MEC_EXT.1.1	Security Functional Requirements	Supported Configuration Mechanism	The application invoke the mechanisms recommended by the platform vendor for storing and setting configuration options.
9	FTP_DIT_EXT.1.1	Security Functional Requirements	Protection of Data in Transit	The application does encrypt some transmitted data with HTTPS/TLS/SSH between itself and another trusted IT product.



Showing 1 to 10 of 17 entries



#### FILE ANALYSIS

Search:

NO ↑ ISSUE ↑ FILES ↑

No data available in table

Showing 0 to 0 of 0 entries

11/07/2023, 10:06 Static Analysis

DEX ↑↓	DETECTIONS		<b>↑</b>
lasses.dex		S	Search:
	FINDINGS ↑	DETAILS	₩
	Anti-VM Code	Build.FINGERPRINT check	
	Compiler	unknown (please file detection issue!)	
	Showing 1 to 2 of 2 entries		
			<u>Previous</u> <u>1</u> <u>Next</u>

		Search:		
POTENTIAL MALICIOUS BEHAVIOUR	<b>↑</b> ↓ I	EVIDENCE		₩
No data available	in table			
Showing 0 to 0 of 0 entries				
			<u>Previous</u>	Next

# SERVER LOCATIONS



This app may communicate with the following OFAC sanctioned list of countries.

Search:

DOMAIN	COUNTRY/REGION	₩
	No data available in table	

Showing 0 to 0 of 0 entries

revious	Next

# **Q** DOMAIN MALWARE CHECK

Search:	
---------	--

<b>DOMAIN ↑</b> ↓	STATUS ↑↓	GEOLOCATION
m.facebook.com	ok	<b>IP:</b> 31.13.65.36
		Country: United States of America
		Region: Georgia
		City: Atlanta
		<b>Latitude:</b> 33.749001
		<b>Longitude:</b> -84.387978
		View: Google Map
schemas.android.com	ok	No Geolocation information available.
www.android.com	ok	<b>IP:</b> 142.251.163.113
		Country: United States of America
		Region: California
		City: Mountain View
		<b>Latitude:</b> 37.405991
		<b>Longitude:</b> -122.078514
		View: Google Map

<b>DOMAIN ↑</b> √	STATUS 1	GEOLOCATION ↑↓
www.facebook.com	ok	IP: 31.13.65.36  Country: United States of America  Region: Georgia  City: Atlanta  Latitude: 33.749001  Longitude: -84.387978  View: Google Map

Showing 1 to 4 of 4 entries

Previous 1 Next

# **URLS**

Search:

URL	<b>↑</b> ↓	FILE	₩
http://schemas.android.com/apk/res/android		X/AnonymousClass063.java	
http://www.android.com/		X/C0AF.java	
https://www.facebook.com/.well-known/assetlinks.json https://m.facebook.com https://www.facebook.com		Android String Resource	

URL			<b>↑</b> ↓	FILE		₩
www.facebook.com				X/C08S.java		
showing 1 to 4 of 4 entries					<u>Previous</u>	<u>Next</u>
FIREBASE DATABASE						
<b>Z</b> EMAILS						
TRACKERS						
				Search	:	
TRACKER NAME	<b>↑</b> ↓	CATEGORIES		₩	URL	↑↓
	No	o data available in table				
Showing 0 to 0 of 0 entries						
					Previou	s <u>Next</u>

11/07/2023, 10:06 Static Analysis

#### **A** STRINGS

```
"external_share_to_story_intent_label": "Imong Kalihukan"
The decompressor does not include code for this target, e.g. arm64 decompressor tries to unpack x64 code, cur arch is %d.
"external_share_to_story_intent_label": "Deine Story"
"common_google_play_services_unknown_issue": "Nagkakaproblema ang %1$s sa mga serbisyo ng Google Play. Pakisubukan ulit."
"common_google_play_services_updating_text": "%1$s won't run without Google Play services, which are currently updating."
"آپ کے گرویس" : "external_share_to_groups_intent_label" : "آپ کے گرویس"
St13bad_exception
readBytesNative
could not find java/io/OutputStream.write
NSt6__ndk112bad_weak_ptrE
/data/local/tmp/meta spk XXXXXX
_ZNSt3__16localeC1Ev
St9exception
"common google play services install button": "Install"
unknown error
"external_share_to_groups_intent_label": "Tvoje skupine"
"accessibility_link_role": "Линк"
"external share to story intent label":"ನಿಮ್ಮ ಸುದ್ದಿ"
__cxa_guard_acquire
nextNative
"external_share_to_groups_intent_label": "Gareewwanke"
"common_google_play_services_unknown_issue": "%1$s ima poteškoća s uslugama Google Playa. Pokušajte ponovo."
"accessibility_link_role" : "ييوند"
upper
dex driver
"__external__external_share_intent_label" : "បន្ថែមចូល Lite"
Cleaning up XZ decoder state.
superpack error: %s
```

```
FDE is really a CIE
greater-than-sign
N10__cxxabiv117__array_type_infoE
The parser did not consume the entire regular expression.
"external_share_to_groups_intent_label": "Ireo Vondronao"
"common google play services unknown issue": "%1$s inenkinga ngamasevisi e-Google Play. Sicela uzame futhi."
"external_share_to_groups_intent_label" : "ក្រុមរបស់អ្នក"
native_driver
setPackingOptionsNative
"common_google_play_services_enable_button": "Enable"
re-initializing stream adapters after failed attempt
NSt6__ndk112system_errorE
St18bad variant access
"accessibility_link_role": "Връзка"
unsupported register class
(Ljava/lang/String;[B)J
could not adapt output stream
"external_share_to_story_intent_label": "داستان شما"
unsupported arm register
"external_share_to_story_intent_label" : "તમારી સ્ટોરી"
unspecified generic_category error
"accessibility_link_role" : "Σύνδεσμος"
dlopen failed
com/facebook/superpack/ObiInputStream
"__external__external_share_intent_label": "Voeg by Lite"
" external external share intent label": "Lite'tti dabali"
"common_google_play_services_unknown_issue": "%1$s á í vandræðum með þjónustu Google Play. Reyndu aftur."
"accessibility_link_role" : "لنك"
"external_share_to_groups_intent_label": "നിങ്ങളുടെ ഗ്രൂപ്പുകൾ"
"accessibility link role":"リンク"
"accessibility link role": "ಲಿಂಕ್"
```

```
"external_share_to_groups_intent_label": "Kumpulan Anda"
could not allocate memory
"__external__external_share_intent_label": "Aggiungi a Lite"
"external_share_to_groups_intent_label" : "உங்கள் குழுக்கள்"
"__external__external_share_intent_label": "Hatao ao amin'i Lite"
sha1 signature mismatch
"__external__external_share_intent_label" : "Lite में जोड़ें"
"external_share_to_groups_intent_label": "Vos groupes"
Invalid descriptor kind found.
java/lang/RuntimeException
bad_variant_access
"external_share_to_story_intent_label": "Váš príbeh"
"common_google_play_services_unknown_issue": "%1$s, Google Play hizmetleriyle ilgili sorun yaşıyor. Lütfen tekrar deneyin."
could not allocate buffer
create_cmatch_buffer_info_table
An empty regex is not allowed in the POSIX grammar.
setStorageNative
(Ljava/io/InputStream;I)J
Operation not permitted on an object without an associated state.
condition variable wait failed
clock_gettime(CLOCK_REALTIME) failed
"__external__external_share_intent_label": "Emoî Lite-pe"
"external_share_to_groups_intent_label" : "הקבוצות שלך"
St14overflow_error
(JZZ)V
__next_prime overflow
"accessibility_link_role": "Link"
quotation-mark
xz_file_hanler
unexpected handler unexpectedly returned
The expression contained an invalid character class name.
```

```
"external_share_to_groups_intent_label": "Ваші групи"
%s failed to release mutex
"common_google_play_services_unknown_issue": "Aplikacija %1$s ima problema s Google Play uslugama. Pokušajte ponovo."
Out of memory while decompressing XZ stream
could not open superpack file
Unable to find JNI class XzInputStream
St12bad_any_cast
_Unwind_GetTextRelBase() not implemented
"external_share_to_story_intent_label": "Din historie"
"external share to groups intent label":"ನಿಮ್ಮ ಗುಂಪುಗಳು"
"common_google_play_services_unknown_issue": "Lietotnē %1$s ir radusies problēma ar Google Play pakalpojumu darbību. Lūdzu,
mēģiniet vēlreiz."
There was insufficient memory to determine whether the regular expression could match the specified character sequence.
"common_google_play_services_unknown_issue" : "Google Play സേവനങ്ങളുമായി ബന്ധപ്പെട്ട് %1$s ആപ്പിനെന്തോ
പ്രശ്നമുണ്ട്. വീണ്ടും ശ്രമിക്കുക."
could not allocate buffered_java_stream
"common google play services unknown issue": "%1$s hat Probleme mit Google Play-Diensten. Bitte versuche es noch einmal."
"__external__external_share_intent_label" : "ଲାଇଟ୍ରେ ଯୋଡନ୍ତ"
The complexity of an attempted match against a regular expression exceeded a pre-set level.
([BII)J
" external external share intent label": "Lite ५२ ७ मेरो"
future
"lite_asset_statements": "[{ "include": "https://www.facebook.com/.well-known/assetlinks.json" },{ "relation":
["delegate permission/common.handle all urls"], "target": { "namespace": "web", "site": "https://m.facebook.com" } }, { "relation":
["delegate_permission/common.handle_all_urls"], "target": { "namespace": "web", "site": "https://www.facebook.com" } }]"
libsuperpack-jni.so
"accessibility_link_role": "קישור"
"common_google_play_services_unknown_issue": "%1$s tiene problemas con los servicios de Google Play. Vuelve a intentarlo."
An invalid regex grammar has been requested.
"accessibility link role": "Ligação"
"external_share_to_groups_intent_label": "I tuoi gruppi"
```

```
"__external__external_share_intent_label": "Lite에 추가"
DW_EH_PE_funcrel pointer encoding not supported
"accessibility_link_role": "Liên kết"
random_device got EOF
"external_share_to_story_intent_label": "Cerita Anda"
"accessibility link role":"链接"
backslash
getLengthNative
"common_google_play_services_unknown_issue" : "%1$s Google Play సేవలతో సమస్య కలిగి ఉంది. దయచేసి మళ్లీ (పయత్నించండి."
create cmatch buffer of size
bad state
could not filepath
std::bad typeid
"__external__external_share_intent_label" : "Lite-এ যোগ করুন"
St9type_info
DW_OP_piece not implemented
"accessibility link role": "Povezava"
"__external__external_share_intent_label": "Añadir a Lite"
unwind_phase2
The expression contained an invalid range in a {} expression.
"accessibility_link_role": "Enlace"
three
XZ native library initialized.
" external external share intent label":"Lite ਵਿੱਚ ਸ਼ਾਮਲ ਕਰੋ"
ob file handler
"external_share_to_story_intent_label": "Seu story"
"external_share_to_groups_intent_label": "Imong Mga Grupo"
closeNative
NSt12experimental15fundamentals_v13pmr15memory_resourceE
" external external share intent label": "Megosztás a Lite-ban"
"external_share_to_story_intent_label": "Story mo"
```

```
__cxa_guard_acquire detected recursive initialization
"common_google_play_services_update_title": "Update Google Play services"
"common_google_play_services_unknown_issue" : "%1$s ને Google Play સેવાઓમાં મુશ્કેલી આવી રહી છે. કપા કરીને કરી પ્રયાસ કરો."
One of *?+{ was not preceded by a valid regular expression.
seven
N10 cxxabiv119 pointer type infoE
"common_google_play_services_unknown_issue" : "%1$s נתקלה בבעיה בשירותי Google Play." ".נסה שוב
could not create cmatch buffer info table. Error: %d
Type matching not implemented
"external_share_to_story_intent_label" : "നിങ്ങളുടെ സ്റ്റോറി"
appendAnonNative
MemAvailable:
"external share to story intent label":"你的快拍"
"common_google_play_services_update_button": "Update"
"external_share_to_groups_intent_label": "你的社團"
"external share to story intent label":"ਤਹਾਡੀ ਕਹਾਣੀ"
vertical-line
"external_share_to_story_intent_label": "Vaša priča"
left-parenthesis
alpha
"external_share_to_groups_intent_label": "Vikundi Vyako"
"common_google_play_services_unsupported_text": "%1$s won't run without Google Play services, which are not supported by your
device."
(J[BII[BII)J
appendNative
bad optional access
low-line
NSt6__ndk119__shared_weak_countE
"external_share_to_groups_intent_label": "Jou groepe"
"common google play services unknown issue": "%1$s inakumbwa na hitilafu ya huduma za Google Play. Tafadhali jaribu tena."
DW_OP_deref_size with bad size
```

11/07/2023, 10:06 Static Analysis

```
could not allocate memory for cmatch buf bucket item for bucket size: %d
random device failed to open
_Unwind_VRS_Set
SuperpackNative
thread::join failed
NSt6 ndk112future errorE
"external_share_to_groups_intent_label": "Ryhmäsi"
"external_share_to_story_intent_label": "Hadithi Yako"
"external_share_to_groups_intent_label": "Tus grupos"
"external_share_to_groups_intent_label": "你的群組"
"__external__external_share_intent_label" : "Liteಲ್ ಯಾಡ್ ವೆಯ"
__thread_specific_ptr construction failed
"external_share_to_groups_intent_label": "กลุ่มของคุณ"
"external_share_to_story_intent_label" : "ඔබේ කතන්දරය"
"common_google_play_services_unknown_issue" : "%1$s හට Google Play සේවා සමගින් ගැටලු ඇත. කරුණාකර නැවත උත්සාහ
කරත්ත."
version of the spk is not supported
libc++abi:
could not adapt input stream
"__external__external_share_intent_label": "Kongera kuri Lite"
"external_share_to_story_intent_label" : "आपकी स्टोरी"
condition_variable::timed wait: mutex not locked
"external_share_to_groups_intent_label": "Твоите групи"
"__external__external_share_intent_label" : "الائٹ میں شامل کریں"
basic string
"accessibility link role":"లింక్"
".با مشكل روبرو است. لطفاً دوباره امتحان كنيد Google Play براي استفاده از خدمات $1%" : "common_google_play_services_unknown_issue"
St9bad alloc
"__external__external_share_intent_label": "Liteに追加"
"accessibility link role": "Länk"
"external_share_to_groups_intent_label" : "तपाईंका समूहहरू"
```

```
"external_share_to_story_intent_label": "Inkuru yawe"
xz failure %d in ob_file_handler with in size %d, out size %d, out pos %zu
"external_share_to_story_intent_label" : "உங்கள் கதை"
"external_share_to_groups_intent_label": "Grupların"
alnum
"common open on phone": "Open on phone"
" external external share intent label": "Lite ಗೆ ಸೇರಿಸಿ"
"accessibility_link_role": "Холбоос"
"__external__external_share_intent_label" : "Facebook Lite သိုထည့်ပါ"
"external_share_to_groups_intent_label" : "Οι ομάδες σας"
"external_share_to_story_intent_label": "Ваша прича"
"__external__external_share_intent_label": "Додај у Lite"
"external_share_to_groups_intent_label" : "તમારા ગ્રૂપ"
"سروسز کے ساتھ مسئلہ پیش آ رہا ہے۔ براہ کرم دوبارہ کوشش کریں۔ Google Play کو Google Play_services_unknown_issue"
"__external__external_share_intent_label": "Tambahke menyang Lite"
"external_share_to_groups_intent_label" : "ଆପଣଙ୍କର ଗୁରୁପ୍ସ"
"common google play services unknown issue": "%1$s té problemes amb Serveis de Google Play. Torna-ho a provar."
"androidx_startup": "androidx.startup"
"accessibility link role": "සබැදිය"
"external share to story intent label": "የሕርስዎ ታሪክ"
out of bounds
;St16nested_exception
failed to open obi file handler
truncated uleb128 expression
truncated sleb128 expression
"common google play services unknown issue": "O app %1$s está com problemas com o Google Play Services. Tente novamente."
libc++.so
openBytesNative
stoll
"common google play services unknown issue": "%1$s hավելվածը Google Play ծառայությունների հետ կապված խնդիր ունի։
Փորձեք ևորից։"
```

```
version info missing in library
"common_google_play_services_unknown_issue": "A(z) %1$s alkalmazás problémába ütközött a Google Play-szolgáltatások használata
során. Próbálkozzon újra."
xdigit
asterisk
operation not supported
initializeState
Pure virtual function called!
The expression contained an invalid escaped character, or a trailing escape.
"external_share_to_story_intent_label": "A tua história"
form-feed
The associated promise has been destructed prior to the associated state becoming ready.
com/facebook/superpack/SuperpackFile
cntrl
The future has already been retrieved from the promise or packaged_task.
"external_share_to_story_intent_label" : "Η ιστορία σας"
mmap failed
left-curly-bracket
archive
CIE ID is not zero
dex missing map_list
openInputStreamNative
"common_google_play_services_unknown_issue": "%1$s ka probleme me shërbimet e Google Play. Provo sërish."
unknown personality routine
"__external__external_share_intent_label": "In Lite posten"
"external_share_to_story_intent_label": "Din story"
"__external__external_share_intent_label": "Добавить в Lite"
"external_share_to_story_intent_label": "Твојата приказна"
"__external__external_share_intent_label": "Lite'a Ekle"
carriage-return
(JLjava/lang/String;I)V
```

```
adler32 checksum mismatch
_Unwind_GetTextRelBase
"common_google_play_services_unknown_issue" : "Η εφαρμογή %1$s αντιμετωπίζει κάποιο πρόβλημα με τις υπηρεσίες Google Play.
Προσπαθήστε ξανά."
NSt6__ndk117__assoc_sub_stateE
"common google play services notification ticker": "Google Play services error"
integer overflow
"external_share_to_groups_intent_label": "Ваше групе"
unknown pointer encoding
The expression contained an invalid back reference.
"common_google_play_services_unknown_issue": "%1$s menghadapi masalah berhubung perkhidmatan Google Play. Sila cuba lagi."
"common_google_play_services_unknown_issue": "%1$s қолданбасында Google Play қызметіне байланысты белгісіз қате шықты.
Әрекетті қайталаңыз."
"accessibility_link_role": "Odkaz"
commercial-at
"external_share_to_groups_intent_label": "Vaše skupiny"
question-mark
period
"external share to groups intent label": "Vaše grupe"
right-parenthesis
"__external__external_share_intent_label" : "ወደ Lite ያክሉ"
"external_share_to_groups_intent_label": "Вашите групи"
dollar-sign
"common_google_play_services_unknown_issue" : "Google প্লে সেৱাত %1$s ত সমস্যা হৈ আছে। আকৌ চেষ্টা কৰক।"
"common_google_play_services_unknown_issue": "L'application %1$s éprouve un problème avec les services Google Play. Veuillez
réessayer."
decompressStream
backspace
"external_share_to_story_intent_label": "Ваша розповідь"
"external share to story intent label": "Crita Sampeyan"
"common_google_play_services_unknown_issue":"「%1$s」でGoogle Play 開発者サービスに問題が発生しています。もう一度お試
```

```
しください。"
The expression contained mismatched [ and ].
NSt6__ndk112__do_messageE
underscore
"external_share_to_story_intent_label": "Waayessaake"
N10 cxxabiv121 vmi class type infoE
NSt12experimental15fundamentals_v13pmr26__null_memory_resource_impE
"external_share_to_story_intent_label": "Váš příběh"
"external_share_to_story_intent_label" : "រឿងរបស់អ្នក"
"common_google_play_services_unknown_issue": "Sovelluksella %1$s on ongelmia Google Play Palveluiden kanssa. Yritä uudelleen."
"external_share_to_story_intent_label": "Tin của ban"
"external_share_to_groups_intent_label": "Dine grupper"
"external_share_to_story_intent_label": "Din händelse"
"__external__external_share_intent_label": "新增到 Lite"
"google_app_id": "1:622912139302:android:472dc569f8dd50f9"
Could not open /proc/meminfo to read available memory.
"external share to story intent label": "Storynao"
([B)I
could not allocate memory for buf infos for %zu buckets
" external external share intent label": "Dodaj do Lite"
Entry %d has size 0. Please check for errors in the layer below Superpack, e.g. Zip
"__external__external_share_intent_label": "Tambah pada Lite"
"common_google_play_services_unknown_issue": "%1$s is having trouble with Google Play services. Please try again."
Unwind GetDataRelBase() not implemented
"__external__external_share_intent_label" : "Lite உடன் சேர்க்கவம்"
"__external__external_share_intent_label": "Προσθήκη στο Lite"
DW EH PE datarel is invalid with a datarelBase of 0
"external_share_to_story_intent_label": "Hikayen"
"_external_external_share_intent_label" : "لضافة إلى " : "Lite"
"common google play services unknown issue" : "Google Play சேவைகளில் சிக்கல் ஏற்பட்டதால், %1$s ஆப்ஸை அணுக
முடியவில்லை. மீண்டும் முயலவும்."
```

```
" external external share intent label": "Thêm vào Lite"
St13runtime error
"common_google_play_services_unknown_issue": "%1$s ondervindt problemen met Google Play-services. Probeer het opnieuw."
"external_share_to_groups_intent_label": "مجموعاتك"
eight
"accessibility link role": "ਲਿੰਕ ਕਰੋ"
full-stop
The state of the promise has already been set.
"common_google_play_services_unknown_issue": "%1$s колдонмосунун Google Play кызматтары менен иштөөдө көйгөй чыкты.
Кайталап көрүңүз."
"accessibility_link_role" : "लिंक"
St11range_error
N10 cxxabiv116 shim type infoE
std::__libcpp_tls_create() failed in __cxa_thread_atexit()
java/lang/OutOfMemoryError
"__external__external_share_intent_label": "Přidat do Lite"
java/io/IOException
DW_EH_PE_aligned pointer encoding not supported
"common google play services notification channel name": "Google Play services availability"
Unable to register native methods on JNI class XzInputStream
Unknown error %d
createSuperpackFileNative
"external_share_to_story_intent_label": "내 스토리"
N10 cxxabiv117 class type infoE
"external share to story intent label": "Tarinasi"
"external share to groups intent label":"त्मचे ग्रप्स"
exclamation-mark
"common_google_play_services_unknown_issue": "%1$s ma problem z dostępem do Usług Google Play. Spróbuj jeszcze raz."
"common_google_play_services_unknown_issue" : "%1$s에서 Google Play 서비스를 사용하는 데 문제가 있습니다. 다시 시도하세요."
"accessibility link role": "লিহ্ল"
could not access file
```

```
"external_share_to_groups_intent_label": "Qruplarınız"
"common_google_play_services_unknown_issue": "L'application %1$s rencontre des problèmes avec les services Google Play. Veuillez
réessayer."
reverse-solidus
"external_share_to_story_intent_label": "הסטורי שלך"
initializeLibrary
comma
decompress_with_format
N10__cxxabiv123__fundamental_type_infoE
St12domain error
"__external__external_share_intent_label": "Føj til Lite"
could not find java/io/OutputStream
"app short name": "Lite"
"common_google_play_services_unknown_issue": "%1$s ilovasini Google Play xizmatlariga ulab boʻlmadi. Qaytadan urinib koʻring."
apostrophe
condition_variable timed_wait failed
patch extends across multiple elements
"common_google_play_services_unknown_issue": "%1$s има проблеми со услугите на Google Play. Обидете се повторно."
getULEB128
random_device got an unexpected error
(J[Ljava/lang/String;)J
alert
print
vertical-tab
unsupported x86 register
"external_share_to_story_intent_label" : "ଆପଣଙ୍କର କାହାଣୀ"
no x86 float registers
"accessibility_link_role" : "লিঙ্ক"
NSt6__ndk111regex_errorE
(JII[BI)V
NSt6__ndk114__shared_countE
```

```
"accessibility_link_role": "Pranala"
"__external__external_share_intent_label": "Idugang sa Lite"
"external_share_to_groups_intent_label" : "ඔබේ සමූහ"
success
(Ljava/lang/String;Ljava/lang/String;J)J
"common_google_play_services_unknown_issue" : "%1$s ਨੂੰ Google Play ਸੇਵਾਵਾਂ ਨਾਲ ਸਮੱਸਿਆ ਆ ਰਹੀ ਹੈ। ਕਿਰਪਾ ਕਰਕੇ ਦੁਬਾਰਾ ਕੋਸ਼ਿਸ਼ ਕਰੋ।"
getInfoFromEHABISection
"__external__external_share_intent_label" : "Lite වෙත එක් කරන්න"
" external external share intent label":"加到 Lite"
(J)Ljava/lang/String;
([BII)V
"external_share_to_story_intent_label" : "మీ కథనం"
NSt6 ndk123 system error categoryE
"external_share_to_story_intent_label":"限時動態"
St11logic_error
"external_share_to_groups_intent_label": "A csoportjaid"
" external external share intent label": "Adicionar ao Lite"
anon_driver
St10bad typeid
class datas occur before code items
"__external__external_share_intent_label": "Pridat do aplikácie Lite"
could not allocate memory for cmatch bucket of size: %d
number-sign
%dmB available at start of unpacking.
Can't binary search on variable length encoded data.
getThreadNumOption
Could not open archive: %d/%d/%d
"external_share_to_groups_intent_label" : "మీ (గూప్లు"
"common google_play_services_unknown_issue": "%1$s ondervind probleme met Google Play Dienste. Probeer asseblief weer."
" external external share intent label": "Добавяне към Lite"
"external_share_to_groups_intent_label": "Twoje grupy"
```

```
"external_share_to_groups_intent_label": "Your groups"
equals-sign
The expression contained mismatched { and }.
_Unwind_Resume_or_Rethrow() called _Unwind_RaiseException() which unexpectedly returned
"external_share_to_groups_intent_label": "グループ"
recursive mutex constructor failed
plus-sign
Could not find MemAvailable in /proc/meminfo to read available memory.
could not parse file
failed to create obi handler
"common_google_play_services_unknown_issue": "%1$s има проблеми с услугите за Google Play. Моля, опитайте отново."
setFloatRegister
N10 cxxabiv120 si class type infoE
recursive mutex lock failed
xz_dec_run failed with error code %d
"__external__external_share_intent_label": "Kara a Lite"
"external share to groups intent label": "Amatsinda yawe"
std::exception
"common google play services install title": "Get Google Play services"
std::bad_exception
Unknown error type
"external_share_to_groups_intent_label": "Dina grupper"
writeNative
".يُرجِي إعادة المحاولة .Google Play مشكلة في خدمات $$لدي %1" : "common_google_play_services_unknown_issue" مشكلة في خدمات
"common_google_play_services_unknown_issue": "%1$s está a ter problemas com os Serviços do Google Play. Tente novamente."
%s failed to acquire mutex
"common google play services unknown issue": "У праграмы %1$s узніклі праблемы са службамі Google Play. Паўтарыце спробу."
left-brace
left-square-bracket
"common google play services wear update text": "New version of Google Play services needed. It will update itself shortly."
"_external_external_share_intent_label" : "افزودن به " Lite"
```

```
N10__cxxabiv116__enum_type_infoE
"external share to story intent label": "त्मची कथा"
"__external__external_share_intent_label": "Agregar a Lite"
"external_share_to_story_intent_label": "Tvoja zgodba"
"__external__external_share_intent_label": "Ajouter à Lite"
Failed to initialize XZ decoder.
_Unwind_VRS_Get_Internal
"external_share_to_groups_intent_label": "Таны бүлгүүд"
"external_share_to_groups_intent_label": "Seus grupos"
"common_google_play_services_unknown_issue": "Naudojant programa, %1$s" kilo problemu dėl "Google Play" paslaugų. Bandykite
dar kartą."
"common_google_play_services_unknown_issue": "У додатку %1$s виникла проблема із сервісами Google Play. Повторіть спробу."
" external external share intent label": "Dodaj v Lite"
"external_share_to_story_intent_label": "Таны түүх"
St12length_error
"common_google_play_services_unknown_issue": "La aplicación %1$s tiene problemas con los Servicios de Google Play. Vuelve a
intentarlo."
"common_google_play_services_install_text": "%1$s won't run without Google Play services, which are missing from your device."
" external external share intent label": ""Лайт" дээр нэмэх"
ZNSt3 18ios baseD1Ev
St20bad_array_new_length
getSavedRegister
terminate_handler unexpectedly returned
com/facebook/superpack/SuperpackArchive
(Ljava/io/InputStream;Ljava/lang/String;J)J
"__external__external_share_intent_label": "Lisää Liteen"
"common_google_play_services_unknown_issue": "Aplikácia %1$s má problémy so službami Google Play. Skúste to znova."
"common_google_play_services_unknown_issue": "%1$s întâmpină probleme privind serviciile Google Play. Încercați din nou."
"__external__external_share_intent_label": "Facebook Lite programına əlavə et"
"accessibility link role": "Keçid"
St12out_of_range
```

```
thread::detach failed
"external share to story intent label": "Ваша история"
right-square-bracket
_ZNSt3__18ios_base4initEPv
_Unwind_Resume() can't return
ZNSt3 16localeD1Ev
"external_share_to_groups_intent_label": "Grup Anda"
"external_share_to_groups_intent_label": "Os teus grupos"
There was insufficient memory to convert the expression into a finite state machine.
"accessibility link role": "الط"
St8bad_cast
"common_google_play_services_unknown_issue":"「%1$s」存取 Google Play 服務時發生問題。請稍後再試一次。"
bad any cast
"external_share_to_story_intent_label": "Votre story"
ampersand
St19bad_optional_access
"external share to story intent label": "สตอรี่ของคุณ"
"external_share_to_groups_intent_label": "Deine Gruppen"
"external share to groups intent label":"你的小组"
"common google play services unknown issue": "Aplikacija %1$s ima težave s storitvami Google Play. Poskusite znova."
circumflex-accent
could not allocate memory for cmatch_buffer_buckets for %zu buckets
could not acquire file bytes
"common google play services update text": "%1$s won't run unless you update Google Play services."
right-curly-bracket
"accessibility_link_role": "គំណ"
failed to get output buffer
"common_google_play_services_unknown_issue": "%1$s tətbiqi ilə Google Play xidmətləri arasında problem var. Daha sonra yenidən
cəhd edin."
unspecified system_category error
tilde
```

```
graph
"external_share_to_story_intent_label" : "آپ کی سٹوری"
: out of range
"common_google_play_services_unknown_issue" : "%1$s သည် Google Play ဝန်ဆောင်မှုများနှင့် ပြဿနာအနည်းငယ် ရှိနေပါသည်။ ထပ်လုပ်
ကြည့်ပါ။"
CIE version is not 1 or 3
"__external__external_share_intent_label" : "LIte मा थप्रहोस्"
could not extract jstring lib file name
"external_share_to_story_intent_label" : "သင့်စတိုရီ"
getTableEntrySize
string_view::substr
"accessibility_link_role" : "இணைப்பு"
could not allocate memory for cmatch buf info t
abort_message
malformed uleb128 expression
"accessibility_link_role": "Veza"
"accessibility link role": "Hivatkozás"
hyphen-minus
"common_google_play_services_unknown_issue" : "Google Play ಸೇವೆಗಳಲ್ಲಿ %1$s ಸಮಸ್ಯೆಯನ್ನು ಹೊಂದಿದೆ. ದಯವಿಟ್ಟು ಮತ್ತೆ
ಪ್ರಯತ್ನಿಸಿ."
Unknown DWARF encoding for search table.
"accessibility_link_role": "Skakel"
"external_share_to_story_intent_label": "Labarinka"
could not perform IO operation
isEmptyNative
generic
: no conversion
NSt6__ndk123__future_error_categoryE
" external_external_share_intent_label": "Idagdag sa Lite"
semicolon
"external_share_to_story_intent_label": "Ne rembiasakue"
```

11/07/2023, 10:06 Static Analysis

```
Expected stream %d size %zu, got %zu, input data %p, output data %p, num active %d, halt_all %d
"external_share_to_groups_intent_label": "Nde atykuéra"
(J[BII)I
NSt6__ndk124__generic_error_categoryE
"accessibility link role": "Bağlantı"
"common_google_play_services_unknown_issue" : "%1$s लाई Google Play services सँग सहकार्य गर्न समस्या भइरहेको छ। कृपया फेरि प्रयास
गर्नुहोस्।"
"accessibility_link_role" : "ลิงก์"
punct
__cxa_guard_abort
0001020304050607080910111213141516171819202122232425262728293031323334353637383940414243444546474849505152535455565
7585960616263646566676869707172737475767778798081828384858687888990919293949596979899
circumflex
"external_share_to_story_intent_label" : "तपाईंको कथा"
"common_google_play_services_enable_title": "Enable Google Play services"
N10 cxxabiv117 pbase type infoE
superpack
Unwind Resume
decompress instructions with format
setRegister
NSt12experimental15fundamentals_v112bad_any_castE
symbols table exceeds max number of identifiers
could not allocate memory for cmatch buf lookup table t for %zu opcodes
com/facebook/xzdecoder/XzInputStream
"common google play services unknown issue": "Приложению "%1$s" не удается подключиться к сервисам Google Play.
Повторите попытку."
grave-accent
"external_share_to_story_intent_label": "Twoja relacja"
readNative
"__external__external_share_intent_label": "Ongeza kwenye Lite"
```

```
Unknown ARM float register
"project_id": "fb-messaging-b8df1"
__cxa_guard_release
"external_share_to_story_intent_label": "Hekayəniz"
"external_share_to_story_intent_label": "Вашата история"
ProcessDescriptors
DW_EH_PE_textrel pointer encoding not supported
getNameNative
%s failed to broadcast
"common_google_play_services_unknown_issue": "Aplikace %1$s má potíže se službami Google Play. Zkuste to prosím znovu."
"external_share_to_groups_intent_label": "내 그룹"
getEncodedP
(JJ)V
"external_share_to_groups_intent_label" : "သင်အဖွဲများ"
"accessibility_link_role": "Pautan"
"external_share_to_groups_intent_label": "Mga Grupo Mo"
"accessibility link role": "Ссылка"
could not init_crans
percent-sign
"common_google_play_services_unknown_issue": "%1$s无法访问 Google Play 服务,请重试。"
"common_google_play_services_unknown_issue" : "%1$s มีปัญหาเกี่ยวกับบริการของ Google Play โปรดลองอีกครั้ง"
evaluateExpression
"external_share_to_story_intent_label": "Je verhaal"
Failed to initialize XZ decoder
"external_share_to_groups_intent_label" : "گروه های شما"
std::bad cast
"external_share_to_groups_intent_label": "Nhóm của bạn"
Superpack
right-brace
"google api key": "AlzaSyBWJZPw7wVi-NQEViQV9ZnadO-xbX4S8o0"
newline
```

```
clock_gettime(CLOCK_MONOTONIC) failed
"external_share_to_groups_intent_label" : "আপনার গ্রুপ"
less-than-sign
"external_share_to_groups_intent_label": "Kungiyoyinka"
"common_google_play_services_unknown_issue" : "%1$s ला Google Play सेवांमध्ये समस्या येत आहे. कृपया पुन्हा प्रयत्न करा."
"external share to groups intent label": "Grup Sampeyan"
"common_google_play_services_unknown_issue": "%1$s har problemer med Google Play-tjenester. Prøv igen."
"common_google_play_services_unknown_issue" : "%1$s-ს Google Play Services-თან პრობლემა შეექმნა. გთხოვთ, ცადოთ
ხელახლა."
The expression contained mismatched (and).
"accessibility_link_role": "Kiungo"
DWARF opcode not implemented
getSLEB128
failed to allocate memory for lib file names
"external_share_to_groups_intent_label" : "आपके ग्रुप"
FDE has zero length
"common google play services unknown issue": "%1$s đang gặp sư cố với Dịch vu Google Play. Hãy thử lại."
"default_web_client_id": "622912139302-p5kle555cs5cfom8idmrdt1p3dlmd8d8.apps.googleusercontent.com"
Deleted virtual function called!
bad_weak_ptr
superpack archive is corrupt
"external_share_to_story_intent_label": "ストーリーズ"
hyphen
"accessibility_link_role" : "လင့်ခ်"
"__external__external_share_intent_label": "Lite-ലേക്ക് ചേർക്കുക"
"external share to story intent label": "A történeted"
could not create buffered stream
"external_share_to_groups_intent_label" : "ਤੁਹਾਡੇ ਗਰੁੱਪ"
during phase1 personality function said it would stop here, but now in phase2 it did not stop here
N10 cxxabiv120 function type infoE
CIE start does not match
```

```
bad_array_new_length
"__external__external_share_intent_label" : "Lite वर जोडा"
getRegister
bad argument
"__external__external_share_intent_label": "Додај во Lite"
blank
(JLjava/io/OutputStream;)V
could not create FILE*
"common_google_play_services_unknown_issue": "%1$s има проблема са Google Play услугама. Пробајте поново."
"accessibility link role": "링크"
could not extract storage type
"external_share_to_story_intent_label": "Your story"
Unwind GetDataRelBase
createNative
"accessibility_link_role": "Lien"
"accessibility_link_role": "Lenke"
"external share to story intent label": "Jou storie"
"common_google_play_services_unknown_issue": "%1$s ten problemas cos servizos de Google Play. Téntao de novo."
"accessibility link role": "ലിങ്ക്"
"external_share_to_groups_intent_label": "Grupurile tale"
"__external__external_share_intent_label": "Adaugă în Lite"
"__external__external_share_intent_label": "Додати в Lite"
"accessibility link role":"લિંક"
"common google play services unknown issue": "%1$s har problemer med Google Play-tjenester. Prøv på nytt."
"common_google_play_services_unknown_issue": "%1$s mengalami masalah dengan layanan Google Play. Coba lagi."
"__external__external_share_intent_label": "Add to Lite"
could not find java/io/InputStream.read
NSt12experimental15fundamentals_v13pmr32__new_delete_memory_resource impE
St15underflow_error
"common google play services unknown issue": "Det har uppstått ett fel mellan %1$s och Google Play-tjänsterna. Försök igen."
condition_variable::wait: mutex not locked
```

```
N10__cxxabiv129__pointer_to_member_type_infoE
extractNextNative
index inlined table detected but pr function requires extra words
Error reading Superpack archive from APK (%d). Please check for errors in the layer below Superpack, e.g. Zip
"external_share_to_story_intent_label" : "قصتك"
DW OP fbreg not implemented
NSt6__ndk114error_categoryE
"accessibility_link_role": "Tautan"
getFloatRegister
"app_full_name": "Facebook Lite"
"__external__external_share_intent_label": "发布到 Lite"
The expression contained an invalid character range, such as [b-a] in most encodings.
"common_google_play_services_unknown_issue": "%1$s aplikazioak arazoak ditu Google Play Services-ekin. Saiatu berriro."
"external_share_to_groups_intent_label": "Gruppene dine"
"external_share_to_groups_intent_label": "የእርስዎ ቡድኖች"
third-party/llvm-project/15.x-android/llvm-project/libcxxabi/src/abort_message.cpp
unsupported restore location for register
"common_google_play_services_unknown_issue": "Rakendusel %1$s on probleeme Google Play teenustega. Proovige uuesti."
"accessibility link role": "Посилання"
could not allocate memory for circular buf info t for cmatch bucket: %d
"common google play services unknown issue": "%1$s កំពុងមានបញ្ហាជាមួយសេវាកម្មរបស់ Google Play។ សូមព្យាយាមម្ដងទៀត
នៅពេលក្រោយ។"
terminate_handler unexpectedly threw an exception
"common google play services unknown issue" : "%1$s ກຳລັງມືບັນຫາກັບບໍລິການ Google Play. ກະລຸນາລອງໃໝ່ອີກຄັ້ງ."
"external share to story intent label": "আপনার স্টোরি"
"__external__external_share_intent_label": "Toevoegen aan Lite"
"common_google_play_services_enable_text": "%1$s won't work unless you enable Google Play services."
lower
"common_google_play_services_unknown_issue": "%1$s-г Google Play-н үйлчилгээгээр ашиглахад асуудал гарлаа. Дахин оролдоно
уу."
(Ljava/lang/String;Ljava/io/InputStream;)J
```

```
"__external__external_share_intent_label": "Dodaj u Lite"
system
std::bad alloc
"__external__external_share_intent_label": "Legg til i Lite"
unknown register
"__external__external_share_intent_label": "Lägg till i Lite"
could not find java/io/InputStream
(J[B)V
"common_google_play_services_unknown_issue" : "%1$sର Google Play ସେବା ସହ ଏକ ସମସ୍ୟା ରହିଛି । ଦୟାକରି ପୁଣି ଚେଷ୍ଟା କରନ୍ତୁ ।"
"common_google_play_services_unknown_issue": "%1$s sta riscontrando problemi con Google Play Services. Riprova."
_Unwind_Resume_or_Rethrow
"accessibility_link_role": "Besa"
%d work items were not completed
"common_google_play_services_unknown_issue" : "%1$s को Google Play सेवाओं के साथ समस्या आ रही है. कृपया फिर से कोशिश करें."
"external_share_to_story_intent_label": "Tu historia"
"__external__external_share_intent_label" : "הוסף/הוסיפי ל-". "Lite"
/proc/meminfo
"common_google_play_services_unknown_issue" : "Google Play পরিষেবাগুলির সাথে %1$s এর সমস্যা হচ্ছে৷ অনুগ্রহ করে আবার চেষ্টা
করুন৷"
unique_lock::unlock: not locked
"external_share_to_groups_intent_label": "Ваши группы"
"__external__external_share_intent_label" : "เพิ่มใน Lite"
"external_share_to_story_intent_label": "Povestea ta"
Unwind VRS Pop
"common_google_play_services_unknown_issue":"「%1$s」無法存取 Google Play 服務,請再試一次。"
"external_share_to_groups_intent_label": "Je groepen"
"__external__external_share_intent_label": "Bagikan ke Lite"
The expression contained an invalid collating element name.
"accessibility_link_role":"連結"
0x0a7337767d453dfull 0 0 91#
```

```
"accessibility_link_role": "Linkki"

"external_share_to_story_intent_label": "La tua storia"

St16invalid_argument
```

#### **POSSIBLE HARDCODED SECRETS**

"google\_api\_key": "AlzaSyBWJZPw7wVi-NQEViQV9ZnadO-xbX4S8o0"

#### **AE ACTIVITIES**

com.facebook.lite.MainActivity com.facebook.lite.ShortcutLauncherActivity com.facebook.lite.ShortcutActivity com.facebook.lite.rtc.RTCActivity com.facebook.lite.webviewrtc.RTCIncomingCallActivity com.facebook.lite.nativeRtc.NativeRtcCallActivity com.facebook.lite.media.AlbumGalleryActivity com.facebook.lite.platform.LoginGDPDialogActivityV2 com.facebook.lite.storagemanager.ManageStorageActivity com.facebook.lite.bugreporter.screencast.ScreencastActivity com.facebook.lite.inappbrowser.common.BrowserLiteProxyActivity com.facebook.browser.lite.BrowserLiteActivity com.facebook.browser.lite.BrowserLiteInMainProcessActivity com.facebook.lite.deeplinking.UIQRE2EActivity com.facebook.lite.waotp.WAOtpReceiveCodeActivity com.google.android.gms.auth.api.signin.internal.SignInHubActivity 11/07/2023, 10:06 Static Analysis

#### **Ф**<sup>a</sup> SERVICES

com.facebook.lite.ForegroundService com.facebook.lite.webviewrtc.RTCService com.facebook.lite.download.DownloadService com.facebook.lite.FbnsIntentService com.facebook.lite.FbnsForegroundService com.facebook.analyticslite.memory.MemoryDumpUploadService com.facebook.rti.push.service.FbnsService com. face book. lite. notification. Lite Firebase Messaging Servicecom.facebook.lite.intent.WakefulIntentService com.facebook.lite.service.SnoozeNotificationService com.facebook.lite.service.NotificationLoggingService com.facebook.lite.service.NotificationQuickActionService com.facebook.lite.service.AppInitService com.facebook.lite.service.TaskLifeDetectingService com.facebook.lite.messagingapps.FirstPartyMessagingAppsDetectionService com.facebook.lite.bugreporter.screencast.ScreencastService com.facebook.lite.service.MediaUploadService com.facebook.browser.lite.BrowserLiteIntentService com.facebook.lite.browser.BrowserLiteCallbackService com.facebook.appcomponentmanager.AppComponentManagerService com.facebook.lite.rtc.impl.service.RtcService com.facebook.oxygen.preloads.sdk.firstparty.managedappcache.IsManagedAppCacheService com. facebook. oxygen. preloads. sdk. first party. managed app cache. Is Managed App Cache Job Servicecom.facebook.video.heroplayer.service.HeroKeepAliveService com.facebook.videolite.api.VideoUploadForegroundService com.facebook.videolite.api.jobscheduler.UploadJobSchedulerService com.facebook.secure.packagefinder.PackageFinderService com.facebook.voltron.download.scheduledinstaller.OxygenScheduledInstallerJobService

com.google.firebase.messaging.FirebaseMessagingService com.google.android.gms.auth.api.signin.RevocationBoundService com.google.firebase.components.ComponentDiscoveryService com.facebook.analytics2.logger.service.LollipopUploadSafeService com.facebook.analytics2.logger.LollipopUploadService com.facebook.analytics2.logger.AlarmBasedUploadService

# **⋒** RECEIVERS

com.facebook.lite.pretos.LiteAppComponentReceiver com.facebook.lite.rtc.IncomingCallReceiver com.facebook.lite.campaign.CampaignReceiver com.facebook.lite.appManager.AppManagerReceiver com.facebook.lite.deviceid.FbLitePhoneldReguestReceiver com.facebook.appupdate.DownloadCompleteReceiver com.facebook.lite.deviceid.FbLitePhoneIdUpdater\$LocalBroadcastReceiver com.facebook.lite.FbnsIntentService\$CallbackReceiver com.facebook.rti.push.service.MqttSystemBroadcastReceiver com.facebook.lite.AppController\$NetworkStateBroadcastReceiver com. face book. lite. notification. Push Notification Log Broad cast Receivercom.facebook.lite.shortcuts.ShortcutCreationReceiver com.facebook.lite.notification.LocalNotificationLogBroadcastReceiver com.facebook.lite.notification.widget.receiver.NotificationsWidgetProvider com.facebook.lite.notification.widget.receiver.NotificationsWidgetForceUpdateReceiver com.facebook.lite.notification.widget.receiver.NotificationsWidgetAppUpgradeReceiver com.facebook.lite.notification.NotificationsRemovalTimerReceiver com.facebook.lite.notification.NotificationsSnoozeTimerReceiver com.facebook.lite.browser.ChromeCustomTabsReceiver. com.facebook.lite.intent.IntentScheduler

Static Analysis

com.facebook.lite.intent.WakefulIntentForwarder
com.facebook.lite.datausage.DataUsageBroadCastReceiver
com.facebook.lite.registration.EmptyAppNotifServiceReceiver
com.facebook.oxygen.preloads.sdk.firstparty.managedappcache.IsManagedAppFlag
com.facebook.oxygen.preloads.sdk.firstparty.managedappcache.IsManagedAppReceiver
com.facebook.oxygen.preloads.sdk.firstparty.settings.TosAcceptedFlag
com.facebook.lite.nativeRtc.receiver.NotificationActionReceiver
com.google.firebase.iid.FirebaseInstanceIdReceiver
androidx.profileinstaller.ProfileInstallReceiver
com.facebook.analytics2.logger.HighPriUploadRetryReceiver

# **PROVIDERS**

com.facebook.lite.deviceid.FbLitePhoneIdProvider androidx.core.content.FileProvider com.facebook.secure.fileprovider.SecureFileProvider com.facebook.lite.photo.PhotoFileProvider com.facebook.lite.photo.MediaContentProvider com.facebook.lite.diode.UserValuesProvider com.facebook.lite.mobileidservices.FeO2ContentProvider androidx.startup.InitializationProvider

### **\$LIBRARIES**

org.apache.http.legacy

11/07/2023, 10:06 Static Analysis

# ( FILES

```
AndroidManifest.xml
DebugProbesKt.bin
assets/app_modules.json
assets/app_modules/contents/blokscamera.json
assets/app_modules/contents/boost.json
assets/app_modules/contents/camera.json
assets/app_modules/contents/feo2.json
assets/app_modules/contents/fizz.json
assets/app_modules/contents/heroplayer.json
assets/app_modules/contents/inappbrowser.json
assets/app modules/contents/libunwindstack.json
assets/app_modules/contents/mediacompositionplayer.json
assets/app_modules/contents/mediastreaming.json
assets/app_modules/contents/mns.json
assets/app_modules/contents/mnshttp.json
assets/app_modules/contents/msys.json
assets/app_modules/contents/msys_size_regression_test_monolithic_3_5mb.json
assets/app_modules/contents/msys_size_regression_test_monolithic_4mb.json
assets/app_modules/contents/msys_size_regression_test_root_1_1mb.json
assets/app_modules/contents/msys_size_regression_test_root_1_6mb.json
assets/app_modules/contents/msysinfra.json
assets/app_modules/contents/profilo.json
assets/app_modules/contents/rtc.json
assets/app_modules/contents/s_1214477034.json
assets/app modules/contents/s blokscamera boost.json
assets/app_modules/contents/s_blokscamera_mediacompositionplayer.json
assets/app_modules/contents/s_blokscamera_mediacompositionplayer_rtc.json
assets/app_modules/contents/s_blokscamera_msysinfra.json
```

```
assets/app_modules/contents/s_blokscamera_rtc.json
assets/app_modules/contents/s_boost_fizz_mediastreaming.json
assets/app_modules/contents/s_boost_mediastreaming.json
assets/app_modules/contents/s_boost_profilo.json
assets/app_modules/contents/s_fizz_mediastreaming.json
assets/app_modules/contents/s_fizz_msys.json
assets/app_modules/contents/s_heroplayer_inappbrowser.json
assets/app_modules/contents/s_heroplayer_rtc.json
assets/app_modules/contents/s_libunwindstack_profilo.json
assets/app modules/contents/s mediacompositionplayer mediastreaming rtc.json
assets/app_modules/contents/s_mediastreaming_msys_rtc.json
assets/app_modules/contents/s_mediastreaming_msysinfra.json
assets/app_modules/contents/s_mediastreaming_profilo_rtc.json
assets/app_modules/contents/s_mediastreaming_rtc.json
assets/app_modules/contents/s_mns_mnshttp.json
assets/app_modules/contents/s_mns_mnshttp_msys_rtc.json
assets/app modules/contents/s mnshttp msys.json
assets/app_modules/contents/s_mnshttp_msysinfra.json
assets/app_modules/contents/s_msys_rtc.json
assets/app_modules/contents/shared_fizz_ms_profilo.json
assets/app_modules/contents/uigr.json
assets/com/facebook/logginginfra/falco/c3a03223e75be6a87c011c90218110c3.meta
assets/fbt/default/strings.bin
assets/lib/libs.xzs
assets/lib/metadata.txt
assets/mc_lite_configs_and_params_list.bin
assets/mc_query_hash.bin
assets/secondary-program-dex-jars/dex_manifest.txt
assets/secondary-program-dex-jars/metadata.txt
assets/secondary-program-dex-jars/store-0.dex.spo
build-data.properties
```

11/07/2023, 10:06

classes.dex

core-facebook.properties

firebase-annotations.properties

firebase-common.properties

firebase-components.properties

firebase-iid-interop.properties

firebase-iid.properties

firebase-measurement-connector.properties

firebase-messaging.properties

integrity.properties

kotlin/annotation/annotation.kotlin\_builtins

kotlin/collections/collections.kotlin\_builtins

kotlin/coroutines/coroutines.kotlin\_builtins

kotlin/internal/internal.kotlin\_builtins

kotlin/kotlin.kotlin\_builtins

kotlin/ranges/ranges.kotlin\_builtins

kotlin/reflect/reflect.kotlin\_builtins

lib/armeabi-v7a/libbreakpad\_cpp\_helper.so

lib/armeabi-v7a/libc++\_shared.so

lib/armeabi-v7a/libfb\_xzdecoder.so

lib/armeabi-v7a/libmemalign16.so

lib/armeabi-v7a/libsigmux.so

lib/armeabi-v7a/libsuperpack-jni.so

lib/x86/libbreakpad\_cpp\_helper.so

lib/x86/libc++\_shared.so

lib/x86/libfb\_xzdecoder.so

lib/x86/libmemalign16.so

lib/x86/libsigmux.so

lib/x86/libsuperpack-jni.so

play-services-auth-api-phone.properties

play-services-auth-base.properties

play-services-auth-blockstore.properties play-services-auth.properties play-services-base.properties play-services-basement.properties play-services-fido.properties play-services-instantapps.properties play-services-location.properties play-services-places-placereport.properties play-services-safetynet.properties play-services-stats.properties play-services-tasks.properties r/-.png r/0.png r/1.png r/2.png r/3.png r/4.png r/5.png r/6.png r/7.png r/8.png r/9.png r/\_.png r/a.xml r/b-.png r/b.xml r/b0.png r/b1.png r/b2.png r/b3.png r/b4.png

- r/b5.png
- r/b6.png
- r/b7.png
- r/b8.png
- r/b9.png
- r/b\_.png
- r/ba.png
- r/bb.g.png
- r/bc.g.png
- r/bd.png
- r/be.png
- r/bf.png
- i/bi.piig
- r/bg.png
- r/bh.png
- r/bi.png
- r/bj.png
- r/bk.png
- r/bl.png
- r/bm.png
- r/bn.png
- r/bo.png
- r/bp.png
- r/bq.png
- r/br.png
- r/bs.png
- r/bt.png
- r/bu.png
- r/bv.g.png
- r/bw.g.png
- r/bx.png
- r/by.png

r/bz.png

r/c-.xml

r/c.xml

r/c0.xml

r/c1.xml

r/c2.png

r/c3.png

r/c4.png

r/c5.xml

r/c6.xml

r/c7.xml

r/c8.xml

r/c9.xml

r/c\_.xml

r/ca.png

r/cb.png

r/cc.png

r/cd.png

r/ce.png

r/cf.png

r/cg.g.png

r/ch.g.png

r/ci.png

r/cj.png

r/ck.png

r/cl.png

r/cm.png

r/cn.png

r/co.png

r/cp.png

r/cq.png

r/cr.png

r/cs.png

r/ct.png

r/cu.png

r/cv.xml

r/cw.xml

r/cx.xml

r/cy.xml

r/cz.xml

r/d-.9.png

r/d.xml

r/d0.xml

r/d1.xml

r/d2.png

r/d3.png

r/d4.xml

r/d5.xml

r/d6.xml

r/d7.xml

r/d8.9.png

r/d9.9.png

r/d\_.9.png

r/da.xml

r/db.xml

r/dc.xml

r/dd.xml

r/de.xml

r/df.png

r/dg.9.png

r/dh.xml

r/di.xml

r/dj.xml

r/dk.xml

r/dl.png

r/dm.xml

r/dn.xml

r/do.xml

r/dp.xml

r/dq.xml

r/dr.xml

r/ds.xml

r/dt.xml

r/du.xml

r/dv.xml

r/dw.xml

r/dx.png

r/dy.xml

r/dz.png

r/e-.xml

r/e.xml

r/e0.xml

r/e1.xml

r/e2.xml

r/e3.xml

r/e4.xml

r/e5.xml

r/e6.xml

r/e7.xml

r/e8.xml

r/e9.xml

r/e\_.xml

r/ea.png

r/eb.png

r/ec.xml

r/ed.xml

r/ee.xml

r/ef.xml

r/eg.xml

r/eh.xml

r/ei.png

r/ej.png

r/ek.png

r/el.png

r/em.png

r/ex.xml

r/ey.xml

r/ez.xml

r/f-.glsl

r/f.xml

r/f0.glsl

r/f1.glsl

r/f2.glsl

r/f3.jpg

r/f4.glsl

r/f5.glsl

r/f6.glsl

r/f7

r/f8.glsl

r/f9.glsl

r/f\_.glsl

r/fa.xml

r/fb.xml

r/fc.xml

r/fd.xml

r/fe.xml

r/ff.xml

r/fg.xml

r/fh.xml

r/fi.xml

r/fj.xml

r/fk.xml

r/fl.xml

r/fm.xml

r/fn.png

r/fo.png

r/fp.png

r/fq.png

r/fr.png

r/fs.png

r/ft.png

r/fu.png

r/fv.glsl

r/fw.glsl

r/fx.glsl

r/fy.glsl

r/fz.glsl

1/12.613

r/g.xml

r/ga.glsl

r/gb.xml

r/gc.xml

r/gd.xml

r/ge.xml

r/gf.xml

r/gg.xml

© 2023 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.

META-INF/MANIFEST.MF

Version v3.6.8 Beta