


|              |               |                                           |
|--------------|---------------|-------------------------------------------|
| Project:     | Skygate Play  | Comments / changes from previous revision |
| Project No.  | 1049558       | 4 star Green Star equivalency.            |
| Date:        | 05/03/26      |                                           |
| Revision:    | -             |                                           |
| Prepared By: | David Collins |                                           |


Note: This document provides detail on the rating strategy, credit criteria and project specific comments. It is the responsibility of each party (design and construction teams) to understand the credit compliance requirements and submission evidence required for certification. Refer to the Green Star Buildings Submission Guidelines Version 1 published by the GBCA for further details.

| PATHWAY                                                    | TARGET RATING | 4 star | 5 star | TBC    |
|------------------------------------------------------------|---------------|--------|--------|--------|
| Minimum Expectations Met (15no. - no points awarded)       | Yes           | Yes    | Yes    | Yes    |
| Climate Positive Path points targeted (13 points required) | Not Required  | 8      | 13     | 13     |
| Points targeted to be achieved                             | 15            | 21     | 40     | 42     |
| Rating to be achieved                                      | 4 star        | 4 star | 5 star | 5 star |
| Estimated Costs                                            | N/A           | \$0    | \$0    | \$0    |

These costs are indicative and must be confirmed by the Cost Consultant and/or the Contractor



| Category          | Minimum Expectations met (Yes/No) | Total Points Available | 4 star | 5 star | TBC |
|-------------------|-----------------------------------|------------------------|--------|--------|-----|
| Responsible       | Yes                               | 17                     | 6      | 0      | 2   |
| Healthy           | Yes                               | 14                     | 0      | 2      | 0   |
| Resilient         | Yes                               | 8                      | 1      | 0      | 0   |
| Positive          | Yes                               | 29                     | 14     | 10     | 0   |
| Places            | Yes                               | 8                      | 0      | 0      | 0   |
| People            | Yes                               | 9                      | 0      | 3      | 0   |
| Nature            | Yes                               | 14                     | 0      | 0      | 0   |
| TOTAL CORE        | Yes                               | 99                     | 21     | 15     | 2   |
| Leadership        |                                   | 15                     | 0      | 1      | 0   |
| Sector Specific   |                                   | 10                     | 0      | 3      | 0   |
| TOTAL FOR RATING  |                                   | 100                    | 21     | 19     | 2   |
| CUMULATIVE POINTS |                                   | 100                    | 21     | 40     | 42  |



|                                     |                        |                                                                                                                                                                                                                                                                                                |                     |                        |        |             |                                             |                                                                                                                                                                                                          |
|-------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------|--------|-------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Project: Skygate Play (1049558)     |                        |                                                                                                                                                                                                                                                                                                |                     | Revision: - (5/3/2026) |        |             |                                             |                                                                                                                                                                                                          |
|                                     |                        |                                                                                                                                                                                                                                                                                                | Key:                | Minimum Expectation    | Credit | Exceptional | CP Pathway                                  |                                                                                                                                                                                                          |
|                                     |                        |                                                                                                                                                                                                                                                                                                |                     |                        |        |             |                                             |                                                                                                                                                                                                          |
| Credit                              | Total points available | Credit Criteria                                                                                                                                                                                                                                                                                | Minimum Expectation | 4 star                 | 5 star | TBC         | Lead Party                                  | Notes                                                                                                                                                                                                    |
|                                     |                        |                                                                                                                                                                                                                                                                                                |                     |                        |        |             |                                             |                                                                                                                                                                                                          |
| Responsible                         | 17                     |                                                                                                                                                                                                                                                                                                | (3)                 | 6                      | 0      | 2           |                                             |                                                                                                                                                                                                          |
|                                     |                        |                                                                                                                                                                                                                                                                                                |                     |                        |        |             |                                             |                                                                                                                                                                                                          |
| [1-CA]<br>Industry Development      | 1                      | The building owner or developer appoints a Green Star Accredited Professional, discloses the cost of sustainable building practices to the GBCA, and markets the building's sustainability achievements.                                                                                       |                     | 1                      | -      | -           | Developer ESD                               | No allowance for transferring information to the GBCA or installing the Green Star plaque.                                                                                                               |
| [2-ME]<br>Responsible Construction  | •                      | The Contractor has an EMS & EMP in place to manage impacts on site. Divert at least 80% of construction & demolition waste from landfill. The Contractor provides training on the sustainability targets of the building.                                                                      | ✓                   | -                      | -      | -           | Head Contractor                             |                                                                                                                                                                                                          |
| [2-CA]<br>Responsible Construction  | 1                      | 90% of construction and demolition waste is diverted from landfill. Comply with the Green Star Construction and Demolition Waste Reporting Criteria.                                                                                                                                           |                     | 1                      | -      | -           | Head Contractor                             | Construction waste management if there is an extra over for accredited waste contractors.                                                                                                                |
| [3-ME]<br>Verification and Handover | •                      | The building has been commissioned and will be tuned, set up for optimum ongoing management (metering and monitoring). The project team create and deliver O&M information to the FM team at the time of handover. Information is available to building users on how to best use the building. | ✓                   | -                      | -      | -           | Building Services Head Contactor ICA        | Allow for air tightness consultant and testing.<br>Allow for sealing between Kingspan panels and detailing around Dampalon panels.<br>Metering and monitoring system will be above typical requirements. |
| [3-CA]<br>Verification and Handover | 1                      | Independent verification for commissioning and tuning through ICA or soft landings approach that involves the future FM team. For large projects with a Total Building Services Value of over \$20m then both pathways must occur.                                                             |                     | -                      | -      | 1           | ICA / Soft Landings                         | Optional if needed                                                                                                                                                                                       |
| [4-ME]<br>Operational Waste         | •                      | Demonstrate the building is designed to allow effective management of operational waste by: separating waste streams; dedicated and adequately sized waste storage area; and ensuring easy and safe access to waste storage areas for both occupants and waste collection contractors.         | ✓                   | -                      | -      | -           | Architect Waste Consultant                  |                                                                                                                                                                                                          |
| [5-CA]<br>Responsible Procurement   | 1                      | The building's design and construction procurement process follows ISO 20400 Sustainable Procurement - Guidance and at least one identified supply chain risk and opportunity is addressed.                                                                                                    |                     | -                      | -      | 1           | Developer / PM ESD                          | Optional if needed                                                                                                                                                                                       |
| [6-CA]<br>Responsible Structure     | 3                      | 50% of all structural components (by cost) meet a Responsible Products Value (RPV) score of at least 10.                                                                                                                                                                                       |                     | -                      | -      | -           | Structural Head Contractor                  |                                                                                                                                                                                                          |
| [6-EP]<br>Responsible Structure     | 2                      | Credit PLUS either:<br>(A) 80% of all products in the structure (by cost) have a minimum RPV score of at least 10 OR<br>(B) 10% of all products in the structure (by cost) have a RPV score of at least 15.                                                                                    |                     | -                      | -      | -           | Structural Head Contractor                  |                                                                                                                                                                                                          |
| [7-CA]<br>Responsible Envelope      | 2                      | 30% of all building envelope components (by cost) meet a Responsible Products Value (RPV) score of at least 10.                                                                                                                                                                                |                     | 2                      | -      | -           | Architect Façade Consultant Head Contractor | Kingspan achieves an RPV of 10 and it is likely to be >30% of the envelope cost.                                                                                                                         |
| [7-EP]<br>Responsible Envelope      | 2                      | Credit PLUS either:<br>(A) 60% of all products in the envelope (by cost) have a minimum RPV score of at least 10 OR<br>(B) 10% of all products in the envelope (by cost) have a RPV score of at least 15.                                                                                      |                     | -                      | -      | -           | Architect Façade Consultant Head Contractor |                                                                                                                                                                                                          |
| [8-CA]<br>Responsible Systems       | 1                      | 20% of all active building systems (by cost) meet a Responsible Products Value (RPV) score of at least 6.                                                                                                                                                                                      |                     | -                      | -      | -           | Building Services Head Contractor           |                                                                                                                                                                                                          |
| [8-EP]<br>Responsible Systems       | 1                      | Credit PLUS either:<br>(A) 35% of all products in the building systems (by cost) have a minimum RPV score of at least 6 OR<br>(B) 5% of all products in the building systems (by cost) have a RPV score of at least 11.                                                                        |                     | -                      | -      | -           | Building Services Head Contractor           |                                                                                                                                                                                                          |
| [9-CA]<br>Responsible Finishes      | 1                      | 40% of all internal building finishes (by area) meet a Responsible Products Value (RPV) score of at least 7.                                                                                                                                                                                   |                     | 1                      | -      | -           | Architect Head Contractor                   | Minor extra over for the finishes to achieve the requirements, there are many products that meet the RVP requirements, just need some attention to selections.                                           |
| [9-EP]<br>Responsible Finishes      | 1                      | Credit PLUS either:<br>(A) 60% of all products in the finishes (by cost) have a minimum RPV score of at least 7 OR<br>(B) 10% of all products in the finishes (by cost) have a RPV score of at least 12.                                                                                       |                     | 1                      | -      | -           | Architect Head Contractor                   | Minor extra over for the finishes to achieve the requirements, there are many products that meet the RVP requirements, just need some attention to selections.                                           |

|                                      |                        |                                                                                                                                                                                                                                                                                                     |                     |                        |        |             |                                  |                                                                                                                                                   |
|--------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------|--------|-------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Project: Skygate Play (1049558)      |                        |                                                                                                                                                                                                                                                                                                     |                     | Revision: - (5/3/2026) |        |             |                                  |                                                                                                                                                   |
| Key:                                 |                        |                                                                                                                                                                                                                                                                                                     |                     | Minimum Expectation    | Credit | Exceptional | CP Pathway                       |                                                                                                                                                   |
| Credit                               | Total points available | Credit Criteria                                                                                                                                                                                                                                                                                     | Minimum Expectation | 4 star                 | 5 star | TBC         | Lead Party                       | Notes                                                                                                                                             |
| Healthy                              | 14                     |                                                                                                                                                                                                                                                                                                     | (4)                 | 0                      | 2      | 0           |                                  |                                                                                                                                                   |
| [10-ME]<br>Clean Air                 | •                      | Levels of indoor pollutants are maintained at acceptable levels, a high level of fresh air is provided and pollutants entering the building are minimised.                                                                                                                                          | ✓                   | -                      | -      | -           | Mechanical                       | HVAC systems to be slightly larger for 50% fresh air increase. May be additional access panels.                                                   |
| [10-CA]<br>Clean Air                 | 2                      | The building's ventilation systems allow for easy maintenance and high levels of outdoor air are provided.                                                                                                                                                                                          |                     | -                      | -      | -           | Mechanical                       |                                                                                                                                                   |
| [11-ME]<br>Light Quality             | •                      | Lighting within the building meets minimum comfort requirements, good lighting levels suitable for the typical tasks in each space are available, and the building provides adequate levels of daylight.                                                                                            | ✓                   | -                      | -      | -           | Lighting Specialist Lighting     |                                                                                                                                                   |
| [11-CA]<br>Light Quality             | 2                      | The building provides either best practice Artificial Lighting OR best practice access to daylight.                                                                                                                                                                                                 |                     | -                      | -      | -           | Lighting Specialist Lighting     |                                                                                                                                                   |
| [11-EP]<br>Light Quality             | 2                      | The building provides both best practice Artificial Lighting AND best practice access to daylight.                                                                                                                                                                                                  |                     | -                      | -      | -           | Lighting Specialist Lighting ESD |                                                                                                                                                   |
| [12-ME]<br>Acoustic Comfort          | •                      | An Acoustic Comfort Strategy is prepared to describe how the building and acoustic design aims to deliver acoustic comfort to the building occupants.                                                                                                                                               | ✓                   | -                      | -      | -           | Acoustician                      | Minimum expectation will be achieved through base building systems. Any requirements not achieved will need to be within the tenant fitout guide. |
| [12-CA]<br>Acoustic Comfort          | 2                      | Depending on the building typology achieve 2 to 4 of the acoustic criteria: maximum internal noise levels; minimum internal noise levels; provides acoustic separation; minimises impact noise transfer; and/or is designed with reverberation control.                                             |                     | -                      | -      | -           | Acoustician                      |                                                                                                                                                   |
| [13-ME]<br>Exposure to Toxins        | •                      | The building's paints adhesives, sealants, carpets, and engineered wood products are low or non-toxic. Occupants are not exposed to banned or highly toxic materials in the building.                                                                                                               | ✓                   | -                      | -      | -           | Architect Head Contractor        | Allow for some site resource to manage documentation collection.                                                                                  |
| [13-CA]<br>Exposure to Toxins        | 2                      | On-site tests verify the building has low Volatile Organic Compounds (VOC) and formaldehyde levels.                                                                                                                                                                                                 |                     | -                      | 2      | -           | Head Contractor                  | Allow for VOC testing at completion.                                                                                                              |
| [14-CA]<br>Amenity and Comfort       | 2                      | The building has dedicated amenity rooms to act as parent room, a relaxation room, or an exercise room.                                                                                                                                                                                             |                     | -                      | -      | -           | Architect                        |                                                                                                                                                   |
| [15-CA]<br>Connection to Nature      | 1                      | The building provides views, includes indoor plants, and incorporates nature-inspired design OR 5% of the building's floor area or site area (whichever is greater) is allocated to nature in which occupants can directly engage with.                                                             |                     | -                      | -      | -           | Architect                        |                                                                                                                                                   |
| [15-EP]<br>Connection to Nature      | 1                      | The building provides both the Plants & Nature-inspired Design and Integration with Nature credit requirements                                                                                                                                                                                      |                     | -                      | -      | -           | Architect Landscape Consultant   |                                                                                                                                                   |
| Resilient                            | 8                      |                                                                                                                                                                                                                                                                                                     | (1)                 | 1                      | 0      | 0           |                                  |                                                                                                                                                   |
| [16-ME]<br>Climate Change Resilience | •                      | The project team completes the climate change pre-screening checklist and communicates the building's exposure to climate change risks to the applicant.                                                                                                                                            | ✓                   | -                      | -      | -           | ESD                              |                                                                                                                                                   |
| [16-CA]<br>Climate Change Resilience | 1                      | The project team develops a project-specific climate change risk and adaptation assessment for the building. Extreme and high risks are addressed.                                                                                                                                                  |                     | 1                      | -      | -           | ESD                              | This does typically lead to some roof and guttering increases, potential civil changes (minor) and increases in HVAC capacity.                    |
| [17-CA]<br>Operations Resilience     | 2                      | A comprehensive review of future building operational shocks and stresses are undertaken. Building design and future operational plan addresses high or extreme system-level interdependency risks and level of survivability in a blackout.                                                        |                     | -                      | -      | -           | ESD                              |                                                                                                                                                   |
| [18-CA]<br>Community Resilience      | 1                      | The project team undertakes a needs analysis of the community, identifies shocks and stresses that impact the building's ability to service the community, and develops responses to manage these.                                                                                                  |                     | -                      | -      | -           | ESD                              |                                                                                                                                                   |
| [19-CA]<br>Heat Resilience           | 1                      | At least 75% of the whole site area comprises of one or a combination of strategies that reduce the heat island effect.                                                                                                                                                                             |                     | -                      | -      | -           | Architect                        |                                                                                                                                                   |
| [20-CA]<br>Grid Resilience           | 3                      | The project meets ONE or several of: (1) active generation and storage systems, (2) demand response strategy, or (3) reduced electricity consumption through passive design. Where (1) and (2) are jointly used the overall reduction must be at least 10% of the building's total electrical load. |                     | -                      | -      | -           | Electrical                       |                                                                                                                                                   |



|                                           |                        |                                                                                                                                                                                                                                                                                                         |                     |                        |        |             |                                                                   |                                                                                                                                                                                                                              |
|-------------------------------------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------|--------|-------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Project: Skygate Play (1049558)           |                        |                                                                                                                                                                                                                                                                                                         |                     | Revision: - (5/3/2026) |        |             |                                                                   |                                                                                                                                                                                                                              |
| Key:                                      |                        |                                                                                                                                                                                                                                                                                                         |                     | Minimum Expectation    | Credit | Exceptional | CP Pathway                                                        |                                                                                                                                                                                                                              |
| Credit                                    | Total points available | Credit Criteria                                                                                                                                                                                                                                                                                         | Minimum Expectation | 4 star                 | 5 star | TBC         | Lead Party                                                        | Notes                                                                                                                                                                                                                        |
| Positive                                  | 29                     |                                                                                                                                                                                                                                                                                                         | (4)                 | 14                     | 10     | 0           |                                                                   |                                                                                                                                                                                                                              |
| [21-ME]<br>Upfront Carbon Emissions       | •                      | The building's upfront carbon emissions are at least 10% less than those of a reference building.                                                                                                                                                                                                       | ✓                   | -                      | -      | -           | Structural / Architect<br>ESD<br>Head Contractor                  |                                                                                                                                                                                                                              |
| [21-CA]<br>Upfront Carbon Emissions       | 3                      | The building's upfront carbon emissions are at least 20% less than those of a reference building. [Climate Positive Pathway]                                                                                                                                                                            |                     | -                      | 3      | -           | Structural / Architect<br>ESD<br>Head Contractor                  | Only target for 5 star.<br>Will require low GWP concrete with quantity reductions where possible.                                                                                                                            |
| [21-EP]<br>Upfront Carbon Emissions       | 3                      | The building's upfront carbon emissions are at least 40% less than those of a reference building.                                                                                                                                                                                                       |                     | -                      | -      | -           | Structural / Architect<br>ESD<br>Head Contractor                  |                                                                                                                                                                                                                              |
| [22-ME]<br>Energy Use                     | •                      | The building's energy use is at least 10% less than a reference building.                                                                                                                                                                                                                               | ✓                   | -                      | -      | -           | Building Services<br>Architect<br>ESD                             |                                                                                                                                                                                                                              |
| [22-CA]<br>Energy Use                     | 3                      | The building's energy use is at least 20% less than a reference building. [Climate Positive Pathway]                                                                                                                                                                                                    |                     | 3                      | -      | -           | Building Services<br>Architect<br>ESD                             | Efficient lighting and PV will achieve requirements. Within brief.                                                                                                                                                           |
| [22-EP]<br>Energy Use                     | 3                      | The building's energy use is at least 30% less than a reference building.                                                                                                                                                                                                                               |                     | 3                      | -      | -           | Building Services<br>Architect<br>ESD                             |                                                                                                                                                                                                                              |
| [23-ME]<br>Energy Source                  | •                      | The building provides a Zero Carbon Action Plan                                                                                                                                                                                                                                                         | ✓                   | -                      | -      | -           | ESD<br>Developer                                                  |                                                                                                                                                                                                                              |
| [23-CA]<br>Energy Source                  | 3                      | 100% of the building's electricity comes from renewable electricity.                                                                                                                                                                                                                                    |                     | 3                      | -      | -           | Developer                                                         | BAC to ensure leasing requirements with tenants are covered, and an base building power is from Green Power                                                                                                                  |
| [23-EP]<br>Energy Source                  | 2                      | 100% of the building's energy comes from renewables. No gas is used for space heating, domestic hot water or cooking. [Climate Positive Pathway]                                                                                                                                                        |                     | 2                      | -      | -           | Developer                                                         |                                                                                                                                                                                                                              |
| [24-CA]<br>Other Carbon Emissions         | 2                      | The building owner (1) eliminates OR (2) offsets emissions from refrigerants. [Climate Positive Pathway]                                                                                                                                                                                                |                     | -                      | 2      | -           | Mechanical<br>Developer                                           | Will need to purchase carbon offsets.                                                                                                                                                                                        |
| [24-EP]<br>Other Carbon Emissions         | 2                      | All other emissions not captured in the Positive category are eliminated or offset including all Upfront Carbon Emissions (embodied carbon).                                                                                                                                                            |                     | -                      | -      | -           | Developer<br>Design Team<br>ESD                                   |                                                                                                                                                                                                                              |
| [25-ME]<br>Water Use                      | •                      | The building (1) installs efficient water fixtures OR (2) uses 15% less potable water compared to a reference building. Multi-unit residential buildings use 10% less potable water compared to a reference building.                                                                                   | ✓                   | -                      | -      | -           | Architect<br>Building Services                                    |                                                                                                                                                                                                                              |
| [25-CA]<br>Water Use                      | 3                      | The building uses 45% less potable water compared to a reference building (40% for residential). The building has infrastructure for recycled water connection.                                                                                                                                         |                     | 3                      | -      | -           | Architect<br>Hydraulic &Fire<br>Landscape                         | Main components of requirements are within PPR requirements to achieve this through efficiencies.                                                                                                                            |
| [25-EP]<br>Water Use                      | 3                      | The building uses 75% less potable water compared to a reference building (60% for residential).                                                                                                                                                                                                        |                     | -                      | 3      | -           | Architect<br>Hydraulic &Fire<br>Landscape                         | To achieve the greater level of performance we'd need to look at landscaping to have drip irrigation and rain water tanks                                                                                                    |
| [26-CA]<br>Life Cycle Impacts             | 2                      | The project demonstrates a 30% reduction in life cycle impacts when compared to standard practice.                                                                                                                                                                                                      |                     | -                      | 2      | -           | ESD                                                               | Nothing additional.                                                                                                                                                                                                          |
| Places                                    | 8                      |                                                                                                                                                                                                                                                                                                         | (1)                 | 0                      | 0      | 0           |                                                                   |                                                                                                                                                                                                                              |
| [27-ME]<br>Movement and Place             | •                      | The building includes showers and changing facilities for building occupants that are accessible, inclusive and located in a safe and protected space.                                                                                                                                                  | ✓                   | -                      | -      | -           | Architect                                                         | No showers or lockers shown on the plans. This would need to be included for a formal rating.<br>Potentially viable to push this to be within the tenant fitout requirements, as it hasn't been included in the base design. |
| [27-CA]<br>Movement and Place             | 3                      | The building's design and access prioritises active travel and includes bicycle parking facilities, a Sustainable Transport Plan has been prepared and implemented, the building has EV charging capabilities, transport options that reduce the need for private fossil fuel vehicles are prioritised. |                     | -                      | -      | -           | Architect<br>Traffic Consultant<br>Wayfinding Consultant          |                                                                                                                                                                                                                              |
| [28-CA]<br>Enjoyable Places               | 2                      | The building delivers memorable, beautiful, vibrant communal or public places where people want to gather and participate in the community. The spaces are inclusive, safe, flexible and enjoyable.                                                                                                     |                     | -                      | -      | -           | Architect<br>Urban Planner                                        |                                                                                                                                                                                                                              |
| [29-CA]<br>Contribution to Place          | 2                      | The building's design contributes to the liveability of the wider urban context and enhances the public realm, OR independent reviews are held during the development of the design.                                                                                                                    |                     | -                      | -      | -           | Urban Planner<br>Architect                                        |                                                                                                                                                                                                                              |
| [30-CA]<br>Culture, Heritage and Identity | 1                      | The building's design reflects and celebrates local demographics and identities, the history of the place, and any hidden or minority entities, OR this outcome was arrived through meaningful engagement with community groups early in the design process.                                            |                     | -                      | -      | -           | Architect / Urban<br>Heritage Consultant<br>Indigenous Consultant |                                                                                                                                                                                                                              |

|                                                |                        |                                                                                                                                                                                                                                                                                                                        |                        |                     |        |             |                                        |                                               |
|------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------|--------|-------------|----------------------------------------|-----------------------------------------------|
| Project: Skygate Play (1049558)                |                        |                                                                                                                                                                                                                                                                                                                        | Revision: - (5/3/2026) |                     |        |             |                                        |                                               |
|                                                |                        |                                                                                                                                                                                                                                                                                                                        | Key:                   | Minimum Expectation | Credit | Exceptional | CP Pathway                             |                                               |
| Credit                                         | Total points available | Credit Criteria                                                                                                                                                                                                                                                                                                        | Minimum Expectation    | 4 star              | 5 star | TBC         | Lead Party                             | Notes                                         |
| People                                         | 9                      |                                                                                                                                                                                                                                                                                                                        | (1)                    | 0                   | 3      | 0           |                                        |                                               |
| [31-ME]<br>Inclusive Construction Practices    | •                      | During construction, the head contractor provides gender inclusive facilities and protective equipment. Policies are implemented on-site to increase awareness and reduces instances of discrimination, racism and bullying.                                                                                           | ✓                      | -                   | -      | -           | Head Contractor                        | Site construction practices to be considered. |
| [31-CA]<br>Inclusive Construction Practices    | 1                      | The head contractor provides and monitors high quality staff support on-site to reduce at least five key physical and mental health impacts relevant to construction workers. They must also evaluate the effectiveness of their interventions.                                                                        |                        | -                   | 1      | -           | Head Contractor                        |                                               |
| [32-CA]<br>Indigenous Inclusion                | 2                      | (1) The building's design and construction celebrates Aboriginal and Torres Strait Islander people, culture and heritage through playing an active role in the organisational RAP AND/OR (2) incorporating Indigenous Design and Planning principles.                                                                  |                        | -                   | -      | -           | Developer                              |                                               |
| [33-CA]<br>Procurement and Workforce Inclusion | 2                      | At least 2% of the building's total contract value has been directed to generate employment opportunities for disadvantaged and under-represented groups through a social procurement strategy                                                                                                                         |                        | -                   | 2      | -           | Head Contractor                        |                                               |
| [33-EP]<br>Procurement and Workforce Inclusion | 1                      | At least 4% of the building's total contract value has been directed to generate employment opportunities for disadvantaged and under-represented groups through a social procurement strategy.                                                                                                                        |                        | -                   | -      | -           | Head Contractor                        |                                               |
| [34-CA]<br>Design for Inclusion                | 2                      | The building is designed and constructed to be inclusive to a diverse range of people with different needs.                                                                                                                                                                                                            |                        | -                   | -      | -           | Access Consultant (DDA)                |                                               |
| [34-EP]<br>Design for Inclusion                | 1                      | Engagement with target groups has informed the inclusive design.                                                                                                                                                                                                                                                       |                        | -                   | -      | -           | Access Consultant (DDA)                |                                               |
| Nature                                         | 14                     |                                                                                                                                                                                                                                                                                                                        | (1)                    | 0                   | 0      | 0           |                                        |                                               |
| [35-ME]<br>Impacts to Nature                   | •                      | The building was not built on, or significantly impacted, a site with a high ecological value. (Where the project site does not impact on any wetlands of 'High National Importance', the project is deemed to comply with this aspect of the Minimum Expectation). The building's light pollution has been minimised. | ✓                      | -                   | -      | -           | Developer                              |                                               |
| [35-CA]<br>Impacts to Nature                   | 2                      | The building's design and construction conserves existing natural elements, and (if deemed necessary by an Ecologist) at least 50% of existing site with high biodiversity value is retained                                                                                                                           |                        | -                   | -      | -           | Urban Planner<br>Ecologist / Landscape |                                               |
| [36-CA]<br>Biodiversity Enhancement            | 2                      | The site includes an appropriate landscape area with a diversity of species and prioritises the use of climate-resilient and indigenous plants, AND a site-specific Biodiversity Management Plan is provided to the building owner or building owner representative.                                                   |                        | -                   | -      | -           | Landscape                              |                                               |
| [36-EP]<br>Biodiversity Enhancement            | 2                      | A greater area of landscaping is provided and the landscaping includes critically endangered and/or endangered plant species native to the bioregion.                                                                                                                                                                  |                        | -                   | -      | -           | Ecologist<br>Landscape                 |                                               |
| [37-CA]<br>Nature Connectivity                 | 2                      | The site must be built to encourage species connectivity through the site, and to adjacent sites. If the project sits within a blue or green grid strategy it must contribute to the goals of the strategy.                                                                                                            |                        | -                   | -      | -           | Ecologist<br>Landscape                 |                                               |
| [38-CA]<br>Nature Stewardship                  | 2                      | The building owner, as part of the project's development, undertakes activities that protects or restores biodiversity at scale beyond the development's boundary.                                                                                                                                                     |                        | -                   | -      | -           | Developer                              |                                               |
| [39-CA]<br>Waterway Protection                 | 2                      | The building demonstrates an annual average flow reduction (ML/yr) of 40% and meets specified pollutants targets.                                                                                                                                                                                                      |                        | -                   | -      | -           | Civil<br>Hydraulic                     |                                               |
| [39-EP]<br>Waterway Protection                 | 2                      | The building demonstrates an annual average flow reduction (ML/yr) of 80% and meets specified pollutants targets.                                                                                                                                                                                                      |                        | -                   | -      | -           | Civil<br>Hydraulic                     |                                               |



|                                                           |                        |                                                                                                                                                                                                                                                                                                                      |                        |                     |        |             |                                                   |       |
|-----------------------------------------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------|--------|-------------|---------------------------------------------------|-------|
| Project: Skygate Play (1049558)                           |                        |                                                                                                                                                                                                                                                                                                                      | Revision: - (5/3/2026) |                     |        |             |                                                   |       |
|                                                           |                        |                                                                                                                                                                                                                                                                                                                      | Key:                   | Minimum Expectation | Credit | Exceptional | CP Pathway                                        |       |
| Credit                                                    | Total points available | Credit Criteria                                                                                                                                                                                                                                                                                                      | Minimum Expectation    | 4 star              | 5 star | TBC         | Lead Party                                        | Notes |
| Leadership                                                |                        | 15                                                                                                                                                                                                                                                                                                                   |                        | 0                   | 1      | 0           |                                                   |       |
| [40-1]<br>Market Transformation - 1                       | 1                      | Technology or process not commonly used within Australia's building industry or globally, depending on the context of the innovation claimed.                                                                                                                                                                        |                        | -                   | -      | -           | Developer                                         |       |
| [40-2]<br>Market Transformation - 2                       | 1                      | Technology or process not commonly used within Australia's building industry or globally, depending on the context of the innovation claimed.                                                                                                                                                                        |                        | -                   | -      | -           | Developer                                         |       |
| [40-3]<br>Market Transformation - 3                       | 1                      | Technology or process not commonly used within Australia's building industry or globally, depending on the context of the innovation claimed.                                                                                                                                                                        |                        | -                   | -      | -           | Developer                                         |       |
| [40-4]<br>Market Transformation - 4                       | 1                      | Technology or process not commonly used within Australia's building industry or globally, depending on the context of the innovation claimed.                                                                                                                                                                        |                        | -                   | -      | -           | Developer                                         |       |
| [40-5]<br>Market Transformation - 5                       | 1                      | Technology or process not commonly used within Australia's building industry or globally, depending on the context of the innovation claimed.                                                                                                                                                                        |                        | -                   | -      | -           | Developer                                         |       |
| [41]<br>Leadership - Climate Positive Pathway             | 0                      | This credit is part of the Climate Positive Pathway in Green Star Buildings. When the pathway is achieved, a Leadership Challenge point is awarded to the building for a total of 15 points for this path.                                                                                                           |                        | -                   | 1      | -           | ESD                                               |       |
| [42-CA]<br>Leadership - Circular Economy                  | 2                      | The project team identifies and implements circular economy principles and initiatives. The project team demonstrates an increased circularity of 10% (weighted by cost)                                                                                                                                             |                        | -                   | -      | -           | Developer / PM<br>ESD<br>Head Contractor          |       |
| [42-EP]<br>Leadership - Circular Economy                  | 1                      | The project team demonstrates an increased circularity of 20% (weighted by cost)                                                                                                                                                                                                                                     |                        | -                   | -      | -           | Developer / PM<br>ESD<br>Head Contractor          |       |
| [43-CA]<br>Leadership - Responsible Structure             | 1                      | Achieve both Pathway A and Pathway B for Exceptional Performance for the Responsible Structure credit                                                                                                                                                                                                                |                        | -                   | -      | -           | Structural<br>Head Contractor                     |       |
| [44-CA]<br>Leadership - Responsible Envelope              | 1                      | Achieve both Pathway A and Pathway B for Exceptional Performance for the Responsible Envelope credit                                                                                                                                                                                                                 |                        | -                   | -      | -           | Architect<br>Façade Consultant<br>Head Contractor |       |
| [45-CA]<br>Leadership - Responsible Systems               | 1                      | Achieve both Pathway A and Pathway B for Exceptional Performance for the Responsible Systems credit                                                                                                                                                                                                                  |                        | -                   | -      | -           | Head Contractor<br>Building Services              |       |
| [46-CA]<br>Leadership - Responsible Finishes              | 1                      | Achieve both Pathway A and Pathway B for Exceptional Performance for the Responsible Finishes credit                                                                                                                                                                                                                 |                        | -                   | -      | -           | Architect<br>Head Contractor                      |       |
| [47-CA]<br>Leadership - Fossil Fuel Fee Construction Site | 1                      | The project has achieved the Responsible Construction credit. The site offices are powered by 100% renewable energy. All electricity is 100% renewable. 20% of high emitting construction equipment is fossil fuel free.                                                                                             |                        | -                   | -      | -           | Head Contractor                                   |       |
| [47-H]<br>Leadership - Fossil Fuel Fee Construction Site  | 1                      | In addition to the Credit Achievement, 50% of high emitting construction equipment is fossil fuel free.                                                                                                                                                                                                              |                        | -                   | -      | -           | Head Contractor                                   |       |
| [47-EP]<br>Leadership - Fossil Fuel Fee Construction Site | 1                      | In addition to the High Performance, 100% of all construction equipment is fossil fuel free.                                                                                                                                                                                                                         |                        | -                   | -      | -           | Head Contractor                                   |       |
| Sectors                                                   |                        | 10                                                                                                                                                                                                                                                                                                                   |                        | 0                   | 3      | 0           |                                                   |       |
| [SS1-CA]<br>Upfront Tenant Emissions                      | 1                      | The building owner actively assists the tenants to quantify and reduce their fitout upfront emissions. Fitout upfront emissions (>10% of tenant NLA) has been quantified and fully offset. The building owner requires tenants to use low GWP refrigerants or offsets for high GWP refrigerant leakage are procured. |                        | -                   | -      | -           | Developer                                         |       |
| [SS1-EP]<br>Upfront Tenant Emissions                      | 2                      | Fitout upfront carbon emissions for 40% of tenanted space by NLA has been reduced and compensated.                                                                                                                                                                                                                   |                        | -                   | -      | -           | Developer                                         |       |
| [SS2-CA]<br>Collaborative Leasing                         | 1                      | There is a commitment between landlord and tenant regarding collaboration, resource management and performance reporting. Between 5% to 10% of tenants (depending on building type) have signed high quality lease agreements.                                                                                       |                        | -                   | 1      | -           | Developer                                         |       |
| [SS2-EP]<br>Collaborative Leasing                         | 1                      | A majority of building tenants have signed high quality lease agreements.                                                                                                                                                                                                                                            |                        | -                   | -      | -           | Developer                                         |       |
| [SS3-CA]<br>Tenant Energy Emissions                       | 2                      | The building owner actively assist tenants to procure renewable electricity and at least 40% of tenant space (by NLA) uses 100% renewable electricity.                                                                                                                                                               |                        | -                   | 2      | -           | Developer                                         |       |
| [SS3-EP]<br>Tenant Energy Emissions                       | 3                      | At least 80% of tenant space (by NLA) uses 100% renewable energy.                                                                                                                                                                                                                                                    |                        | -                   | -      | -           | Developer                                         |       |